



EUROPEAN
COMMISSION

**CONVENTION ON INTERNATIONAL TRADE
IN ENDANGERED SPECIES OF WILD FAUNA
AND FLORA**

EC ANNUAL REPORT 2000

This document has been prepared for use within the Commission. It does not necessarily represent the Commission's official position.

A great deal of additional information on the European Union is available on the Internet.
It can be accessed through the Europa server (<http://europa.eu.int>).

Cataloguing data can be found at the end of this publication.

Luxembourg: Office for Official Publications of the European Communities, 2002

ISBN 92-894-3692-1

© European Communities, 2002
Reproduction is authorised provided the source is acknowledged.

Printed in Belgium

European Commission

**CONVENTION ON INTERNATIONAL TRADE IN
ENDANGERED SPECIES OF WILD FAUNA AND FLORA
EC ANNUAL REPORT 2000**

Document

CONTENTS :

CONTENU :

INDICE :

- | | | | |
|----|---|--|--------------|
| 1. | - | Presentation and introduction to the EC 2000 annual report to CITES | |
| | - | Présentation et Introduction du rapport annuel 2000 de la CE à la CITES | |
| | - | Presentación y Introducción del informe anual de 2000 de la CE para el CITES | p. I – VII |
| 2. | - | Exports – Re-exports | |
| | - | Exportations – Réexportations | |
| | - | Exportaciones – Reexportaciones | p. 1 – 174 |
| 3. | - | Imports | |
| | - | Importations | |
| | - | Importaciones | p. 175 – 394 |
| 4. | - | Index of country codes used | |
| | - | Liste des codes de pays utilisés | |
| | - | Indice de los codigos de paises utilizados | p.395 – 397 |

PRESENTATION OF THE EC 2000 ANNUAL REPORT TO CITES

In accordance with Art. 15 (4) of Reg. (EC) 338/97¹ as well as with regard to Art. VIII 7 (a) of the Convention, the European Commission gathered the necessary trade data from all Member States and charged the UNEP World Conservation Monitoring Centre with the production of the annual report. Equivalent information was gathered for non- CITES species, included in Annexes B and D to Reg. (EC) 338/97.

Annexes with information on each Member State's individual trade with third countries have been established as well. These annexes contain to the extent possible for each shipment:

- the States with which such trade occurred,
- the number or quantities and types of specimens,
- the Latin names of the specimens,
- size and sex of the specimens: where applicable,
- purpose of the exportation: re-exportation, importation or introduction from the sea.
- permit numbers.

Because of the volume of these annexes they will not be published together with the Community report. They were, however, made available to the EC Member States and the Convention Secretariat. Requests from Parties for information on individual shipments can be addressed to the European Commission, Directorate General for the Environment, Unit ENV E:3, 200, rue de la Loi, 1040 Brussels, telefax 32 2 2969557.

¹ OJ L 61 of 3.3.1997, p. 1

INTRODUCTION TO THE EC 2000 ANNUAL REPORT TO CITES

The Community and CITES

1. The Community it is not yet a Party to CITES in its own right. In 1983, an amendment to CITES was adopted which would allow Community accession. This "Gaborone" Amendment requires 54 ratifications (two-thirds of the 80 parties that were a Party in 1983). To date, approximately 40 of those Parties have deposited the necessary instruments of ratification. Nevertheless, the Community has been implementing the CITES since 1 January 1984 initially through Council Regulation (EEC) No. 3626/82² and Commission Regulation (EEC) No. 3418/83³ and its modifications and updates.
2. *Over the years, wildlife trade regulations have shifted from a national matter to one of Community competence.* External trade rules are an exclusive Community competence and hence require Community involvement. Further, implementation of the CITES Convention by individual Member States was only possible under a derogation from the provision of the Treaty of Rome that Member States cannot adopt quantitative trade restrictions between them. Article 36 of the Rome Treaty conditionally allows such trade restrictions between Member States for the protection of the life and health of animals and plants. Generally, this does not apply to areas covered by Community legislation.

In addition, in 1982, only five of the Community Member States were Party to the Convention. The absence of systematic border controls between Member States, as a result of the customs union, made implementation of the Convention by individual Member States ineffective at best.

Apart from these technical reasons, the adoption of environmental action plans for Community legislation protecting and conserving the indigenous species also made wildlife trade regulations a matter of Community competence.

3. In December 1991, the Commission proposed that the Council replace the 1982 Regulation by a more comprehensive regulation as of 1 January 1993, the date of completion of the Single Market. The almost total disappearance of internal trade controls of goods, capital, persons and services on that date made the revision of the 1982 Regulation necessary (particularly in order to increase the effectiveness of external border controls).

² OJ L 384 of 31.12.82, p. 1

³ OJ L 344 of 7.12.83, p.1

There were other reasons for redesigning Community wildlife trade legislation. Disparate implementation by Member States of the Community Regulations and recommendations of the Conference of the Parties had led to confusion and an increasing lack of harmonisation.

Further, the Regulations needed to be adapted to the evolution of wildlife trade control techniques and policies and to modern conservation and management policies.

4. The Council of the European Union adopted **Regulation (EC) 338/97 on the Protection of Species of Wild Fauna and Flora by Regulating Trade Therein**⁴ (Regulation (EC) 338/97). This entered into force on 1 June 1997.

Commission Regulation (EEC) 3418/83⁵ and Commission Regulation (EC) No 939/97⁶, containing detailed implementation provisions, particularly on the use of permits and certificates - have been replaced by **Commission Regulation (EC) No 1808/2001**⁷.

5. These two Regulations fully implement the provisions of CITES and include provisions to implement the bulk of currently applicable recommendations of the Conference of the Parties on their interpretation and implementation.

⁴ OJ L 61 of 3.3.97, p. 1

⁵ OJ L 344 of 7.12.83, p. 1

⁶ OJ L 140 of 30.5.97, p. 9

⁷ OJ L 250 of 30.8.2001, p. 1

More than CITES

The Regulations from the eighties already had a number of measures which were stricter than CITES. These measures are maintained and further extended in the new Regulations.

- Annexes contain non-CITES listed species
- Stricter import conditions apply for species in Annexes A and B
- Import permits are also required for Annex B species, import notifications are required for Annex C and D species
- Housing conditions are specified for live specimens of species in Annex A and B
- Transport conditions apply for all live specimens. More comprehensive restrictions are applicable for internal trade in Annex A species
- Annex D contains species for which import levels are monitored

Species coverage

Annex A

Commercial trade from, to and within the Community is as a general rule prohibited for Annex A species. External trade is governed by provisions comparable to those applicable to Appendix I species under CITES, including:

1. All CITES Appendix I species
2. Any species (CITES II, III, non-CITES) that is or may be in Community or international demand that is threatened with extinction or is so rare that any trade would imperil its survival. Where Appendix III species in Annexes A, B and C are concerned, the species are subject to the corresponding provisions of the Regulations and not just the populations of the countries that listed them in Appendix III.
3. Look-alike species (CITES II, III, non-CITES).
If most of the species in a genus are listed in Annex A, the remaining species in the genus can be listed if that is essential for the effective protection of the species listed under the criteria in 1 and 2 above.

Although there is a similar provision for Annex B, the difference is significant and results in the following:

- a minority of species in a genus which does not qualify for listing in Annex A can nevertheless be listed in order to exclude commercial trade in the entire genus. This exclusion avoids that specimens of threatened species are in trade as specimens of more common species.
- the inclusion of look-alike species in Annex B is more of a technicality. Species that do not qualify for listing in Annex A or B on conservation grounds can be listed in Annex B in order to facilitate controls.

Although there is no separate provision in the Regulation (EC) 338/97, CITES-listed species that are subject to internal trade prohibitions under Community legislation on the protection of indigenous species (Directive on the protection of wild birds⁸ and the so-called Habitats Directive⁹) are automatically listed in Annex A. This is necessary to ensure compatibility between the different legislative instruments and to avoid confusion. The names of these species in Annex A are printed in bold.

⁸ Council Directive (EC) 409/79

⁹ Council Directive (EC) 43/92

Annex B

Annex B contains species, trade from and to the Community which require the issuance of import permits, export permits and re-export certificates along the lines of the provisions applicable to CITES Appendix II species. There are *significant* differences, however: unlike for CITES Appendix II, import permits are required for imports of specimens of Annex B species and imports can be restricted in spite of the fact that the (re-)exporting country has issued a valid CITES permit/certificate.

Annex B contains:

1. Remaining CITES Appendix II species.
2. Appendix I species with reservation (of which there are currently none).
3. Any species (CITES III, non-CITES) subject to levels of international trade that might not be compatible with survival of populations in certain countries or with the maintenance of its total population at a level that is consistent with its role in its ecosystem.
4. Look-alike species, to be listed for effective control of trade in species above.
5. Species (CITES III, non-CITES) known to pose an ecological threat to indigenous species.

Annex C

Annex C contains the CITES Appendix III species that are not listed in Annex B. (For many of these species, there may not be a conservation reason for the inclusion of many of these species in Appendix III. These species could be removed from Appendix III according to the recommendations by the Conference of the Parties. This, however, is an action which can only be carried out by the countries which included them originally).

Species in Annex C are not subject to the stricter Community requirement of an import permit. Imports can take place on the basis of the CITES (re-)export document and an import notification. (The import notification is not a document required under CITES and is therefore a stricter Community measure).

Annex C contains:

1. Remaining Appendix III species.
2. Appendix II species with reservation. (Currently there are no Appendix II species subject to a "Community" reservation).

Annex D

Annex D lists species that do not have a CITES equivalent. Imports of Annex D specimens require an import notification. As the purpose of Annex B is to ensure sustainable trade in species and thus prevent them from becoming Annex A candidates, the Annex D monitoring system is intended to allow an early detection of possible conservation concerns in relation to the species listed. Where necessary, Annex D species will be "up-listed" and brought under the trade provisions related to Annex B.

Annex D contains:

1. Non-CITES species that are not listed in Annexes A to C and that are imported into the Community in such numbers as to warrant monitoring.
2. Appendix III species with reservation.

For more details on these and other provisions of the new regulations please consult the **Reference Guide on the European Community Wildlife Trade Regulations** (http://europa.eu.int/comm/environment/cites/home_en.htm).

Import restrictions established under Art. 4(6) of Reg. EC N° 338/97 are published by the Commission in the Official Journal of the EC on a regularly basis.

The situation with regard to import restrictions under Art. 4 (1), (2) and (6) can, however, be checked on the Internet web site created for that purpose by the UNEP World Conservation Monitoring Centre in Cambridge (<http://www.wcmc.org.uk/species/trade/eu>).

PRESENTATION DU RAPPORT ANNUEL 2000 DE LA CE A LA CITES

Conformément à l'article 15 (4) du Règlement (CE) 338/97¹, ainsi que par rapport à l'article VIII 7 (a) de la Convention sur le commerce international des espèces de faune et de flore sauvages menacées d'extinction (CITES), la Commission Européenne a recueilli les données commerciales nécessaires auprès de tous les Etats Membres et a chargé le UNEP World Conservation Monitoring Centre d'établir le rapport annuel. Des informations équivalentes pour les espèces inscrites aux Annexes B et D du Règlement (CE) N° 338/97 étaient rassemblées également.

Des annexes contenant des informations sur le commerce individuel de chaque Etat membre avec les pays tiers ont également été rédigées. Dans la mesure du possible, ces annexes contiennent des informations sur:

- les Etats avec lesquels le commerce a eu lieu,
- le nombre ou les quantités et les types de spécimens,
- le nom latin des spécimens,
- la taille et le sexe des spécimens, le cas échéant,
- le but de l'exportation, de la ré-exportation, de l'importation ou de la capture en mer,
- les numéros des permis.

Étant donné le volume de ces annexes, il n'a pas été possible de les publier en même temps que le rapport de la Communauté. Elles ont cependant été mises à la disposition des Etats membres de la Communauté et du Secrétariat de la Convention. Les Parties peuvent adresser les demandes d'information concernant des envois individuels à la Commission Européenne. Direction Générale de l'Environnement, Unité ENV/E/3, 200, rue de la Loi, 1040 Bruxelles, télécopie 32 2 2969557.

¹ JO L 61 du 3.3.1997, p. 1

INTRODUCTION AU RAPPORT ANNUEL 2000 DE LA CEE A LA CITES

La Communauté et la CITES

1. La Communauté n'est pas encore partie à part entière à la CITES. En 1983, un amendement à la CITES a été adopté pour autoriser l'adhésion de la Communauté. Cet amendement "Gabarone" nécessite 54 ratifications (deux tiers des 78 États qui étaient parties à la convention en 1983). Jusqu'à présent, 40 parties ont déposé les instruments de ratification nécessaires. Néanmoins, la CITES est en application dans la Communauté depuis 1984, en vertu du règlement (CEE) n° 3626/82 du Conseil et du règlement (CEE) n° 3418/83³ de la Commission et ses modifications et mises à jour.
2. *Au cours des années, la réglementation du commerce des espèces sauvages qui était du ressort des autorités nationales est entrée dans le domaine des compétences communautaires.* Les règles en matière de commerce extérieur constituent une compétence communautaire exclusive et exigent par conséquent l'intervention de la Communauté. Par ailleurs, l'application de la convention CITES par les différents États membres n'a été possible qu'en vertu d'une dérogation aux dispositions du traité de Rome interdisant aux États membres d'introduire entre eux des restrictions quantitatives au commerce. L'article 36 du traité de Rome autorise de telles restrictions au commerce entre États membres, lorsqu'elles sont justifiées par des raisons de protection de la santé et de la vie des animaux ou de préservation des végétaux. En règle générale, cela ne s'applique pas aux domaines relevant de la législation communautaire.

De surcroît, en 1982, seulement cinq des États membres de la Communauté étaient parties à la convention. Du fait de l'absence de contrôles systématiques aux frontières entre les États membres, par suite de l'union douanière, l'application de la convention par chaque État membre individuellement était dans le meilleur des cas sans effet.

Mis à part ces considérations techniques, l'adoption de plans d'action pour l'environnement dans le cadre de la législation communautaire sur la protection et la conservation des espèces indigènes a également contribué à faire entrer la réglementation du commerce des espèces sauvages dans le domaine des compétences communautaires.

² JO L 384 du 31.12.1982, p.1

³ JO L 344 du 7.12.1983, p. 1.

3. En décembre 1991, la Commission a proposé que le Conseil remplace le règlement de 1982 par un nouveau règlement plus complet, à partir du 1er janvier 1993, date de réalisation du marché unique. La suppression quasi totale des contrôles sur les mouvements internes de marchandises, de capitaux, de personnes et de services devant intervenir à cette date rendait nécessaire la révision du règlement de 1982 (en particulier pour renforcer l'efficacité des contrôles aux frontières externes de la Communauté).

D'autres raisons justifiaient cette refonte de la législation communautaire relative au commerce des espèces sauvages. Les mesures disparates arrêtées par les États membres pour appliquer les règlements communautaires et mettre en oeuvre les résolutions de la conférence des parties ont donné naissance à une situation confuse et de plus en plus hétérogène.

De surcroit, il convenait d'adapter les règlements à l'évolution des techniques et des politiques de contrôle du commerce, ainsi qu'aux politiques modernes de conservation et de gestion.

4. Le 9 décembre 1996 le Conseil de l'Union européenne adoptait le **règlement (CE) n° 338/97 relatif à la protection des espèces de faune et de flore sauvages par le contrôle de leur commerce**⁴ (règlement (CE) n° 338/97). Il est entré en vigueur le 1er juin 1997.

Règlement (CEE) n° 3418/83⁵ et Règlement (CE) 939/97⁶ de la Commission, qui contenait les modalités d'application détaillées, ont été remplacés par le **Règlement (CE) n° 1808/2001 de la Commission**⁷.

5. Ces deux règlements mettent pleinement en application les dispositions de la CITES et prévoient des dispositions pour mettre en oeuvre la majeure partie des résolutions de la conférence des parties qui sont actuellement en vigueur concernant l'interprétation et l'application des dispositions de la convention.

⁴ JO L 61 du 3.3.1997, p.1.

⁵ JO L 344 du 7.12.1983, p.1

⁶ JO L 140 du 30.5.1997, p.1

⁷ JO L 250 du 30.8.2001, p. 1

Au-delà de la CITES

Les règlements des années quatre-vingt comportaient déjà un certain nombre de mesures plus strictes que les dispositions de la CITES. Ces mesures sont maintenues et complétées dans les nouveaux règlements

- Les annexes mentionnent des espèces non inscrites aux annexes de la CITES
- Des conditions d'importations plus strictes s'appliquent aux espèces inscrites aux annexes A et B.
- Des permis d'importation sont aussi requis pour les espèces inscrites à l'annexe B, et des notifications d'importation pour les espèces inscrites aux annexes C et D.
- Des conditions d'hébergement sont spécifiées pour les spécimens vivants des espèces inscrites aux annexes A et B.
- Des conditions de transport s'appliquent à tous les spécimens vivants. Des restrictions plus complètes s'appliquent au commerce intérieur des espèces inscrites à l'annexe A.
- L'annexe D énumère des espèces dont les niveaux d'importation font l'objet d'une surveillance.

Espèces concernées

Annexe A

L'importation dans la Communauté, l'exportation hors de la Communauté et la circulation dans la Communauté d'espèces inscrites à l'annexe A à des fins commerciales sont en règle générale interdites. Le commerce extérieur est régi par des dispositions comparables à celles qui sont applicables aux espèces inscrites à l'annexe I de la CITES, notamment :

1. Toutes les espèces inscrites à l'annexe I de la CITES.
2. Toute espèce (inscrite aux annexes II et III de la CITES ou non inscrite) qui fait ou peut faire l'objet d'une demande dans la Communauté ou pour le commerce international et qui est soit menacée d'extinction, soit si rare que tout commerce compromettrait sa survie. En ce qui concerne les espèces inscrites à l'annexe III qui figurent aux annexes A, B et C, ce sont les **espèces** qui sont soumises aux dispositions correspondantes des règlements, et pas seulement les populations de ces espèces dans les pays qui les ont inscrites à l'annexe III.
3. Espèces ressemblantes (espèces inscrites aux annexes II et III de la CITES ou non inscrites). Si la plupart des espèces d'un genre sont inscrites à l'annexe A, les autres espèces de ce genre peuvent être inscrites si cela s'avère essentiel pour assurer une protection efficace des espèces inscrites en vertu des critères 1 et 2 ci-dessus.

Bien qu'il existe une disposition similaire pour les espèces inscrites à l'annexe B, on constate une différence importante qui se traduit comme suit :

- une minorité d'espèces appartenant à un genre qui ne justifie pas l'inscription à l'annexe A peut néanmoins être inscrite afin d'empêcher le commerce pour la totalité du genre. Cette disposition permet d'éviter que des spécimens d'espèces menacées fassent l'objet d'un commerce comme s'il s'agissait d'espèces plus communes.
- l'inscription d'espèces analogues à l'annexe B s'apparente plutôt à une subtilité. Les espèces dont le statut de conservation ne justifie pas une inscription à l'annexe A ou B peuvent être inscrites à l'annexe B pour faciliter les contrôles.

Malgré l'absence de dispositions spécifiques dans le règlement (CE) n° 338/97, les espèces inscrites à la CITES dont le commerce intérieur est interdit en vertu de la législation communautaire sur la protection des espèces indigènes (directive concernant la conservation des oiseaux sauvages⁸ et directive "habitats"⁹) sont automatiquement inscrites à l'annexe A, afin de garantir la compatibilité des différents instruments législatifs et d'éviter les confusions. Le nom de ces espèces apparaît en caractères gras dans l'annexe A.

⁸ Directive 79/409/CEE du Conseil.

⁹ Directive 92/43/CEE du Conseil.

Annexe B

L'annexe B recense les espèces de spécimens dont l'importation dans la Communauté et l'exportation hors de la Communauté nécessitent la délivrance de permis d'importation, de permis d'exportation et de certificats de réexportation, dans l'esprit des dispositions applicables aux espèces inscrites à l'annexe II de la CITES. Il existe cependant des différences *importantes* : contrairement aux dispositions applicables aux espèces inscrites à l'annexe II de la CITES, des permis d'importation sont requis pour les importations de spécimens des espèces inscrites à l'annexe B, et ces importations peuvent faire l'objet de restrictions quand bien même le pays (ré)exportateur a délivré un permis certificat CITES en bonne et due forme.

Figurent à l'annexe B :

1. Les autres espèces inscrites à l'annexe II de la CITES.
2. Les espèces inscrites à l'annexe I de la CITES, qui ont fait l'objet d'une réserve (ce n'est le cas d'aucune espèce actuellement).
3. Toute espèce (inscrite à l'annexe III de la CITES ou non inscrite à la CITES) qui fait l'objet d'un commerce international dont le volume pourrait compromettre sa survie ou la survie de populations de certains pays, ou la conservation de la population totale à un niveau compatible avec le rôle de cette espèce dans les écosystèmes dans lesquels elle est présente.
4. Les espèces analogues dont l'inscription est essentielle pour assurer un contrôle efficace du commerce des espèces susvisées.
5. Les espèces (inscrites à l'annexe III de la CITES ou non inscrites à la CITES) pour lesquelles il a été établi que l'introduction dans la Communauté constitue une menace écologique pour les espèces indigènes.

Annexe C

L'annexe C recense les espèces inscrites à l'annexe III de la CITES qui ne figurent pas à l'annexe B (dans de nombreux cas, l'inscription de ces espèces à l'annexe III n'est pas nécessairement justifiée par des raisons de conservation. Ces espèces peuvent être retirées de l'annexe III en fonction des résolutions de la conférence des parties. Toutefois, les espèces ne peuvent être supprimées de l'annexe que par les pays qui les y ont initialement inscrites).

Les espèces inscrites à l'annexe C ne sont pas soumises à l'exigence communautaire plus stricte d'un permis d'importation. Les importations sont autorisées moyennant présentation du document d'exportation (ou de réexportation) CITES et d'une notification d'importation (la notification d'importation n'est pas un document requis par la CITES et constitue donc une mesure communautaire plus stricte).

Figurent à l'annexe C :

1. Les autres espèces inscrites à l'annexe III de la CITES.

2. Les espèces inscrites à l'annexe II de la CITES, qui ont fait l'objet d'une réserve (actuellement, aucune espèce inscrite à l'annexe II ne fait l'objet d'une réserve "communautaire").

Annexe D

L'annexe D recense des espèces qui n'ont pas d'équivalent CITES. Les importations de spécimens d'espèces inscrites à l'annexe D nécessitent une notification d'importation. Le but de l'annexe B étant d'assurer le commerce durable des espèces et partant, de leur éviter un statut justifiant leur inscription à l'annexe A, le système de surveillance prévu pour l'annexe D vise à permettre une détection rapide des problèmes de conservation concernant les espèces inscrites. Si nécessaire, les espèces inscrites à l'annexe D seront transférées à l'annexe B et leur commerce sera soumis aux dispositions correspondantes.

Figurent à l'annexe D :

1. Les espèces non inscrites à la CITES qui ne figurent pas aux annexes A à C et dont le volume des importations dans la Communauté justifie une surveillance.
2. Les espèces inscrites à l'annexe III de la CITES qui ont fait l'objet d'une réserve (article 3, paragraphe 4, point b), du règlement (CE) n° 338/97)

Consultez le **Guide de référence sur la réglementation du commerce des espèces de faune et de flore sauvages de la Communauté européenne** pour plus d'informations sur les provisions des nouveaux règlements (http://europa.eu.int/comm/environment/cites/home_fr.htm).

Des **restrictions à l'importation sous l'article 4(6) du règlement EC n° 338/97** sont publiées régulièrement par la Commission dans le Journal Officiel de la CE.

Il est toutefois possible de vérifier la situation en matière de restrictions d'importation imposées en application de l'article 4 (1), (2) et (6) sur le site Internet créé à cet effet par le Centre mondial de surveillance de la conservation (UNEP WCMC) de Cambridge. (<http://www.wcmc.org.uk/species/trade/eu>).

PRESENTACIÓN DEL INFORME ANNUAL DE 2000 DE LA COMUNIDADES EUROPEAS PARA EL CITES

De conformidad con el artículo 15 (4) del Reglamento (CE) 338/97¹ y en relación con el apartado 7 (a) del artículo VIII del Convenio Internacional sobre Comercio de Especies Amenazadas de Fauna y Flora silvestres (CITES), la Comisión Europea reunió los datos comerciales de todos los Estados miembros y encargó a la UNEP World Conservation Monitoring Centre la elaboración del informe anual. De la información equivalente ha sido colecciónado para las especies no-CITES que figuran en el Anexo D del Reglamento (CE) 338/97.

Asimismo, se han elaborado Anexos con información sobre el comercio de cada Estado miembro con terceros países. Dichos Anexos contienen, en la medida de lo posible, para cada envío:

- los Estados con los que tiene lugar dicho comercio;
- el número o cantidades y tipos de ejemplares;
- los nombres latinos de los ejemplares;
- tamaño y sexo de los ejemplares, en su caso;
- objetivo de la exportación, reexportación, importación de la introducción a partir del mar;
- números de los permisos.

Debido al volumen de dichos Anexos, no ha sido posible publicarlos junto con el informe de la Comunidad. Sin embargo, se pusieron a disposición de los Estados miembros de la Comunidad y de la Secretaría del Convenio. Las Partes pueden solicitar información sobre envíos particulares a la Comisión Europea, Dirección General de Medio Ambiente, Unidad ENV/E/3, 200, rue de la Loi, 1040 Bruselas, telefax 32 2 2969557.

¹ DO L 61 de 3.3.1997, p. 1

INTRODUCCIÓN DEL INFORME ANNUAL DE 2000 DE LAS COMUNIDADES EUROPEAS PARA EL CITES

La Comunidad Europea y el CITES.

1. La Comunidad todavía no es Parte en el CITES por derecho propio. En 1983 se presentó una enmienda al CITES para permitir la adhesión de la Comunidad. Esta enmienda, denominada "Gaborone" necesitaba la ratificación de 54 Estados Parte (las dos terceras partes de los 78 países que eran Parte en ese momento). Hasta la fecha, sólo se han presentado alrededor de 40 instrumentos de ratificación. No obstante, la Comunidad Europea lleva aplicando el CITES desde el 1 de enero de 1984 por medio del Reglamento (CEE) nº 3626/82² del Consejo y del Reglamento (CEE) nº 3418/83³, de la Comisión así como de sus modificaciones y actualizaciones.
2. *Durante los años, la normativa sobre comercio de fauna y flora silvestres ha dejado de ser asunto nacional para convertirse en competencia comunitaria.* Las normas sobre comercio exterior son competencia exclusiva de la Comunidad y, por consiguiente, requieren la participación de la Comunidad. Por otra parte, la ejecución del Convenio CITES por cada Estado miembro de forma individual solo sería posible si se derogara lo establecido en el Tratado de Roma sobre la imposibilidad de que los Estados miembros adopten restricciones cuantitativas en el comercio intracomunitario. El Artículo 36 del Tratado únicamente permite estas restricciones entre Estados miembros en algunas condiciones por motivos de protección de la vida y la salud de animales y vegetales. Esto, en general, no es de aplicación a los campos regulados por la legislación comunitaria.

En 1982, por otra parte, sólo cinco Estados miembros eran Parte en el Convenio. La ausencia de controles sistemáticos en las fronteras entre Estados miembros, como resultado de la Unión Aduanera hace que la aplicación del Convenio por parte de los Estados miembros de forma aislada sea cuando menos ineficaz.

Aparte de estas razones técnicas, la adopción de planes sobre medio ambiente para la protección y conservación de especies autóctonas por medio de la legislación comunitaria hace que la normativa que regula el comercio de especies silvestres sea un asunto competencia de la Comunidad.

² DO L 384 de 31.12.1982, p.1

³ DO L 344 de 7.12.83, p. 1.

3. En diciembre de 1991, la Comisión propuso al Consejo sustituir el Reglamento de 1982 por un nuevo reglamento de mayor alcance a partir del 1 de enero de 1993, fecha de la consecución del Mercado Único. La práctica desaparición de controles en el comercio intracomunitario de bienes, capitales, personas y servicios a partir de esta fecha hacía necesario reformar el Reglamento de 1982, particularmente con objeto de aumentar la eficacia de los controles en las fronteras exteriores.

Había, además, otras razones para modificar la normativa comunitaria de comercio de fauna y flora silvestres. La aplicación absolutamente heterogénea por parte de los Estados miembros de los reglamentos y recomendaciones de la Conferencia de las Partes había provocado confusión y una falta de armonización cada vez mayor.

Por otra parte, la normativa debía adaptarse a la evolución de las técnicas y sistemas de control del comercio de especies silvestres y a las estrategias modernas de conservación y gestión.

4. El 9 de diciembre de 1996, el Consejo de la Unión Europea aprobó el **Reglamento (CE) nº 338/97 del Consejo relativo a la protección de especies de fauna y flora silvestres mediante el control de su comercio**⁴ (Reglamento (CE) 338/97). Éste entró en vigor el 1 de junio de 1997.

Reglamento (CEE) nº 3418/83⁵ y Reglamento (CE) nº 939/97⁶ de la Comisión, que desarrollaba las condiciones de aplicación, en particular en lo que se refiere al uso de permisos y certificados, se sustituyó por el Reglamento (CE) 1808/2001 de la Comisión

5. Estos dos Reglamentos no sólo aplican plenamente las disposiciones del CITES sino que, además, incluyen disposiciones que desarrollan la mayor parte de las recomendaciones aplicables de la Conferencia de las Partes en relación con su interpretación y ejecución.

⁴ DO L 61 de 3.3.97, p. 1.

⁵ DO L 344 de 7.12.83, p. 1.

⁶ DO L 140 de 30.5.97, p. 9.

DO L 250 de 30.8.2001, p. 1

MÁS QUE EL CITES

Los reglamentos de la década de los 80 contenían ya algunas medidas más estrictas que el CITES. En los nuevos reglamentos se mantienen esas medidas y se amplía su alcance.

- Los Anexos incluyen especies no reguladas en el CITES
- Se establecen condiciones más estrictas para la importación de especies incluidas en los Anexos A y B
- Se exigen permisos de importación también para las especies del Anexo B, y notificaciones de importación para las especies de los Anexos C y D
- Se especifican las condiciones de alojamiento de especímenes vivos de especies de los Anexos A y B
- Se establecen condiciones de transporte para cualquier espécimen vivo. Se establecen restricciones de mayor alcance en el comercio intracomunitario de especies incluidas en el Anexo A
- El Anexo D incluye las especies cuyo nivel de importación está sometido a seguimiento

Especies reguladas

Anexo A

El Anexo A incluye especies cuyo comercio desde, hacia o en el interior de la Comunidad está prohibido. El comercio exterior se rige por requisitos comparables a los aplicables a las especies del Apéndice I del CITES, por ejemplo:

1. Todas las especies del Apéndice I del CITES.
2. Cualquier especie (CITES II, III o no regulada por el CITES) de la que haya o pueda haber demanda internacional o en la Comunidad, y que esté amenazada de extinción o sea tan rara que cualquier comercio puede poner en peligro su supervivencia. Si alguna especie del Apéndice III está incluida en los Anexos A, B o C, la especie está sujeta a lo dispuesto por el Reglamento y no sólo las poblaciones de los países que la hayan incluido en el Apéndice III.
3. Especies parecidas (CITES II, III o no reguladas por el CITES)
Si la mayor parte de las especies pertenecientes a un género están incluidas en el Anexo A, las restantes especies de ese género pueden incluirse también si se considera esencial para una protección eficaz de dichas especies según los criterios de los puntos 1y 2.

Aunque en el caso del Anexo B existe una disposición a primera vista similar, la diferencia entre ambas es importante y consiste en lo siguiente:

- cuando una minoría de especies pertenecientes a un género no reúne las condiciones necesarias para ser incluidas en el Anexo A, pueden de todas maneras incluirse de forma que el género en su totalidad quede excluido del tráfico comercial. Esto es para evitar situaciones como, por ejemplo, que especímenes de especies amenazadas entren en el comercio haciendo pasar por especímenes de especies más comunes.
- la inclusión de especies en el Anexo B por su similitud con otras incluidas en el mismo Anexo obedece a una razón más técnica. Especies que no cumplen los requisitos necesarios para incluirse en los Anexos A o B por razones de conservación pueden introducirse en el Anexo B con el fin de facilitar los controles.

Si bien no está establecido de forma explícita en el Reglamento (CE) 338/97, todas las especies que, además de figurar en el CITES, están sujetas a prohibiciones en el comercio interior por aplicación de la normativa comunitaria relativa a la protección de especies autóctonas (Directiva de protección de aves⁸ y Directiva de hábitats⁹), se incluyen automáticamente en el Anexo A. Esto es necesario en aras de la compatibilidad entre los distintos instrumentos legislativos y para evitar confusiones. El nombre de estas especies aparece en negrita en el Anexo A.

⁸ Directiva (CE) 409/79 del Consejo.

⁹ Directiva (CE) 43/92 del Consejo.

Anexo B

El comercio de especímenes de especies incluidas en el Anexo B desde o hacia la Comunidad está sometido a la expedición de permisos de importación, permisos de exportación y certificados de reexportación según criterios similares a los aplicables a las especies incluidas en el Apéndice II del CITES. Hay, sin embargo, *grandes* diferencias entre ambos: para introducir en la Comunidad especímenes de especies del Anexo B se requiere un permiso de importación, cosa que no ocurre en el caso del Anexo II del CITES, y las importaciones pueden restringirse aunque el país (re)-exportador haya emitido el permiso o certificado CITES correspondiente.

El Anexo B contiene:

1. Las especies restantes del Apéndice II del CITES.
2. Las especies del Apéndice I del CITES con respecto a las cuales se ha presentado alguna reserva (ninguna especie en la actualidad).
3. Cualquier especie (CITES III, no-CITES) sometida a niveles de comercio internacional que pueden no ser compatibles con la supervivencia de las poblaciones de algunos países o con el mantenimiento de la población total en un nivel consecuente con su función dentro de su ecosistema.
4. Especies parecidas a otras enumeradas en ese Anexo, que sea preciso incluir para un control efectivo de su comercio.
5. Especies (CITES III, no-CITES) respecto a las cuales se haya demostrado que constituyen una amenaza ecológica para especies autóctonas.

Anexo C

El Anexo C contiene las especies del Apéndice III del CITES que no están incluidas en el Anexo B. (De hecho, no parece que existan razones de conservación para la inclusión de muchas de esas especies en el Apéndice III. Según las recomendaciones de la Conferencia de las Partes, esas especies podían retirarse del Apéndice III. Tal decisión, sin embargo, corresponde a los países que las han incluido en ese Apéndice).

Las especies incluidas en el Anexo C no están sujetas a la mayor restricción que supone la obtención de un permiso de importación. Las importaciones pueden tener lugar sobre la base del documento CITES de (re)-exportación y una notificación de importación. (La notificación de importación no es un documento exigido por el CITES y constituye, por tanto, una medida comunitaria más estricta).

El Anexo C contiene:

1. El resto de las especies del Apéndice III.

- 2 Las especies del Apéndice II con respecto a las cuales se ha presentado alguna reserva. (En la actualidad no se ha formulado ninguna reserva "comunitaria" con respecto a especies del Apéndice II.)

Anexo D

El Anexo D está constituido por una lista de especies que no tienen equivalente en el CITES. La importación de especímenes del Anexo D requiere una notificación de importación. Mientras que la finalidad del Anexo B es asegurar un nivel de comercio sostenible de las especies para evitar que se conviertan en especies del Anexo A, el sistema de seguimiento del Anexo D tiene por objeto una detección precoz de los posibles problemas de conservación en relación con las especies incluidas. En caso necesario, las especies del Anexo D pueden ser "ascendidas" y su comercio sometido a los requisitos establecidos para el Anexo B.

El Anexo D contiene:

1. Especies no-CITES que no figuran en los Anexos A a C y que se importan a la Comunidad en un volumen tal que justifica su vigilancia.
2. Especies del Apéndice III con respecto a las cuales se ha presentado una reserva).

Para más detalles sobre estas y otras disposiciones de los nuevos reglamentos se puede consultar el "**Guía de referencia – Normativa de la Comunidad Europea sobre comercio de fauna y flora silvestres**" (http://europa.int/comm/environment/cites/home_es.htm).

La Comisión publica en el Diario Oficial de las Comunidades Europeas **las restricciones establecidas de acuerdo con el apartado 6 del artículo 4** con periodicidad regular.

De todas maneras, la situación de las restricciones a la importación impuestas con arreglo a los apartados 1, 2 y 6 del artículo 4 puede consultarse en un sitio de Internet creado a tal fin por en UNEP WCMC (Centro de Seguimiento de la Conservación, de la Vida Silvestre) de Cambridge (<http://www.wcmc.org.uk/species/trade/eu>).

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Eulemur fulvus mayottensis</i> | live | 1 | YT | FR | YT | N | I | |
| E | 1 | A | <i>Eulemur macaco macaco</i> | live | 1 | LV | FR | | Z | C | |
| E | 1 | A | <i>Lemur catta</i> | live | 1 | CH | DE | CZ | Z | F | |
| E | 1 | A | <i>Lemur catta</i> | live | 3 | IL | DK | | Z | C | |
| E | 1 | A | <i>Lemur catta</i> | live | 1 | PL | DE | | Z | C | |
| E | 1 | A | <i>Lemur catta</i> | live | 5 | PL | SE | | Z | C | |
| E | 1 | A | <i>Lemur catta</i> | live | 2 | SA | SE | | Z | C | |
| E | 1 | A | <i>Lemur catta</i> | live | 4 | TN | FR | | Z | C | |
| E | 1 | A | <i>Varecia variegata</i> | live | 5 | HU | DE | | Z | C | |
| E | 1 | A | <i>Varecia variegata</i> | live | 1 | PL | ES | | Z | C | |
| E | 1 | A | <i>Varecia variegata</i> | live | 1 | US | FR | | Z | C | |
| E | 1 | A | <i>Callimico goeldii</i> | live | 1 | CH | DE | | Z | C | |
| E | 1 | A | <i>Callimico goeldii</i> | live | 1 | CZ | BE | | Z | C | |
| E | 1 | A | <i>Leontopithecus chrysomela</i> | live | 1 | SG | PT | | Z | F | |
| E | 1 | A | <i>Leontopithecus chrysomela</i> | live | 1 | SG | PT | ES | Z | C | |
| E | 1 | A | <i>Leontopithecus chrysomela</i> | specimens | 4 | US | DE | | S | C | |
| E | 1 | A | <i>Leontopithecus rosalia</i> | live | 1 | CH | FR | | Z | C | |
| E | 1 | A | <i>Leontopithecus rosalia</i> | live | 1 | CZ | DK | CH | Z | C | |
| E | 1 | A | <i>Leontopithecus rosalia</i> | live | 1 | HU | GB | | Z | C | |
| E | 1 | A | <i>Leontopithecus rosalia</i> | live | 1 | PL | GB | | Z | C | |
| E | 1 | A | <i>Leontopithecus rosalia</i> | live | 1 | ZA | DE | | Z | C | |
| E | 1 | A | <i>Saguinus oedipus</i> | live | 3 | CZ | DE | | B | C | |
| E | 1 | A | <i>Saguinus oedipus</i> | live | 1 | PL | DE | | Z | C | |
| E | 1 | A | <i>Saguinus oedipus</i> | live | 2 | PL | DK | | Z | C | |
| E | 1 | A | <i>Saguinus oedipus</i> | live | 1 | PL | FR | | Z | C | |
| E | 1 | A | <i>Saguinus oedipus</i> | live | 1 | PL | NL | | Z | C | |
| E | 1 | A | <i>Saguinus oedipus</i> | specimens | 43 | US | DE | | S | C | |
| E | 1 | A | <i>Macaca silenus</i> | live | 2 | IL | IE | | Z | C | |
| E | 1 | A | <i>Macaca silenus</i> | live | 3 | PL | DE | | Z | C | |
| E | 1 | A | <i>Macaca silenus</i> | live | 1 | PL | DE | GB | Z | C | |
| E | 1 | A | <i>Macaca silenus</i> | live | 2 | RU | DE | | Z | C | |
| E | 1 | A | <i>Macaca silenus</i> | live | 1 | ZA | FR | | Z | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Mandrillus sphinx</i> | live | 1 | CN | GB | | | Z | C |
| E | 1 | A | <i>Mandrillus sphinx</i> | live | 2 | PL | BE | | | Z | C |
| E | 1 | A | <i>Mandrillus sphinx</i> | live | 1 | TH | ES | DE | | T | C |
| E | 1 | A | <i>Mandrillus sphinx</i> | live | 2 | TH | FR | | | Z | F |
| E | 1 | A | <i>Semnopithecus entellus</i> | live | 1 | CZ | DE | | | Z | C |
| E | 1 | A | <i>Hylobates lar</i> | live | 3 | TR | DE | | | Z | C |
| E | 1 | A | <i>Hylobates lar</i> | live | 1 | TR | DE | XX | | Z | O |
| E | 1 | A | <i>Hylobates pileatus</i> | live | 1 | US | GB | | | B | C |
| E | 1 | A | <i>Hylobates syndactylus</i> | live | 1 | CZ | GB | | | Z | C |
| E | 1 | A | <i>Hylobates syndactylus</i> | live | 1 | SG | GB | | | Z | C |
| E | 1 | A | <i>Pan troglodytes</i> | live | 2 | US | FR | US | | Q | C |
| E | 1 | A | <i>Pan troglodytes</i> | live | 2 | YU | DE | | | Z | C |
| E | 1 | A | <i>Pongo pygmaeus</i> | live | 1 | HR | DE | | | Z | C |
| E | 1 | A | <i>Pongo pygmaeus</i> | live | 2 | IL | DE | | | Z | C |
| E | 1 | A | <i>Pongo pygmaeus</i> | live | 1 | PL | DE | | | Z | C |
| E | 1 | A | <i>Pongo pygmaeus</i> | live | 1 | PL | DE | | | Z | F |
| E | 1 | A | <i>Pongo pygmaeus abelii</i> | live | 1 | CZ | ES | DE | | Q | C |
| E | 1 | A | <i>Chinchilla spp.</i> | garments | 1 | US | FR | XX | T | O | |
| E | 1 | A | <i>Cetacea spp.</i> | bones | 2 | GL | DK | GL | Q | O | |
| E | 1 | A | <i>Cetacea spp.</i> | bones | 2 | US | ES | RU | E | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 1 | CA | FR | CA | T | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 1 | CH | FR | CA | P | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 1 | CH | GB | XX | P | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 3 | PF | NL | XX | T | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 7 | US | DK | GL | Q | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 1 | US | GB | XX | E | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 6 | US | GB | XX | T | O | |
| E | 1 | A | <i>Cetacea spp.</i> | carvings | 4 | US | NL | XX | T | O | |
| E | 1 | A | <i>Cetacea spp.</i> | teeth | 3 | US | NL | XX | T | O | |
| E | 1 | A | <i>Cetacea spp.</i> | teeth | 1 | VU | FR | XX | S | O | |
| E | 1 | A | <i>Hyperoodon ampullatus</i> | specimens | 2 | NZ | IE | | | S | W |
| E | 1 | A | <i>Physeter catodon</i> | bones | 1 | MX | AT | XX | Q | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Physeter catodon</i> | bones | 2 | | US | AT | XX | Q | O |
| E | 1 | A | <i>Physeter catodon</i> | carvings | 5 | | GL | DK | GL | S | O |
| E | 1 | A | <i>Physeter catodon</i> | carvings | 3 | | US | ES | US | E | O |
| E | 1 | A | <i>Physeter catodon</i> | carvings | 2 | | US | FR | XX | T | O |
| E | 1 | A | <i>Physeter catodon</i> | carvings | 2 | | US | GB | XX | T | O |
| E | 1 | A | <i>Physeter catodon</i> | carvings | 3 | | US | GB | XX | P | O |
| E | 1 | A | <i>Physeter catodon</i> | ivory carvings | 1 | | CH | DE | XX | Q | O |
| E | 1 | A | <i>Physeter catodon</i> | large leather products | 1 | | MC | DE | XX | Q | O |
| E | 1 | A | <i>Physeter catodon</i> | teeth | 1 | | GL | DK | GL | P | O |
| E | 1 | A | <i>Physeter catodon</i> | teeth | 6 | | GL | DK | GL | S | O |
| E | 1 | A | <i>Physeter catodon</i> | teeth | 8 | | MC | DE | XX | Q | O |
| E | 1 | A | <i>Physeter catodon</i> | teeth | 1 | | US | GB | XX | P | O |
| E | 1 | A | <i>Eschrichtius robustus</i> | teeth | 1 | | PF | GB | XX | T | O |
| E | 1 | A | <i>Balaenoptera</i> spp. | carvings | 3 | | CH | FR | XX | P | O |
| E | 1 | A | <i>Balaenoptera acutorostrata</i> | bones | 1 | | CA | DK | GL | Q | O |
| E | 1 | A | <i>Balaenoptera physalus</i> | carvings | 6 | | CH | GB | XX | P | O |
| E | 1 | A | <i>Balaenoptera physalus</i> | carvings | 1 | | US | GB | XX | T | O |
| E | 1 | A | <i>Balaena</i> spp. | bone carvings | 10 | | MC | DE | XX | Q | O |
| E | 1 | A | <i>Eubalaena glacialis</i> | specimens | 3 | | CA | IE | | S | W |
| E | 1 | A | <i>Canis lupus</i> | skins | 1 | | NO | SE | | T | C |
| E | 1 | A | <i>Ailuropoda melanoleuca</i> | specimens | 4 ml | | MX | DE | CN | B | W |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | CH | NL | NO | Z | C |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | CH | PT | | Z | C |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | CZ | IT | | Z | C |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | HR | ES | | Z | C |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | HU | DE | DK | Z | C |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | HU | SE | NO | Z | C |
| E | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | PL | DE | DK | Z | C |
| E | 1 | A | <i>Ursus arctos</i> | skins | 1 | | NO | SE | | T | C |
| E | 1 | A | <i>Lutra lutra</i> | bodies | 2 | | JP | NL | XX | E | O |
| E | 1 | A | <i>Lutra lutra</i> | live | 1 | | KW | NL | | Z | C |
| E | 1 | A | <i>Acinonyx jubatus</i> | live | 1 | | US | NL | | Z | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Acinonyx jubatus</i> | trophies | 2 | | CA | DE | NA | P | W |
| E | 1 | A | <i>Herpailurus yaguarondi</i> | live | 1 | | PL | DE | | Z | C |
| E | 1 | A | <i>Herpailurus yaguarondi</i> | live | 2 | | RU | NL | | Z | C |
| E | 1 | A | <i>Leopardus pardalis</i> | garments | 1 | | US | DK | | P | O |
| E | 1 | A | <i>Leopardus pardalis</i> | live | 1 | | PL | DE | | Z | C |
| E | 1 | A | <i>Leopardus pardalis</i> | live | 2 | | PL | DE | | Z | C |
| E | 1 | A | <i>Lynx pardinus</i> | specimens | 280 | | US | ES | | S | W |
| E | 1 | A | <i>Lynx pardinus</i> | specimens | 1 ml | | US | ES | | S | W |
| E | 1 | A | <i>Lynx pardinus</i> | specimens | 35 | | US | PT | | S | W |
| E | 1 | A | <i>Neofelis nebulosa</i> | live | 1 | | CZ | DE | | Z | C |
| E | 1 | A | <i>Panthera spp.</i> | skins | 2 | | PL | FR | XX | L | I |
| E | 1 | A | <i>Panthera leo persica</i> | skins | 1 | | US | GB | XX | P | O |
| E | 1 | A | <i>Panthera onca</i> | live | 1 | | PL | DE | | Z | C |
| E | 1 | A | <i>Panthera pardus</i> | live | 1 | | CH | IT | | Q | C |
| E | 1 | A | <i>Panthera pardus</i> | live | 1 | | CZ | DE | LT | Z | C |
| E | 1 | A | <i>Panthera pardus</i> | live | 2 | | HR | DE | | Z | C |
| E | 1 | A | <i>Panthera pardus</i> | live | 1 | | HU | DK | | Z | C |
| E | 1 | A | <i>Panthera pardus</i> | live | 2 | | JP | GB | | Q | C |
| E | 1 | A | <i>Panthera pardus</i> | skins | 1 | | AE | FR | TZ | H | W |
| E | 1 | A | <i>Panthera pardus</i> | skins | 1 | | CA | BE | CD | P | O |
| E | 1 | A | <i>Panthera pardus</i> | skins | 1 | | NO | DK | IN | T | W |
| E | 1 | A | <i>Panthera pardus</i> | skins | 1 | | NO | DK | ZA | Q | W |
| E | 1 | A | <i>Panthera pardus</i> | skins | 1 | | US | DK | CG | P | O |
| E | 1 | A | <i>Panthera pardus</i> | skins | 1 | | ZA | DK | ZA | Q | W |
| E | 1 | A | <i>Panthera pardus</i> | skulls | 1 | | CA | BE | CD | P | O |
| E | 1 | A | <i>Panthera pardus</i> | specimens | 1 | | US | DE | | S | C |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 8 | | AE | FR | TZ | H | W |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | BS | FR | TZ | H | W |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | CH | IT | ZM | H | W |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DO | ES | TZ | H | W |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | EC | FR | TZ | H | W |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | HU | BE | CD | E | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Panthera pardus</i> | trophies | 1 | NC | FR | CF | H | W | |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 2 | PL | FR | ZW | P | W | |
| E | 1 | A | <i>Panthera pardus</i> | trophies | 1 | VE | ES | TZ | H | W | |
| E | 1 | A | <i>Panthera tigris</i> | bodies | 1 | NO | DK | | T | C | |
| E | 1 | A | <i>Panthera tigris</i> | carvings | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Panthera tigris</i> | live | 2 | CH | IT | ES | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 1 | CH | IT | FR | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 7 | CN | BE | | Z | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 1 | CN | DE | | T | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 2 | CN | DK | | Z | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 1 | CN | IT | | T | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 6 | CN | SE | | Z | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 2 | JO | NL | DE | Z | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 5 | JP | GB | | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 1 | JP | GB | US | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 4 | MC | ES | JP | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 11 | MC | ES | US | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 2 | MO | BE | | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 1 | MX | BE | | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 7 | PL | DE | GB | Q | C | |
| E | 1 | A | <i>Panthera tigris</i> | live | 2 | TR | BE | | T | D | |
| E | 1 | A | <i>Panthera tigris</i> | skins | 1 | AU | FR | VN | P | O | |
| E | 1 | A | <i>Panthera tigris</i> | skins | 1 | NO | SE | | T | C | |
| E | 1 | A | <i>Panthera tigris</i> | skins | 2 | PL | FR | XX | L | I | |
| E | 1 | A | <i>Panthera tigris</i> | skins | 1 | TR | FR | | T | C | |
| E | 1 | A | <i>Panthera tigris altaica</i> | live | 1 | AW | GB | | Q | C | |
| E | 1 | A | <i>Panthera tigris altaica</i> | live | 4 | CH | DE | | T | C | |
| E | 1 | A | <i>Panthera tigris altaica</i> | live | 4 | CN | DE | | T | C | |
| E | 1 | A | <i>Panthera tigris altaica</i> | live | 4 | CN | NL | FR | Z | C | |
| E | 1 | A | <i>Panthera tigris altaica</i> | live | 6 | MT | IT | HU | Q | C | |
| E | 1 | A | <i>Panthera tigris tigris</i> | live | 5 | MT | IT | HU | Q | C | |
| E | 1 | A | <i>Uncia uncia</i> | live | 1 | IN | SE | | Z | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | Uncia uncia | live | 1 | PL | GB | | Z | C | |
| E | 1 | A | Elephantidae spp. | carvings | 2 | AU | FR | XX | P | O | |
| E | 1 | A | Elephantidae spp. | carvings | 4 | CA | FR | XX | Q | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | CH | BE | XX | P | O | |
| E | 1 | A | Elephantidae spp. | carvings | 7 | CH | BE | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | CH | FR | XX | E | O | |
| E | 1 | A | Elephantidae spp. | carvings | 10 | CH | FR | XX | P | O | |
| E | 1 | A | Elephantidae spp. | carvings | 40 | CH | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 4 | CN | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 9 | CN | FR | XX | Q | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | HK | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | HK | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | HU | BE | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | IL | ES | XX | Q | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | JP | FR | XX | P | O | |
| E | 1 | A | Elephantidae spp. | carvings | 13 | JP | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | MC | BE | XX | E | O | |
| E | 1 | A | Elephantidae spp. | carvings | 36 | MC | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | PH | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | TR | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 1 | TW | FR | XX | P | O | |
| E | 1 | A | Elephantidae spp. | carvings | 23 | US | BE | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 4 | US | DK | XX | T | W | |
| E | 1 | A | Elephantidae spp. | carvings | 3 | US | DK | XX | T | W | |
| E | 1 | A | Elephantidae spp. | carvings | 2 | US | FR | XX | U | O | |
| E | 1 | A | Elephantidae spp. | carvings | 4 | US | FR | XX | P | O | |
| E | 1 | A | Elephantidae spp. | carvings | 18 | US | FR | XX | Q | O | |
| E | 1 | A | Elephantidae spp. | carvings | 178 | US | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 2 | XX | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | carvings | 2 | XX | FR | XX | T | O | |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | AE | NL | XX | T | O | |
| E | 1 | A | Elephantidae spp. | ivory carvings | 152 | CH | DE | XX | Q | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | Elephantidae spp. | ivory carvings | 9 | | CH | NL | XX | T | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 2 | | JP | DE | XX | Q | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 30 | | JP | FI | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | JP | NL | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | JP | NL | XX | P | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 5 | | JP | NL | XX | T | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 30 | | JP | NL | XX | Q | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | PF | NL | XX | T | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 8 | | RU | DE | XX | Q | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | SG | NL | XX | T | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | TW | NL | XX | T | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 2 | | TW | NL | XX | P | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | US | GR | XX | Q | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | US | NL | XX | P | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 2 | | US | NL | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 17 | | US | NL | XX | T | O |
| E | 1 | A | Elephantidae spp. | ivory carvings | 1 | | US | SE | XX | Q | O |
| E | 1 | A | Elephantidae spp. | ivory products | 4 | | CH | IT | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory products | 1 kg | | HU | IT | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory products | 2 | | US | IT | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory products | 1 | | US | PT | XX | E | O |
| E | 1 | A | Elephantidae spp. | ivory products | 1 kg | | US | SE | XX | P | O |
| E | 1 | A | Elephantidae spp. | sets of piano keys | 3 | | JP | DE | XX | T | O |
| E | 1 | A | Elephantidae spp. | sets of piano keys | 2 | | US | DE | XX | P | O |
| E | 1 | A | Elephantidae spp. | tusks | 1 | | QA | SE | XX | P | O |
| E | 1 | A | Elephas maximus | carvings | 7 | | BR | FR | XX | Q | O |
| E | 1 | A | Elephas maximus | carvings | 42 | | CA | GB | XX | P | O |
| E | 1 | A | Elephas maximus | carvings | 3 | | CH | GB | XX | T | O |
| E | 1 | A | Elephas maximus | carvings | 46 | | CH | GB | XX | P | O |
| E | 1 | A | Elephas maximus | carvings | 4 | | CN | GB | XX | P | O |
| E | 1 | A | Elephas maximus | carvings | 25 | | CN | GB | XX | T | O |
| E | 1 | A | Elephas maximus | carvings | 16 | | IL | GB | XX | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | JP | GB | XX | P | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | JP | GB | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 8 | | JP | GB | XX | E | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | LB | GB | XX | P | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | MA | GB | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | MX | GB | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | PH | ES | XX | E | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 19 | | QA | GB | XX | P | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | SG | GB | XX | P | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | SG | GB | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | TW | GB | XX | P | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 4 | | US | FR | XX | Q | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 273 | | US | GB | XX | P | O |
| E | 1 | A | <i>Elephas maximus</i> | carvings | 517 | | US | GB | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 5 | | CH | DE | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 1 | | JP | DE | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 22 | | JP | DE | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 33 | | JP | NL | XX | Q | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 1 | | TW | DE | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 1 | | US | DE | XX | Q | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory carvings | 14 | | US | DE | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | ivory products | 6 | | US | AT | XX | T | O |
| E | 1 | A | <i>Elephas maximus</i> | live | 1 | | CZ | ES | XX | Q | O |
| E | 1 | A | <i>Elephas maximus</i> | live | 1 | | NO | BE | XX | Q | O |
| E | 1 | A | <i>Elephas maximus</i> | live | 3 | | NO | SE | IN | Q | W |
| E | 1 | A | <i>Elephas maximus</i> | live | 1 | | TR | IT | XX | Q | O |
| E | 1 | A | <i>Elephas maximus</i> | tusks | 1 | | JP | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 9 | | AU | FR | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 7 | | AU | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 6 | | BR | BE | XX | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 44 | | CA | BE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 130 | | CA | FR | CF | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | CA | FR | ZM | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 20 | | CA | FR | ZW | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 11 | | CA | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 12 | | CA | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | CH | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 7 | | CH | FR | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | CH | GB | XX | Q | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 12 | | CH | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 285 | | CH | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 4 | | CN | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 82 | | CN | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | HU | NL | XX | Q | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | IL | GB | XX | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | IL | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 4 | | IL | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | JP | FR | XX | Q | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | JP | FR | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | JP | GB | XX | Q | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 7 | | JP | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 80 | | JP | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | KW | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 8 | | KW | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 3 | | LB | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | LI | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | MA | FR | CF | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | MX | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 4 | | NC | FR | SN | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | NZ | GB | XX | P | U |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | PH | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | QA | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 4 | | QA | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | RU | GB | XX | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | SG | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 8 | | SR | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | TW | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 9 | | TW | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | US | BE | CD | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 3 | | US | BE | XX | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 6 | | US | BE | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | US | FR | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | US | FR | XX | Q | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 150 | | US | FR | ZM | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 44 | | US | FR | ZW | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | US | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 35 | | US | GB | TZ | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | US | GB | XX | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 12 | | US | GB | XX | Q | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 739 | | US | GB | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 2858 | | US | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 120 g | | US | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 47 | | US | NL | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 70 | | XX | FR | ZM | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | ZA | GB | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | ears | 1 | | US | GB | KE | H | O |
| E | 1 | A | <i>Loxodonta africana</i> | feet | 1 | | CA | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | feet | 1 | | US | GB | KE | H | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 22 | | CA | DE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 46 | | CH | DE | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 2 | | IN | DE | XX | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 1 | | NZ | DE | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 2 | | RU | DE | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 2 | | US | DE | GH | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 1 | | US | DE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 43 | | US | DE | XX | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 55 | US | DE | XX | Q | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 1 set | US | DE | XX | P | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 1 | US | FI | XX | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 2 | US | GR | XX | Q | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 23 | AU | BE | CD | P | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 2 | AU | GB | XX | P | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | CA | IT | BJ | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 9 | CA | IT | CD | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | CA | IT | TZ | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 2 | CH | AT | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | CH | IT | XX | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 11 | JP | AT | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | JP | GB | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 6 | JP | PT | XX | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 12 | QA | GB | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 108 | US | AT | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 2 | US | ES | XX | E | O | |
| E | 1 | A | <i>Loxodonta africana</i> | ivory products | 2 | US | IT | XX | Q | O | |
| E | 1 | A | <i>Loxodonta africana</i> | live | 2 | CH | DK | ZW | Q | W | |
| E | 1 | A | <i>Loxodonta africana</i> | live | 1 | CH | FR | ZW | Q | W | |
| E | 1 | A | <i>Loxodonta africana</i> | live | 1 | CH | IT | ZW | Z | W | |
| E | 1 | A | <i>Loxodonta africana</i> | live | 2 | LV | SE | ZW | Q | W | |
| E | 1 | A | <i>Loxodonta africana</i> | live | 1 | PL | SE | ZW | Q | W | |
| E | 1 | A | <i>Loxodonta africana</i> | large leather products | 1 | US | FR | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | small leather products | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 6 | CH | DE | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 7 | CH | DE | XX | P | O | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | CH | DE | XX | T | O | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 2 | CH | DE | ZA | P | W | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | IL | DE | XX | P | O | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | JP | DE | KE | P | O | |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | JP | DE | XX | P | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 45 | | JP | DE | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | | KR | DE | ZA | P | W |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | | KR | DE | ZM | P | W |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | | NZ | DE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | | US | DE | XX | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 3 | | US | DE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | RU | AT | TZ | P | W |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | AD | ES | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | AU | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 3 | | CA | BE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | CH | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | CH | DE | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 8 | | CH | FR | CF | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | CH | FR | CM | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | CH | GR | ET | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | IL | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | LB | FR | XX | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 35 | | PL | FR | XX | L | I |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | QA | FR | CI | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | SR | BE | CD | P | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | TR | FR | CG | T | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | US | BE | XX | E | O |
| E | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | XX | FR | XX | T | O |
| E | 1 | A | <i>Equus africanus</i> | live | 1 | | CZ | DE | | Z | C |
| E | 1 | A | <i>Equus grevyi</i> | live | 2 | | CZ | DE | | Z | C |
| E | 1 | A | <i>Equus przewalskii</i> | live | 3 | | CZ | DE | | Z | C |
| E | 1 | A | <i>Equus przewalskii</i> | live | 2 | | HU | AT | | Z | C |
| E | 1 | A | <i>Equus przewalskii</i> | live | 14 | | MN | NL | | N | C |
| E | 1 | A | <i>Equus przewalskii</i> | live | 2 | | MN | NL | DE | N | C |
| E | 1 | A | <i>Equus przewalskii</i> | live | 1 | | MN | NL | SK | N | C |
| E | 1 | A | <i>Equus zebra zebra</i> | skins | 2 | | US | FR | XX | T | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 1 | | CH | GB | XX | P | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | Rhinocerotidae spp. | carvings | 1 | | CN | GB | XX | P | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 7 | | CN | GB | XX | T | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 1 | | QA | GB | XX | T | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 5 | | SG | GB | XX | T | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 11 | | US | FR | XX | Q | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 1 | | US | GB | XX | P | O |
| E | 1 | A | Rhinocerotidae spp. | carvings | 5 | | US | GB | XX | T | O |
| E | 1 | A | Diceros bicornis | live | 1 | | ZA | DE | | N | C |
| E | 1 | A | Rhinoceros unicornis | carvings | 10 | | US | GB | XX | T | O |
| E | 1 | A | Vicugna vicugna | cloth | 56 g | | JP | GB | XX | T | O |
| E | 1 | A | Vicugna vicugna | cloth | 160 m | | JP | GB | XX | T | O |
| E | 1 | A | Vicugna vicugna | hair | 2 g | | CN | GB | XX | T | O |
| E | 1 | A | Vicugna vicugna | hair | 19 kg | | JP | GB | PE | T | O |
| E | 1 | A | Vicugna vicugna | hair | 6 g | | JP | GB | XX | T | O |
| E | 1 | A | Vicugna vicugna | live | 5 | | CA | DE | | Z | C |
| E | 1 | A | Vicugna vicugna | live | 2 | | PL | DE | | Z | C |
| E | 1 | A | Cervus duvaucelii | live | 2 | | PL | DE | | Z | C |
| E | 1 | A | Muntiacus crinifrons | carvings | 1 | | US | FR | XX | E | O |
| E | 1 | A | Pudu puda | live | 1 | | ZA | DE | | Z | C |
| E | 1 | A | Addax nasomaculatus | live | 2 | | CZ | NL | | Z | C |
| E | 1 | A | Addax nasomaculatus | live | 1 | | HR | DE | | Z | C |
| E | 1 | A | Bison spp. | carvings | 8 | | US | FR | XX | Q | O |
| E | 1 | A | Bos mutus | live | 1 | | HU | NL | | Z | C |
| E | 1 | A | Bubalus spp. | carvings | 3 | | US | GB | XX | T | O |
| E | 1 | A | Capra falconeri | live | 1 | | AE | NL | DE | T | C |
| E | 1 | A | Capra falconeri | live | 9 | | AE | NL | DE | Z | C |
| E | 1 | A | Oryx dammah | live | 1 | | CZ | DE | | Z | C |
| E | 1 | A | Oryx dammah | live | 2 | | HR | DE | | Z | C |
| E | 1 | A | Oryx dammah | live | 5 | | QA | BE | | Z | C |
| E | 1 | A | Oryx dammah | live | 3 | | TN | FR | | Z | C |
| E | 1 | A | Pantholops hodgsonii | cloth | 10 | | CN | GB | CN | E | I |
| E | 1 | A | Pantholops hodgsonii | cloth | 4 | | PL | FR | XX | L | I |

European Community annual report to CITES 2000

| Exp Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Struthio camelus</i> | bodies | 1 | US | FR | | T | C | |
| E | 1 | A | <i>Struthio camelus</i> | eggs | 7 | PL | FR | XX | L | I | |
| E | 1 | A | <i>Struthio camelus</i> | eggs | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Struthio camelus</i> | small leather products | 5 | JP | IT | SD | T | W | |
| E | 1 | A | <i>Pelecanus crispus</i> | live | 2 | CZ | FR | | Z | F | |
| E | 1 | A | <i>Pelecanus crispus</i> | live | 4 | PL | FR | | Z | C | |
| E | 1 | A | <i>Ciconia boyciana</i> | live | 2 | PL | DE | | Z | C | |
| E | 1 | A | <i>Geronticus eremita</i> | live | 10 | MA | DE | | N | C | |
| E | 1 | A | <i>Anas laysanensis</i> | live | 4 | CH | NL | | T | C | |
| E | 1 | A | <i>Branta canadensis leucopareia</i> | bodies | 1 | US | FR | XX | Q | O | |
| E | 1 | A | <i>Branta canadensis leucopareia</i> | feathers | 1 | US | FR | XX | Q | O | |
| E | 1 | A | <i>Branta sandvicensis</i> | live | 12 | CH | NL | | T | C | |
| E | 1 | A | <i>Branta sandvicensis</i> | live | 5 | QA | NL | | T | C | |
| E | 1 | A | <i>Haliaeetus albicilla</i> | bodies | 1 | GL | DK | GL | E | W | |
| E | 1 | A | <i>Haliaeetus albicilla</i> | live | 2 | IL | NL | | N | C | |
| E | 1 | A | <i>Haliaeetus leucocephalus</i> | carvings | 2 | US | FR | XX | Q | O | |
| E | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 1 | CH | FR | | Q | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 38 | AE | AT | | T | D | |
| E | 1 | A | <i>Falco hybrid</i> | live | 3 | AE | AT | DE | T | D | |
| E | 1 | A | <i>Falco hybrid</i> | live | 5 | AE | BE | | T | D | |
| E | 1 | A | <i>Falco hybrid</i> | live | 7 | AE | BE | | T | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 32 | AE | BE | | P | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 2 | AE | DE | | T | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 652 | AE | DE | | T | D | |
| E | 1 | A | <i>Falco hybrid</i> | live | 3 | AE | DE | AT | T | D | |
| E | 1 | A | <i>Falco hybrid</i> | live | 2 | AE | DE | ES | T | D | |
| E | 1 | A | <i>Falco hybrid</i> | live | 5 | AE | DE | ES | T | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 37 | AE | DK | | T | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 4 | AE | ES | | T | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 1 | AE | ES | DE | T | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 11 | AE | ES | FR | B | C | |
| E | 1 | A | <i>Falco hybrid</i> | live | 4 | AE | FR | | B | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | Falco hybrid | live | 2 | | CH | AT | | T | D |
| E | 1 | A | Falco hybrid | live | 1 | | CH | DE | | T | D |
| E | 1 | A | Falco hybrid | live | 1 | | CH | FR | | Q | D |
| E | 1 | A | Falco hybrid | live | 3 | | CZ | AT | | T | D |
| E | 1 | A | Falco hybrid | live | 4 | | HU | AT | | T | D |
| E | 1 | A | Falco hybrid | live | 5 | | HU | AT | | P | D |
| E | 1 | A | Falco hybrid | live | 2 | | HU | FR | | B | C |
| E | 1 | A | Falco hybrid | live | 1 | | JO | BE | | P | C |
| E | 1 | A | Falco hybrid | live | 1 | | KZ | AT | | P | D |
| E | 1 | A | Falco hybrid | live | 2 | | MA | ES | | T | C |
| E | 1 | A | Falco hybrid | live | 2 | | SA | AT | | P | D |
| E | 1 | A | Falco hybrid | live | 8 | | SK | AT | | T | D |
| E | 1 | A | Falco hybrid | live | 1 | | SK | BE | | T | D |
| E | 1 | A | Falco hybrid | live | 1 | | SK | DE | | T | D |
| E | 1 | A | Falco hybrid | live | 1 | | SK | DK | | P | C |
| E | 1 | A | Falco hybrid | live | 1 | | SK | DK | | T | C |
| E | 1 | A | Falco hybrid | live | 1 | | UA | AT | | T | D |
| E | 1 | A | Falco hybrid | live | 2 | | YU | DE | | T | D |
| E | 1 | A | Falco hybrid | live | 1 | | ZA | BE | | T | C |
| E | 1 | A | Falco jugger | live | 1 | | AE | NL | | T | C |
| E | 1 | A | Falco jugger | live | 3 | | CZ | AT | | P | D |
| E | 1 | A | Falco peregrinus | bodies | 2 | | CH | DE | S | U | |
| E | 1 | A | Falco peregrinus | bodies | 4 | | NO | DK | T | C | |
| E | 1 | A | Falco peregrinus | live | 3 | | AE | AT | T | D | |
| E | 1 | A | Falco peregrinus | live | 3 | | AE | DE | T | C | |
| E | 1 | A | Falco peregrinus | live | 14 | | AE | DE | T | D | |
| E | 1 | A | Falco peregrinus | live | 1 | | AE | DE | DK | T | D |
| E | 1 | A | Falco peregrinus | live | 4 | | AE | DK | | T | C |
| E | 1 | A | Falco peregrinus | live | 2 | | AE | ES | | T | C |
| E | 1 | A | Falco peregrinus | live | 3 | | AE | GB | | B | C |
| E | 1 | A | Falco peregrinus | live | 7 | | AE | GB | | T | C |
| E | 1 | A | Falco peregrinus | live | 1 | | CH | AT | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | CH | DE | | | T | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 2 | CH | DE | | | T | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | CH | FR | | | B | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | CZ | AT | | | T | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 2 | HR | GB | | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | HU | AT | | | P | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | HU | AT | | | P | U |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | HU | AT | DE | GB | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 3 | HU | AT | GB | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | HU | BE | | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | HU | DE | | | T | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 2 | HU | FR | | | B | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | KZ | DE | AT | | T | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | PL | IT | AT | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | PL | IT | DE | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | PL | IT | DE | | T | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | PL | IT | GB | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | SA | AT | | | P | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | SA | GB | | | T | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | SK | AT | | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | SK | AT | | | P | D |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | SK | AT | DE | | P | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 3 | SK | DK | | | T | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 1 | SK | DK | DE | | T | C |
| E | 1 | A | <i>Falco peregrinus</i> | live | 2 | ZA | GB | | | B | C |
| E | 1 | A | <i>Falco peregrinus</i> | specimens | 275 | US | ES | | | S | W |
| E | 1 | A | <i>Falco rusticolus</i> | bodies | 1 | GL | DK | GL | | E | W |
| E | 1 | A | <i>Falco rusticolus</i> | bodies | 2 | NO | DK | | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | AE | AT | | | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | AE | BE | | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 50 | AE | DE | | | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 2 | AE | DE | AT | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Falco rusticolus</i> | live | 2 | | AE | DE | DK | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | AE | DE | US | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | AE | DK | | T | |
| E | 1 | A | <i>Falco rusticolus</i> | live | 2 | | AE | DK | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 186 | | AE | GB | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | AE | NL | DE | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | AE | NL | GB | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 11 | | BH | GB | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | CH | DE | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 2 | | CZ | DE | | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | HU | DE | | T | D |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | MA | ES | DE | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | QA | GB | | T | C |
| E | 1 | A | <i>Falco rusticolus</i> | live | 1 | | ZA | GB | | B | C |
| E | 1 | A | <i>Falco rusticolus</i> | specimens | 50 | | CZ | AT | | T | C |
| E | 1 | A | <i>Catreus wallichii</i> | live | 2 | | RU | BE | | Z | C |
| E | 1 | A | <i>Catreus wallichii</i> | live | 1 | | RU | DE | | Z | C |
| E | 1 | A | <i>Crossoptilon crossoptilon</i> | eggs (live) | 6 | | PK | GB | | B | C |
| E | 1 | A | <i>Crossoptilon crossoptilon</i> | feathers | 4 | | NO | DK | | T | C |
| E | 1 | A | <i>Crossoptilon crossoptilon</i> | live | 2 | | BH | NL | | B | C |
| E | 1 | A | <i>Crossoptilon crossoptilon</i> | live | 2 | | CL | BE | | B | C |
| E | 1 | A | <i>Crossoptilon crossoptilon</i> | live | 6 | | ZA | NL | | T | C |
| E | 1 | A | <i>Crossoptilon mantchuricum</i> | live | 3 | | AR | BE | | B | C |
| E | 1 | A | <i>Crossoptilon mantchuricum</i> | live | 2 | | TR | BE | | T | D |
| E | 1 | A | <i>Crossoptilon mantchuricum</i> | live | 2 | | TR | NL | | T | C |
| E | 1 | A | <i>Crossoptilon mantchuricum</i> | live | 6 | | ZA | NL | | B | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | bodies | 2 | | NO | DK | | T | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | feathers | 4 | | NO | DK | | T | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 4 | | AR | BE | | B | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 2 | | BG | NL | | T | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 6 | | CL | BE | | B | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 2 | | LT | BE | | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 2 | | MY | NL | | T | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 6 | | PK | NL | | B | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 6 | | TR | DE | | T | D |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 2 | | TR | NL | | T | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 2 | | ZA | BE | | B | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 10 | | ZA | NL | | B | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | live | 24 | | ZA | NL | | T | C |
| E | 1 | A | <i>Lophophorus impejanus</i> | skins | 1 | | US | DK | | T | C |
| E | 1 | A | <i>Lophura edwardsi</i> | bodies | 1 | | NO | DK | | T | C |
| E | 1 | A | <i>Lophura edwardsi</i> | eggs (live) | 6 | | PK | GB | | B | C |
| E | 1 | A | <i>Lophura edwardsi</i> | live | 1 | | CL | BE | | B | C |
| E | 1 | A | <i>Lophura edwardsi</i> | live | 2 | | MY | NL | | T | C |
| E | 1 | A | <i>Lophura edwardsi</i> | live | 4 | | ZA | NL | | B | C |
| E | 1 | A | <i>Lophura swinhoii</i> | live | 9 | | BH | NL | | B | C |
| E | 1 | A | <i>Lophura swinhoii</i> | live | 2 | | MY | NL | | T | C |
| E | 1 | A | <i>Lophura swinhoii</i> | live | 14 | | PK | NL | | T | C |
| E | 1 | A | <i>Lophura swinhoii</i> | live | 18 | | PK | NL | | B | C |
| E | 1 | A | <i>Polyplectron emphanum</i> | bodies | 1 | | NO | DK | | T | C |
| E | 1 | A | <i>Polyplectron emphanum</i> | feathers | 2 | | NO | DK | | T | C |
| E | 1 | A | <i>Polyplectron emphanum</i> | live | 1 | | JP | NL | | B | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | bodies | 2 | | NO | DK | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | eggs (live) | 6 | | PK | GB | | B | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | feathers | 4 | | NO | DK | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 7 | | BH | NL | | B | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 4 | | MX | BE | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 2 | | MY | NL | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 4 | | NP | NL | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 16 | | PK | NL | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 3 | | TH | NL | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 10 | | TR | DE | | T | D |
| E | 1 | A | <i>Syrmaticus ellioti</i> | live | 20 | | ZA | NL | | T | C |
| E | 1 | A | <i>Syrmaticus ellioti</i> | skins | 2 | | MT | DK | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Syrmaticus humiae</i> | eggs (live) | 6 | | PK | GB | | B | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 2 | | CL | BE | | B | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 2 | | LT | BE | | B | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 1 | | MT | GB | | T | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 3 | | MX | BE | | T | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 2 | | MY | NL | | T | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 5 | | TH | NL | | T | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 2 | | ZA | BE | | B | C |
| E | 1 | A | <i>Syrmaticus humiae</i> | live | 10 | | ZA | NL | | T | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | eggs (live) | 6 | | PK | GB | | B | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | feathers | 1 | | NO | DK | | T | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | live | 2 | | JP | NL | | B | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | live | 2 | | MX | BE | | T | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | live | 4 | | NP | NL | | T | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | live | 2 | | ZA | BE | | B | C |
| E | 1 | A | <i>Syrmaticus mikado</i> | live | 14 | | ZA | NL | | T | C |
| E | 1 | A | <i>Tragopan caboti</i> | skins | 1 | | US | DK | | T | C |
| E | 1 | A | <i>Tragopan melanocephalus</i> | bodies | 1 | | QA | GB | XX | P | O |
| E | 1 | A | <i>Grus japonensis</i> | live | 1 | | ZA | GB | RU | B | F |
| E | 1 | A | <i>Grus monacha</i> | live | 1 | | RU | BE | US | B | C |
| E | 1 | A | <i>Grus vipio</i> | live | 1 | | CZ | BE | | Z | C |
| E | 1 | A | <i>Numenius borealis</i> | bodies | 1 | | QA | GB | XX | P | O |
| E | 1 | A | <i>Caloenas nicobarica</i> | live | 6 | | AR | ES | SG | T | C |
| E | 1 | A | <i>Caloenas nicobarica</i> | live | 6 | | CZ | ES | | B | F |
| E | 1 | A | <i>Amazona spp.</i> | feathers | 2 | | CO | FR | XX | Q | O |
| E | 1 | A | <i>Amazona barbadensis</i> | live | 3 | | CH | NL | | T | C |
| E | 1 | A | <i>Amazona brasiliensis</i> | live | 2 | | CH | AT | | T | D |
| E | 1 | A | <i>Amazona brasiliensis</i> | live | 1 | | SK | AT | | T | D |
| E | 1 | A | <i>Amazona leucocephala</i> | live | 4 | | TW | NL | | T | C |
| E | 1 | A | <i>Amazona leucocephala</i> | live | 4 | | ZA | DE | | T | C |
| E | 1 | A | <i>Amazona tucumana</i> | live | 2 | | HU | DE | | Z | C |
| E | 1 | A | <i>Amazona viridigenalis</i> | live | 2 | | ZA | DE | NL | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Amazona viridigenalis</i> | skins | 1 | US | DK | | | T | C |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | feathers | 4 | US | DK | | | T | C |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | PL | DE | XX | Z | O | |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | PL | DE | XX | Z | U | |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | PL | ES | | B | F | |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | PL | SE | | B | C | |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | PL | SE | BO | Z | N | |
| E | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | ZA | GB | PH | T | C | |
| E | 1 | A | <i>Ara ambiguus</i> | live | 1 | SK | AT | CH | P | F | |
| E | 1 | A | <i>Ara macao</i> | feathers | 4 | BR | DE | BR | Q | O | |
| E | 1 | A | <i>Ara macao</i> | feathers | 19 | US | DK | | T | C | |
| E | 1 | A | <i>Ara macao</i> | live | 2 | AE | GB | US | P | F | |
| E | 1 | A | <i>Ara macao</i> | live | 1 | CH | FR | | Q | C | |
| E | 1 | A | <i>Ara macao</i> | live | 1 | CY | GB | | T | C | |
| E | 1 | A | <i>Ara macao</i> | live | 4 | NO | SE | | T | C | |
| E | 1 | A | <i>Ara macao</i> | live | 1 | SG | NL | GB | T | C | |
| E | 1 | A | <i>Ara macao</i> | live | 1 | US | GR | US | P | F | |
| E | 1 | A | <i>Ara maracana</i> | feathers | 2 | CH | FR | XX | T | O | |
| E | 1 | A | <i>Ara maracana</i> | live | 2 | ID | NL | | T | C | |
| E | 1 | A | <i>Ara maracana</i> | live | 1 | NO | DK | DE | T | C | |
| E | 1 | A | <i>Ara maracana</i> | live | 1 | NO | DK | NL | T | C | |
| E | 1 | A | <i>Ara maracana</i> | live | 2 | TW | NL | | T | C | |
| E | 1 | A | <i>Ara maracana</i> | live | 1 | ZA | DE | | P | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 3 | HU | BE | | Z | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 1 | NO | SE | | T | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 2 | PL | BE | | Z | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 1 | PL | FR | | Z | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 2 | PL | SE | | Z | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 2 | RU | SE | | Z | C | |
| E | 1 | A | <i>Ara militaris</i> | live | 4 | SA | SE | | Z | C | |
| E | 1 | A | <i>Ara rubrogenys</i> | live | 2 | HU | DE | | Z | C | |
| E | 1 | A | <i>Ara rubrogenys</i> | live | 3 | PL | GB | | Z | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Aratinga guarouba</i> | live | | 1 | CY | NL | | T | C |
| E | 1 | A | <i>Aratinga guarouba</i> | live | | 1 | JP | GB | NL | B | C |
| E | 1 | A | <i>Cacatua goffini</i> | live | | 1 | CH | DE | | P | C |
| E | 1 | A | <i>Cacatua goffini</i> | live | | 1 | CH | FR | | B | F |
| E | 1 | A | <i>Cacatua goffini</i> | live | | 1 | NO | NL | | T | C |
| E | 1 | A | <i>Cacatua goffini</i> | live | | 1 | NO | SE | | T | C |
| E | 1 | A | <i>Cacatua goffini</i> | live | | 1 | US | FR | GB | B | C |
| E | 1 | A | <i>Cacatua haematuropygia</i> | live | | 1 | PH | DE | PH | P | W |
| E | 1 | A | <i>Cacatua moluccensis</i> | live | | 1 | AE | GB | US | P | F |
| E | 1 | A | <i>Cacatua moluccensis</i> | live | | 1 | CH | FR | | Q | F |
| E | 1 | A | <i>Cacatua moluccensis</i> | live | | 1 | KZ | FR | | Z | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 19 | | AN | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 8 | | AW | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 6 | | BD | GB | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 6 | | BH | BE | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 42 | | CA | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 10 | | CU | ES | BE | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 2 | | CY | BE | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 18 | | CY | GB | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 44 | | CY | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 30 | | DO | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 2 | | GL | DK | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 10 | | HN | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 1 | | ID | BE | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 44 | | IL | BE | | T | D |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 10 | | IS | GB | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 2 | | JO | ES | NL | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 10 | | KW | NL | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 10 | | MT | BE | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 20 | | MT | BE | | T | D |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 32 | | MX | BE | | T | D |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 18 | | NO | DK | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 15 | NO | NL | | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 4 | TR | BE | | | T | D |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 11 | TR | BE | | | T | C |
| E | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 4 | VE | NL | | | T | C |
| E | 1 | A | <i>Eunymphicus cornutus cornutus</i> | live | 3 | ZA | NL | DE | | T | C |
| E | 1 | A | <i>Eunymphicus cornutus cornutus</i> | live | 1 | ZA | NL | FR | | T | C |
| E | 1 | A | <i>Psephotus chrysoterygius</i> | live | 18 | TW | NL | | | T | C |
| E | 1 | A | <i>Psephotus dissimilis</i> | live | 6 | CL | NL | | | T | C |
| E | 1 | A | <i>Psephotus dissimilis</i> | live | 2 | PH | NL | | | T | C |
| E | 1 | A | <i>Psephotus dissimilis</i> | live | 3 | PK | NL | | | T | C |
| E | 1 | A | <i>Psephotus dissimilis</i> | live | 27 | TW | NL | | | T | C |
| E | 1 | A | <i>Pyrrhura cruentata</i> | live | 2 | AN | NL | | | T | C |
| E | 1 | A | <i>Pyrrhura cruentata</i> | live | 2 | AW | NL | | | T | C |
| E | 1 | A | <i>Pyrrhura cruentata</i> | live | 2 | TH | NL | | | T | C |
| E | 1 | A | <i>Pyrrhura cruentata</i> | live | 4 | TW | NL | | | T | C |
| E | 1 | A | <i>Pyrrhura cruentata</i> | live | 2 | TW | NL | DE | | T | C |
| E | 1 | A | <i>Strigops habroptilus</i> | bodies | 1 | QA | GB | XX | | P | O |
| E | 1 | A | <i>Pharomachrus mocinno</i> | skins | 3 | US | DK | HN | | P | O |
| E | 1 | A | <i>Buceros vigil</i> | carvings | 1 | CN | GB | XX | | T | O |
| E | 1 | A | <i>Carduelis cucullata</i> | live | 20 | AR | ES | BE | | T | C |
| E | 1 | A | <i>Carduelis cucullata</i> | live | 15 | CY | BE | | | T | C |
| E | 1 | A | <i>Leucopsar rothschildi</i> | live | 2 | CZ | NL | | | Z | C |
| E | 1 | A | <i>Leucopsar rothschildi</i> | live | 2 | HR | DE | | | Z | C |
| E | 1 | A | <i>Leucopsar rothschildi</i> | live | 1 | JP | NL | DE | | B | C |
| E | 1 | A | <i>Leucopsar rothschildi</i> | live | 1 | PL | DE | | | Z | C |
| E | 1 | A | <i>Testudinidae</i> spp. | carvings | 1 | CA | GB | XX | | P | O |
| E | 1 | A | <i>Testudinidae</i> spp. | carvings | 1 | US | FR | XX | | Q | O |
| E | 1 | A | <i>Testudinidae</i> spp. | carvings | 11 | US | GB | XX | | P | O |
| E | 1 | A | <i>Testudinidae</i> spp. | carvings | 22 | US | GB | XX | | T | O |
| E | 1 | A | <i>Testudo kleinmanni</i> | live | 4 | CH | DE | | | T | C |
| E | 1 | A | <i>Testudo kleinmanni</i> | live | 5 | CH | DE | | | T | D |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 6 | CH | GB | XX | | P | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 14 | | CN | GB | XX | P | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 3 | | JP | GB | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 | | JP | NL | XX | Q | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 | | KW | GB | XX | P | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 | | LB | GB | XX | P | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 | | PF | NL | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 | | SG | GB | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 | | TW | GB | XX | P | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 9 | | US | FR | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 34 | | US | GB | XX | P | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 142 | | US | GB | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 1 kg | | US | GB | XX | P | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | carvings | 30 | | US | NL | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | scales | 3 | | CH | BE | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | scales | 72 | | US | BE | XX | E | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | shells | 1 | | CH | GB | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | shells | 3 | | QA | GB | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | shells | 2 | | US | GB | XX | T | O |
| E | 1 | A | <i>Cheloniidae</i> spp. | shells | 6 | | US | GB | XX | P | O |
| E | 1 | A | <i>Caretta caretta</i> | scales | 2 | | PL | FR | XX | L | I |
| E | 1 | A | <i>Caretta caretta</i> | specimens | 160 | | US | ES | S | W | |
| E | 1 | A | <i>Chelonia mydas</i> | bodies | 1 | | PL | FR | XX | L | I |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 1 | | CH | FR | XX | T | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 1 | | CH | GB | XX | P | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 1 | | CH | GB | XX | T | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 7 | | PH | ES | XX | E | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 5 | | US | ES | XX | E | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 1 | | US | FR | XX | T | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 1 | | US | GB | XX | P | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 31 | | US | GB | XX | T | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | carvings | 3 | | US | NL | XX | T | O |
| E | 1 | A | <i>Eretmochelys imbricata</i> | shells | 1 | | US | GB | XX | P | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Eretmochelys imbricata</i> | shells | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylia</i> spp. | carvings | 2 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylia</i> spp. | carvings | 6 | US | GB | XX | P | O | |
| E | 1 | A | <i>Crocodylia</i> spp. | large leather products | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylia</i> spp. | large leather products | 2 | US | GB | XX | P | O | |
| E | 1 | A | <i>Crocodylia</i> spp. | small leather products | 2 | US | GB | XX | P | O | |
| E | 1 | A | <i>Crocodylidae</i> spp. | bodies | 1 | US | FR | XX | T | O | |
| E | 1 | A | <i>Crocodylus acutus</i> | carvings | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylus acutus</i> | large leather products | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylus acutus</i> | small leather products | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylus cataphractus</i> | live | 2 | HU | DK | | Z | C | |
| E | 1 | A | <i>Crocodylus cataphractus</i> | live | 7 | IN | NL | | B | C | |
| E | 1 | A | <i>Crocodylus cataphractus</i> | small leather products | 1 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylus moreletii</i> | small leather products | 110 | CH | IT | MX | T | C | |
| E | 1 | A | <i>Crocodylus niloticus</i> | bones | 1 | US | GB | CD | Q | O | |
| E | 1 | A | <i>Crocodylus niloticus</i> | carvings | 2 | US | GB | XX | T | O | |
| E | 1 | A | <i>Crocodylus niloticus</i> | large leather products | 2 | KR | DE | SD | P | W | |
| E | 1 | A | <i>Crocodylus niloticus</i> | large leather products | 1 | US | GB | XX | P | O | |
| E | 1 | A | <i>Crocodylus niloticus</i> | small leather products | 2 | JP | IT | XX | T | C | |
| E | 1 | A | <i>Crocodylus niloticus</i> | small leather products | 1 | KR | IT | XX | P | C | |
| E | 1 | A | <i>Crocodylus palustris</i> | carvings | 2 | US | FR | XX | Q | O | |
| E | 1 | A | <i>Osteolaemus tetraspis</i> | live | 9 | TH | DK | | T | C | |
| E | 1 | A | <i>Tomistoma schlegelii</i> | live | 1 | TH | DK | XX | B | O | |
| E | 1 | A | <i>Python molurus molurus</i> | live | 2 | CH | DE | | T | C | |
| E | 1 | A | <i>Acrantophis madagascariensis</i> | live | 3 | JP | SE | | T | D | |
| E | 1 | A | <i>Epicrates subflavus</i> | live | 16 | US | BE | | T | C | |
| E | 1 | A | <i>Sanzinia madagascariensis</i> | live | 2 | CZ | BE | XX | Z | I | |
| E | 1 | A | <i>Sanzinia madagascariensis</i> | live | 2 | HU | DE | NL | T | C | |
| E | 1 | A | <i>Sanzinia madagascariensis</i> | live | 2 | SK | BE | XX | Z | I | |
| E | 1 | A | <i>Andrias davidianus</i> | live | 1 | US | NL | XX | Z | U | |
| E | 1 | A | <i>Dyscophus antongilii</i> | live | 8 | CH | DE | | Z | C | |
| E | 1 | A | <i>Agave</i> spp. | live | 445 | CH | BE | | T | A | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Agave parviflora</i> | live | 4 | CH | DE | | T | D | |
| E | 1 | A | <i>Agave parviflora</i> | live | 10 | CH | ES | | T | D | |
| E | 1 | A | <i>Agave parviflora</i> | live | 1 | CL | DE | | T | D | |
| E | 1 | A | <i>Agave parviflora</i> | live | 4 | MC | DE | | T | D | |
| E | 1 | A | <i>Pachypodium baronii</i> | live | 9 | CH | DE | | T | D | |
| E | 1 | A | <i>Pachypodium baronii</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Pachypodium decaryi</i> | live | 5 | CH | DE | | T | D | |
| E | 1 | A | <i>Pachypodium decaryi</i> | live | 4 | MC | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus agavoides</i> | live | 9 | CH | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus agavoides</i> | live | 2 | HK | DE | ZA | T | A | |
| E | 1 | A | <i>Ariocarpus agavoides</i> | live | 5 | IL | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus agavoides</i> | live | 4 | MC | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus agavoides</i> | live | 22 | MX | NL | MX | L | W | |
| E | 1 | A | <i>Ariocarpus agavoides</i> | live | 2 | TW | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus bravoanus</i> | live | 82 | MX | NL | MX | L | W | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 1 | AR | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 27 | CH | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 1 | CL | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 6 | HK | DE | | T | A | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 1 | IL | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 27 | MX | NL | MX | L | W | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 5 | TH | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 2 | TW | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus fissuratus</i> | live | 1 | US | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 1 | AR | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 32 | CH | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 1 | CL | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 2 | HK | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 4 | HK | DE | | T | A | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 6 | IL | DE | | T | D | |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 12 | MC | DE | | T | D | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 276 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 5 | | TH | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 45 | | CH | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 1 | | CL | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 2 | | HK | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 6 | | HK | DE | | T | A |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 4 | | HK | DE | ZA | T | A |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 5 | | IL | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 30 | | MC | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 7 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 5 | | TH | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus</i> | live | 10 | | TW | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus ssp. trigonus</i> | live | 9 | | CH | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus ssp. trigonus</i> | live | 2 | | HK | DE | | T | A |
| E | 1 | A | <i>Ariocarpus retusus ssp. trigonus</i> | live | 1 | | IL | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus ssp. trigonus</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Ariocarpus retusus ssp. trigonus</i> | live | 79 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Ariocarpus scaphirostris</i> | live | 5 | | HK | DE | | T | A |
| E | 1 | A | <i>Ariocarpus scaphirostris</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Ariocarpus scaphirostris</i> | live | 2 | | TW | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 1 | | AR | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 37 | | CH | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 7 | | CL | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 16 | | MC | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 1 | | PL | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 1 | | RU | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 2 | | TR | DE | | T | D |
| E | 1 | A | <i>Astrophytum asterias</i> | live | 1 | | US | DE | | T | D |
| E | 1 | A | <i>Aztekium ritteri</i> | live | 17 | | CH | DE | | T | D |
| E | 1 | A | <i>Aztekium ritteri</i> | live | 1 | | CL | DE | | T | D |
| E | 1 | A | <i>Aztekium ritteri</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus bahiensis</i> | live | 8 | | CH | DE | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Discocactus bahiensis</i> | live | 1 | | CL | DE | | T | D |
| E | 1 | A | <i>Discocactus bahiensis</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus bahiensis</i> | live | 3 | | PK | DE | | T | D |
| E | 1 | A | <i>Discocactus bahiensis</i> | seeds | 100 | | TH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus</i> | live | 23 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus</i> | live | 18 | | PK | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus</i> | seeds | 30 | | RU | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus</i> | seeds | 100 | | TH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. catingicola</i> | live | 6 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. catingicola</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | five | 2 | | PL | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | live | 1 | | US | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | seeds | 60 | | TH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. heptacanthus</i> | seeds | 100 | | TH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. magnimammus</i> | live | 12 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. magnimammus</i> | live | 16 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus heptacanthus ssp. magnimammus</i> | live | 1 | | US | DE | | T | D |
| E | 1 | A | <i>Discocactus horstii</i> | live | 8 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus horstii</i> | live | 2 | | HK | DE | | T | D |
| E | 1 | A | <i>Discocactus horstii</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus horstii</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Discocactus horstii</i> | live | 2 | | TW | DE | | T | D |
| E | 1 | A | <i>Discocactus placentiformis</i> | live | 69 | | CH | DE | | T | D |
| E | 1 | A | <i>Discocactus placentiformis</i> | live | 1 | | CL | DE | | T | D |
| E | 1 | A | <i>Discocactus placentiformis</i> | live | 16 | | MC | DE | | T | D |
| E | 1 | A | <i>Discocactus placentiformis</i> | live | 14 | | PK | DE | | T | D |
| E | 1 | A | <i>Discocactus placentiformis</i> | live | 1 | | PL | DE | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Discocactus pseudoinsignis</i> | live | 4 | CH | DE | | T | D | |
| E | 1 | A | <i>Discocactus pseudoinsignis</i> | live | 4 | MC | DE | | T | D | |
| E | 1 | A | <i>Discocactus zehntneri</i> | live | 34 | CH | DE | | T | D | |
| E | 1 | A | <i>Discocactus zehntneri</i> | live | 12 | MC | DE | | T | D | |
| E | 1 | A | <i>Discocactus zehntneri</i> | live | 6 | PK | DE | | T | D | |
| E | 1 | A | <i>Discocactus zehntneri</i> | live | 2 | PL | DE | | T | D | |
| E | 1 | A | <i>Discocactus zehntneri</i> | live | 2 | TR | DE | | T | D | |
| E | 1 | A | <i>Echinocereus ferreiranus</i> | live | 4 | MC | DE | | T | D | |
| E | 1 | A | <i>Echinocereus ferreiranus</i> spp. <i>lindsayi</i> | live | 6 | CH | DE | | T | D | |
| E | 1 | A | <i>Echinocereus schmollii</i> | live | 11 | CH | DE | | T | D | |
| E | 1 | A | <i>Echinocereus schmollii</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Escobaria minima</i> | live | 5 | CH | DE | | T | D | |
| E | 1 | A | <i>Escobaria minima</i> | live | 2 | HK | DE | | T | A | |
| E | 1 | A | <i>Escobaria minima</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Escobaria sneedii</i> | live | 1 | CH | DE | | T | A | |
| E | 1 | A | <i>Escobaria sneedii</i> | live | 13 | CH | DE | | T | D | |
| E | 1 | A | <i>Escobaria sneedii</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Escobaria sneedii</i> | live | 1 | TR | DE | | T | D | |
| E | 1 | A | <i>Mammillaria pectinifera</i> | live | 11 | CH | DE | | T | D | |
| E | 1 | A | <i>Mammillaria pectinifera</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Mammillaria solisioides</i> | live | 15 | CH | DE | | T | D | |
| E | 1 | A | <i>Mammillaria solisioides</i> | live | 6 | MC | DE | | T | D | |
| E | 1 | A | <i>Melocactus glaucescens</i> | live | 2 | CH | DE | | T | D | |
| E | 1 | A | <i>Melocactus glaucescens</i> | live | 2 | HK | DE | | T | D | |
| E | 1 | A | <i>Melocactus glaucescens</i> | live | 2 | MC | DE | | T | D | |
| E | 1 | A | <i>Obregonia denegrii</i> | live | 21 | CH | DE | | T | D | |
| E | 1 | A | <i>Obregonia denegrii</i> | live | 1 | CL | DE | | T | D | |
| E | 1 | A | <i>Obregonia denegrii</i> | live | 8 | MC | DE | | T | D | |
| E | 1 | A | <i>Obregonia denegrii</i> | live | 29 | MX | NL | | MX | L | W |
| E | 1 | A | <i>Obregonia denegrii</i> | live | 2 | TR | DE | | T | D | |
| E | 1 | A | <i>Pediocactus knowltonii</i> | live | 2 | CH | DE | | T | D | |
| E | 1 | A | <i>Pediocactus knowltonii</i> | live | 2 | MC | DE | | T | D | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Pediocactus peeblesianus</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Pediocactus peeblesianus</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Pelecyphora aselliformis</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Pelecyphora aselliformis</i> | live | 61 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Pelecyphora strobiliformis</i> | live | 3 | | CH | DE | | T | D |
| E | 1 | A | <i>Pelecyphora strobiliformis</i> | live | 1 | | HK | DE | | T | A |
| E | 1 | A | <i>Pelecyphora strobiliformis</i> | live | 41 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Sclerocactus papyracanthus</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Sclerocactus papyracanthus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Sclerocactus warnockii</i> | live | 1 | | AR | DE | | T | D |
| E | 1 | A | <i>Sclerocactus warnockii</i> | live | 6 | | CH | DE | | T | D |
| E | 1 | A | <i>Sclerocactus warnockii</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Strombocactus disciformis</i> | live | 1 | | AR | DE | | T | D |
| E | 1 | A | <i>Strombocactus disciformis</i> | live | 12 | | CH | DE | | T | D |
| E | 1 | A | <i>Strombocactus disciformis</i> | live | 1 | | HK | DE | | T | A |
| E | 1 | A | <i>Strombocactus disciformis</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Strombocactus disciformis</i> | live | 70 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Turbinicarpus beguinii</i> | live | 2 | | PL | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus gielsdorfianus</i> | live | 13 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus gielsdorfianus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus hoferi</i> | live | 6 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus hoferi</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus hoferi</i> | live | 5 | | TH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus horripilus</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus horripilus</i> | live | 2 | | HK | DE | | T | A |
| E | 1 | A | <i>Turbinicarpus horripilus</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus jauernigii</i> | live | 8 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus jauernigii</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus jauernigii</i> | live | 1 | | PL | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus jauernigii</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus knuthianus</i> | live | 19 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus knuthianus</i> | live | 2 | | HK | DE | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Turbinicarpus knuthianus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus laui</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus laui</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus laui</i> | seeds | 10 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 1 | | AR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 15 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 1 | | CL | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 1 | | RU | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 13 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 23 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | seeds | 10 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | seeds | 20 | | RU | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudopectinatus</i> | live | 16 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus pseudopectinatus</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus roseiflorus</i> | live | 11 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus roseiflorus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus roseiflorus</i> | seeds | 10 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | live | 32 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | live | 44 | | MX | NL | MX | L | W |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i> | live | 8 | | CH | DE | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i> | seeds | 10 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | live | 6 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | live | 6 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | seeds | 10 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus subterraneus</i> | live | 17 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus subterraneus</i> | live | 2 | | HK | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus subterraneus</i> | live | 6 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus subterraneus</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus swobodae</i> | live | 7 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus swobodae</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus swobodae</i> | seeds | 10 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus valdezianus</i> | live | 1 | | AR | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus valdezianus</i> | live | 11 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus valdezianus</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus valdezianus</i> | live | 1 | | RU | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus viereckii</i> | live | 13 | | CH | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus viereckii</i> | live | 2 | | HK | DE | | T | D |
| E | 1 | A | <i>Turbinicarpus viereckii</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Uebelmannia buiningii</i> | live | 6 | | CH | DE | | T | D |
| E | 1 | A | <i>Uebelmannia buiningii</i> | live | 2 | | CL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia buiningii</i> | live | 1 | | IL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia buiningii</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Uebelmannia buiningii</i> | live | 5 | | PL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 1 | | AR | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 15 | | CH | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 1 | | IL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 5 | | PK | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 3 | | PL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia gummifera</i> | live | 1 | | TR | DE | | T | D |
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 47 | | CH | DE | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 3 | | CL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 2 | | HK | DE | | T | D |
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 28 | | MC | DE | | T | D |
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 7 | | PK | DE | | T | D |
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 8 | | PL | DE | | T | D |
| E | 1 | A | <i>Uebelmannia pectinifera</i> | live | 2 | | TR | DE | | T | D |
| E | 1 | A | <i>Saussurea costus</i> | extract | 1 kg | | AR | FR | IN | T | A |
| E | 1 | A | <i>Saussurea costus</i> | extract | 500 g | | JP | FR | ID | T | A |
| E | 1 | A | <i>Saussurea costus</i> | extract | 100 g | | JP | FR | IN | T | A |
| E | 1 | A | <i>Saussurea costus</i> | extract | 62 kg | | US | FR | IN | T | A |
| E | 1 | A | <i>Euphorbia ambovombensis</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Euphorbia ambovombensis</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Euphorbia decaryi</i> | live | 8 | | CH | DE | | T | D |
| E | 1 | A | <i>Euphorbia decaryi</i> | live | 10 | | MC | DE | | T | D |
| E | 1 | A | <i>Euphorbia francoisii</i> | live | 6 | | CH | DE | | T | D |
| E | 1 | A | <i>Euphorbia francoisii</i> | live | 1 | | HK | DE | | T | A |
| E | 1 | A | <i>Euphorbia francoisii</i> | live | 2 | | HK | DE | | T | D |
| E | 1 | A | <i>Euphorbia francoisii</i> | live | 8 | | MC | DE | | T | D |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 1 | | BM | GB | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 7 | | CA | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 2 | | CH | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 1 | | CH | GB | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 2 | | CH | GB | XX | P | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 2 | | CN | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 2 | | CY | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 4 | | HK | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 95 | | JP | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 90 kg | | JP | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 1 | | JP | GB | | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 2 | | JP | GB | BR | T | W |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 108 | | JP | GB | BR | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 473 kg | | JP | GB | BR | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 3 | | NZ | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 4 | | SG | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 22 | | US | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 1 | | US | GB | XX | E | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 5 | | US | GB | XX | P | O |
| E | 1 | A | <i>Dalbergia nigra</i> | carvings | 10 | | US | GB | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | sawn wood | 4846 | | JP | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | sawn wood | 400 kg | | JP | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | sawn wood | 1360 | | US | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | sawn wood | 2385 kg | | US | ES | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | sawn wood | 24 | | US | GB | BR | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | timber pieces | 2 | | JP | DE | BR | T | W |
| E | 1 | A | <i>Dalbergia nigra</i> | timber pieces | 1 kg | | JP | DE | BR | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | timber pieces | 3 | | JP | DE | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | timber pieces | 6 kg | | JP | DE | XX | T | O |
| E | 1 | A | <i>Dalbergia nigra</i> | veneer | 170 m2 | | CH | DE | XX | T | O |
| E | 1 | A | <i>Aloe spp.</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Aloe bellatula</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Aloe bellatula</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Aloe compressa</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Aloe descoingsii</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Aloe fragilis</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Aloe fragilis</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Aloe haworthioides</i> | live | 4 | | CH | DE | | T | D |
| E | 1 | A | <i>Aloe haworthioides</i> | live | 4 | | MC | DE | | T | D |
| E | 1 | A | <i>Aloe laeta</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Aloe pillansii</i> | live | 10 | | CH | DE | ZA | T | D |
| E | 1 | A | <i>Aloe rauhii</i> | live | 2 | | CH | DE | | T | D |
| E | 1 | A | <i>Aloe rauhii</i> | live | 2 | | MC | DE | | T | D |
| E | 1 | A | <i>Nepenthes spp.</i> | live | 20 | | US | DE | | T | A |
| E | 1 | A | <i>Nepenthes khasiana</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Nepenthes khasiana</i> | live | 2 | | US | DE | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Nepenthes rajah</i> | live | 1 | | BR | DE | | T | D |
| E | 1 | A | <i>Nepenthes rajah</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Nepenthes rajah</i> | live | 2 | | GT | DE | | T | D |
| E | 1 | A | <i>Nepenthes rajah</i> | live | 2 | | TW | DE | | T | D |
| E | 1 | A | <i>Nepenthes rajah</i> | live | 30 | | US | DE | | T | D |
| E | 1 | A | Orchidaceae spp. | cultures | 3 | | CH | FR | | T | A |
| E | 1 | A | <i>Dendrobium cruentum</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Laelia jongheana</i> | live | 1 | | CZ | DE | | T | A |
| E | 1 | A | <i>Laelia jongheana</i> | live | 1 | | TR | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | cultures | 6 | | CH | FR | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | cultures | 5 | | NC | FR | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 251 | | AU | DE | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 50 | | AU | GB | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 1210 | | CH | AT | NL | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 3975 | | CH | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 48 | | EE | SE | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 1 | | MA | FR | B | A | |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 2 | | NO | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 8 | | TR | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 15 | | US | FR | | T | A |
| E | 1 | A | <i>Paphiopedilum</i> spp. | live | 25 | | US | GB | | T | A |
| E | 1 | A | <i>Paphiopedilum glanduliferum</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Paphiopedilum gratrixianum</i> | live | 1 | | TR | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum hirsutissimum</i> | live | 1 | | TR | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum kolopakingii</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Paphiopedilum malipoense</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Paphiopedilum micranthum</i> | live | 1 | | TR | BE | | T | A |
| E | 1 | A | <i>Paphiopedilum primulinum</i> | cultures | 1 | | CH | FR | | T | A |
| E | 1 | A | <i>Peristeria elata</i> | cultures | 50 | | US | FR | | T | A |
| E | 1 | A | <i>Phalaenopsis</i> spp. | live | 120 | | CH | AT | NL | T | A |
| E | 1 | A | <i>Phragmipedium</i> spp. | live | 32 | | AU | DE | | T | A |
| E | 1 | A | <i>Phragmipedium</i> spp. | live | 2 | | TR | BE | | T | A |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 1 | A | <i>Phragmipedium</i> spp. | live | 2 | | TR | BE | | T | A |
| E | 1 | A | <i>Phragmipedium</i> spp. | live | 150 | | US | GB | | T | A |
| E | 1 | A | <i>Phragmipedium sargentianum</i> | live | 1 | | CZ | DE | | T | D |
| E | 1 | A | <i>Abies</i> spp. | live | 6 | | CH | BE | | T | A |
| E | 1 | A | <i>Sarracenia</i> spp. | live | 2 | | US | DE | | T | A |
| E | 1 | A | <i>Sarracenia alabamensis</i> ssp. <i>alabamensis</i> | live | 1 | | US | DE | | T | A |
| E | 1 | A | <i>Sarracenia alabamensis</i> ssp. <i>alabamensis</i> | live | 2 | | US | DE | | T | D |
| E | 1 | A | <i>Sarracenia oreophila</i> | live | 1 | | TW | DE | | T | D |
| E | 1 | A | <i>Sarracenia oreophila</i> | live | 1 | | US | DE | | T | D |
| E | 1 | A | <i>Encephalartos ituriensis</i> | live | 2 | | US | BE | | P | A |
| E | 1 | A | <i>Encephalartos lanatus</i> | live | 6 | | US | BE | | P | A |
| E | 1 | A | <i>Encephalartos laurentianus</i> | live | 12 | | US | BE | | P | A |
| E | 2 | B | <i>Pteropus hypomelanus</i> | live | 13 | | CZ | DE | | Z | C |
| E | 2 | A | <i>Pteropus rodricensis</i> | live | 7 | | CZ | GB | | Z | C |
| E | 2 | B | <i>Tupaia belangeri</i> | live | 6 | | US | DE | | M | C |
| E | 2 | B | <i>Nycticebus coucang</i> | live | 1 | | HU | DK | | Z | C |
| E | 2 | B | <i>Galagooides demidoff</i> | bodies | 1 | | CH | DE | | T | C |
| E | 2 | B | <i>Callithrix geoffroyi</i> | live | 1 | | CZ | FR | | Z | C |
| E | 2 | B | <i>Callithrix geoffroyi</i> | live | 3 | | PL | FR | | Z | F |
| E | 2 | B | <i>Callithrix jacchus</i> | live | 2 | | CH | DE | | B | C |
| E | 2 | B | <i>Callithrix jacchus</i> | live | 3 | | HU | SE | | Z | C |
| E | 2 | B | <i>Callithrix jacchus</i> | live | 2 | | PL | DK | | T | C |
| E | 2 | B | <i>Callithrix jacchus</i> | live | 2 | | PL | DK | | Z | C |
| E | 2 | B | <i>Callithrix jacchus</i> | live | 1 | | PL | FR | | Z | C |
| E | 2 | B | <i>Callithrix jacchus</i> | skeletons | 1 | | US | GB | | T | C |
| E | 2 | B | <i>Callithrix jacchus</i> | skulls | 5 | | CH | DE | | S | C |
| E | 2 | B | <i>Callithrix jacchus</i> | skulls | 16 | | US | DE | | S | C |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 70 | | CH | GB | | S | C |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 200 ml | | CH | GB | | S | C |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 5 | | US | DE | | S | C |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 19 | | US | DE | | M | D |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 4330 | | US | GB | | S | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 90 | g | US | GB | | S | C |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 10 | ml | US | GB | | M | C |
| E | 2 | B | <i>Callithrix jacchus</i> | specimens | 4251 | ml | US | GB | | S | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 2 | | CZ | NL | SE | Z | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 1 | | HR | BE | | Z | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 1 | | HR | NL | | Z | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 2 | | HU | DK | | Z | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 1 | | NO | SE | | Z | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 1 | | PL | DK | | Z | C |
| E | 2 | B | <i>Callithrix pygmaea</i> | live | 1 | | AU | BE | | Z | C |
| E | 2 | B | <i>Saguinus imperator</i> | live | 1 | | SG | FR | | Z | C |
| E | 2 | B | <i>Ateles fusciceps</i> | live | 1 | | CH | GB | NL | Z | C |
| E | 2 | B | <i>Lagothrix lagotricha</i> | live | 1 | | MY | FR | | Z | C |
| E | 2 | B | <i>Pithecia pithecia</i> | live | 1 | | PL | DE | | Z | C |
| E | 2 | B | <i>Saimiri sciureus</i> | skeletons | 1 | | US | GB | | T | C |
| E | 2 | B | <i>Allenopithecus nigroviridis</i> | live | 1 | | HU | FR | | Z | C |
| E | 2 | B | <i>Cercocebus torquatus</i> | live | 3 | | ZA | DE | | Z | C |
| E | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | CZ | FR | | Z | C |
| E | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | CZ | FR | XX | Z | U |
| E | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | RU | DK | | Z | C |
| E | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | RU | DK | DE | Z | C |
| E | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | RU | DK | FR | Z | C |
| E | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | RU | DK | GB | Z | C |
| E | 2 | B | <i>Cercopithecus wolfi</i> | live | 1 | | US | FR | | Z | I |
| E | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 20 | | US | BE | BB | S | W |
| E | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 30 | | US | BE | BB | M | W |
| E | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 30 | | US | BE | BB | T | W |
| E | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 2 | | US | GB | XX | M | U |
| E | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 5 | | US | NL | US | S | O |
| E | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | AE | FR | TZ | H | W |
| E | 2 | B | <i>Colobus guereza</i> | live | 3 | | SG | NL | | Z | C |
| E | 2 | B | <i>Colobus guereza</i> | skins | 1 | | US | DK | XX | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Erythrocebus patas</i> | live | 2 | | SN | FR | SN | B | W |
| E | 2 | B | <i>Macaca fascicularis</i> | live | 28 | | CH | FR | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | live | 89 | | CH | FR | PH | S | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 100 | | AR | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 1814 | | AU | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 3376 | | AU | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 60 ml | | AU | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | BG | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 ml | | BG | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 240 | | CA | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 4 | | CA | GB | PH | S | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 625 | | CH | DE | CN | M | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 1 | | CH | DE | VN | M | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 729 | | CH | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 640 g | | CH | GB | MU | M | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 25 ml | | CH | SE | CN | S | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | CN | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | CZ | GB | MU | T | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 1069 | | CZ | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | EG | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 1 | | HR | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 23 | | HU | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 80 | | HU | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 159 | | IL | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 251 | | IL | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | IN | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 22 | | JO | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 28 | | JO | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 31 | | JP | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | LB | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | LB | GB | MU | S | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 40 | | LV | GB | MU | M | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Macaca fascicularis | specimens | 52 | | LV | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 371 | | NO | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 470 | | NO | GB | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 46 | | NZ | GB | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 110 | | NZ | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 50 | | SA | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 12 | | SD | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 40 | | SY | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 170 | | TN | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 250 | | TN | GB | MU | T | F |
| E | 2 | B | Macaca fascicularis | specimens | 120 | | TR | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 383 | | TR | GB | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 6 | | US | DE | | T | C |
| E | 2 | B | Macaca fascicularis | specimens | 31 | | US | DE | CN | T | C |
| E | 2 | B | Macaca fascicularis | specimens | 132 | | US | DE | CN | S | C |
| E | 2 | B | Macaca fascicularis | specimens | 3380 | | US | DE | CN | M | C |
| E | 2 | B | Macaca fascicularis | specimens | 98 ml | | US | DE | CN | S | C |
| E | 2 | B | Macaca fascicularis | specimens | 117 | | US | DE | MU | M | W |
| E | 2 | B | Macaca fascicularis | specimens | 282 | | US | DE | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 4 | | US | DE | PH | M | C |
| E | 2 | B | Macaca fascicularis | specimens | 4 | | US | DE | PH | M | W |
| E | 2 | B | Macaca fascicularis | specimens | 1 | | US | DE | RU | M | C |
| E | 2 | B | Macaca fascicularis | specimens | 148 | | US | DE | VN | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 295 | | US | DE | VN | M | C |
| E | 2 | B | Macaca fascicularis | specimens | .8 ml | | US | DK | RU | S | C |
| E | 2 | B | Macaca fascicularis | specimens | 46 | | US | GB | IL | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 69 | | US | GB | MU | S | C |
| E | 2 | B | Macaca fascicularis | specimens | 3583 | | US | GB | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 6692 | | US | GB | MU | S | F |
| E | 2 | B | Macaca fascicularis | specimens | 1760 g | | US | GB | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 16 kg | | US | GB | MU | M | F |
| E | 2 | B | Macaca fascicularis | specimens | 40 ml | | US | GB | MU | S | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 2787 | ml | US | GB | MU | M | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 4 | | US | GB | PH | S | C |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 312 | | US | IT | MU | T | F |
| E | 2 | B | <i>Macaca fascicularis</i> | specimens | 10 | | ZA | GB | MU | M | F |
| E | 2 | B | <i>Macaca fuscata</i> | bodies | 2 | | JP | NL | XX | E | O |
| E | 2 | B | <i>Macaca fuscata</i> | live | 8 | | PL | NL | | Z | C |
| E | 2 | B | <i>Macaca fuscata</i> | live | 2 | | RU | DE | | Z | C |
| E | 2 | B | <i>Macaca maura</i> | live | 12 | | HR | DE | | Z | C |
| E | 2 | B | <i>Macaca maura</i> | live | 1 | | HR | DE | FR | Z | C |
| E | 2 | B | <i>Macaca mulatta</i> | live | 22 | | BR | NL | CN | S | C |
| E | 2 | B | <i>Macaca mulatta</i> | live | 5 | | CH | FR | | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | live | 5 | | CH | FR | CN | S | C |
| E | 2 | B | <i>Macaca mulatta</i> | skeletons | 1 | | US | GB | | T | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 58 | | CH | DE | CN | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 7 | | CH | NL | CN | S | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 4 ml | | US | DE | | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 240 | | US | DE | CN | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 8 ml | | US | DE | CN | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 14 ml | | US | DE | US | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 726 | | US | GB | CN | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 1560 g | | US | GB | CN | T | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 3420 g | | US | GB | CN | M | F |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 120 ml | | US | GB | CN | M | F |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 710 ml | | US | GB | CN | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 1864 ml | | US | GB | CN | T | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 12 | | US | GB | SE | M | C |
| E | 2 | B | <i>Macaca mulatta</i> | specimens | 46 ml | | US | GB | SE | M | C |
| E | 2 | B | <i>Macaca nemestrina</i> | live | 10 | | HU | FR | HU | Q | C |
| E | 2 | B | <i>Macaca nemestrina</i> | live | 8 | | RU | IT | RU | Q | C |
| E | 2 | B | <i>Macaca nigra</i> | live | 1 | | CZ | NL | | Z | C |
| E | 2 | B | <i>Macaca sylvanus</i> | live | 4 | | MA | FR | MA | B | C |
| E | 2 | B | <i>Papio hamadryas anubis</i> | live | 1 | | BR | NL | XX | Z | I |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Papio hamadryas anubis</i> | specimens | 56 | ml | CH | ES | KE | M | W |
| E | 2 | B | <i>Papio hamadryas anubis</i> | specimens | 53 | ml | US | ES | KE | M | W |
| E | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 3 | | AE | FR | TZ | H | W |
| E | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 3 | | RU | AT | TZ | P | W |
| E | 2 | B | <i>Papio hamadryas hamadryas</i> | live | 25 | | SG | GB | | Z | C |
| E | 2 | B | <i>Papio hamadryas hamadryas</i> | live | 15 | | SG | NL | | Z | C |
| E | 2 | B | <i>Papio hamadryas papio</i> | live | 1 | | BR | NL | XX | Z | I |
| E | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 2 | | RU | AT | ZW | P | W |
| E | 2 | B | <i>Papio hamadryas ursinus</i> | specimens | 2 | | US | AT | ZA | S | W |
| E | 2 | B | <i>Theropithecus gelada</i> | live | 1 | | CH | DE | | Z | C |
| E | 2 | B | <i>Trachypithecus auratus</i> | live | 1 | | CZ | DE | | Z | C |
| E | 2 | B | <i>Trachypithecus auratus</i> | live | 4 | | ZA | GB | | Z | C |
| E | 2 | B | <i>Trachypithecus obscurus</i> | live | 1 | | AU | DE | | Z | C |
| E | 2 | B | <i>Manis tetradactyla</i> | bodies | 1 | | PL | FR | XX | L | I |
| E | 2 | A | <i>Mesoplodon mirus</i> | specimens | 1 | | NZ | IE | | S | W |
| E | 2 | A | <i>Ziphius cavirostris</i> | specimens | 3 | | NZ | IE | | S | W |
| E | 2 | A | <i>Kogia breviceps</i> | specimens | 3 | | US | IE | | S | W |
| E | 2 | B | <i>Monodon monoceros</i> | teeth | 3 | | CH | FR | XX | T | O |
| E | 2 | B | <i>Monodon monoceros</i> | tusks | 1 | | IS | DK | GL | P | W |
| E | 2 | B | <i>Monodon monoceros</i> | tusks | 1 | | NO | DK | GL | T | W |
| E | 2 | B | <i>Monodon monoceros</i> | tusks | 1 | | US | DK | GL | P | O |
| E | 2 | A | <i>Orcinus orca</i> | teeth | 6 | | US | ES | XX | E | O |
| E | 2 | A | <i>Tursiops truncatus</i> | live | 2 | | US | DE | US | S | O |
| E | 2 | A | <i>Tursiops truncatus</i> | live | 2 | | US | DE | US | S | W |
| E | 2 | A | <i>Phocoena phocoena</i> | specimens | 4 | | US | GR | | S | W |
| E | 2 | A | <i>Phocoena phocoena</i> | specimens | 2 | | US | IE | | S | W |
| E | 2 | A | <i>Balaenoptera acutorostrata</i> | bones | 1 | | NO | DK | | S | W |
| E | 2 | | <i>Canis lupus</i> | bodies | 2 | | CH | FR | | P | O |
| E | 2 | | <i>Canis lupus</i> | live | 2 | | CZ | DE | | Z | C |
| E | 2 | | <i>Canis lupus</i> | live | 1 | | CZ | ES | | B | F |
| E | 2 | | <i>Canis lupus</i> | live | 1 | | CZ | NL | | Z | C |
| E | 2 | | <i>Canis lupus</i> | live | 10 | | HU | AT | HU | E | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | | <i>Canis lupus</i> | live | 2 | TW | GB | | Z | C | |
| E | 2 | | <i>Canis lupus</i> | skins | 1 | MT | DK | MN | T | W | |
| E | 2 | | <i>Canis lupus</i> | skins | 1 | US | GB | XX | T | O | |
| E | 2 | | <i>Canis lupus</i> | skin pieces | 2 | NO | DK | | T | W | |
| E | 2 | | <i>Canis lupus</i> | specimens | 16 | PL | GR | | S | W | |
| E | 2 | | <i>Canis lupus</i> | specimens | 100 g | US | PT | | S | W | |
| E | 2 | | <i>Canis lupus</i> | teeth | 3 | US | FI | | S | W | |
| E | 2 | | <i>Canis lupus</i> | teeth | 8 | US | SE | | S | W | |
| E | 2 | | <i>Canis lupus</i> | trophies | 15 | CA | FR | CN | H | W | |
| E | 2 | | <i>Canis lupus</i> | trophies | 1 | CH | FR | CH | E | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 1 | CH | DE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 1 | CH | GB | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 2 | CZ | DE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 1 | HU | DE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 1 | KZ | SE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 2 | PL | DE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 2 | PL | SE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 1 | RU | DE | | Z | C | |
| E | 2 | B | <i>Chrysocyon brachyurus</i> | live | 1 | UA | SE | | Z | C | |
| E | 2 | B | <i>Pseudalopex griseus</i> | cloth | 14 | CN | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | cloth | 2 | RU | DE | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 13 | HK | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 14 m2 | HK | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 60 | KR | DE | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 10 kg | KR | DE | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 103 | KR | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 19 m2 | KR | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | plates | 1 | US | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | skins | 1 | KR | IT | AR | T | W | |
| E | 2 | B | <i>Pseudalopex griseus</i> | skins | 200 | TR | DE | AR | T | W | |
| E | 2 | B | <i>Vulpes zerda</i> | live | 1 | CH | DK | | Z | C | |
| E | 2 | B | <i>Vulpes zerda</i> | live | 2 | HU | DK | | Z | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Vulpes zerda</i> | live | 2 | PL | DK | | Z | C | |
| E | 2 | B | <i>Ursus americanus</i> | skins | 1 | CA | DE | CA | P | O | |
| E | 2 | B | <i>Ursus americanus</i> | skins | 1 | MT | DK | CA | T | W | |
| E | 2 | B | <i>Ursus americanus</i> | skins | 1 | NA | DE | US | P | O | |
| E | 2 | B | <i>Ursus americanus</i> | skin pieces | 2 | NO | DK | CA | T | W | |
| E | 2 | B | <i>Ursus americanus</i> | trophies | 1 | KE | FR | CA | H | W | |
| E | 2 | A | <i>Ursus arctos</i> | bodies | 1 | JP | NL | XX | E | O | |
| E | 2 | A | <i>Ursus arctos</i> | bodies | 1 | NO | SE | | P | W | |
| E | 2 | A | <i>Ursus arctos</i> | live | 1 | NO | SE | | Z | C | |
| E | 2 | A | <i>Ursus arctos</i> | live | 3 | RU | FR | RU | Q | C | |
| E | 2 | A | <i>Ursus arctos</i> | live | 4 | US | DE | | T | C | |
| E | 2 | A | <i>Ursus arctos</i> | skins | 1 | NA | DE | US | P | O | |
| E | 2 | A | <i>Ursus arctos</i> | skins | 1 | NO | SE | | H | W | |
| E | 2 | A | <i>Ursus arctos</i> | skins | 1 | US | FI | | P | W | |
| E | 2 | A | <i>Ursus arctos</i> | skins | 1 | US | GB | XX | T | O | |
| E | 2 | A | <i>Ursus arctos</i> | specimens | 191 | EE | FI | | S | W | |
| E | 2 | A | <i>Ursus arctos</i> | specimens | 1 | US | FI | | S | W | |
| E | 2 | A | <i>Ursus arctos</i> | specimens | 3 | US | GR | | S | W | |
| E | 2 | A | <i>Ursus arctos</i> | teeth | 54 | US | FI | | S | W | |
| E | 2 | A | <i>Ursus arctos</i> | teeth | 11 | US | SE | | S | W | |
| E | 2 | A | <i>Ursus arctos</i> | trophies | 1 | US | GB | XX | T | O | |
| E | 2 | B | <i>Ursus maritimus</i> | bodies | 1 | CH | FR | CA | H | W | |
| E | 2 | B | <i>Ursus maritimus</i> | live | 1 | CA | DK | GL | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | live | 1 | PA | DE | Q | C | | |
| E | 2 | B | <i>Ursus maritimus</i> | live | 1 | PA | DE | CA | Q | W | |
| E | 2 | B | <i>Ursus maritimus</i> | live | 1 | US | BE | | Z | C | |
| E | 2 | B | <i>Ursus maritimus</i> | skins | 1 | GL | DK | GL | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | skins | 3 | NO | DK | GL | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | skins | 1 | PL | DK | CA | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | skins | 3 | RU | DK | CA | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | skins | 1 | RU | DK | GL | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | skins | 1 | US | DK | GL | P | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Ursus maritimus</i> | skins | 1 | US | DK | GL | T | W | |
| E | 2 | B | <i>Ursus maritimus</i> | skin pieces | 2 | NO | DK | GL | T | W | |
| E | 2 | B | <i>Amblonyx cinereus</i> | live | 1 | CZ | DE | | Z | C | |
| E | 2 | B | <i>Amblonyx cinereus</i> | live | 2 | HR | BE | | Z | C | |
| E | 2 | B | <i>Amblonyx cinereus</i> | live | 2 | JP | NL | | T | C | |
| E | 2 | B | <i>Amblonyx cinereus</i> | live | 1 | PL | NL | | Z | C | |
| E | 2 | B | <i>Conepatus humboldtii</i> | plates | 8 | US | IT | AR | T | W | |
| E | 2 | B | <i>Enhydra lutris</i> | live | 1 | US | PT | | Z | C | |
| E | 2 | B | <i>Lontra canadensis</i> | plates | 122 | KR | DE | XX | T | I | |
| E | 2 | B | <i>Lontra canadensis</i> | skins | 14 | JP | IT | CA | T | W | |
| E | 2 | B | <i>Cryptoprocta ferox</i> | live | 2 | US | GB | | Z | C | |
| E | 2 | B | <i>Felis margarita</i> | live | 2 | CZ | DE | | Z | C | |
| E | 2 | B | <i>Felis margarita</i> | live | 2 | RU | FR | | Z | C | |
| E | 2 | B | <i>Felis margarita</i> | live | 1 | US | GB | | Z | C | |
| E | 2 | A | <i>Felis silvestris</i> | specimens | 1 ml | US | ES | | S | W | |
| E | 2 | B | <i>Leptailurus serval</i> | live | 1 | CZ | DE | | Z | C | |
| E | 2 | B | <i>Leptailurus serval</i> | live | 3 | CZ | DK | | Z | C | |
| E | 2 | B | <i>Leptailurus serval</i> | live | 2 | PL | DE | | Z | C | |
| E | 2 | B | <i>Lynx canadensis</i> | plates | 36 kg | RU | GR | RU | I | W | |
| E | 2 | B | <i>Lynx canadensis</i> | skins | 2 | AR | IT | CA | T | W | |
| E | 2 | B | <i>Lynx canadensis</i> | skins | 8 | EE | IT | CA | T | W | |
| E | 2 | B | <i>Lynx canadensis</i> | skins | 10 | HK | DK | CA | T | W | |
| E | 2 | B | <i>Lynx canadensis</i> | skins | 1 | MT | DK | CA | T | W | |
| E | 2 | B | <i>Lynx canadensis</i> | skins | 5 | NO | DK | CA | T | W | |
| E | 2 | B | <i>Lynx canadensis</i> | skin pieces | 24 | NO | DK | CA | T | W | |
| E | 2 | A | <i>Lynx lynx</i> | live | 3 | HR | DE | | Z | C | |
| E | 2 | A | <i>Lynx lynx</i> | live | 1 | MO | BE | Q | C | | |
| E | 2 | A | <i>Lynx lynx</i> | live | 2 | PL | FI | | N | W | |
| E | 2 | A | <i>Lynx lynx</i> | specimens | 30 | CH | FI | | S | W | |
| E | 2 | A | <i>Lynx lynx</i> | teeth | 28 | US | FI | | S | W | |
| E | 2 | B | <i>Lynx rufus</i> | plates | 100 | PL | DE | US | T | W | |
| E | 2 | B | <i>Lynx rufus</i> | skins | 16 | EE | IT | US | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Lynx rufus</i> | skins | 5 | | HK | DK | CA | T | W |
| E | 2 | B | <i>Lynx rufus</i> | skins | 23 | | HK | DK | US | T | W |
| E | 2 | B | <i>Lynx rufus</i> | skins | 40 | | JP | IT | US | T | W |
| E | 2 | B | <i>Lynx rufus</i> | skins | 40 | | RU | DE | US | T | W |
| E | 2 | B | <i>Lynx rufus</i> | skins | 42 | | RU | IT | US | T | W |
| E | 2 | B | <i>Panthera leo</i> | bodies | 1 | | LT | GB | | T | C |
| E | 2 | B | <i>Panthera leo</i> | live | 5 | | CH | NL | GB | Q | C |
| E | 2 | B | <i>Panthera leo</i> | live | 6 | | CN | BE | | Z | C |
| E | 2 | B | <i>Panthera leo</i> | live | 4 | | JP | GB | | Q | C |
| E | 2 | B | <i>Panthera leo</i> | live | 3 | | TR | NL | FR | Z | I |
| E | 2 | B | <i>Panthera leo</i> | live | 1 | | US | GB | GR | E | C |
| E | 2 | B | <i>Panthera leo</i> | live | 1 | | US | GB | XX | E | I |
| E | 2 | B | <i>Panthera leo</i> | live | 2 | | ZA | GB | GR | E | C |
| E | 2 | B | <i>Panthera leo</i> | skeletons | 1 | | AU | BE | | E | C |
| E | 2 | B | <i>Panthera leo</i> | skins | 1 | | CH | FR | | H | W |
| E | 2 | B | <i>Panthera leo</i> | skins | 1 | | NO | SE | | T | C |
| E | 2 | B | <i>Panthera leo</i> | skins | 1 | | US | FR | | TZ | W |
| E | 2 | B | <i>Panthera leo</i> | skulls | 1 | | AE | FR | | H | W |
| E | 2 | B | <i>Panthera leo</i> | skulls | 1 | | CA | FR | CF | T | O |
| E | 2 | B | <i>Panthera leo</i> | trophies | 8 | | AE | FR | | H | W |
| E | 2 | B | <i>Panthera leo</i> | trophies | 2 | | CH | FR | | TZ | W |
| E | 2 | B | <i>Panthera leo</i> | trophies | 1 | | CL | AT | | H | W |
| E | 2 | B | <i>Panthera leo</i> | trophies | 1 | | DO | ES | | TZ | W |
| E | 2 | B | <i>Panthera leo</i> | trophies | 1 | | HU | BE | CD | E | O |
| E | 2 | B | <i>Panthera leo</i> | trophies | 1 | | IS | ES | XX | H | O |
| E | 2 | B | <i>Panthera leo</i> | trophies | 1 | | PL | FR | CF | P | W |
| E | 2 | B | <i>Panthera leo</i> | trophies | 1 | | RU | AT | | P | W |
| E | 2 | B | <i>Panthera leo</i> | trophies | 2 | | RU | AT | ZW | P | W |
| E | 2 | B | <i>Prionailurus bengalensis</i> | plates | 9 | | KR | DE | CN | T | W |
| E | 2 | B | <i>Prionailurus bengalensis</i> | plates | 150 | | KR | DE | CN | T | W |
| E | 2 | B | <i>Prionailurus bengalensis</i> | skins | 100 | | KR | IT | CN | T | W |
| E | 2 | B | <i>Prionailurus bengalensis</i> | skins | 66 | | RU | IT | CN | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Prionailurus bengalensis chinensis</i> | skins | 100 | | EE | IT | CN | T | W |
| E | 2 | B | <i>Prionailurus bengalensis chinensis</i> | skins | 60 | | KR | IT | CN | T | W |
| E | 2 | B | <i>Puma concolor</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Puma concolor</i> | live | 1 | | CH | IT | | Q | C |
| E | 2 | B | <i>Puma concolor</i> | live | 1 | | MO | BE | | Q | C |
| E | 2 | B | <i>Puma concolor</i> | live | 2 | | MX | BE | | Q | C |
| E | 2 | B | <i>Puma concolor</i> | live | 2 | | TR | BE | | T | C |
| E | 2 | B | <i>Puma concolor</i> | trophies | 2 | | CA | DE | CA | T | W |
| E | 2 | B | <i>Arctocephalus pusillus</i> | live | 2 | | MT | IT | ZA | Q | W |
| E | 2 | B | <i>Arctocephalus pusillus</i> | skins | 84 | | CA | DK | NA | T | W |
| E | 2 | B | <i>Arctocephalus pusillus</i> | skins | 400 | | JP | GB | NA | T | W |
| E | 2 | B | <i>Arctocephalus pusillus</i> | skins | 50 | | RU | DE | NA | T | W |
| E | 2 | B | <i>Arctocephalus pusillus</i> | skins | 20 | | UA | DE | NA | T | W |
| E | 2 | B | <i>Loxodonta africana</i> | trophies | 5 | | RU | AT | ZW | P | W |
| E | 2 | B | <i>Loxodonta africana</i> | trophies | 1 | | US | ES | ZW | H | W |
| E | 2 | B | <i>Loxodonta africana</i> | trophies | 1 | | VE | ES | BW | H | W |
| E | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | NA | DE | NA | H | W |
| E | 2 | A | <i>Equus hemionus</i> | live | 4 | | CZ | DE | | Z | C |
| E | 2 | A | <i>Equus hemionus</i> | live | 1 | | HU | DE | | Z | C |
| E | 2 | A | <i>Equus hemionus</i> | live | 1 | | LV | DE | | Z | C |
| E | 2 | B | <i>Equus zebra hartmannae</i> | live | 1 | | PL | DE | CZ | Z | C |
| E | 2 | B | <i>Equus zebra hartmannae</i> | skins | 1 | | CH | DE | NA | P | W |
| E | 2 | B | <i>Tapirus terrestris</i> | live | 2 | | CN | NL | DE | T | C |
| E | 2 | B | <i>Tapirus terrestris</i> | live | 1 | | CN | NL | DK | T | C |
| E | 2 | B | <i>Ceratotherium simum simum</i> | trophies | 4 | | QA | FR | ZA | H | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 155 | | CH | IT | PE | T | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 50 m2 | | CH | IT | PE | T | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 2406 | | HU | DE | PE | T | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 300 | | JO | IT | PE | T | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 125 | | JP | DE | PE | T | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 1431 | | JP | IT | AR | T | W |
| E | 2 | B | <i>Pecari tajacu</i> | skins | 5874 | | JP | IT | PE | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Pecari tajacu | skins | 410 | | KR | DE | PE | T | W |
| E | 2 | B | Pecari tajacu | skin pieces | 4 | | HU | DE | PE | T | W |
| E | 2 | B | Tayassu pecari | live | 1 | | CZ | DE | | Z | C |
| E | 2 | B | Tayassu pecari | skins | 3014 | | HU | DE | PE | T | W |
| E | 2 | B | Tayassu pecari | skins | 105 | | JP | IT | PE | T | W |
| E | 2 | B | Tayassu pecari | skins | 206 | | RO | DE | PE | T | W |
| E | 2 | B | Tayassu pecari | skin pieces | 653 | | HU | DE | PE | T | W |
| E | 2 | B | Tayassu pecari | skin pieces | 76 | | RO | DE | PE | T | W |
| E | 2 | B | Tayassu pecari | skins | 1 | | US | IT | ZW | T | W |
| E | 2 | B | Hippopotamus amphibius | skulls | 1 | | CA | FR | CF | T | O |
| E | 2 | B | Hippopotamus amphibius | teeth | 12 | | AE | FR | TZ | H | W |
| E | 2 | B | Hippopotamus amphibius | teeth | 2 | | CA | BE | XX | P | O |
| E | 2 | B | Hippopotamus amphibius | teeth | 4 | | CH | FR | TZ | T | W |
| E | 2 | B | Hippopotamus amphibius | teeth | 4 | | CH | FR | ZA | T | W |
| E | 2 | B | Hippopotamus amphibius | trophies | 18 | | CH | FR | TZ | H | W |
| E | 2 | B | Hippopotamus amphibius | trophies | 1 | | CH | IT | ZM | H | W |
| E | 2 | B | Hippopotamus amphibius | trophies | 2 | | CZ | FR | BJ | P | W |
| E | 2 | B | Hippopotamus amphibius | trophies | 6 | | RU | AT | TZ | P | W |
| E | 2 | B | Hippopotamus amphibius | trophies | 1 | | VE | ES | TZ | H | W |
| E | 2 | B | Lama guanicoe | cloth | 19 | | CH | DE | AR | T | W |
| E | 2 | B | Lama guanicoe | cloth | 3 m | | EC | IT | AR | T | W |
| E | 2 | B | Lama guanicoe | cloth | 204 m | | JP | IT | AR | T | W |
| E | 2 | B | Lama guanicoe | cloth | 1 | | KR | DE | AR | T | W |
| E | 2 | B | Lama guanicoe | cloth | 41 m | | US | IT | AR | T | W |
| E | 2 | B | Lama guanicoe | hair | 139 kg | | JP | IT | AR | T | W |
| E | 2 | B | Lama guanicoe | live | 1 | | LK | BE | | Z | C |
| E | 2 | B | Lama guanicoe | live | 1 | | OM | NL | | T | C |
| E | 2 | B | Lama guanicoe | live | 1 | | SI | DE | | Z | C |
| E | 2 | B | Vicugna vicugna | cloth | 6 m | | CA | IT | PE | T | W |
| E | 2 | B | Vicugna vicugna | cloth | 9 | | CH | IT | PE | T | W |
| E | 2 | B | Vicugna vicugna | cloth | 30 m | | CH | IT | PE | T | W |
| E | 2 | B | Vicugna vicugna | cloth | 4 m | | CO | IT | PE | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|-------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 2 m | EC | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 10 m | HK | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 351 m | JP | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 2 m | MX | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 9 m | PE | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 10 m | QA | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | cloth | | 2 m | SG | IT | PE | T | W |
| E | 2 | B | <i>Vicugna vicugna</i> | hair | 636 | g | HK | BE | XX | T | O |
| E | 2 | B | <i>Vicugna vicugna</i> | skins | | 1 | JP | IT | PE | T | W |
| E | 2 | B | <i>Ammotragus lervia</i> | live | | 12 | AE | NL | | T | C |
| E | 2 | B | <i>Ammotragus lervia</i> | live | | 11 | HR | DE | | Z | C |
| E | 2 | B | <i>Ammotragus lervia</i> | trophies | | 1 | CH | ES | | H | W |
| E | 2 | B | <i>Ammotragus lervia</i> | trophies | | 1 | PL | FR | US | P | W |
| E | 2 | B | <i>Ammotragus lervia</i> | trophies | | 1 | US | ES | | H | W |
| E | 2 | B | <i>Budorcas taxicolor</i> | live | | 2 | PL | DE | | Z | C |
| E | 2 | B | <i>Cephalophus monticola</i> | trophies | | 1 | PL | FR | ZW | P | W |
| E | 2 | B | <i>Cephalophus monticola</i> | trophies | | 1 | US | FR | CM | H | W |
| E | 2 | B | <i>Cephalophus zebra</i> | skins | | 1 | US | NL | XX | E | O |
| E | 2 | B | <i>Cephalophus zebra</i> | trophies | | 3 | HU | BE | RW | E | O |
| E | 2 | B | <i>Kobus leche</i> | live | | 2 | TN | FR | | Z | C |
| E | 2 | B | <i>Kobus leche</i> | trophies | | 1 | VE | ES | BW | H | W |
| E | 2 | B | <i>Rhea americana</i> | live | 24 | | JP | GB | | B | C |
| E | 2 | B | <i>Rhea americana</i> | live | | 4 | SG | NL | | T | C |
| E | 2 | B | <i>Rhea americana</i> | live | | 21 | TR | BE | | T | C |
| E | 2 | B | <i>Rhea americana</i> | skins | 105 | | JP | IT | AR | T | U |
| E | 2 | B | <i>Spheniscus demersus</i> | live | | 17 | IL | NL | | Z | C |
| E | 2 | B | <i>Spheniscus demersus</i> | live | | 10 | PL | GB | | Z | C |
| E | 2 | B | <i>Eudocimus ruber</i> | feathers | | 8 | US | DK | XX | T | U |
| E | 2 | B | <i>Eudocimus ruber</i> | live | | 4 | AE | BE | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 20 | | CN | NL | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | | 5 | CZ | DK | | Z | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | | 20 | JP | DE | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Eudocimus ruber</i> | live | 8 | | JP | NL | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 6 | | MY | BE | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 20 | | PH | BE | | B | F |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 11 | | PH | DE | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 8 | | PH | NL | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 6 | | SG | BE | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | live | 17 | | TR | DE | | T | C |
| E | 2 | B | <i>Eudocimus ruber</i> | skins | 2 | | US | DK | XX | T | C |
| E | 2 | B | <i>Phoenicopterus spp.</i> | live | 4 | | TN | FR | | Z | C |
| E | 2 | B | <i>Phoenicopterus chilensis</i> | live | 5 | | PL | DE | | Z | C |
| E | 2 | B | <i>Phoenicopterus minor</i> | live | 27 | | CL | DE | TZ | T | W |
| E | 2 | B | <i>Phoenicopterus minor</i> | live | 16 | | RU | GB | TZ | T | W |
| E | 2 | B | <i>Phoenicopterus minor</i> | skins | 2 | | US | DK | | T | C |
| E | 2 | A | <i>Phoenicopterus ruber</i> | live | 4 | | CZ | DE | | T | C |
| E | 2 | A | <i>Phoenicopterus ruber</i> | skins | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Phoenicopterus ruber roseus</i> | feathers | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Phoenicopterus ruber roseus</i> | live | 7 | | CH | DE | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 8 | | CH | NL | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 6 | | CL | DE | | B | C |
| E | 2 | B | <i>Anas formosa</i> | live | 1 | | CZ | DE | | Z | C |
| E | 2 | B | <i>Anas formosa</i> | live | 22 | | JP | NL | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 4 | | RU | GB | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 10 | | SG | NL | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 3 | | US | NL | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 10 | | ZA | NL | | B | C |
| E | 2 | B | <i>Anas formosa</i> | live | 18 | | ZA | NL | | T | C |
| E | 2 | B | <i>Anas formosa</i> | live | 2 | | ZW | NL | | T | C |
| E | 2 | B | <i>Anas formosa</i> | skins | 1 | | US | DK | XX | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | bodies | 1 | | NO | DK | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 6 | | AE | BE | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 6 | | AR | BE | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 8 | | AR | ES | BE | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | A | <i>Branta ruficollis</i> | live | 30 | | CA | NL | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 12 | | CH | NL | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 4 | | CL | DE | | B | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 2 | | CY | GB | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 6 | | KZ | FR | | Z | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 5 | | QA | NL | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 14 | | RU | GB | | B | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 11 | | TR | BE | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 16 | | US | NL | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 2 | | ZA | NL | | T | C |
| E | 2 | A | <i>Branta ruficollis</i> | live | 2 | | ZW | NL | | T | C |
| E | 2 | B | <i>Coscoroba coscoroba</i> | live | 2 | | CY | NL | | T | C |
| E | 2 | B | <i>Coscoroba coscoroba</i> | live | 8 | | DO | NL | | T | C |
| E | 2 | B | <i>Coscoroba coscoroba</i> | live | 15 | | TH | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 1 | | CH | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 24 | | CN | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | CY | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 8 | | DO | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 3 | | JP | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 3 | | KW | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | MT | BE | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | MY | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | NO | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | RU | GB | | B | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 10 | | SG | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 15 | | TH | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 7 | | TR | BE | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | TR | NL | | T | C |
| E | 2 | B | <i>Cygnus melanocorypha</i> | live | 12 | | ZA | NL | | T | C |
| E | 2 | A | <i>Oxyura leucocephala</i> | live | 10 | | SG | NL | | T | C |
| E | 2 | A | <i>Oxyura leucocephala</i> | live | 2 | | ZW | NL | | T | C |
| E | 2 | B | <i>Sarkidiornis melanotos</i> | live | 3 | | CN | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Sarkidiornis melanotos</i> | live | 6 | | JP | NL | | T | C |
| E | 2 | A | <i>Pandion haliaetus</i> | bodies | 2 | | JP | NL | XX | E | O |
| E | 2 | A | <i>Accipiter gentilis</i> | bodies | 4 | | NO | DK | | T | W |
| E | 2 | A | <i>Accipiter gentilis</i> | bodies | 1 | | US | DE | | S | W |
| E | 2 | A | <i>Accipiter gentilis</i> | live | 1 | | HU | DE | HU | P | W |
| E | 2 | A | <i>Accipiter gentilis</i> | live | 1 | | MX | AT | BE | P | C |
| E | 2 | A | <i>Accipiter gentilis</i> | live | 2 | | SK | AT | | P | W |
| E | 2 | A | <i>Accipiter gentilis</i> | live | 1 | | ZA | DE | | T | C |
| E | 2 | B | <i>Accipiter melanoleucus</i> | live | 1 | | HU | FR | | B | C |
| E | 2 | B | <i>Accipiter melanoleucus</i> | live | 2 | | US | GB | | P | C |
| E | 2 | A | <i>Accipiter nisus</i> | bodies | 1 | | JP | NL | XX | E | O |
| E | 2 | A | <i>Accipiter nisus</i> | live | 2 | | JP | GB | | T | C |
| E | 2 | A | <i>Aegypius monachus</i> | bodies | 2 | | US | ES | | S | W |
| E | 2 | B | <i>Aquila hybrid</i> | live | 1 | | SK | AT | | P | D |
| E | 2 | B | <i>Aquila adalberti</i> | specimens | 298 | | US | ES | | S | W |
| E | 2 | A | <i>Aquila chrysaetos</i> | feathers | 1 | | US | GB | US | Q | U |
| E | 2 | A | <i>Aquila chrysaetos</i> | feathers | 2 | | US | NL | XX | Q | O |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | CH | FR | DE | B | C |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | HU | AT | DE | P | C |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | HU | AT | DE | P | D |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | LI | AT | | T | D |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | SK | AT | | P | C |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | SK | AT | DE | P | D |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 2 | | SK | AT | DE | P | C |
| E | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | SK | AT | RU | P | C |
| E | 2 | A | <i>Aquila chrysaetos</i> | skins | 152 | | US | ES | | S | W |
| E | 2 | A | <i>Aquila chrysaetos</i> | specimens | 25 | | US | ES | | S | W |
| E | 2 | B | <i>Aquila rapax</i> | live | 1 | | LI | AT | RU | T | C |
| E | 2 | A | <i>Buteo buteo</i> | bodies | 1 | | CA | SE | | P | W |
| E | 2 | A | <i>Buteo buteo</i> | bodies | 1 | | CH | DE | | P | O |
| E | 2 | A | <i>Buteo buteo</i> | bodies | 5 | | NO | DK | | T | W |
| E | 2 | A | <i>Buteo buteo</i> | bodies | 1 | | US | DK | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Buteo jamaicensis</i> | live | 2 | | AN | NL | | T | C |
| E | 2 | B | <i>Buteo jamaicensis</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Buteo jamaicensis</i> | live | 1 | | JP | GB | | T | C |
| E | 2 | B | <i>Buteo jamaicensis</i> | live | 2 | | JP | GB | | P | C |
| E | 2 | B | <i>Buteo regalis</i> | live | 1 | | JP | GB | | T | C |
| E | 2 | A | <i>Circus aeruginosus</i> | bodies | 1 | | NO | DK | | T | W |
| E | 2 | A | <i>Circus aeruginosus</i> | bodies | 2 | | NO | DK | | T | O |
| E | 2 | A | <i>Circus pygargus</i> | bodies | 1 | | US | ES | | S | W |
| E | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 1 | | CZ | BE | PE | T | W |
| E | 2 | A | <i>Gypaetus barbatus</i> | live | 1 | | CZ | DE | | Z | F |
| E | 2 | B | <i>Gypohierax angolensis</i> | live | 10 | | US | NL | GN | T | W |
| E | 2 | B | <i>Gyps africanus</i> | live | 1 | | CH | FR | GN | T | W |
| E | 2 | B | <i>Gyps africanus</i> | live | 1 | | CZ | GB | CM | B | W |
| E | 2 | B | <i>Gyps africanus</i> | live | 2 | | JP | FR | CM | E | W |
| E | 2 | A | <i>Gyps fulvus</i> | bodies | 2 | | US | ES | | S | W |
| E | 2 | A | <i>Gyps fulvus</i> | live | 1 | | CZ | DE | | Z | C |
| E | 2 | A | <i>Haliaeetus vocifer</i> | live | 1 | | US | GB | | B | F |
| E | 2 | A | <i>Hieraetus pennatus</i> | bodies | 2 | | US | ES | | S | W |
| E | 2 | A | <i>Milvus migrans</i> | bodies | 1 | | US | ES | | S | W |
| E | 2 | A | <i>Milvus migrans</i> | live | 1 | | SK | AT | | N | W |
| E | 2 | A | <i>Milvus milvus</i> | bodies | 1 | | US | ES | | S | W |
| E | 2 | A | <i>Milvus milvus</i> | live | 1 | | LI | DE | | T | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 2 | | AE | GB | | T | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | CH | DE | GB | T | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 3 | | CH | FR | | Q | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | HU | AT | GB | P | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 2 | | HU | BE | | P | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | HU | FR | | B | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | JP | GB | | P | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 4 | | JP | GB | | T | C |
| E | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | MA | ES | FR | T | C |
| E | 2 | A | <i>Pernis apivorus</i> | bodies | 2 | | NO | DK | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Terathopius ecaudatus</i> | live | 1 | | CH | DE | TZ | T | W |
| E | 2 | A | <i>Falco biarmicus</i> | live | 3 | | CY | GR | QA | P | O |
| E | 2 | A | <i>Falco biarmicus</i> | live | 1 | | JP | GB | | T | C |
| E | 2 | A | <i>Falco cherrug</i> | bodies | 1 | | NO | DK | DE | T | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 2 | | AE | AT | | T | D |
| E | 2 | A | <i>Falco cherrug</i> | live | 69 | | AE | DE | | T | D |
| E | 2 | A | <i>Falco cherrug</i> | live | 11 | | AE | GB | | T | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 1 | | CA | AT | | P | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 2 | | CA | DE | ES | T | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 2 | | CH | FR | | Q | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 1 | | CZ | DE | | T | D |
| E | 2 | A | <i>Falco cherrug</i> | live | 1 | | JP | GB | | T | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 1 | | SK | AT | | T | D |
| E | 2 | A | <i>Falco cherrug</i> | live | 1 | | SK | AT | SK | P | C |
| E | 2 | A | <i>Falco cherrug</i> | live | 2 | | SK | DE | | T | C |
| E | 2 | A | <i>Falco eleonorae</i> | live | 1 | | GI | ES | XX | B | W |
| E | 2 | A | <i>Falco subbuteo</i> | bodies | 1 | | US | ES | | S | W |
| E | 2 | A | <i>Falco subbuteo</i> | live | 1 | | CZ | NL | XX | Z | U |
| E | 2 | A | <i>Falco tinnunculus</i> | bodies | 3 | | NO | DK | | T | W |
| E | 2 | A | <i>Falco tinnunculus</i> | live | 3 | | CA | DE | | T | C |
| E | 2 | A | <i>Falco tinnunculus</i> | live | 2 | | JP | GB | | T | C |
| E | 2 | B | <i>Polyborus plancus</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Polyborus plancus</i> | live | 1 | | CH | DE | CL | T | W |
| E | 2 | B | <i>Polyborus plancus</i> | live | 1 | | CH | FR | | Q | C |
| E | 2 | B | <i>Polyborus plancus</i> | live | 4 | | CH | NL | PE | T | W |
| E | 2 | B | <i>Argusianus argus</i> | feathers | 4 | | AU | DK | | T | C |
| E | 2 | B | <i>Argusianus argus</i> | feathers | 21 | | NO | DK | | T | C |
| E | 2 | B | <i>Argusianus argus</i> | feathers | 16 | | US | DK | | T | C |
| E | 2 | B | <i>Argusianus argus</i> | live | 2 | | AR | NL | | T | C |
| E | 2 | B | <i>Argusianus argus</i> | live | 6 | | JP | NL | | T | C |
| E | 2 | B | <i>Argusianus argus</i> | live | 3 | | TR | DE | | T | C |
| E | 2 | B | <i>Argusianus argus</i> | live | 2 | | ZA | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Argusianus argus</i> | live | 1 | | ZA | PT | | Z | C |
| E | 2 | B | <i>Gallus sonneratii</i> | feathers | 11 | | NO | DK | | T | C |
| E | 2 | B | <i>Gallus sonneratii</i> | feathers | 500 | | SG | GB | | T | C |
| E | 2 | B | <i>Gallus sonneratii</i> | live | 4 | | AR | NL | | T | C |
| E | 2 | B | <i>Gallus sonneratii</i> | live | 14 | | TH | NL | | T | C |
| E | 2 | B | <i>Gallus sonneratii</i> | skins | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Gallus sonneratii</i> | skins | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Gallus sonneratii</i> | skin pieces | 4 | | NO | DK | | T | C |
| E | 2 | B | <i>Pavo muticus</i> | live | 3 | | BG | NL | | T | C |
| E | 2 | B | <i>Pavo muticus</i> | live | 2 | | CA | BE | | B | C |
| E | 2 | B | <i>Pavo muticus</i> | live | 13 | | TR | BE | | T | C |
| E | 2 | B | <i>Pavo muticus</i> | live | 7 | | TR | DE | | T | C |
| E | 2 | B | <i>Pavo muticus</i> | live | 2 | | TR | NL | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | feathers | 20 | | AU | DK | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 2 | | BG | NL | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 2 | | BH | NL | | B | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 4 | | JP | BE | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 6 | | JP | NL | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 6 | | KW | NL | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 2 | | LT | BE | | B | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 12 | | PK | NL | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 4 | | TR | BE | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 4 | | TR | DE | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | live | 5 | | ZA | BE | | B | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | skins | 1 | | NO | DK | | T | C |
| E | 2 | B | <i>Polyplectron bicalcaratum</i> | skins | 3 | | US | DK | | T | C |
| E | 2 | B | <i>Polyplectron germaini</i> | feathers | 28 | | NO | DK | | T | C |
| E | 2 | B | <i>Polyplectron germaini</i> | live | 6 | | JP | NL | | T | C |
| E | 2 | B | <i>Polyplectron germaini</i> | live | 2 | | US | GB | | B | C |
| E | 2 | B | <i>Polyplectron germaini</i> | live | 2 | | ZA | NL | | T | C |
| E | 2 | B | <i>Polyplectron malacense</i> | live | 2 | | JP | NL | | T | C |
| E | 2 | B | <i>Balearica pavonina</i> | live | 4 | | CN | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Balearica pavonina</i> | live | 8 | | JP | GB | | B | C |
| E | 2 | B | <i>Balearica pavonina</i> | specimens | 1 | | US | GB | XX | T | O |
| E | 2 | B | <i>Balearica regulorum</i> | live | 4 | | CL | DE | | B | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 8 | | CN | NL | | T | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 3 | | HR | DE | | T | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 2 | | JP | DE | | T | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 1 | | PL | BE | | Z | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 1 | | PL | BE | XX | Z | U |
| E | 2 | B | <i>Balearica regulorum</i> | live | 6 | | PL | NL | | T | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 4 | | TR | BE | | T | C |
| E | 2 | B | <i>Balearica regulorum</i> | live | 4 | | TR | NL | TZ | T | W |
| E | 2 | B | <i>Grus paradisea</i> | live | 12 | | CN | BE | | B | C |
| E | 2 | B | <i>Grus paradisea</i> | live | 1 | | PL | DE | | Z | C |
| E | 2 | B | <i>Grus paradisea</i> | live | 2 | | PL | DE | | B | C |
| E | 2 | B | <i>Grus paradisea</i> | live | 2 | | RU | BE | | Z | C |
| E | 2 | B | <i>Grus virgo</i> | live | 4 | | DO | NL | RU | T | W |
| E | 2 | B | <i>Ardeotis kori</i> | feathers | 2 | | NO | DK | DE | T | C |
| E | 2 | B | <i>Ardeotis kori</i> | feathers | 4 | | NO | DK | TZ | T | W |
| E | 2 | B | <i>Ardeotis kori</i> | feathers | 12 | | US | DK | DE | T | C |
| E | 2 | B | <i>Ardeotis kori</i> | feathers | 5 | | US | DK | XX | T | O |
| E | 2 | A | <i>Otis tarda</i> | bodies | 1 | | US | ES | | S | W |
| E | 2 | A | <i>Otis tarda</i> | feathers | 2 | | NO | DK | XX | T | O |
| E | 2 | A | <i>Otis tarda</i> | specimens | 1 | | US | GB | XX | T | O |
| E | 2 | A | <i>Tetrao tetrix</i> | bodies | 1 | | CA | FR | | E | O |
| E | 2 | B | <i>Gallicolumba luzonica</i> | live | 8 | | BH | NL | | B | C |
| E | 2 | B | <i>Gallicolumba luzonica</i> | live | 2 | | CY | BE | | T | C |
| E | 2 | B | <i>Gallicolumba luzonica</i> | live | 4 | | DO | NL | | T | C |
| E | 2 | B | <i>Goura scheepmakeri</i> | live | 1 | | SK | DK | | Z | C |
| E | 2 | B | <i>Goura scheepmakeri</i> | live | 4 | | TR | NL | CN | T | C |
| E | 2 | B | <i>Goura victoria</i> | live | 1 | | CN | NL | | T | C |
| E | 2 | B | <i>Goura victoria</i> | live | 1 | | CN | NL | PH | T | C |
| E | 2 | B | <i>Goura victoria</i> | live | 4 | | TR | DE | SG | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Goura victoria</i> | live | 2 | | US | PT | | Z | C |
| E | 2 | B | Psittaciformes spp. | feathers | 15 | | AU | GB | | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 1 | | AR | ES | ZA | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 52 | | CA | NL | | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 4 | | CL | NL | | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 15 | | CU | ES | ZA | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 100 | | ID | NL | MG | T | W |
| E | 2 | B | <i>Agapornis canus</i> | live | 4 | | JP | BE | | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 20 | | JP | NL | | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 6 | | NO | NL | | T | C |
| E | 2 | B | <i>Agapornis canus</i> | live | 50 | | NO | NL | MG | T | W |
| E | 2 | B | <i>Agapornis canus</i> | live | 285 | | TW | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 60 | | AN | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 55 | | AR | ES | CN | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 30 | | CA | GB | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 136 | | CA | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 50 | | CA | NL | CN | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 50 | | CL | ES | CN | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 32 | | CL | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 50 | | CU | ES | ZA | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 10 | | CY | GB | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 20 | | DO | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 170 | | GT | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 48 | | HN | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 3 | | IL | BE | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 8 | | IS | GB | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 191 | | JP | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 117 | | LK | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 20 | | MU | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 14 | | MV | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 10 | | NI | NL | | T | C |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 5 | | NO | BE | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source | |
|----------|------|-------|-----------------------------|-------|----------|------|----------|----------|--------|---------|--------|---|
| E | 2 | B | <i>Agapornis fischeri</i> | live | 55 | | NO | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 10 | | NO | NL | CN | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 5 | | NO | SE | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 648 | | NO | SE | BE | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 20 | | PA | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 25 | | PH | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 8 | | PK | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 9 | | SA | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 15 | | SG | BE | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 40 | | SR | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 106 | | TH | BE | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 334 | | TH | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 10 | | TN | BE | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 8 | | TT | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 115 | | TW | NL | | T | C | |
| E | 2 | B | <i>Agapornis fischeri</i> | live | 420 | | VE | NL | | T | C | |
| E | 2 | B | <i>Agapornis lilianae</i> | live | 2 | | JP | BE | | T | C | |
| E | 2 | B | <i>Agapornis lilianae</i> | live | 2 | | MV | NL | | T | C | |
| E | 2 | B | <i>Agapornis lilianae</i> | live | 4 | | TW | NL | | T | C | |
| E | 2 | B | <i>Agapornis lilianae</i> | live | 13 | | US | BE | | B | C | |
| E | 2 | B | <i>Agapornis lilianae</i> | skins | 1 | | US | DK | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 50 | | CA | NL | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 10 | | CU | ES | | NL | T | C |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 1 | | IL | BE | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 9 | | JP | BE | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 2 | | JP | NL | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 12 | | LK | NL | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 25 | | NO | NL | | T | C | |
| E | 2 | B | <i>Agapornis nigripenis</i> | live | 49 | | TW | NL | | T | C | |
| E | 2 | B | <i>Agapornis personatus</i> | live | 4 | | AE | BE | | T | C | |
| E | 2 | B | <i>Agapornis personatus</i> | live | 231 | | AN | NL | | T | C | |
| E | 2 | B | <i>Agapornis personatus</i> | live | 45 | | AR | ES | CN | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Agapornis personatus</i> | live | 34 | | AW | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 40 | | BH | BE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 100 | | CA | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 2 | | CR | FR | XX | B | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 30 | | CR | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 100 | | CU | ES | CN | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 10 | | CY | GB | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 26 | | CY | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 40 | | DO | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 12 | | GL | DK | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 160 | | GT | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 72 | | HN | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 17 | | ID | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 10 | | IL | BE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 16 | | IS | GB | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 6 | | JP | BE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 345 | | JP | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 22 | | KW | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 47 | | LK | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 20 | | MU | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 18 | | MV | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 10 | | MY | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 10 | | NI | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 5 | | NO | BE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 47 | | NO | DK | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 106 | | NO | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 4 | | NO | SE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 788 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 90 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 116 | | PA | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 1 | | PE | ES | CN | P | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 56 | | PK | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Agapornis personatus</i> | live | 34 | | PR | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 11 | | SA | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 40 | | SR | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 44 | | TH | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 21 | | TN | BE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 156 | | TT | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 1835 | | TW | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 18 | | US | BE | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 40 | | US | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | live | 400 | | VE | NL | | T | C |
| E | 2 | B | <i>Agapornis personatus</i> | skins | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Agapornis pullarius</i> | live | 40 | | CU | ES | GN | T | W |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 386 | | AN | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 15 | | AR | ES | CU | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 30 | | AR | ES | CZ | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 25 | | AW | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 99 | | BH | BE | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 298 | | CA | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | CH | FR | US | B | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 50 | | CL | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 30 | | CR | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 10 | | CY | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 100 | | GT | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 8 | | ID | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 16 | | IL | BE | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 7 | | JP | BE | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | JP | GB | | P | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 496 | | JP | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | KR | FR | KR | B | F |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 32 | | LK | NL | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 39 | | MA | BE | | B | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 20 | | MU | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 18 | MV | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 20 | MY | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 90 | NI | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 104 | NO | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 197 | NO | SE | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 995 | NO | SE | BE | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 105 | PA | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | PE | ES | CN | | P | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 80 | PH | BE | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 723 | PH | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 20 | PK | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 16 | PR | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 45 | SD | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 25 | SG | BE | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 184 | SG | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 40 | SR | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 260 | TH | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 9 | TN | BE | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 13 | TT | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 338 | TW | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | US | BE | | | B | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 69 | US | BE | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 2 | US | DE | US | P | U | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 2 | US | FR | US | P | C | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 11 | US | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 560 | VE | NL | | | T | C |
| E | 2 | B | <i>Agapornis roseicollis</i> | live | 2 | ZA | DE | XX | P | U | C |
| E | 2 | B | <i>Agapornis taranta</i> | live | 4 | CU | ES | BE | T | T | C |
| E | 2 | B | <i>Agapornis taranta</i> | live | 4 | ID | NL | | | T | C |
| E | 2 | B | <i>Agapornis taranta</i> | live | 4 | IL | BE | | | T | C |
| E | 2 | B | <i>Agapornis taranta</i> | live | 5 | JP | BE | | | T | C |
| E | 2 | B | <i>Agapornis taranta</i> | live | 20 | NO | NL | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Agapornis taranta</i> | live | 50 | TW | NL | | | T | C |
| E | 2 | B | <i>Agapornis taranta</i> | live | 50 | US | BE | | | B | C |
| E | 2 | B | <i>Alisterus amboinensis</i> | live | 4 | JP | BE | | | T | C |
| E | 2 | B | <i>Alisterus chloropterus</i> | live | 1 | CN | NL | | | T | C |
| E | 2 | B | <i>Alisterus chloropterus</i> | live | 4 | JP | BE | | | T | C |
| E | 2 | B | <i>Alisterus chloropterus</i> | skins | 1 | US | DK | NL | | T | C |
| E | 2 | B | <i>Alisterus chloropterus</i> | skins | 1 | US | DK | XX | | T | U |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 4 | AN | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 1 | CA | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 1 | CL | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 2 | CY | GB | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 4 | CY | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 8 | IL | BE | | | P | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 14 | IL | BE | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 28 | JP | BE | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 57 | JP | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 2 | MT | BE | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 2 | MU | GB | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 5 | MX | DE | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 2 | NO | DK | | | B | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 2 | PK | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 2 | TH | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 6 | TW | BE | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 24 | TW | NL | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 4 | ZA | DE | | | T | C |
| E | 2 | B | <i>Alisterus scapularis</i> | live | 1 | ZW | GB | | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 14 | AE | GR | | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | AN | NL | | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 2 | BR | DE | | | P | F |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | CH | FR | | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | CH | SE | | | P | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 12 | CN | ES | AR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Amazona aestiva</i> | live | 2 | | CN | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | CR | DE | | P | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 5 | | CY | GR | AR | T | W |
| E | 2 | B | <i>Amazona aestiva</i> | live | 15 | | CZ | GR | AR | T | W |
| E | 2 | B | <i>Amazona aestiva</i> | live | 2 | | GL | DK | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | GN | FR | XX | B | O |
| E | 2 | B | <i>Amazona aestiva</i> | live | 4 | | ID | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | IS | DK | NL | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 7 | | IS | GB | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 5 | | JO | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 13 | | JP | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 3 | | MY | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 3 | | NO | BE | AR | T | W |
| E | 2 | B | <i>Amazona aestiva</i> | live | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 29 | | NO | SE | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | NO | SE | AR | P | W |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | PE | DE | NL | P | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | SG | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 2 | | TW | GB | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 12 | | TW | NL | | T | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | US | ES | US | P | F |
| E | 2 | B | <i>Amazona aestiva</i> | live | 2 | | US | GB | | P | C |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | US | GB | RU | P | U |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | US | GB | US | P | F |
| E | 2 | B | <i>Amazona aestiva</i> | live | 1 | | ZA | NL | | T | C |
| E | 2 | B | <i>Amazona albifrons</i> | live | 2 | | AE | BE | NI | T | R |
| E | 2 | B | <i>Amazona albifrons</i> | live | 1 | | CA | BE | | P | C |
| E | 2 | B | <i>Amazona albifrons</i> | live | 1 | | CH | SE | NL | P | C |
| E | 2 | B | <i>Amazona albifrons</i> | live | 4 | | IL | BE | NI | T | W |
| E | 2 | B | <i>Amazona albifrons</i> | live | 12 | | IL | NL | NI | T | R |
| E | 2 | B | <i>Amazona albifrons</i> | live | 1 | | JO | ES | NI | T | R |
| E | 2 | B | <i>Amazona albifrons</i> | live | 12 | | JP | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Amazona albifrons</i> | live | 35 | | NO | SE | | T | C |
| E | 2 | B | <i>Amazona albifrons</i> | live | 6 | | PH | NL | NI | T | R |
| E | 2 | B | <i>Amazona albifrons</i> | live | 10 | | TH | NL | NI | T | W |
| E | 2 | B | <i>Amazona albifrons</i> | live | 14 | | TW | NL | | T | C |
| E | 2 | B | <i>Amazona albifrons</i> | live | 14 | | TW | NL | NI | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | feathers | 2 | | NO | DK | NL | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | BH | GB | | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 20 | | CA | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | CH | ES | TT | B | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 4 | | CY | GB | | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 10 | | CY | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 10 | | CZ | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 4 | | DO | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 25 | | IL | BE | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 25 | | IL | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 14 | | IS | GB | | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 10 | | JO | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 50 | | KW | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 4 | | MT | BE | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 10 | | MT | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 2 | | MU | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | MV | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 6 | | MY | DE | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 8 | | MY | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | NG | GB | GY | P | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 27 | | NO | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | NO | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | NO | SE | | P | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 10 | | NP | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 4 | | SG | NL | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 2 | | TN | NL | SR | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Amazona amazonica</i> | live | 6 | | TR | BE | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 6 | | TW | GB | | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 7 | | TW | NL | | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | live | 12 | | TW | NL | SR | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | US | GB | US | P | F |
| E | 2 | B | <i>Amazona amazonica</i> | live | 2 | | US | GR | GY | P | W |
| E | 2 | B | <i>Amazona amazonica</i> | live | 1 | | ZA | PT | GY | T | W |
| E | 2 | B | <i>Amazona amazonica</i> | skins | 1 | | NO | DK | NL | T | C |
| E | 2 | B | <i>Amazona amazonica</i> | skins | 2 | | US | DK | | T | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | AE | BE | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 8 | | AE | NL | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 1 | | AR | ES | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | EG | DK | NI | P | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 25 | | JO | BE | NI | T | W |
| E | 2 | B | <i>Amazona europalliata</i> | live | 4 | | JO | ES | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | JP | BE | | T | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 3 | | JP | GB | | T | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 5 | | JP | NL | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 18 | | KW | NL | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 22 | | NO | SE | | T | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | PL | BE | NI | T | W |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | SG | NL | | T | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | SG | NL | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 10 | | TH | NL | NI | T | R |
| E | 2 | B | <i>Amazona europalliata</i> | live | 12 | | TW | NL | | T | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 2 | | TW | NL | NI | T | W |
| E | 2 | B | <i>Amazona europalliata</i> | live | 1 | | US | BE | | P | C |
| E | 2 | B | <i>Amazona europalliata</i> | live | 1 | | US | ES | US | P | F |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | | AE | BE | NI | T | R |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 1 | | AR | ES | NI | T | W |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | | AR | ES | NI | T | R |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 1 | | BH | GB | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Amazona autumnalis</i> | live | 1 | CH | DE | NI | P | W | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | CH | DE | NI | P | R | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 1 | CH | DE | NL | P | C | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | CH | DE | XX | P | O | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 19 | CZ | IT | NI | T | R | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | DO | ES | XX | T | W | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 1 | EG | DK | NI | P | R | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | IS | DK | NL | T | W | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | JO | BE | NI | T | W | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 8 | JP | NL | NI | T | R | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 17 | NO | SE | NL | T | C | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | PL | BE | NI | T | W | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 10 | TH | NL | NI | T | W | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 2 | TW | NL | | T | C | |
| E | 2 | B | <i>Amazona autumnalis</i> | live | 4 | ZA | PT | NI | T | R | |
| E | 2 | B | <i>Amazona dufresniana</i> | live | 2 | PA | NL | SR | T | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 2 | AE | BE | NI | T | R | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 2 | CA | NL | NI | T | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 4 | CH | DE | NI | P | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 1 | CY | GB | | T | C | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 10 | CZ | GR | SR | T | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 4 | DO | NL | SR | T | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 1 | EG | DK | NI | P | R | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 10 | IL | NL | NI | T | R | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 1 | IS | DK | NL | T | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 6 | IS | GB | | T | C | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 7 | JP | NL | NI | T | R | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 5 | KW | NL | GY | T | W | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 1 | NO | DK | | T | C | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 21 | NO | SE | NL | T | C | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 10 | TW | NL | | T | C | |
| E | 2 | B | <i>Amazona farinosa</i> | live | 6 | TW | NL | SR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Amazona festiva</i> | live | 2 | CH | AT | | | T | D |
| E | 2 | B | <i>Amazona finschi</i> | live | 1 | CA | FR | | | B | C |
| E | 2 | B | <i>Amazona finschi</i> | live | 1 | ZW | GB | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | AE | BE | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | CH | DE | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | CH | DE | NI | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | CH | DE | XX | | T | O |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | CH | PT | | | P | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 4 | DO | NL | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 10 | IL | BE | GY | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 14 | IL | BE | XX | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | JP | GB | | | P | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 7 | JP | GB | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 3 | JP | NL | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 13 | KW | GB | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 10 | KW | NL | GY | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | MA | DE | VE | | P | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | MT | BE | GY | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 4 | MY | DE | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 3 | MY | NL | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 29 | NO | SE | NL | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 10 | PH | DE | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | RO | GR | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 20 | TH | NL | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | TR | BE | SR | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | TW | GB | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 12 | TW | NL | | | T | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 12 | TW | NL | GY | | T | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | US | DE | XX | | P | U |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | US | ES | US | | P | F |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | US | PT | PA | | P | F |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | VG | FR | XX | | P | U |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | YU | ES | GY | P | W |
| E | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | ZA | DE | NL | P | C |
| E | 2 | B | <i>Amazona ochrocephala</i> | skins | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 4 | | CH | BE | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 2 | | ID | NL | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 1 | | JO | NL | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 22 | | JP | NL | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 1 | | NO | SE | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 1 | | NO | SE | | Z | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 4 | | TH | NL | | T | C |
| E | 2 | B | <i>Amazona oratrix</i> | live | 1 | | US | FR | US | B | F |
| E | 2 | B | <i>Amazona ventralis</i> | live | 1 | | CH | DE | | T | F |
| E | 2 | B | <i>Amazona ventralis</i> | live | 1 | | CH | DE | US | T | F |
| E | 2 | B | <i>Amazona ventralis</i> | live | 2 | | TW | NL | | T | C |
| E | 2 | B | <i>Amazona xanthops</i> | live | 1 | | BH | GB | NL | T | C |
| E | 2 | B | <i>Amazona xanthops</i> | live | 1 | | HU | GB | | Z | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 4 | | AE | BE | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 2 | | AN | NL | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 8 | | CA | NL | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 4 | | CL | NL | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 3 | | CY | GB | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 30 | | IL | BE | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 6 | | IL | BE | SG | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 11 | | JP | BE | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 20 | | JP | NL | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 2 | | MT | BE | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 2 | | MU | GB | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 14 | | NO | SE | | T | C |
| E | 2 | B | <i>Aprosmictus erythropterus</i> | live | 10 | | TW | BE | | T | C |
| E | 2 | B | <i>Ara ararauna</i> | bodies | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Ara ararauna</i> | feathers | 20 | | NO | DK | | T | C |
| E | 2 | B | <i>Ara ararauna</i> | feathers | 1 | | US | DK | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Ara ararauna | feathers | 2 | US | DK | XX | T | U | O |
| E | 2 | B | Ara ararauna | feathers | 1 | US | GB | XX | T | O | C |
| E | 2 | B | Ara ararauna | live | 3 | AE | BE | | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | AE | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 9 | AR | ES | GY | T | W | |
| E | 2 | B | Ara ararauna | live | 2 | BG | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | CH | ES | XX | P | U | C |
| E | 2 | B | Ara ararauna | live | 1 | CH | FR | | Q | C | |
| E | 2 | B | Ara ararauna | live | 1 | CH | IT | PH | Q | W | |
| E | 2 | B | Ara ararauna | live | 1 | CH | IT | SR | Q | W | |
| E | 2 | B | Ara ararauna | live | 1 | CY | GB | | T | C | |
| E | 2 | B | Ara ararauna | live | 2 | CY | GB | GY | T | W | |
| E | 2 | B | Ara ararauna | live | 6 | CZ | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 6 | DO | ES | GY | T | W | |
| E | 2 | B | Ara ararauna | live | 4 | HR | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | IL | BE | | T | C | |
| E | 2 | B | Ara ararauna | live | 2 | IL | NL | | T | C | |
| E | 2 | B | Ara ararauna | live | 6 | IL | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 2 | JO | ES | GY | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | JP | GB | | T | C | |
| E | 2 | B | Ara ararauna | live | 28 | JP | NL | | T | C | |
| E | 2 | B | Ara ararauna | live | 4 | JP | NL | ZA | T | C | |
| E | 2 | B | Ara ararauna | live | 5 | KW | NL | GY | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | KZ | FR | | Z | F | |
| E | 2 | B | Ara ararauna | live | 2 | LK | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | MT | BE | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 1 | MT | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 3 | MX | BE | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 6 | MY | NL | GY | T | W | |
| E | 2 | B | Ara ararauna | live | 4 | MY | NL | SR | T | W | |
| E | 2 | B | Ara ararauna | live | 2 | NO | NL | | T | C | |
| E | 2 | B | Ara ararauna | live | 4 | NO | NL | SR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Ara ararauna</i> | live | 2 | | NO | SE | | T | C |
| E | 2 | B | <i>Ara ararauna</i> | live | 13 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Ara ararauna</i> | live | 14 | | PK | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 1 | | PL | FR | MA | B | C |
| E | 2 | B | <i>Ara ararauna</i> | live | 3 | | PL | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 1 | | PM | FR | BO | B | O |
| E | 2 | B | <i>Ara ararauna</i> | live | 2 | | SD | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 13 | | SG | NL | GY | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 4 | | SG | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 1 | | TH | GB | | P | C |
| E | 2 | B | <i>Ara ararauna</i> | live | 34 | | TH | NL | GY | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 114 | | TH | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 2 | | TN | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 5 | | TR | BE | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 2 | | TR | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 3 | | TW | NL | SR | T | W |
| E | 2 | B | <i>Ara ararauna</i> | live | 1 | | US | DE | US | P | F |
| E | 2 | B | <i>Ara ararauna</i> | live | 1 | | US | ES | US | P | F |
| E | 2 | B | <i>Ara ararauna</i> | live | 2 | | US | NL | AN | T | C |
| E | 2 | B | <i>Ara ararauna</i> | live | 14 | | ZA | PT | ZA | T | W |
| E | 2 | B | <i>Ara ararauna</i> | skins | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Ara ararauna</i> | skins | 1 | | US | DK | XX | T | C |
| E | 2 | B | <i>Ara ararauna</i> | skins | 1 | | US | DK | XX | T | U |
| E | 2 | B | <i>Ara auricollis</i> | live | 2 | | HU | DE | | T | C |
| E | 2 | B | <i>Ara auricollis</i> | live | 2 | | JP | BE | | T | C |
| E | 2 | B | <i>Ara auricollis</i> | live | 20 | | NO | SE | | T | C |
| E | 2 | B | <i>Ara chloropterus</i> | feathers | 6 | | NO | DK | | T | C |
| E | 2 | B | <i>Ara chloropterus</i> | live | 11 | | AR | ES | GY | T | W |
| E | 2 | B | <i>Ara chloropterus</i> | live | 4 | | AR | NL | GY | T | W |
| E | 2 | B | <i>Ara chloropterus</i> | live | 1 | | CH | IT | PH | Q | C |
| E | 2 | B | <i>Ara chloropterus</i> | live | 2 | | CY | GB | GY | T | W |
| E | 2 | B | <i>Ara chloropterus</i> | live | 1 | | CY | GR | SR | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Ara chloropterus | live | 2 | CY | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | CZ | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 8 | DO | ES | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 6 | IL | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | IS | DK | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | IS | GB | | T | C | |
| E | 2 | B | Ara chloropterus | live | 6 | LK | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 1 | MT | BE | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 12 | MY | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | MY | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 4 | NO | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | NO | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 12 | NO | SE | NL | T | C | |
| E | 2 | B | Ara chloropterus | live | 1 | PK | GB | | P | C | |
| E | 2 | B | Ara chloropterus | live | 10 | SG | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 8 | SG | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 4 | TH | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 29 | TH | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | TN | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 3 | TR | BE | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | TR | NL | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 4 | TW | NL | GY | T | W | |
| E | 2 | B | Ara chloropterus | live | 2 | US | GB | | P | F | |
| E | 2 | B | Ara chloropterus | live | 1 | US | GB | US | P | F | |
| E | 2 | B | Ara chloropterus | live | 3 | US | GB | US | Q | F | |
| E | 2 | B | Ara chloropterus | live | 1 | UY | ES | SR | T | W | |
| E | 2 | B | Ara chloropterus | live | 14 | ZA | PT | GY | T | W | |
| E | 2 | B | Ara chloropterus | skins | 1 | US | DK | | T | C | |
| E | 2 | B | Ara chloropterus | skins | 1 | US | DK | SE | T | C | |
| E | 2 | B | Ara chloropterus | skins | 1 | US | DK | XX | T | C | |
| E | 2 | B | Ara manilata | live | 4 | CA | NL | SR | T | W | |
| E | 2 | B | Ara manilata | live | 4 | CY | NL | GY | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Ara manilata</i> | live | 9 | | IL | BE | GY | T | W |
| E | 2 | B | <i>Ara manilata</i> | live | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Ara manilata</i> | live | 1 | | NO | NL | GY | T | W |
| E | 2 | B | <i>Ara manilata</i> | live | 4 | | SG | NL | GY | T | W |
| E | 2 | B | <i>Ara nobilis</i> | live | 3 | | NO | NL | GY | T | W |
| E | 2 | B | <i>Ara nobilis</i> | live | 36 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Ara nobilis</i> | live | 4 | | SG | NL | GY | T | W |
| E | 2 | B | <i>Ara nobilis</i> | live | 7 | | TW | GB | | T | C |
| E | 2 | B | <i>Ara nobilis</i> | live | 10 | | TW | NL | | T | C |
| E | 2 | B | <i>Ara nobilis</i> | live | 4 | | TW | NL | GY | T | W |
| E | 2 | B | <i>Ara severa</i> | live | 1 | | CH | DE | | T | C |
| E | 2 | B | <i>Ara severa</i> | live | 1 | | HU | DE | | Z | C |
| E | 2 | B | <i>Ara severa</i> | live | 4 | | IL | NL | SR | T | W |
| E | 2 | B | <i>Ara severa</i> | live | 2 | | NO | NL | SR | T | W |
| E | 2 | B | <i>Ara severa</i> | live | 1 | | US | GB | US | P | F |
| E | 2 | B | <i>Aratinga acuticaudata</i> | live | 20 | | IL | ES | AR | T | W |
| E | 2 | B | <i>Aratinga acuticaudata</i> | live | 3 | | NO | DK | | T | C |
| E | 2 | B | <i>Aratinga acuticaudata</i> | live | 4 | | TW | GB | | T | C |
| E | 2 | B | <i>Aratinga acuticaudata</i> | live | 4 | | TW | NL | | T | C |
| E | 2 | B | <i>Aratinga acuticaudata</i> | live | 1 | | US | DE | XX | P | U |
| E | 2 | B | <i>Aratinga aurea</i> | live | 1 | | JP | GB | | P | C |
| E | 2 | B | <i>Aratinga aurea</i> | live | 2 | | MU | GB | | T | C |
| E | 2 | B | <i>Aratinga auricapilla</i> | live | 10 | | CA | GB | | T | C |
| E | 2 | B | <i>Aratinga canicularis</i> | live | 5 | | AN | NL | | T | C |
| E | 2 | B | <i>Aratinga canicularis</i> | live | 12 | | CA | NL | NI | T | W |
| E | 2 | B | <i>Aratinga erythrogenys</i> | live | 2 | | ID | NL | | T | C |
| E | 2 | B | <i>Aratinga holochlora</i> | live | 2 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 2 | | AW | NL | | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 10 | | CA | GB | | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 10 | | CA | NL | | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 1 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 6 | | ID | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Aratinga jandaya</i> | live | 4 | | MY | NL | | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 18 | | NO | DK | | T | C |
| E | 2 | B | <i>Aratinga jandaya</i> | live | 6 | | TW | NL | | T | C |
| E | 2 | B | <i>Aratinga leucophthalmus</i> | live | 4 | | CA | NL | | T | C |
| E | 2 | B | <i>Aratinga mitrata</i> | live | 16 | | CY | NL | PE | T | W |
| E | 2 | B | <i>Aratinga mitrata</i> | live | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Aratinga mitrata</i> | live | 1 | | TW | GB | | T | C |
| E | 2 | B | <i>Aratinga pertinax</i> | live | 10 | | CA | GB | | T | C |
| E | 2 | B | <i>Aratinga pertinax</i> | live | 36 | | CA | NL | SR | T | W |
| E | 2 | B | <i>Aratinga pertinax</i> | live | 1 | | CY | GB | | P | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 8 | | AE | BE | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 1 | | AE | SE | ZA | P | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 5 | | AW | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 10 | | CA | GB | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 4 | | CL | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 16 | | CN | BE | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 6 | | JO | BE | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 1 | | JP | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | LK | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | MT | GB | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | MU | GB | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 4 | | MY | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | NO | DK | | B | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 6 | | NO | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 10 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 8 | | TH | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | TT | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 38 | | TW | NL | | T | C |
| E | 2 | B | <i>Aratinga solstitialis</i> | live | 1 | | US | DE | US | P | C |
| E | 2 | B | <i>Aratinga wagleri</i> | live | 1 | | AR | ES | | P | W |
| E | 2 | B | <i>Aratinga wagleri</i> | live | 16 | | CA | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Aratinga wagleri</i> | live | 40 | TH | NL | PE | T | W | |
| E | 2 | B | <i>Aratinga weddellii</i> | live | 22 | CA | NL | PE | T | W | |
| E | 2 | B | <i>Bolborhynchus aymara</i> | live | 2 | JP | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 16 | AE | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 4 | AN | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 34 | AR | ES | BE | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 2 | AW | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 6 | BD | GB | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 20 | CA | GB | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 22 | CA | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 6 | CL | ES | BE | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 10 | CU | ES | BE | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 30 | CY | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 2 | GL | DK | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 18 | IL | BE | | P | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 22 | IL | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 130 | JP | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 409 | JP | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 10 | LK | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 2 | NO | DK | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 23 | NO | SE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 83 | NO | SE | BE | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 20 | PK | GB | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 28 | TH | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 2 | TN | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 46 | TW | GB | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 631 | TW | NL | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 33 | US | BE | | T | C | |
| E | 2 | B | <i>Bolborhynchus lineola</i> | live | 3 | ZA | BE | | P | C | |
| E | 2 | B | <i>Brotogeris cyanoptera</i> | live | 22 | CA | NL | PE | T | W | |
| E | 2 | B | <i>Brotogeris jugularis</i> | live | 12 | CA | NL | NI | T | W | |
| E | 2 | B | <i>Brotogeris versicolurus</i> | live | 12 | CA | NL | PE | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | BS | DK | PT | P | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | CH | IT | | Q | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | CH | IT | SG | Q | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 2 | HR | AT | | Z | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 2 | JP | BE | | T | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | KZ | FR | | Z | F | |
| E | 2 | B | <i>Cacatua alba</i> | live | 2 | MR | FR | NL | B | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 5 | NO | SE | | T | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | PE | DE | PH | P | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | US | DE | US | P | F | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | US | FR | US | B | F | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | US | GB | | P | C | |
| E | 2 | B | <i>Cacatua alba</i> | live | 1 | VE | ES | ZA | T | C | |
| E | 2 | B | <i>Cacatua ducorpii</i> | live | 2 | JP | BE | | T | C | |
| E | 2 | B | <i>Cacatua galerita</i> | live | 2 | CH | IT | SG | Q | C | |
| E | 2 | B | <i>Cacatua galerita</i> | live | 10 | IL | NL | NZ | T | W | |
| E | 2 | B | <i>Cacatua galerita</i> | live | 2 | JP | BE | | T | C | |
| E | 2 | B | <i>Cacatua galerita</i> | live | 1 | KZ | FR | | Z | F | |
| E | 2 | B | <i>Cacatua galerita</i> | live | 1 | NO | SE | | P | C | |
| E | 2 | B | <i>Cacatua galerita</i> | live | 1 | ZA | PT | ZA | T | C | |
| E | 2 | B | <i>Cacatua galerita</i> | skeletons | 1 | US | GB | | T | C | |
| E | 2 | B | <i>Cacatua galerita eleonora</i> | live | 3 | AR | ES | ID | T | C | |
| E | 2 | B | <i>Cacatua galerita eleonora</i> | live | 12 | BR | ES | ID | T | C | |
| E | 2 | B | <i>Cacatua galerita eleonora</i> | live | 1 | CH | FR | ID | T | C | |
| E | 2 | B | <i>Cacatua leadbeateri</i> | live | 1 | CA | NL | ZA | T | C | |
| E | 2 | B | <i>Cacatua leadbeateri</i> | live | 1 | JP | GB | | T | C | |
| E | 2 | B | <i>Cacatua leadbeateri</i> | live | 2 | MU | GB | | T | C | |
| E | 2 | B | <i>Cacatua leadbeateri</i> | live | 2 | NO | SE | | T | C | |
| E | 2 | B | <i>Cacatua leadbeateri</i> | live | 4 | ZA | GB | | T | C | |
| E | 2 | B | <i>Cacatua ophthalmica</i> | live | 4 | ZA | GB | | B | C | |
| E | 2 | B | <i>Cacatua sanguinea</i> | live | 1 | AE | GB | US | P | F | |
| E | 2 | B | <i>Cacatua sanguinea</i> | live | 2 | MX | BE | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | CA | GB | | | P | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 4 | CA | GB | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | CH | ES | CH | P | C | |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | CH | ES | CH | P | O | |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | CH | FR | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 3 | JP | BE | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 4 | JP | GB | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 7 | JP | NL | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | NO | SE | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 3 | TW | NL | | | T | C |
| E | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | US | DE | | | P | C |
| E | 2 | B | <i>Cacatua tenuirostris</i> | live | 4 | IL | ES | | | T | C |
| E | 2 | B | <i>Cacatua tenuirostris</i> | live | 2 | JP | BE | | | T | C |
| E | 2 | B | <i>Calyptorhynchus banksii</i> | live | 2 | SG | DE | | | T | C |
| E | 2 | B | <i>Calyptorhynchus lathami</i> | feathers | 2 | NO | DK | XX | | T | C |
| E | 2 | B | <i>Chalcopsitta atra</i> | live | 2 | MT | BE | ID | | T | W |
| E | 2 | B | <i>Chalcopsitta cardinalis</i> | live | 3 | AR | ES | ZA | | T | C |
| E | 2 | B | <i>Chalcopsitta cardinalis</i> | live | 2 | IL | ES | | | T | C |
| E | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 2 | MT | GB | | | T | C |
| E | 2 | B | <i>Chalcopsitta sintillata</i> | live | 2 | TW | GB | | | T | C |
| E | 2 | B | <i>Charmosyna papou</i> | live | 4 | DO | ES | ID | | T | C |
| E | 2 | B | <i>Coracopsis nigra</i> | feathers | 6 | US | ES | | | S | C |
| E | 2 | B | <i>Coracopsis nigra</i> | live | 2 | AN | NL | | | T | C |
| E | 2 | B | <i>Coracopsis nigra</i> | live | 3 | AR | ES | ZA | | T | C |
| E | 2 | B | <i>Coracopsis nigra</i> | live | 10 | CA | NL | MG | | T | W |
| E | 2 | B | <i>Coracopsis nigra</i> | live | 2 | KW | NL | MG | | T | W |
| E | 2 | B | <i>Coracopsis nigra</i> | live | 2 | NO | NL | MG | | T | W |
| E | 2 | B | <i>Coracopsis vasa</i> | live | 2 | CA | NL | ZA | | T | C |
| E | 2 | B | <i>Coracopsis vasa</i> | live | 2 | CZ | DE | | | Z | C |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 4 | AR | ES | AR | | T | W |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 4 | CA | NL | | | T | C |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 4 | CY | GB | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 10 | DO | ES | AR | T | W | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 4 | DO | NL | | T | C | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 35 | IL | BE | AR | T | W | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 20 | IL | ES | AR | T | W | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 6 | JP | NL | | T | C | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 2 | NO | BE | AR | T | W | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 10 | TW | GB | | T | C | |
| E | 2 | B | <i>Cyanoliseus patagonus</i> | live | 1 | US | DE | US | P | U | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 42 | CA | NL | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 19 | CY | NL | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 6 | ID | NL | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 22 | JP | BE | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 174 | JP | NL | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 8 | NO | DK | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 8 | NO | SE | | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 75 | NO | SE | BE | T | C | |
| E | 2 | B | <i>Cyanoramphus auriceps</i> | live | 4 | TW | NL | | T | C | |
| E | 2 | B | <i>Cyclopsitta diophthalma</i> | live | 8 | IL | BE | ID | T | W | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 1 | JP | BE | | T | C | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 2 | JP | NL | | T | C | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 2 | MY | NL | SR | T | W | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 2 | NO | SE | NL | T | C | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 5 | TW | GB | | T | C | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 4 | ZA | GB | | T | C | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 2 | ZA | PT | XX | B | U | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | live | 2 | ZA | PT | XX | T | U | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | skins | 1 | US | DK | | T | C | |
| E | 2 | B | <i>Deroptyus accipitrinus</i> | skins | 2 | US | DK | XX | T | U | |
| E | 2 | B | <i>Eclectus roratus</i> | feathers | 26 | US | DK | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 2 | AE | BE | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 9 | AN | NL | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 6 | AR | ES | ID | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Eclectus roratus</i> | live | 8 | BR | ES | ID | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 2 | CA | NL | ZA | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 2 | CH | DE | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 1 | CH | FR | | B | F | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 2 | CY | NL | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 12 | DO | ES | ID | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 7 | DO | NL | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 6 | IL | NL | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 3 | JP | BE | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 2 | MU | GB | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 2 | NO | NL | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 9 | NO | SE | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 3 | PL | DE | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 4 | TR | BE | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | live | 5 | TW | NL | | T | C | |
| E | 2 | B | <i>Eclectus roratus</i> | skins | 1 | US | DK | NL | T | C | |
| E | 2 | B | <i>Enicognathus ferrugineus</i> | live | 2 | NO | DK | | B | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | AE | GB | US | P | F | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 8 | AE | NL | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | AN | NL | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | AR | ES | ZA | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | CN | NL | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | IL | BE | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 3 | IL | BE | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | IL | FR | | B | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | IL | NL | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 3 | JP | BE | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 6 | JP | FR | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 6 | JP | NL | | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | MR | FR | | B | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 4 | MX | DE | NZ | T | C | |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | MX | DE | ZA | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 3 | | NO | SE | | T | C |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 8 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | | PK | NL | | T | C |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 3 | | TR | BE | | T | C |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 11 | | TW | NL | | T | C |
| E | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | | US | FR | AU | B | C |
| E | 2 | B | <i>Eos bornea</i> | live | 4 | | AR | ES | ID | T | W |
| E | 2 | B | <i>Eos bornea</i> | live | 4 | | AR | ES | IN | T | C |
| E | 2 | B | <i>Eos bornea</i> | live | 8 | | DO | NL | SG | T | C |
| E | 2 | B | <i>Eos bornea</i> | live | 1 | | US | ES | | P | C |
| E | 2 | B | <i>Eos bornea</i> | skins | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Eos bornea</i> | skins | 1 | | US | DK | NL | T | C |
| E | 2 | B | <i>Eos reticulata</i> | live | 3 | | CA | NL | | T | C |
| E | 2 | B | <i>Eos squamata</i> | live | 5 | | CA | NL | | T | C |
| E | 2 | B | <i>Eunymphicus cornutus</i> | live | 2 | | TH | DE | | T | F |
| E | 2 | B | <i>Forpus coelestis</i> | live | 2 | | AE | BE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 2 | | AN | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 8 | | AW | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 172 | | CA | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 3 | | CL | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 7 | | CY | BE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 8 | | CY | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 174 | | JP | BE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 377 | | JP | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 13 | | MT | BE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 4 | | MV | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 200 | | NO | SE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 5 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 52 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 22 | | PE | BE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 23 | | PH | NL | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 1163 | | TW | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Forpus coelestis</i> | live | 18 | | US | BE | | T | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 1 | | US | BE | US | P | C |
| E | 2 | B | <i>Forpus coelestis</i> | live | 11 | | US | DK | | T | C |
| E | 2 | B | <i>Forpus conspicillatus</i> | live | 4 | | CY | BE | | T | C |
| E | 2 | B | <i>Forpus passerinus</i> | live | 6 | | CY | BE | | T | C |
| E | 2 | B | <i>Forpus passerinus</i> | live | 15 | | MT | NL | | T | C |
| E | 2 | B | <i>Forpus passerinus</i> | live | 5 | | TW | NL | | T | C |
| E | 2 | B | <i>Forpus xanthops</i> | live | 4 | | CA | NL | | T | C |
| E | 2 | B | <i>Forpus xanthops</i> | live | 5 | | JP | BE | | T | C |
| E | 2 | B | <i>Forpus xanthops</i> | live | 20 | | TW | NL | | T | C |
| E | 2 | B | <i>Glossopsitta concinna</i> | live | 2 | | IL | ES | | T | C |
| E | 2 | B | <i>Graydidascalus brachyurus</i> | live | 2 | | CH | AT | | T | D |
| E | 2 | B | <i>Graydidascalus brachyurus</i> | live | 2 | | SK | AT | | T | D |
| E | 2 | B | <i>Lathamus discolor</i> | live | 10 | | CA | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 4 | | CL | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 6 | | CY | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 6 | | DO | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 26 | | IL | BE | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 4 | | JP | BE | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 99 | | JP | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 34 | | LK | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 10 | | TR | BE | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 64 | | TW | NL | | T | C |
| E | 2 | B | <i>Lathamus discolor</i> | live | 1 | | ZW | GB | | T | C |
| E | 2 | B | <i>Loriculus galgulus</i> | live | 30 | | CA | NL | MY | T | W |
| E | 2 | B | <i>Loriculus galgulus</i> | live | 36 | | IL | BE | MY | T | W |
| E | 2 | B | <i>Loriculus galgulus</i> | live | 16 | | NO | NL | MY | T | W |
| E | 2 | B | <i>Lorius chlorocercus</i> | live | 3 | | CA | NL | | T | C |
| E | 2 | B | <i>Lorius domicella</i> | live | 2 | | TR | DE | | T | C |
| E | 2 | B | <i>Lorius garrulus</i> | live | 4 | | AN | NL | | T | C |
| E | 2 | B | <i>Lorius garrulus</i> | live | 6 | | AR | ES | ID | T | C |
| E | 2 | B | <i>Lorius garrulus</i> | live | 1 | | DO | ES | ID | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Lorius garrulus</i> | live | 3 | IS | GB | | | T | C |
| E | 2 | B | <i>Lorius garrulus</i> | live | 5 | JP | BE | | | T | C |
| E | 2 | B | <i>Lorius garrulus</i> | live | 2 | MU | GB | | | T | C |
| E | 2 | B | <i>Lorius garrulus</i> | live | 4 | TW | NL | ZA | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 4 | AN | NL | | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 2 | AR | ES | ID | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 4 | AR | ES | ZA | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 10 | DO | ES | ID | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 6 | DO | NL | SG | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 10 | IL | ES | ID | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 2 | MT | BE | ID | | T | W |
| E | 2 | B | <i>Lorius lory</i> | live | 6 | PL | BE | ID | | T | W |
| E | 2 | B | <i>Lorius lory</i> | live | 2 | TR | BE | | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 2 | TR | DE | | | T | C |
| E | 2 | B | <i>Lorius lory</i> | live | 4 | TW | NL | ZA | | T | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 2 | AW | NL | | | T | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 14 | CA | GB | | | T | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 25 | CA | GB | AR | | T | W |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 32 | CA | NL | | | T | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 1 | CL | GB | UY | | P | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 10 | CY | GB | | | T | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 30 | IL | BE | UY | | T | W |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 10 | JO | BE | UY | | T | W |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 4 | MT | BE | UY | | T | W |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 54 | TW | NL | | | T | C |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 2 | US | GB | US | | P | F |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 1 | US | IT | US | | P | F |
| E | 2 | B | <i>Myiopsitta monachus</i> | live | 4 | ZA | BE | | | P | C |
| E | 2 | B | <i>Nandayus nenday</i> | live | 6 | AW | NL | | | T | C |
| E | 2 | B | <i>Nandayus nenday</i> | live | 20 | IL | ES | AR | | T | W |
| E | 2 | B | <i>Nandayus nenday</i> | live | 4 | MT | BE | AR | | T | W |
| E | 2 | B | <i>Nandayus nenday</i> | live | 4 | TW | NL | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Nandayus nenday</i> | live | 1 | US | DE | XX | P | U | |
| E | 2 | B | <i>Neophema chrysostoma</i> | skins | 3 | US | DK | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 2 | AW | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 11 | CA | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 10 | CY | GB | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 17 | CY | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 4 | ID | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 9 | IL | BE | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 22 | JP | BE | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 118 | JP | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 8 | MT | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 2 | MV | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 8 | NI | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 47 | NO | SE | BE | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 17 | PH | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 4 | SG | BE | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 49 | TW | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 40 | US | BE | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 37 | US | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 14 | VE | NL | | T | C | |
| E | 2 | B | <i>Neophema elegans</i> | live | 40 | ZA | BE | | B | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 3 | AE | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 8 | AN | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 6 | AW | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 8 | BD | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 4 | CA | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 53 | CL | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 6 | CY | GB | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 24 | CY | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 4 | ID | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 23 | ID | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 4 | IL | BE | | P | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Neophema pulchella</i> | live | 42 | IL | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 115 | JP | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 92 | JP | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 17 | KR | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 4 | KW | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 10 | LK | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 10 | MT | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 10 | MT | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 2 | MV | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 6 | NI | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 13 | NO | DK | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 2 | NO | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 41 | NO | SE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 147 | NO | SE | BE | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 62 | PH | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 64 | PK | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 4 | SG | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 10 | TN | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 6 | TN | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 6 | TW | BE | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 588 | TW | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 16 | VE | NL | | T | C | |
| E | 2 | B | <i>Neophema pulchella</i> | live | 27 | ZA | BE | | B | C | |
| E | 2 | B | <i>Neophema pulchella</i> | skins | 1 | US | DK | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 7 | CA | NL | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 6 | CY | GB | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 29 | CY | NL | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 7 | ID | BE | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 12 | ID | NL | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 123 | JP | BE | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 191 | JP | NL | | T | C | |
| E | 2 | B | <i>Neophema splendida</i> | live | 56 | KR | BE | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Neophema splendida</i> | live | 6 | | LK | NL | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 15 | | MT | NL | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 6 | | MV | NL | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 2 | | NO | DK | | B | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 12 | | NO | DK | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 52 | | PH | NL | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 34 | | PK | NL | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 8 | | TN | BE | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 10 | | TR | BE | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 4 | | TW | BE | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 92 | | TW | NL | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 19 | | US | BE | | T | C |
| E | 2 | B | <i>Neophema splendida</i> | live | 30 | | ZA | BE | | B | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 4 | | AE | BE | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 7 | | AN | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 20 | | AR | ES | BE | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 10 | | AR | ES | NL | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 4 | | AW | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 4 | | BD | GB | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 16 | | CA | GB | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 24 | | CA | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 14 | | CL | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 45 | | CY | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 12 | | DO | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 5 | | ID | BE | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 10 | | ID | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 40 | | IL | BE | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 122 | | JP | BE | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 125 | | JP | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 42 | | KW | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 14 | | LK | NL | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 2 | | MT | BE | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 27 | MT | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 4 | MV | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 20 | NO | DK | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 25 | NO | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 10 | NO | SE | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 251 | NO | SE | BE | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 23 | NP | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 2 | PA | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 95 | PH | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 30 | PK | GB | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 154 | PK | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 6 | SA | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 17 | TN | BE | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 11 | TN | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 191 | TW | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 18 | US | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 32 | VE | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 30 | ZA | BE | | | B | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | live | 17 | ZA | NL | | | T | C |
| E | 2 | B | <i>Neopsephotus bourkii</i> | skins | 1 | US | DK | | | T | C |
| E | 2 | B | <i>Neopsittacus musschenbroekii</i> | live | 2 | AN | NL | | | T | C |
| E | 2 | B | <i>Neopsittacus musschenbroekii</i> | live | 2 | TW | NL | | | T | C |
| E | 2 | B | <i>Nestor notabilis</i> | live | 1 | CZ | DE | | | Z | C |
| E | 2 | B | <i>Nestor notabilis</i> | live | 1 | US | BE | | | Z | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 4 | AN | NL | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 17 | CL | NL | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 4 | CY | BE | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 9 | ID | NL | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 22 | IL | BE | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 3 | JP | BE | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 32 | JP | NL | | | T | C |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 4 | KR | BE | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Northiella haematogaster</i> | live | 8 | KW | NL | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 12 | MT | BE | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 2 | NO | DK | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 8 | PH | NL | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 9 | PK | NL | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 6 | TN | BE | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 2 | TW | BE | | T | C | |
| E | 2 | B | <i>Northiella haematogaster</i> | live | 42 | TW | NL | | T | C | |
| E | 2 | B | <i>Pionites leucogaster</i> | live | 2 | JP | BE | ZA | T | C | |
| E | 2 | B | <i>Pionites leucogaster</i> | live | 1 | JP | GB | | T | C | |
| E | 2 | B | <i>Pionites leucogaster</i> | live | 5 | TW | NL | | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 2 | AR | ES | SR | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 6 | CA | GB | | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 26 | CA | NL | GY | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 15 | CA | NL | SR | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 2 | CY | NL | GY | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 4 | DO | NL | SR | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 2 | IL | BE | GY | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 20 | IL | BE | SR | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 6 | IL | NL | SR | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 2 | IS | GB | | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 1 | JP | GB | | P | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 3 | JP | GB | | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 2 | LK | NL | SR | T | W | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 38 | NO | SE | NL | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 2 | PH | NL | | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 3 | TW | GB | | T | C | |
| E | 2 | B | <i>Pionites melanocephala</i> | live | 6 | TW | NL | SR | T | W | |
| E | 2 | B | <i>Pionus fuscus</i> | live | 2 | JP | GB | | T | C | |
| E | 2 | B | <i>Pionus fuscus</i> | live | 1 | PA | NL | SR | T | W | |
| E | 2 | B | <i>Pionus maximiliani</i> | live | 1 | GL | DK | | T | C | |
| E | 2 | B | <i>Pionus maximiliani</i> | live | 2 | NO | DK | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Pionus menstruus</i> | live | 7 | CA | NL | SR | T | W | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 20 | IL | BE | GY | T | W | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 12 | IL | BE | XX | T | W | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 6 | IL | NL | GY | T | W | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 7 | JP | BE | | T | C | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 6 | JP | GB | | T | C | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 4 | LK | NL | SR | T | W | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 20 | NO | SE | NL | T | C | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 3 | TT | SE | | P | C | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 2 | TW | GB | | T | C | |
| E | 2 | B | <i>Pionus menstruus</i> | live | 2 | TW | NL | | T | C | |
| E | 2 | B | <i>Pionus menstruus</i> | skins | 1 | US | DK | | T | U | |
| E | 2 | B | <i>Pionus menstruus</i> | skins | 2 | US | DK | XX | T | U | |
| E | 2 | B | <i>Pionus senilis</i> | live | 1 | AE | BE | | T | C | |
| E | 2 | B | <i>Pionus senilis</i> | live | 2 | AN | NL | | T | C | |
| E | 2 | B | <i>Pionus senilis</i> | live | 3 | JP | GB | | T | C | |
| E | 2 | B | <i>Pionus senilis</i> | live | 2 | LK | NL | NI | T | W | |
| E | 2 | B | <i>Pionus senilis</i> | live | 4 | NO | DK | | T | C | |
| E | 2 | B | <i>Pionus senilis</i> | live | 10 | TH | NL | NI | T | W | |
| E | 2 | B | <i>Pionus senilis</i> | live | 4 | TW | NL | NI | T | W | |
| E | 2 | B | <i>Platycercus hybrid</i> | live | 1 | NO | SE | DK | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 2 | AN | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 8 | BD | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 6 | DO | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 23 | ID | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 4 | IL | BE | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 3 | JP | BE | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 18 | JP | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 2 | KW | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 2 | MY | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 11 | PH | NL | | T | C | |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 31 | PK | NL | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 5 | | TR | BE | | T | C |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 22 | | TW | NL | | T | C |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 3 | | US | BE | | T | C |
| E | 2 | B | <i>Platycercus adelaia</i> de | live | 2 | | VE | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 2 | | AE | BE | EC | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 8 | | AN | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 4 | | AR | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 8 | | BD | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 6 | | CA | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 26 | | CL | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 10 | | CY | GB | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 12 | | CY | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 14 | | DO | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 24 | | ID | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 27 | | IL | BE | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 2 | | IS | GB | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 22 | | JP | BE | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 162 | | JP | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 22 | | KR | BE | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 16 | | KW | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 13 | | MT | BE | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 4 | | MT | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 1 | | MX | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 8 | | MY | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 8 | | NO | DK | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 21 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 24 | | PH | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 12 | | PK | GB | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 29 | | PK | NL | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 1 | | TN | BE | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 4 | | TR | BE | | T | C |
| E | 2 | B | <i>Platycercus adscitus</i> | live | 111 | | TW | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus barnardi</i> | live | 2 | | AE | BE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 2 | | BB | GB | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 7 | | CA | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 4 | | CL | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 8 | | CY | GB | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 5 | | DO | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 7 | | ID | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 9 | | IL | BE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 2 | | IS | GB | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 3 | | JP | BE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 98 | | JP | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 2 | | KW | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 3 | | NO | DK | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 4 | | NO | DK | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 20 | | NO | SE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 45 | | PK | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 5 | | TN | BE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 19 | | TW | BE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 33 | | TW | NL | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | live | 5 | | US | BE | | T | C |
| E | 2 | B | <i>Platycercus barnardi</i> | skins | 1 | | US | DK | XX | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 2 | | CA | NL | | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 4 | | CY | BE | | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 3 | | IL | FF | | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 18 | | PK | NL | | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 2 | | TR | BE | | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 10 | | TW | BE | | T | C |
| E | 2 | B | <i>Platycercus caledonicus</i> | live | 3 | | TW | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | AE | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 35 | | AN | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 26 | | AR | ES | NL | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 8 | | BD | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus elegans</i> | live | 16 | | CA | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 36 | | CL | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | CY | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 20 | | CY | GB | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 21 | | CY | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 80 | | DO | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | GT | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 36 | | ID | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | IL | BE | | P | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 150 | | IL | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 9 | | IL | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 21 | | IS | GB | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | JO | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | JO | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 20 | | JP | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 397 | | JP | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 48 | | KR | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 27 | | KW | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 5 | | LK | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | | MA | BE | | B | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 22 | | MT | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 2 | | MT | GB | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 16 | | MT | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 2 | | MV | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 6 | | MX | BE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 28 | | MY | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 40 | | NO | DK | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 2 | | NO | NL | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 3 | | NO | SE | | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 57 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 2 | | NO | SE | DK | T | C |
| E | 2 | B | <i>Platycercus elegans</i> | live | 22 | | NP | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | PA | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 10 | PE | BE | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 32 | PH | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 12 | PK | GB | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 103 | PK | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | PL | BE | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | SA | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 8 | TN | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 12 | TR | BE | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 4 | TR | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 10 | TW | BE | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 607 | TW | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 8 | US | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 46 | VE | NL | | T | C | |
| E | 2 | B | <i>Platycercus elegans</i> | live | 1 | ZW | GB | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 53 | AE | BE | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 5 | AE | BE | EC | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 63 | AN | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 20 | AR | ES | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 20 | AR | ES | CZ | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 10 | AR | ES | NL | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | AR | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 29 | AW | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 2 | BB | GB | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 40 | BD | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 24 | BH | BE | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 7 | CA | DE | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 40 | CA | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 67 | CL | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 16 | CR | NL | | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 10 | CU | ES | CZ | T | C | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | CY | BE | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus eximius</i> | live | 46 | CY | GB | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 127 | CY | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | DO | ES | CZ | T | W | |
| E | 2 | B | <i>Platycercus eximius</i> | live | 130 | DO | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 150 | GT | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 32 | HN | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 132 | ID | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 6 | IL | BE | | | P | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 473 | IL | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 30 | IL | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 24 | IS | GB | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 12 | JO | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 6 | JO | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 122 | JP | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 1492 | JP | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 20 | KR | BE | | | P | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 38 | KR | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 79 | KW | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 5 | LK | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 50 | MT | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 10 | MT | GB | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 49 | MT | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | MU | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | MV | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 2 | MV | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 54 | MX | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 30 | MY | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 5 | NA | DK | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 12 | NI | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 10 | NO | DK | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 20 | NO | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 1 | NO | SE | | | P | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus eximius</i> | live | 55 | NO | SE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 308 | NO | SE | BE | T | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 2 | NO | SE | DK | T | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 28 | NP | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 30 | PE | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 163 | PH | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 56 | PK | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 20 | PK | GB | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 319 | PK | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 12 | PL | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 1 | PL | DE | | | P | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 6 | QA | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 40 | SA | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | SG | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 10 | SR | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 10 | TH | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 55 | TH | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 4 | TN | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 8 | TN | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 13 | TR | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 16 | TR | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 8 | TT | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 56 | TW | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 1649 | TW | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 46 | US | BE | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 26 | US | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | live | 76 | VE | NL | | | T | C |
| E | 2 | B | <i>Platycercus eximius</i> | skins | 9 | US | DK | | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 4 | AN | NL | | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 4 | BH | BE | | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 14 | CA | NL | | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 4 | CY | GB | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 8 | | CY | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 16 | | DO | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 6 | | IL | BE | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 11 | | JP | BE | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 48 | | JP | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 4 | | KR | BE | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 6 | | KW | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 1 | | LK | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 16 | | MT | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 12 | | MY | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 12 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 4 | | PH | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 14 | | PK | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 8 | | TR | BE | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 109 | | TW | NL | | T | C |
| E | 2 | B | <i>Platycercus flaveolus</i> | live | 6 | | VE | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 8 | | AN | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 8 | | BH | BE | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 32 | | CA | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 4 | | GT | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 2 | | ID | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 4 | | IL | BE | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 8 | | IL | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 4 | | IS | GB | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 9 | | JP | BE | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 143 | | JP | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 4 | | KR | BE | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 2 | | KW | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 2 | | LK | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 6 | | MT | NL | | T | C |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 6 | | MX | BE | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus icterotis</i> | live | 4 | NO | DK | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 10 | PE | BE | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 38 | PH | NL | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 30 | PK | NL | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 10 | SR | NL | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 4 | TN | BE | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 2 | TR | BE | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 2 | TW | BE | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 94 | TW | NL | | T | C | |
| E | 2 | B | <i>Platycercus icterotis</i> | live | 24 | VE | NL | | T | C | |
| E | 2 | B | <i>Platycercus venustus</i> | live | 4 | CL | NL | | T | C | |
| E | 2 | B | <i>Platycercus venustus</i> | live | 1 | ID | BE | | T | C | |
| E | 2 | B | <i>Platycercus venustus</i> | live | 4 | ID | NL | | T | C | |
| E | 2 | B | <i>Platycercus venustus</i> | live | 2 | TR | BE | | T | C | |
| E | 2 | B | <i>Platycercus venustus</i> | live | 10 | US | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 10 | AE | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 2 | AN | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 22 | CA | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 18 | DO | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 1 | ID | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 34 | IL | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 4 | JP | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 51 | JP | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 2 | KR | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 2 | KW | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 7 | LK | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 4 | MT | BE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 4 | MT | GB | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 8 | MT | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 20 | NO | SE | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 2 | PH | NL | | T | C | |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 38 | PK | NL | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Platycercus zonarius</i> | live | 2 | | TH | NL | | T | C |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 10 | | TW | BE | | T | C |
| E | 2 | B | <i>Platycercus zonarius</i> | live | 47 | | TW | NL | | T | C |
| E | 2 | B | <i>Platycercus zonarius</i> | skins | 3 | | US | DK | | T | C |
| E | 2 | B | <i>Poicephalus cryptoxanthus</i> | live | 6 | | CA | GB | ZW | T | C |
| E | 2 | B | <i>Poicephalus cryptoxanthus</i> | live | 8 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 2 | | AE | BE | | T | C |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 12 | | CA | GB | CD | T | W |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 58 | | CA | NL | CD | T | W |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 5 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 10 | | CH | NL | CD | T | W |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 1 | | MT | BE | CD | T | W |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 4 | | NO | NL | CD | T | W |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 10 | | TH | NL | CD | T | W |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 4 | | TW | GB | | T | C |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 12 | | TW | NL | | T | C |
| E | 2 | B | <i>Poicephalus gulielmi</i> | live | 13 | | TW | NL | CD | T | W |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 1 | | CA | GB | | P | C |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 6 | | CA | GB | | T | C |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 32 | | CA | GB | ZW | T | C |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 1 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 6 | | CY | GB | ZW | T | W |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 4 | | CY | NL | | T | C |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 4 | | JP | BE | | T | C |
| E | 2 | B | <i>Poicephalus meyeri</i> | live | 14 | | NO | SE | | T | C |
| E | 2 | B | <i>Poicephalus robustus</i> | live | 10 | | CA | GB | | T | C |
| E | 2 | B | <i>Poicephalus robustus</i> | live | 3 | | JP | BE | | T | C |
| E | 2 | B | <i>Poicephalus robustus</i> | live | 1 | | JP | DE | | T | C |
| E | 2 | B | <i>Poicephalus robustus</i> | live | 2 | | TW | GB | | T | C |
| E | 2 | B | <i>Poicephalus rueppellii</i> | live | 7 | | CA | NL | | T | C |
| E | 2 | B | <i>Poicephalus rueppellii</i> | live | 4 | | TW | NL | | T | C |
| E | 2 | B | <i>Poicephalus rueppellii</i> | skins | 1 | | US | DK | XX | T | U |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Poicephalus rufiventris</i> | live | 2 | TW | NL | | | T | C |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 16 | AN | NL | | | T | C |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 150 | CA | NL | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | CG | FR | CI | B | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | CH | FR | GN | B | O | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 20 | CY | GB | | T | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 10 | CZ | NL | GN | T | N | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 20 | DO | ES | SN | T | N | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | DO | IT | | P | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 9 | IL | BE | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 32 | IL | NL | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 3 | JP | BE | | T | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 20 | JP | NL | | T | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 4 | MT | BE | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 30 | MX | BE | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 9 | MY | NL | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 10 | NO | DK | | T | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 50 | NO | NL | GN | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 18 | NO | SE | | T | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | PK | DE | CA | P | F | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 3 | PL | BE | XX | Z | U | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | SN | FR | IN | B | O | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | SN | FR | XX | B | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 28 | TW | NL | | T | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | US | AT | | P | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | US | BE | | P | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | US | DE | XX | P | U | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | US | ES | | P | C | |
| E | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | ZA | PT | GQ | T | W | |
| E | 2 | B | <i>Poicephalus senegalus</i> | skins | 1 | US | DK | XX | T | U | |
| E | 2 | B | <i>Polytelis alexandri</i> | live | 2 | AE | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandri</i> | live | 8 | AN | NL | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 6 | AW | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 8 | CA | GB | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 16 | CA | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 14 | CY | GB | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 14 | CY | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 26 | DO | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 4 | ID | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 8 | IL | BE | | P | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 25 | IL | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 4 | IS | GB | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 6 | JO | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 37 | JP | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 183 | JP | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 4 | KR | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 8 | KW | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 4 | MT | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 8 | MV | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 4 | MX | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 18 | MY | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 1 | NA | DK | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 2 | NO | DK | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 10 | NO | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 40 | NO | SE | BE | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 12 | NO | SE | DK | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 2 | PE | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 8 | PH | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 6 | PK | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 2 | TN | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 2 | TR | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 201 | TW | NL | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 43 | US | BE | | T | C | |
| E | 2 | B | <i>Polytelis alexandrae</i> | live | 24 | VE | NL | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Polytelis alexandrae</i> | skins | 1 | US | DK | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 4 | AE | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 13 | AN | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 18 | AR | ES | | CZ | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 2 | BB | GB | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 4 | BH | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 6 | CA | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 7 | CL | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 10 | CY | GB | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 6 | CY | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 8 | DO | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 1 | ID | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 4 | ID | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 46 | IL | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 2 | IS | GB | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 4 | JP | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 61 | JP | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 8 | KR | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 6 | MT | BE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 4 | MU | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 8 | MY | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 10 | NO | DK | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 15 | NO | SE | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 10 | PK | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 37 | TW | NL | | | T | C |
| E | 2 | B | <i>Polytelis anthopeplus</i> | live | 2 | VE | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 2 | AE | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 10 | AN | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 10 | AR | ES | | CZ | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 2 | BH | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 14 | CA | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 4 | CL | NL | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 16 | CY | GB | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 10 | CY | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 15 | DO | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 2 | ID | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 6 | ID | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 30 | IL | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 8 | IS | GB | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 7 | JP | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 128 | JP | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 8 | KR | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 4 | KW | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 5 | LK | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 4 | MT | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 2 | MU | GB | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 20 | MY | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 4 | NA | DK | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 9 | NO | DK | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 42 | NO | SE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 16 | NO | SE | | DK | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 10 | PK | NL | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 4 | TN | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 1 | TR | BE | | | T | C |
| E | 2 | B | <i>Polytelis swainsonii</i> | live | 135 | TW | NL | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 8 | AN | NL | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 20 | AR | ES | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 5 | AW | NL | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 4 | BB | GB | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 44 | BH | BE | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 10 | CA | GB | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 22 | CA | NL | | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 20 | CL | ES | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 10 | CL | ES | CZ | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 32 | | CL | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 6 | | CR | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 10 | | CU | ES | CZ | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 12 | | CY | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 40 | | CY | GB | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 74 | | CY | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 50 | | EG | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 2 | | GL | DK | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 4 | | GT | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 26 | | HN | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 2 | | ID | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 10 | | ID | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 6 | | IL | BE | | P | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 745 | | IL | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 6 | | IS | GB | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 12 | | JO | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 10 | | JO | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 137 | | JP | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 922 | | JP | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 100 | | KR | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 22 | | KW | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 4 | | MT | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 6 | | MT | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 20 | | MV | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 9 | | MX | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 30 | | MY | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 14 | | NI | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 23 | | NO | DK | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 2 | | NO | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 43 | | NO | SE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 642 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 11 | | NO | SE | DK | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Scurve |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 12 | | NO | SE | NL | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 30 | | NP | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 4 | | PE | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 225 | | PH | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 644 | | PK | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 24 | | SG | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 17 | | TN | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 32 | | TN | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 60 | | TW | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 1740 | | TW | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 23 | | US | BE | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 6 | | US | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 18 | | VE | NL | | T | C |
| E | 2 | B | <i>Psephotus haematonotus</i> | live | 14 | | ZA | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 4 | | AN | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 2 | | BB | GB | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 10 | | CA | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 14 | | CL | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 12 | | CY | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 4 | | ID | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 19 | | IL | BE | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 3 | | JP | BE | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 80 | | JP | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 11 | | MT | BE | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 3 | | MT | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 2 | | MV | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 2 | | MX | BE | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 2 | | NO | DK | | B | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 3 | | NO | DK | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 82 | | PK | NL | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 1 | | TW | BE | | T | C |
| E | 2 | B | <i>Psephotus varius</i> | live | 42 | | TW | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Pseudeos fuscata</i> | live | 2 | AN | NL | | | T | C |
| E | 2 | B | <i>Pseudeos fuscata</i> | live | 3 | AR | ES | ZA | | T | C |
| E | 2 | B | <i>Pseudeos fuscata</i> | live | 4 | DO | NL | ZA | T | C | |
| E | 2 | B | <i>Psittacula alexandri</i> | live | 2 | AR | ES | ID | | T | C |
| E | 2 | B | <i>Psittacula alexandri</i> | live | 4 | CH | NL | | | T | C |
| E | 2 | B | <i>Psittacula alexandri</i> | live | 1 | CY | NL | | | T | C |
| E | 2 | B | <i>Psittacula alexandri</i> | live | 2 | DO | ES | ID | | T | C |
| E | 2 | B | <i>Psittacula alexandri</i> | live | 2 | JP | BE | | | T | C |
| E | 2 | B | <i>Psittacula alexandri</i> | live | 2 | JP | NL | | | T | C |
| E | 2 | B | <i>Psittacula calthropae</i> | live | 4 | ZA | NL | DE | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 4 | BB | GB | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 6 | CL | NL | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 2 | CY | GB | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 8 | CY | NL | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 10 | DO | NL | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 10 | ID | BE | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 4 | IL | BE | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 2 | JP | BE | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 4 | MT | NL | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 4 | NO | DK | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 92 | NO | SE | BE | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 41 | PE | BE | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 72 | TN | BE | | | T | C |
| E | 2 | B | <i>Psittacula cyanocephala</i> | live | 3 | TW | NL | | | T | C |
| E | 2 | B | <i>Psittacula derbiana</i> | live | 2 | JP | BE | | | T | C |
| E | 2 | B | <i>Psittacula derbiana</i> | live | 1 | MT | BE | | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 6 | AR | ES | NL | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 10 | CA | GB | | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 10 | CY | NL | | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 6 | IL | BE | | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 2 | JP | GB | | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 6 | JP | NL | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psittacula eupatria</i> | live | 10 | | KW | NL | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 13 | | MT | BE | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 70 | | NO | SE | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 2 | | TW | NL | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 1 | | US | NL | | T | C |
| E | 2 | B | <i>Psittacula eupatria</i> | live | 1 | | ZA | GB | SA | P | C |
| E | 2 | B | <i>Psittacula himalayana</i> | live | 60 | | ID | BE | | T | C |
| E | 2 | B | <i>Psittacula longicauda</i> | live | 2 | | AR | ES | MY | T | W |
| E | 2 | B | <i>Psittacula longicauda</i> | live | 8 | | CH | NL | MY | T | W |
| E | 2 | B | <i>Psittacula longicauda</i> | live | 2 | | JP | BE | | T | C |
| E | 2 | B | <i>Psittacula longicauda</i> | skins | 1 | | US | DK | XX | T | J |
| E | 2 | B | <i>Psittaculirostris desmarestii</i> | live | 2 | | AR | ES | ID | T | C |
| E | 2 | B | <i>Psittaculirostris salvadorii</i> | live | 1 | | AR | ES | ID | T | C |
| E | 2 | B | <i>Psittaculirostris salvadorii</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | feathers | 1 | | US | DK | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | AE | BE | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | AE | NL | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 16 | | AN | NL | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | AN | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 12 | | AN | NL | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | AN | NL | GA | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 50 | | AR | ES | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 12 | | AR | ES | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | | AR | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | AW | NL | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | BD | NL | OM | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | BG | FR | AE | B | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | BR | CA | | P | U |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | BR | DE | CG | P | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 8 | | BR | ES | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | BR | ES | SG | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 15 | | CA | BE | | P | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CA | DE | CM | P | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CA | GB | | P | F |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 10 | | CA | GB | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 36 | | CA | GB | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CA | GB | KE | P | U |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CA | IE | | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CA | NL | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CA | NL | CA | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 50 | | CA | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 258 | | CA | NL | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 8 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 3 | | CH | BE | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CH | DE | NL | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CH | ES | | P | F |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | CH | ES | XX | P | U |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CH | FI | CI | P | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CH | FR | | B | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | CH | FR | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CH | FR | BE | B | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CH | PT | ZA | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 3 | | CI | FR | CI | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | CI | FR | GA | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CM | FR | CI | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | CM | FR | CM | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CM | FR | GA | B | O |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 3 | | CM | FR | GA | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CN | IT | CI | P | U |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CO | DE | CM | P | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CR | DE | MV | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 10 | | CY | GB | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 20 | | CY | GB | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 3 | | CY | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psittacus erithacus</i> | live | 59 | | CY | NL | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | CZ | DE | CG | P | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 50 | | CZ | GR | LR | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 150 | | CZ | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DJ | FR | GA | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | DO | ES | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | DO | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DZ | FR | CG | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DZ | FR | CM | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 10 | | EG | BE | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | | GA | FR | GA | B | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GH | DE | CM | P | U |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GM | GB | | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 21 | | HK | BE | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 12 | | HU | BE | | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | HU | BE | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 7 | | ID | NL | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 21 | | IL | BE | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 64 | | IL | BE | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | | IL | NL | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 230 | | IL | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | IS | DE | PH | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | IS | DK | NL | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 11 | | IS | GB | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | JP | BE | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | | JP | DE | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 20 | | JP | GB | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 208 | | JP | NL | | T | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 10 | | JP | NL | CD | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 8 | | JP | NL | CM | T | W |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | JP | SE | NG | P | U |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | KR | GB | CD | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | LK | GB | GH | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | LK | NL | KE | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | MR | FR | GA | B | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 15 | MT | BE | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 22 | MT | BE | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 25 | MT | FR | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | MT | GB | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 28 | MT | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 3 | MU | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 100 | MX | BE | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 80 | MX | DE | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 66 | MX | NL | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 15 | MY | DE | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | MY | GB | NG | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 7 | MY | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | MY | NL | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | NC | FR | | B | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 3 | NO | BE | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | NO | DE | PH | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | NO | DK | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | NO | DK | | P | O | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 8 | NO | DK | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | NO | FI | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 18 | NO | NL | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 26 | NO | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | NO | NL | SL | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 18 | NO | SE | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 126 | NO | SE | NL | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | NO | SE | NO | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | PH | AT | TT | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 90 | PH | GB | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 30 | PH | NL | CD | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | PL | DE | | | P | C |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | PL | FR | CM | B | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | PY | DE | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | PY | DE | CD | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | RO | DE | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | RO | DE | NG | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | RO | ES | CD | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | RU | ES | ZA | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | SA | GB | SA | P | U | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 5 | SD | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 20 | SG | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 14 | SG | NL | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 100 | SK | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | SN | FR | CD | B | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | SN | FR | CI | B | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | TD | FR | CD | B | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | TH | ES | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 120 | TH | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 55 | TH | NL | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 8 | TR | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | TT | NL | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 24 | TW | GB | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 67 | TW | NL | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 46 | TW | NL | CD | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | BE | AR | P | O | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | BE | US | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | DE | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | DE | US | P | F | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | DE | XX | P | O | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | DE | XX | P | U | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | ES | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | ES | US | P | F | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | US | FR | CM | B | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | FR | US | B | F | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | GB | | P | U | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 4 | US | GB | | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | GB | US | P | F | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | GB | ZA | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | GR | CM | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | NL | | T | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | PT | GA | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | US | SE | US | P | F | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 10 | VE | BE | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 20 | VE | NL | CM | T | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 2 | YT | FR | GA | B | O | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | ZA | DE | ZA | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | ZA | GB | ZA | P | C | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | ZA | PT | LR | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | live | 1 | ZA | SE | AO | P | W | |
| E | 2 | B | <i>Psittacus erithacus</i> | skeletons | 1 | US | GB | | T | C | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 3 | AN | NL | | T | C | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 7 | AR | ES | ZA | T | C | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | BR | PT | LR | P | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 5 | CY | GB | CI | T | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 3 | DO | ES | SL | T | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | IL | BE | CI | T | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | IS | DK | PT | T | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | IS | GB | | T | C | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 26 | IS | GB | CI | T | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | NO | NL | | T | C | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 1 | US | DE | SL | P | W | |
| E | 2 | B | <i>Psittacus erithacus timneh</i> | live | 1 | ZA | GB | SA | P | C | |
| E | 2 | B | <i>Psittinus cyanurus</i> | live | 6 | CH | NL | MY | T | W | |
| E | 2 | B | <i>Psittinus cyanurus</i> | live | 14 | IL | BE | MY | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 6 | | CA | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 1 | | CL | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 1 | | CY | GB | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 6 | | DO | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 42 | | ID | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 9 | | IL | BE | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 9 | | JP | BE | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 45 | | JP | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 4 | | KR | BE | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 4 | | KW | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 3 | | MT | BE | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 4 | | NO | DK | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 2 | | PH | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 7 | | PK | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 8 | | TW | BE | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 14 | | TW | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 12 | | US | BE | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | live | 3 | | US | NL | | T | C |
| E | 2 | B | <i>Purpleicephalus spurius</i> | skins | 2 | | US | DK | XX | T | U |
| E | 2 | B | <i>Pyrrhura egregia</i> | live | 8 | | US | BE | | T | C |
| E | 2 | B | <i>Pyrrhura frontalis</i> | live | 1 | | AN | NL | | T | C |
| E | 2 | B | <i>Pyrrhura frontalis</i> | live | 10 | | CA | NL | | T | C |
| E | 2 | B | <i>Pyrrhura frontalis</i> | live | 2 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Pyrrhura frontalis</i> | live | 1 | | JP | GB | | P | C |
| E | 2 | B | <i>Pyrrhura frontalis</i> | live | 34 | | NO | SE | | T | C |
| E | 2 | B | <i>Pyrrhura leucotis</i> | live | 4 | | TW | NL | | T | C |
| E | 2 | B | <i>Pyrrhura melanura</i> | live | 12 | | CA | NL | | T | C |
| E | 2 | B | <i>Pyrrhura melanura</i> | live | 7 | | CY | NL | | T | C |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 43 | | AN | NL | | T | C |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 2 | | CA | NL | ZA | T | C |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 1 | | CH | ES | | T | C |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 8 | | CY | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 2 | ID | BE | | T | C | |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 8 | ID | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 1 | JP | GB | | P | C | |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 15 | NO | DK | | T | C | |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 15 | NO | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 10 | PK | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura molinae</i> | live | 4 | US | BE | | T | C | |
| E | 2 | B | <i>Pyrrhura perlata</i> | live | 2 | AN | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura perlata</i> | live | 3 | CA | NL | ZA | T | C | |
| E | 2 | B | <i>Pyrrhura perlata</i> | live | 4 | NO | DK | | T | C | |
| E | 2 | B | <i>Pyrrhura perlata</i> | live | 22 | TW | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura perlata</i> | live | 1 | US | BE | | T | C | |
| E | 2 | B | <i>Pyrrhura perlata</i> | live | 20 | US | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura picta</i> | live | 2 | HU | BE | | T | C | |
| E | 2 | B | <i>Pyrrhura picta</i> | live | 4 | NO | DE | PH | T | C | |
| E | 2 | B | <i>Pyrrhura picta</i> | live | 3 | NO | DK | | T | C | |
| E | 2 | B | <i>Pyrrhura picta</i> | live | 29 | US | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura rhodocephala</i> | live | 7 | SG | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 2 | AN | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 1 | HU | BE | | T | C | |
| E | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 1 | JP | BE | | P | C | |
| E | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 10 | JP | BE | | T | C | |
| E | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 10 | NO | DE | PH | T | C | |
| E | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 4 | TH | NL | | T | C | |
| E | 2 | B | <i>Pyrrhura rupicola</i> | live | 4 | CA | NL | ZA | T | C | |
| E | 2 | B | <i>Tanygnathus lucionensis</i> | live | 2 | IL | ES | | T | C | |
| E | 2 | B | <i>Tanygnathus sumatranus</i> | live | 4 | IL | ES | | T | C | |
| E | 2 | B | <i>Trichoglossus flavoviridis</i> | live | 3 | CA | NL | | T | C | |
| E | 2 | B | <i>Trichoglossus flavoviridis</i> | live | 2 | IL | ES | | T | C | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 6 | AR | ES | ID | T | W | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 2 | AR | ES | ZA | T | C | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 2 | CA | NL | ZA | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 1 | CH | ES | FR | P | C | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 18 | DO | ES | ID | T | W | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 1 | KZ | FR | | Z | F | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 5 | NO | SE | | T | C | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 5 | PL | BE | ID | T | W | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 8 | TW | NL | | T | C | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | live | 32 | TW | NL | ZA | T | C | |
| E | 2 | B | <i>Trichoglossus haematodus</i> | skins | 2 | US | DK | | T | C | |
| E | 2 | B | <i>Trichoglossus ornatus</i> | skins | 1 | US | DK | | T | C | |
| E | 2 | B | <i>Musophaga porphyreolopha</i> | feathers | 1 | US | NL | XX | E | O | |
| E | 2 | B | <i>Musophaga porphyreolopha</i> | live | 2 | CH | NL | MZ | T | W | |
| E | 2 | B | <i>Musophaga porphyreolopha</i> | live | 4 | TR | NL | MZ | T | W | |
| E | 2 | B | <i>Tauraco erythrophorus</i> | live | 90 | IL | BE | | T | C | |
| E | 2 | B | <i>Tauraco hartlaubi</i> | live | 4 | DO | ES | TZ | T | W | |
| E | 2 | B | <i>Tauraco hartlaubi</i> | live | 4 | DO | NL | TZ | T | W | |
| E | 2 | B | <i>Tauraco hartlaubi</i> | live | 4 | IL | ES | TZ | T | W | |
| E | 2 | B | <i>Tauraco hartlaubi</i> | live | 2 | PA | NL | TZ | T | W | |
| E | 2 | B | <i>Tauraco hartlaubi</i> | live | 6 | US | NL | TZ | T | W | |
| E | 2 | B | <i>Tauraco leucotis</i> | live | 1 | CN | NL | | T | C | |
| E | 2 | B | <i>Tauraco leucotis</i> | live | 2 | HU | NL | | Z | C | |
| E | 2 | B | <i>Tauraco leucotis</i> | live | 4 | VN | NL | | Z | F | |
| E | 2 | B | <i>Tauraco livingstonii</i> | live | 2 | CL | DE | TZ | T | W | |
| E | 2 | B | <i>Tauraco livingstonii</i> | live | 2 | HU | DE | TZ | T | W | |
| E | 2 | B | <i>Tauraco livingstonii</i> | live | 2 | PA | NL | TZ | T | W | |
| E | 2 | B | <i>Tauraco persa</i> | live | 6 | AR | ES | GN | T | W | |
| E | 2 | B | <i>Tauraco persa</i> | live | 8 | DO | ES | GN | T | W | |
| E | 2 | B | <i>Tauraco persa</i> | live | 1 | DZ | NL | GH | T | W | |
| E | 2 | B | <i>Tauraco persa</i> | live | 68 | PL | BE | | Z | C | |
| E | 2 | A | <i>Tyto alba</i> | live | 2 | AE | GB | | T | C | |
| E | 2 | A | <i>Tyto alba</i> | live | 1 | CZ | FR | | Z | C | |
| E | 2 | A | <i>Tyto alba</i> | live | 2 | JP | GB | | T | C | |
| E | 2 | A | <i>Tyto alba</i> | live | 10 | MT | GB | | P | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | A | <i>Aegolius funereus</i> | bodies | 1 | NO | SE | | | P | W |
| E | 2 | A | <i>Aegolius funereus</i> | live | 2 | CH | AT | | | Z | C |
| E | 2 | A | <i>Aegolius funereus</i> | live | 6 | CH | DE | | | T | C |
| E | 2 | A | <i>Aegolius funereus</i> | live | 2 | CH | FI | | | Z | C |
| E | 2 | A | <i>Aegolius funereus</i> | live | 1 | CZ | DE | | | Z | C |
| E | 2 | B | <i>Asio clamator</i> | live | 1 | JP | DK | BE | | T | C |
| E | 2 | A | <i>Athene noctua</i> | bodies | 1 | NO | DK | | | T | W |
| E | 2 | A | <i>Athene noctua</i> | bodies | 3 | US | ES | | | S | W |
| E | 2 | A | <i>Athene noctua</i> | live | 8 | JP | GB | | | B | C |
| E | 2 | A | <i>Athene noctua</i> | live | 8 | JP | GB | | | T | C |
| E | 2 | A | <i>Athene noctua</i> | live | 3 | PL | DE | | | Z | C |
| E | 2 | B | <i>Bubo africanus</i> | live | 3 | JP | DE | | | T | C |
| E | 2 | B | <i>Bubo africanus</i> | live | 6 | JP | GB | | | B | C |
| E | 2 | B | <i>Bubo bengalensis</i> | live | 7 | JP | GB | | | T | C |
| E | 2 | B | <i>Bubo bengalensis</i> | live | 14 | JP | GB | | | B | C |
| E | 2 | A | <i>Bubo bubo</i> | bodies | 1 | NO | DK | | | P | C |
| E | 2 | A | <i>Bubo bubo</i> | bodies | 8 | NO | DK | | | T | C |
| E | 2 | A | <i>Bubo bubo</i> | bodies | 2 | US | ES | | | S | W |
| E | 2 | A | <i>Bubo bubo</i> | eggs | 3 | NO | DK | | | T | C |
| E | 2 | A | <i>Bubo bubo</i> | feathers | 8 | NO | DK | | | T | C |
| E | 2 | A | <i>Bubo bubo</i> | feathers | 27 | US | DK | | | T | C |
| E | 2 | A | <i>Bubo bubo</i> | live | 2 | CH | FR | | | B | C |
| E | 2 | A | <i>Bubo bubo</i> | live | 1 | EE | FI | | | Z | C |
| E | 2 | A | <i>Bubo bubo</i> | live | 2 | JP | GB | | | B | C |
| E | 2 | A | <i>Bubo bubo</i> | live | 1 | MT | GD | | | P | C |
| E | 2 | A | <i>Bubo bubo</i> | skins | 5 | NO | DK | | | T | C |
| E | 2 | B | <i>Bubo capensis</i> | live | 9 | JP | GB | | | B | C |
| E | 2 | B | <i>Bubo lacteus</i> | live | 2 | JP | GB | | | T | C |
| E | 2 | B | <i>Bubo virginianus</i> | live | 2 | JP | DK | | | T | C |
| E | 2 | B | <i>Bubo virginianus</i> | live | 5 | JP | GB | | | T | C |
| E | 2 | B | <i>Bubo virginianus</i> | live | 7 | JP | GB | | | B | C |
| E | 2 | B | <i>Glaucidium brasiliandum</i> | live | 2 | JP | GB | | | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Ketupa ketupu</i> | feathers | 4 | | NO | DK | | T | W |
| E | 2 | B | <i>Ninox novaeseelandiae</i> | live | 2 | | JP | DK | BE | T | C |
| E | 2 | B | <i>Ninox novaeseelandiae</i> | live | 3 | | JP | GB | | B | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | bodies | 1 | | GL | DK | GL | E | W |
| E | 2 | A | <i>Nyctea scandiaca</i> | bodies | 3 | | NO | DK | | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | bodies | 1 | | NO | DK | DE | T | D |
| E | 2 | A | <i>Nyctea scandiaca</i> | feathers | 3 | | US | ES | XX | E | O |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 6 | | CN | NL | | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 2 | | CN | NL | GB | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 1 | | CZ | FR | | Z | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 5 | | JP | GB | | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 2 | | JP | NL | DE | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 16 | | JP | NL | GB | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 2 | | MT | GB | | T | C |
| E | 2 | A | <i>Nyctea scandiaca</i> | live | 2 | | ZA | GB | | B | C |
| E | 2 | B | <i>Otus bakkamoena</i> | live | 2 | | JP | GB | | B | C |
| E | 2 | B | <i>Otus bakkamoena</i> | live | 2 | | JP | GB | | T | C |
| E | 2 | B | <i>Otus brucei</i> | live | 2 | | JP | GB | | B | C |
| E | 2 | B | <i>Otus choliba</i> | live | 5 | | JP | GB | | B | C |
| E | 2 | B | <i>Otus choliba</i> | live | 28 | | JP | GB | | T | C |
| E | 2 | B | <i>Otus kennicottii</i> | live | 8 | | JP | GB | | T | C |
| E | 2 | B | <i>Otus leucotis</i> | live | 2 | | JP | GB | | T | C |
| E | 2 | A | <i>Otus scops</i> | bodies | 1 | | NO | DK | | T | W |
| E | 2 | B | <i>Speotyto cunicularia</i> | live | 2 | | JP | GB | | B | C |
| E | 2 | B | <i>Speotyto cunicularia</i> | live | 2 | | JP | GB | | T | C |
| E | 2 | A | <i>Strix aluco</i> | bodies | 2 | | NO | DK | | T | W |
| E | 2 | A | <i>Strix aluco</i> | bodies | 2 | | US | DK | | P | W |
| E | 2 | A | <i>Strix aluco</i> | bodies | 1 | | US | GB | XX | P | O |
| E | 2 | A | <i>Strix aluco</i> | live | 1 | | JP | GB | | T | C |
| E | 2 | A | <i>Strix aluco</i> | live | 12 | | JP | GB | | B | C |
| E | 2 | A | <i>Strix aluco</i> | live | 1 | | MT | GB | | P | C |
| E | 2 | A | <i>Strix aluco</i> | skins | 1 | | US | DK | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | A | <i>Strix aluco</i> | specimens | 6 | US | IT | | S | W | |
| E | 2 | A | <i>Strix aluco</i> | specimens | 23 | US | PT | | S | W | |
| E | 2 | B | <i>Strix leptogrammica</i> | live | 2 | CH | DE | | T | C | |
| E | 2 | B | <i>Strix leptogrammica</i> | live | 1 | JP | DE | | T | C | |
| E | 2 | B | <i>Strix leptogrammica</i> | live | 1 | JP | DE | NL | T | C | |
| E | 2 | B | <i>Strix leptogrammica</i> | live | 5 | JP | GB | | T | C | |
| E | 2 | A | <i>Strix nebulosa</i> | live | 1 | CH | DE | | T | C | |
| E | 2 | A | <i>Strix nebulosa</i> | live | 1 | CH | DK | | Z | C | |
| E | 2 | A | <i>Strix nebulosa</i> | live | 1 | JP | DE | | T | C | |
| E | 2 | A | <i>Strix nebulosa</i> | live | 2 | JP | GB | | T | C | |
| E | 2 | B | <i>Strix rufipes</i> | live | 1 | CH | DE | | T | C | |
| E | 2 | B | <i>Strix rufipes</i> | live | 2 | JP | GB | | B | C | |
| E | 2 | B | <i>Strix rufipes</i> | live | 12 | JP | GB | | T | C | |
| E | 2 | A | <i>Strix uralensis</i> | bodies | 1 | NO | DK | XX | T | O | |
| E | 2 | A | <i>Strix uralensis</i> | live | 3 | JP | GB | | B | C | |
| E | 2 | A | <i>Surnia ulula</i> | live | 2 | EE | FI | | Z | C | |
| E | 2 | A | <i>Surnia ulula</i> | live | 9 | JP | GB | | T | C | |
| E | 2 | B | <i>Aglaeactis cupripennis</i> | live | 6 | CH | NL | PE | T | W | |
| E | 2 | B | <i>Aglaiocercus kingi</i> | live | 2 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Amazilia amazilia</i> | live | 10 | CH | NL | PE | T | W | |
| E | 2 | B | <i>Amazilia amazilia</i> | live | 2 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Coeligena iris</i> | live | 2 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Colibri coruscans</i> | live | 6 | CH | NL | PE | T | W | |
| E | 2 | B | <i>Colibri coruscans</i> | live | 8 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Lesbia nuna</i> | live | 12 | CH | NL | PE | T | W | |
| E | 2 | B | <i>Lesbia nuna</i> | live | 2 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Lesbia victoriae</i> | live | 4 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Polyonymus caroli</i> | live | 4 | CH | NL | PE | T | W | |
| E | 2 | B | <i>Polyonymus caroli</i> | live | 3 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Thaumastura cora</i> | live | 6 | CH | NL | PE | T | W | |
| E | 2 | B | <i>Thaumastura cora</i> | live | 2 | QA | NL | PE | T | W | |
| E | 2 | B | <i>Aceros corrugatus</i> | live | 2 | XX | ES | | B | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Pteroglossus aracari</i> | live | 2 | IL | BE | SR | T | W | |
| E | 2 | B | <i>Pteroglossus aracari</i> | skins | 1 | NO | DK | NL | T | C | |
| E | 2 | B | <i>Pteroglossus aracari</i> | skins | 1 | US | DK | XX | T | U | |
| E | 2 | B | <i>Pteroglossus viridis</i> | live | 2 | IL | BE | SR | T | W | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | feathers | 20 | US | DK | | T | C | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | feathers | 10 | US | DK | XX | T | W | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 3 | AR | ES | NI | T | R | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 12 | CN | NL | NI | T | W | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 2 | DO | ES | NI | T | W | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 13 | DO | ES | NI | T | R | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 2 | HU | DE | NI | T | R | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 5 | IL | BE | NI | T | W | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | live | 4 | JP | NL | NI | T | R | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | skins | 2 | US | DK | | T | C | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | skins | 1 | US | DK | XX | T | W | |
| E | 2 | B | <i>Ramphastos sulfuratus</i> | skin pieces | 1 | US | DK | NL | T | C | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 1 | CH | DE | | T | C | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 10 | CN | NL | AR | T | C | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 2 | DO | ES | GY | T | W | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 2 | DO | NL | GY | T | W | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 4 | IL | ES | GY | T | W | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 1 | IS | GB | GY | T | W | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 4 | JP | NL | AR | T | C | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 4 | JP | NL | GY | T | W | |
| E | 2 | B | <i>Ramphastos toco</i> | live | 18 | ZA | PT | GY | T | W | |
| E | 2 | B | <i>Ramphastos tucanus</i> | live | 1 | DO | ES | GY | T | W | |
| E | 2 | B | <i>Ramphastos tucanus</i> | live | 1 | NO | BE | SR | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | feathers | 40 | NO | DK | XX | T | O | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | feathers | 30 | US | DK | | T | C | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 1 | AR | ES | GY | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 2 | CA | NL | GY | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 2 | CN | NL | SR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 2 | DO | ES | SR | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 3 | IL | BE | SR | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 4 | JP | NL | GY | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | live | 4 | TR | BE | SR | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | skins | 1 | US | DK | | T | W | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | skins | 1 | US | DK | NL | T | C | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | skins | 1 | US | DK | XX | T | | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | skins | 2 | US | DK | XX | T | U | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | skin pieces | 1 | NO | DK | NL | T | C | |
| E | 2 | B | <i>Ramphastos vitellinus</i> | skin pieces | 4 | US | DK | NL | T | C | |
| E | 2 | B | <i>Rupicola peruviana</i> | feathers | 10 | US | DK | NL | T | O | |
| E | 2 | B | <i>Rupicola peruviana</i> | feathers | 60 | US | DK | PE | T | O | |
| E | 2 | B | <i>Rupicola peruviana</i> | feathers | 20 | US | DK | XX | T | O | |
| E | 2 | B | <i>Rupicola peruviana</i> | feathers | 80 | US | DK | XX | T | C | |
| E | 2 | B | <i>Rupicola rupicola</i> | bodies | 1 | US | DK | GN | T | O | |
| E | 2 | B | <i>Rupicola rupicola</i> | bodies | 1 | US | DK | PG | T | O | |
| E | 2 | B | <i>Rupicola rupicola</i> | skins | 1 | US | DK | | T | O | |
| E | 2 | B | <i>Pitta guajana</i> | bodies | 5 | US | DK | NL | T | C | |
| E | 2 | B | <i>Pitta guajana</i> | skins | 1 | US | DK | | T | W | |
| E | 2 | B | <i>Pitta guajana</i> | skins | 2 | US | DK | NL | T | C | |
| E | 2 | B | <i>Leiothrix lutea</i> | live | 175 | AR | ES | CN | T | O | |
| E | 2 | B | <i>Leiothrix lutea</i> | live | 400 | AR | NL | CN | T | W | |
| E | 2 | B | <i>Leiothrix lutea</i> | live | 40 | CH | DE | CN | T | W | |
| E | 2 | B | <i>Leiothrix lutea</i> | live | 300 | MT | NL | CN | T | W | |
| E | 2 | B | <i>Leiothrix lutea</i> | live | 4 | TN | BE | CN | T | W | |
| E | 2 | B | <i>Leiothrix lutea</i> | live | 17 | VE | BE | CN | T | W | |
| E | 2 | B | <i>Paroaria capitata</i> | live | 10 | CA | DE | PY | T | W | |
| E | 2 | B | <i>Paroaria coronata</i> | live | 10 | MT | BE | PY | T | W | |
| E | 2 | B | <i>Paroaria coronata</i> | live | 2 | NO | BE | PY | T | W | |
| E | 2 | B | <i>Padda oryzivora</i> | live | 10 | AN | NL | | T | C | |
| E | 2 | B | <i>Padda oryzivora</i> | live | 160 | BH | BE | | T | C | |
| E | 2 | B | <i>Padda oryzivora</i> | live | 61 | CH | NL | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Padda oryzivora</i> | live | 16 | | DZ | BE | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 350 | | GT | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 34 | | ID | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 122 | | IL | BE | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 466 | | JP | BE | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 24 | | JP | GB | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 857 | | JP | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 60 | | MU | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 32 | | MV | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 150 | | MX | BE | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 30 | | NO | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 75 | | SR | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 46 | | TN | BE | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 28 | | TT | NL | | T | C |
| E | 2 | B | <i>Padda oryzivora</i> | live | 6 | | TW | NL | | T | C |
| E | 2 | B | <i>Poephila cincta cincta</i> | live | 40 | | JP | NL | | T | C |
| E | 2 | B | <i>Poephila cincta cincta</i> | live | 6 | | MV | NL | | T | C |
| E | 2 | B | <i>Poephila cincta cincta</i> | live | 20 | | PK | NL | | T | C |
| E | 2 | B | <i>Gracula religiosa</i> | feathers | 1 | | US | GB | | T | C |
| E | 2 | B | <i>Gracula religiosa</i> | live | 40 | | AN | NL | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 10 | | AR | ES | CN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 135 | | AR | ES | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 20 | | AR | ES | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 75 | | AR | NL | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 20 | | CA | DE | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 1 | | CH | DE | | P | O |
| E | 2 | B | <i>Gracula religiosa</i> | live | 20 | | CH | DE | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 10 | | CH | DE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 5 | | CL | ES | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 3 | | CY | GB | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 5 | | CY | GR | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 19 | | CY | NL | VN | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Gracula religiosa</i> | live | 100 | | CZ | GR | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 100 | | CZ | IT | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 2 | | GL | DK | | T | C |
| E | 2 | B | <i>Gracula religiosa</i> | live | 5 | | IL | BE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 6 | | IL | ES | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 2 | | IS | GB | | T | C |
| E | 2 | B | <i>Gracula religiosa</i> | live | 10 | | MT | BE | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 24 | | MT | BE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 30 | | MT | FR | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 35 | | MT | NL | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 10 | | MU | NL | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 40 | | MX | BE | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 45 | | MX | BE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 45 | | MX | DE | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 30 | | MY | ES | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 3 | | NO | BE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 2 | | NO | DK | | T | C |
| E | 2 | B | <i>Gracula religiosa</i> | live | 12 | | NO | NL | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 18 | | NO | SE | BE | T | C |
| E | 2 | B | <i>Gracula religiosa</i> | live | 2 | | PA | NL | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 20 | | PL | BE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 3 | | SN | FR | IN | B | O |
| E | 2 | B | <i>Gracula religiosa</i> | live | 2 | | TN | BE | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 1 | | TR | DK | | P | C |
| E | 2 | B | <i>Gracula religiosa</i> | live | 1 | | US | GE | TH | P | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 15 | | VE | BE | MY | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 10 | | VE | NL | VN | T | W |
| E | 2 | B | <i>Gracula religiosa</i> | live | 10 | | ZA | FR | VN | Z | W |
| E | 2 | B | <i>Paradisaeidae spp.</i> | feathers | 1 | | US | NL | XX | T | O |
| E | 2 | B | <i>Epimachus fastuosus</i> | bodies | 1 | | QA | GB | XX | P | O |
| E | 2 | B | <i>Ptiloris magnificus</i> | bodies | 1 | | US | DK | PG | T | O |
| E | 2 | B | <i>Ptiloris magnificus</i> | feathers | 20 | | US | DK | PG | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Ptiloris paradiseus</i> | bodies | 1 | US | DK | PG | T | O | |
| E | 2 | B | <i>Ptiloris victoriae</i> | bodies | 1 | US | DK | PG | T | O | |
| E | 2 | B | <i>Seleucidis melanoleuca</i> | bodies | 1 | US | GB | XX | Q | O | |
| E | 2 | B | <i>Clemmys insculpta</i> | live | 31 | JP | DE | | T | C | |
| E | 2 | B | <i>Terrapene carolina</i> | live | 1 | PL | NL | XX | Z | U | |
| E | 2 | B | <i>Terrapene carolina</i> | live | 1 | US | DK | XX | P | U | |
| E | 2 | B | <i>Chersina angulata</i> | live | 6 | JP | DE | | T | C | |
| E | 2 | B | <i>Geochelone carbonaria</i> | live | 2 | VE | FR | XX | N | U | |
| E | 2 | B | <i>Geochelone chilensis</i> | live | 1 | US | GB | | B | U | |
| E | 2 | B | <i>Geochelone denticulata</i> | live | 10 | PL | NL | XX | Z | I | |
| E | 2 | B | <i>Geochelone elegans</i> | live | 3 | NO | SE | | T | C | |
| E | 2 | B | <i>Geochelone elegans</i> | live | 3 | PL | NL | XX | Z | I | |
| E | 2 | B | <i>Geochelone gigantea</i> | live | 2 | CH | FR | SC | Z | C | |
| E | 2 | B | <i>Geochelone gigantea</i> | live | 11 | US | ES | MU | T | C | |
| E | 2 | B | <i>Geochelone pardalis</i> | shells | 2 | CA | IT | UG | E | O | |
| E | 2 | B | <i>Geochelone sulcata</i> | live | 2 | HU | NL | | Z | C | |
| E | 2 | B | <i>Geochelone sulcata</i> | live | 8 | SN | BE | | N | C | |
| E | 2 | B | <i>Indotestudo elongata</i> | live | 2 | US | GB | | B | U | |
| E | 2 | A | <i>Malacochersus tornieri</i> | shells | 1 | CA | IT | CD | E | O | |
| E | 2 | B | <i>Pyxis arachnoides</i> | live | 8 | JP | DE | | T | C | |
| E | 2 | B | <i>Pyxis arachnoides</i> | live | 5 | US | DE | | T | C | |
| E | 2 | B | <i>Testudo hybrid</i> | live | 1 | CA | DE | | P | C | |
| E | 2 | A | <i>Testudo graeca</i> | live | 1 | CA | DE | XX | P | U | |
| E | 2 | A | <i>Testudo graeca</i> | live | 1 | CH | DE | | T | D | |
| E | 2 | A | <i>Testudo graeca</i> | live | 1 | CH | SE | | P | C | |
| E | 2 | A | <i>Testudo graeca</i> | live | 1 | US | DE | | P | F | |
| E | 2 | A | <i>Testudo graeca</i> | live | 1 | US | GB | | P | U | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 2 | CA | DE | | P | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | CA | GB | | P | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | CA | GB | | P | F | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | CA | GB | XX | P | U | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 2 | CA | GB | | P | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | A | <i>Testudo hermanni</i> | live | 2 | CH | DE | | | P | C |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | CH | DE | XX | | P | U |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | CH | SE | | | P | C |
| E | 2 | A | <i>Testudo hermanni</i> | live | 34 | JP | DE | | | T | C |
| E | 2 | A | <i>Testudo hermanni</i> | live | 105 | JP | DE | SI | T | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | MX | DE | | | P | C |
| E | 2 | A | <i>Testudo hermanni</i> | live | 8 | NO | SE | SI | T | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 4 | PL | NL | | Z | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 2 | US | DE | | P | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | US | DK | XX | P | U | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 1 | US | GB | | P | C | |
| E | 2 | A | <i>Testudo hermanni</i> | live | 3 | ZA | BE | XX | P | O | |
| E | 2 | B | <i>Testudo horsfieldii</i> | live | 1 | CL | DE | XX | P | O | |
| E | 2 | A | <i>Testudo marginata</i> | live | 1 | CH | ES | DE | P | C | |
| E | 2 | A | <i>Testudo marginata</i> | live | 41 | JP | DE | | T | C | |
| E | 2 | A | <i>Testudo marginata</i> | live | 1 | MX | DE | | P | D | |
| E | 2 | B | <i>Podocnemis unifilis</i> | live | 3 | BO | DE | XX | P | O | |
| E | 2 | B | <i>Alligator mississippiensis</i> | live | 2 | DZ | FR | IL | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 49 | BR | IT | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 55 | CH | AT | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 63 | CH | DE | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 1 | CH | FR | US | T | W | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 17 | CH | FR | US | T | F | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 2860 | CH | FR | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 3400 | CH | FR | US | T | R | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 130 | CH | IT | US | T | F | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 252 | CH | IT | US | T | W | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 367 | CH | IT | US | T | R | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 11968 | CH | IT | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 65 | CN | FR | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 8 | HK | AT | US | T | C | |
| E | 2 | B | <i>Alligator mississippiensis</i> | skins | 10 | HK | FR | US | T | F | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Alligator mississippiensis | skins | 28 | | HK | FR | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 478 | | HK | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 10 | | HK | IT | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 45 | | HK | IT | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 150 | | JP | FR | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 8 | | JP | IT | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 10 | | JP | IT | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 30 | | KR | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 3 | | KR | IT | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 1 | | MG | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 5 | | MU | FR | IL | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 113 | | MU | FR | US | T | R |
| E | 2 | B | Alligator mississippiensis | skins | 137 | | MU | FR | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 348 | | MU | FR | US | T | F |
| E | 2 | B | Alligator mississippiensis | skins | 5728 | | MU | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 5 | | MX | FR | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 4 | | NO | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 6 | | RU | IT | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 38 | | RU | IT | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 5 | | SA | IT | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 5 | | SG | FR | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 59 | | SG | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 12 | | SG | IT | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 48 | | SG | IT | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 152 | | US | ES | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 4 | | US | FR | IL | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 1 | | US | FR | US | P | W |
| E | 2 | B | Alligator mississippiensis | skins | 228 | | US | FR | US | T | R |
| E | 2 | B | Alligator mississippiensis | skins | 1284 | | US | FR | US | T | C |
| E | 2 | B | Alligator mississippiensis | skins | 1530 | | US | FR | US | T | W |
| E | 2 | B | Alligator mississippiensis | skins | 6 | | US | IT | US | T | R |
| E | 2 | B | Alligator mississippiensis | skins | 40 | | US | IT | US | T | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|-----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Alligator mississippiensis | skins | 937 | US | IT | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skins | 5240 | US | IT | US | T | W | |
| E | 2 | B | Alligator mississippiensis | skins | 75 | ZA | DE | US | T | W | |
| E | 2 | B | Alligator mississippiensis | skins | 103 | ZA | DE | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skins | 50 | ZA | IT | US | T | W | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 2638 | CH | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 246 | CH | IT | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 43 | CI | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 200 | CN | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 23 | CZ | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 36 | HK | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 467 | JP | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 1 | JP | IT | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 26 | JP | IT | US | T | W | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 1305 | MG | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 160 | MU | FR | US | T | W | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 16080 | MU | FR | US | T | R | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 93485 | MU | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 53 | SG | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 874 | US | FR | US | T | C | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 91 | US | IT | US | T | W | |
| E | 2 | B | Alligator mississippiensis | skin pieces | 32 cm | US | IT | US | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 120 | CH | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 371 sides | CH | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 1 | HK | ES | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 3 sides | HK | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 3 | JP | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 100 | KR | FR | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 198 sides | KR | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 18 sides | SA | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skins | 5 sides | US | IT | VE | T | W | |
| E | 2 | B | Caiman crocodilus crocodilus | skin pieces | 100 g | HK | ES | VE | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|-------|----------|----------|--------|---------|--------|
| E | 2 | B | Caiman crocodilus crocodilus | skin pieces | 5 | US | ES | VE | T | W | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 296 | CH | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 1177 | sides | CH | FR | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 1871 | sides | CH | IT | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 90 | CN | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 1564 | sides | CN | FR | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 308 | HK | AT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 3 | HK | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 8 | sides | HK | FR | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 1772 | HU | IT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 2360 | sides | HU | IT | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 29 | sides | JP | IT | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 487 | sides | KR | FR | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 442 | MU | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 367 | sides | MU | FR | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 17 | SG | IT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skins | 10 | sides | SG | IT | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skins | 232 | sides | US | IT | CO | T | C |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 43 | CH | AT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 280 | CH | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 640 | CH | FR | CO | P | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 23 | CH | IT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 16 | CI | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 14 | HK | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 24 | HK | IT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 52180 | MG | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 13572 | MU | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 14 | SG | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 3 | US | AT | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | skin pieces | 86 | US | FR | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | tails | 723 | MA | ES | CO | T | C | |
| E | 2 | B | Caiman crocodilus fuscus | tails | 1780 | MX | ES | CO | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Caiman yacare | live | 3 | | IN | DK | NL | T | C |
| E | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 6 | | IN | DK | | T | C |
| E | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 4 | | TH | DK | DE | B | C |
| E | 2 | B | <i>Crocodylus</i> spp. | large leather products | 1 | | NO | DK | | T | O |
| E | 2 | B | <i>Crocodylus johnsoni</i> | live | 3 | | IN | DK | DE | T | C |
| E | 2 | B | <i>Crocodylus johnsoni</i> | live | 5 | | TH | DK | DE | B | C |
| E | 2 | B | <i>Crocodylus johnsoni</i> | live | 4 | | US | DE | | Z | C |
| E | 2 | B | <i>Crocodylus johnsoni</i> | live | 6 | | US | DE | | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | bodies | 1 | | CH | FR | TZ | H | W |
| E | 2 | B | <i>Crocodylus niloticus</i> | live | 2 | | TH | DK | | B | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | meat | 450 kg | | CH | DE | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | meat | 60 kg | | CN | NL | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | AE | FR | TZ | H | W |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 70 | | HK | FR | ZA | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 237 | | HK | FR | ZA | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 1002 | | HK | FR | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 6 | | HK | IT | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 2 | | JP | FR | ZA | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 100 | | JP | FR | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 3 | | JP | IT | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 20 | | KR | FR | MG | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 12 | | KR | FR | ZA | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 2 | | RU | AT | TZ | P | W |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 200 | | SG | DE | ZA | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 61 | | SG | FR | MG | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 29 | | SG | IT | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | TW | IT | MG | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 3 | | US | FR | MG | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | US | FR | ZW | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 796 | | US | FR | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 6 | | ZA | DE | ET | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 516 | | ZA | DE | ZA | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 76 | | ZA | DE | ZW | T | R |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 100 | | ZA | DE | ZW | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skins | 63 | | ZA | FR | ZA | T | C |
| E | 2 | B | <i>Crocodylus niloticus</i> | skulls | 1 | | BS | FR | TZ | H | W |
| E | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | AE | FR | TZ | H | W |
| E | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | BS | FR | TZ | H | W |
| E | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | PL | FR | ZW | P | W |
| E | 2 | B | <i>Crocodylus novaeguineae novaeguineae</i> | skins | 2 | | HK | FR | PG | T | W |
| E | 2 | B | <i>Crocodylus novaeguineae novaeguineae</i> | skins | 2 | | SG | IT | ID | T | R |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 5 | | AU | FR | AU | T | C |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 111 | | AU | IT | AU | T | R |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 4 | | HK | FR | AU | T | R |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 1 | | HK | FR | ID | T | W |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 29 | | TR | IT | AU | T | R |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 22 | | TR | IT | PG | T | C |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 12 | | US | FR | AU | T | W |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 22 | | US | FR | AU | T | C |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 128 | | US | FR | AU | T | R |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 20 | | US | FR | PG | T | C |
| E | 2 | B | <i>Crocodylus porosus</i> | skins | 3 | | ZA | DE | AU | T | C |
| E | 2 | B | <i>Crocodylus porosus</i> | skin pieces | 46 | | JP | FR | AU | T | R |
| E | 2 | B | <i>Crocodylus porosus</i> | skin pieces | 23 | | RU | FR | PG | T | C |
| E | 2 | B | <i>Crocodylus porosus</i> | skin pieces | 1 | | US | FR | PG | T | W |
| E | 2 | B | <i>Phelsuma cepediana</i> | live | 200 | | US | NL | | T | C |
| E | 2 | B | <i>Phelsuma guimbeau</i> | live | 20 | | MG | SE | | B | C |
| E | 2 | B | <i>Phelsuma guimbeau</i> | live | 150 | | US | NL | | T | C |
| E | 2 | B | <i>Phelsuma madagascariensis</i> | live | 1 | | US | GB | | P | C |
| E | 2 | B | <i>Phelsuma mutabilis</i> | live | 2 | | US | DE | | T | C |
| E | 2 | B | <i>Phelsuma ornata</i> | live | 20 | | MG | SE | | B | C |
| E | 2 | B | <i>Phelsuma ornata</i> | live | 200 | | US | NL | | T | C |
| E | 2 | B | <i>Uromastyx acanthinurus</i> | live | 3 | | JP | DE | SE | T | C |
| E | 2 | B | <i>Uromastyx acanthinurus</i> | live | 200 | | JP | GB | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Uromastyx acanthinurus</i> | live | 210 | | US | GB | | T | C |
| E | 2 | B | <i>Uromastyx benti</i> | bodies | 31 | | CH | DE | YE | S | W |
| E | 2 | B | <i>Chamaeleo calyptratus</i> | live | 3 | | CH | DE | | T | C |
| E | 2 | B | <i>Chamaeleo calyptratus</i> | live | 2 | | PL | NL | | Z | C |
| E | 2 | B | <i>Chamaeleo jacksonii</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Chamaeleo jacksonii</i> | live | 40 | | JP | NL | DE | T | C |
| E | 2 | B | <i>Chamaeleo quadricornis</i> | live | 2 | | CH | DE | CM | T | W |
| E | 2 | B | <i>Chamaeleo rudis</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Furcifer pardalis</i> | live | 2 | | CH | DE | | T | C |
| E | 2 | B | <i>Iguana iguana</i> | bodies | 1 | | CH | DE | US | S | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 60 | | AE | BE | SV | T | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 1 | | CH | DE | CO | B | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 2 | | CH | FR | SV | B | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 5 | | HU | SE | | T | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 100 | | MY | ES | SV | T | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 1 | | TH | DE | SV | P | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 1 | | US | DE | US | T | F |
| E | 2 | B | <i>Iguana iguana</i> | live | 1 | | US | GB | | P | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 2 | | US | GB | CO | P | U |
| E | 2 | B | <i>Iguana iguana</i> | live | 1 | | US | GB | SV | P | C |
| E | 2 | B | <i>Iguana iguana</i> | live | 1 | | US | GB | US | P | C |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 162 | | CH | ES | PY | T | W |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 8204 | | HK | ES | AR | T | W |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 1 | | HK | ES | PY | T | W |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 599 | | HU | IT | PY | T | W |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 3490 | | MX | ES | PY | T | W |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 18899 | | US | ES | PY | T | W |
| E | 2 | B | <i>Tupinambis spp.</i> | skins | 247 | | ZA | DE | BO | T | W |
| E | 2 | B | <i>Tupinambis nigropunctatus</i> | skins | 9 | | ZA | DE | BO | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 55 | | CH | AT | PY | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 200 | | CH | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 331 | | CN | FR | AR | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------------|----------|-------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 210 | sides | CN | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 348 | | CN | FR | PY | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 400 | | HK | AT | PY | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 731 | | HK | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 466 | | HU | IT | PY | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 136 | | JP | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 2 | | KR | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 5819 | | MU | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 51 | | MU | FR | PY | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skins | 87 | | US | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skin pieces | 26 | | MU | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis rufescens</i> | skin pieces | 1 | | TR | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 59 | | CH | AT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 159 | | CH | AT | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 516 | | CH | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 1883 | | CH | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 290 | | CN | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 364 | | CN | FR | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 369 | | HK | AT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 769 | | HK | AT | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 269 | | HK | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 1000 | | HU | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 3457 | | HU | IT | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 1116 | | JP | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 120 | | KR | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 2268 | | MX | ES | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 469 | | TR | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 1 | | US | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skins | 12 | | VE | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 720 | | CH | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 210 | | CH | FR | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 18 | | CI | FR | PY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 1250 | | HU | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 3 | | TR | IT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 4 | | US | AT | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 40 | | US | FR | AR | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 53 | | US | FR | PY | T | W |
| E | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 20 | | US | IT | AR | T | W |
| E | 2 | B | <i>Corucia zebra</i> | bodies | 9 | | CH | DE | XX | S | O |
| E | 2 | B | <i>Corucia zebra</i> | live | 1 | | CZ | DE | | Z | C |
| E | 2 | B | <i>Corucia zebra</i> | live | 4 | | RU | DE | | T | C |
| E | 2 | B | <i>Shinisaurus crocodilurus</i> | live | 10 | | US | DE | | T | C |
| E | 2 | B | <i>Heioderma horridum</i> | live | 1 | | CH | GB | XX | Z | I |
| E | 2 | B | <i>Varanus acanthurus</i> | live | 5 | | JP | DE | | T | C |
| E | 2 | B | <i>Varanus acanthurus</i> | live | 20 | | UA | DE | | T | C |
| E | 2 | B | <i>Varanus acanthurus</i> | live | 30 | | US | DK | | T | C |
| E | 2 | B | <i>Varanus doreanus</i> | live | 2 | | CH | DE | ID | T | W |
| E | 2 | B | <i>Varanus exanthematicus</i> | live | 2 | | TN | DE | GH | T | W |
| E | 2 | B | <i>Varanus exanthematicus</i> | skins | 240 | | HK | IT | SD | T | W |
| E | 2 | B | <i>Varanus exanthematicus</i> | skins | 282 | | ZA | DE | NG | T | W |
| E | 2 | B | <i>Varanus gilleni</i> | live | 7 | | US | SE | | T | C |
| E | 2 | B | <i>Varanus mertensi</i> | live | 1 | | CH | DE | | T | C |
| E | 2 | B | <i>Varanus mertensi</i> | live | 10 | | JP | DE | | T | C |
| E | 2 | B | <i>Varanus mertensi</i> | live | 2 | | US | DE | | T | C |
| E | 2 | B | <i>Varanus niloticus</i> | small leather products | 9 | | US | AT | | T | C |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 11000 | | AR | IT | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 43000 | | AR | IT | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 700 | | CH | FR | CM | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 398 | | CH | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 150 | | CH | FR | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1815 | | CN | FR | CM | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 3138 | | CN | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 5 | | CN | FR | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 22 | | CN | FR | TD | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1018 | HK | AT | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1200 | HK | AT | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 456 | HK | AT | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 2000 | HK | AT | TD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 937 | HK | ES | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 116 | HK | ES | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1550 | HK | ES | TD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 31 | HK | FR | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 12563 | HU | IT | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 8000 | JP | DE | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 3 | JP | IT | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 2050 | MG | FR | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 54 | MG | FR | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 284 | MU | FR | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 8574 | MU | FR | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 488 | MU | IT | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 28 | MU | IT | TD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 4400 | MX | DE | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 16 | MX | FR | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 28500 | PA | DE | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 58 | SA | IT | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 49 | SA | IT | TD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 100 | US | FR | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 50 | US | FR | ML | P | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 150 | US | FR | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1251 | US | FR | TD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 3 | US | IT | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 4 | US | IT | ML | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 92 | US | IT | SD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1 | US | IT | TD | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 5 | ZA | DE | CM | T | W | |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 333 | ZA | DE | ML | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Varanus niloticus</i> | skins | 11 | | ZA | DE | NG | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 1255 | | ZA | DE | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 4 | | ZA | DE | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skins | 75 | | ZA | IT | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 2 | | CA | IT | UG | E | O |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 20 | | CH | AT | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 346 | | CH | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 20 | | CH | IT | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 25 | | CI | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 22 | | CZ | FR | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 22 | | HK | FR | CM | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 20 | | HK | IT | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 3157 | | HU | IT | SD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 264 | | JP | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 198 | | JP | FR | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 17 | | JP | IT | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 83115 | | MG | FR | CM | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 42795 | | MG | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 26865 | | MG | FR | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 3765 | | MU | FR | BJ | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 7767 | | MU | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 530 | | MU | FR | TD | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 23 | | RU | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 22 | | SG | FR | CM | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 8 | | US | AT | CM | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 152 | | US | FR | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 101 cm | | US | IT | ML | T | W |
| E | 2 | B | <i>Varanus niloticus</i> | skin pieces | 18 | | US | IT | TD | T | W |
| E | 2 | B | <i>Varanus salvator</i> | bodies | 2 | | CH | DE | MY | S | W |
| E | 2 | B | <i>Varanus salvator</i> | live | 6 | | US | DE | | T | C |
| E | 2 | B | <i>Varanus salvator</i> | skins | 40 | | CH | FR | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 850 | | CN | FR | ID | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Varanus salvator</i> | skins | 18 | | JP | IT | MY | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 186 | | MX | FR | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 46 | | SA | IT | ID | T | U |
| E | 2 | B | <i>Varanus salvator</i> | skins | 745 | | TR | IT | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 3 | | TW | IT | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 2 | | US | IT | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 2 m | | US | IT | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skins | 262 | | ZA | DE | ID | T | W |
| E | 2 | B | <i>Varanus salvator</i> | skin pieces | 4 | | TR | IT | ID | T | W |
| E | 2 | B | <i>Varanus tristis</i> | live | 1 | | CH | DE | | T | C |
| E | 2 | B | <i>Varanus tristis</i> | live | 10 | | JP | DE | | T | C |
| E | 2 | B | <i>Antaresia childreni</i> | live | 20 | | JP | DE | | T | C |
| E | 2 | B | <i>Antaresia childreni</i> | live | 2 | | JP | GB | | B | C |
| E | 2 | B | <i>Antaresia childreni</i> | live | 10 | | JP | GB | | T | C |
| E | 2 | B | <i>Antaresia childreni</i> | live | 2 | | UY | SE | | T | C |
| E | 2 | B | <i>Antaresia maculosa</i> | live | 2 | | JP | GB | | B | C |
| E | 2 | B | <i>Antaresia maculosa</i> | live | 4 | | JP | GB | | T | C |
| E | 2 | B | <i>Antaresia maculosa</i> | live | 6 | | ZA | GB | | B | C |
| E | 2 | B | <i>Aspidites melanocephalus</i> | live | 1 | | JP | DE | | T | C |
| E | 2 | B | <i>Aspidites ramsayi</i> | live | 2 | | JP | GB | | B | C |
| E | 2 | B | <i>Aspidites ramsayi</i> | live | 1 | | JP | SE | US | T | F |
| E | 2 | B | <i>Aspidites ramsayi</i> | live | 2 | | ZA | GB | | B | C |
| E | 2 | B | <i>Bothrocophias boa</i> | live | 1 | | HU | DE | | T | C |
| E | 2 | B | <i>Liasis mackloti</i> | live | 9 | | HR | GB | | Z | C |
| E | 2 | B | <i>Morelia spilota</i> | live | 2 | | HU | DE | | T | C |
| E | 2 | B | <i>Morelia spilota</i> | live | 1 | | JP | DE | US | T | C |
| E | 2 | B | <i>Morelia spilota</i> | live | 8 | | JP | GB | | T | C |
| E | 2 | B | <i>Morelia spilota</i> | live | 5 | | ZA | GB | | B | C |
| E | 2 | B | <i>Morelia viridis</i> | live | 2 | | HU | DE | | T | C |
| E | 2 | B | <i>Morelia viridis</i> | live | 1 | | HU | DE | NL | T | C |
| E | 2 | B | <i>Morelia viridis</i> | live | 2 | | HU | DE | NL | T | C |
| E | 2 | B | <i>Morelia viridis</i> | live | 4 | | JP | GB | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Python curtus</i> | live | 2 | HU | DE | | | T | C |
| E | 2 | B | <i>Python curtus</i> | skins | 66 | BR | ES | MY | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 4 | JP | ES | ID | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 40 | JP | ES | MY | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 26 | JP | IT | ID | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 226 | KR | IT | ID | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 1000 | US | ES | ID | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 1748 | US | ES | MY | T | W | |
| E | 2 | B | <i>Python curtus</i> | skins | 20 | US | IT | MY | T | W | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | AE | FR | VN | T | W | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | CH | IT | DE | P | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | CH | IT | US | P | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 2 | EE | FI | | Z | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | SA | FR | CZ | T | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 3 | SA | FR | VN | T | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | TN | DE | CZ | T | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | TN | IT | CZ | P | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | TR | NL | Q | C | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | TR | NL | CZ | Q | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | US | DE | US | Q | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | skins | 9 | JP | IT | TH | T | W | |
| E | 2 | B | <i>Python molurus bivittatus</i> | skins | 1 | JP | IT | VN | T | C | |
| E | 2 | B | <i>Python molurus bivittatus</i> | skins | 132 | US | IT | TH | T | W | |
| E | 2 | B | <i>Python regius</i> | bodies | 1 | CH | DE | TG | S | W | |
| E | 2 | B | <i>Python regius</i> | live | 60 | AE | BE | TG | T | R | |
| E | 2 | B | <i>Python regius</i> | live | 1 | CZ | AT | | Z | C | |
| E | 2 | B | <i>Python regius</i> | live | 10 | JO | FR | TG | Q | R | |
| E | 2 | B | <i>Python regius</i> | live | 100 | US | DE | GH | T | R | |
| E | 2 | B | <i>Python regius</i> | live | 1 | US | DE | XX | P | U | |
| E | 2 | B | <i>Python regius</i> | live | 1 | US | GB | | P | C | |
| E | 2 | B | <i>Python regius</i> | live | 1 | US | GB | | T | F | |
| E | 2 | B | <i>Python regius</i> | live | 4 | UY | SE | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Python regius | live | 4 | | ZA | GB | | B | C |
| E | 2 | B | Python reticulatus | live | 1 | | BR | ES | | Z | C |
| E | 2 | B | Python reticulatus | live | 1 | | BR | ES | MY | T | W |
| E | 2 | B | Python reticulatus | live | 1 | | US | GB | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 2 | | AE | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 60 | | BR | ES | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 222 | | BR | IT | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 171 | | BR | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 6 | | CA | ES | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 2 | | CA | ES | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 106 | | CA | GB | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 63 | | CH | FR | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 379 | | CH | IT | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 324 | | CH | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 8 | | CN | IT | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 53 | | CN | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 24 | | CO | FR | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 24 | | CO | FR | VN | T | C |
| E | 2 | B | Python reticulatus | skins | 18 | | CO | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 1 | | HK | ES | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 5 | | HK | FR | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 105 | | HK | IT | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 789 | | HK | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 23 | | JP | ES | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 936 | | JP | ES | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 1131 | | JP | ES | VN | T | C |
| E | 2 | B | Python reticulatus | skins | 36 | | JP | FR | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 792 | | JP | IT | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 6823 | | JP | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 4 m | | JP | IT | MY | T | W |
| E | 2 | B | Python reticulatus | skins | 16 | | KR | IT | ID | T | W |
| E | 2 | B | Python reticulatus | skins | 81 | | KR | IT | MY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Python reticulatus</i> | skins | 299 | LB | ES | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 156 | LB | ES | VN | T | C | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 28 | LB | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 45 | LB | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 25 | MA | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 12 | MU | FR | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 1134 | MX | ES | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 188 | MX | FR | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 108 | MX | FR | VN | T | C | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 2 | MX | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 4 | NA | DE | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 18 | RO | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 21 | SG | ES | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 901 m | SI | DE | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 12 | SI | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 10 | TH | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 13 | TR | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 14 | TR | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 70 | TW | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 36 | TW | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 2882 | US | ES | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 1 | US | FR | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 1 | US | FR | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 1000 | US | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 228 | US | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 68 m | US | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skins | 50 | US | IT | VN | T | C | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 350 | CH | FR | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 29 | HK | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 3 | HK | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 1360 | HU | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 2 | JP | DK | ID | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 4 | JP | DK | VN | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 35 | JP | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 60 | JP | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 420 | MU | FR | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 480 | MU | FR | VN | T | C | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 24 | TW | IT | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 8 | US | ES | MY | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 63 | US | FR | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 16 | US | IT | ID | T | W | |
| E | 2 | B | <i>Python reticulatus</i> | skin pieces | 41 | US | IT | MY | T | W | |
| E | 2 | B | <i>Python sebae</i> | skins | 1 | AE | FR | TZ | H | W | |
| E | 2 | B | <i>Python sebae</i> | skins | 8 | JP | ES | ML | T | W | |
| E | 2 | B | <i>Boa constrictor</i> | live | 1 | AR | DE | | P | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 1 | CZ | DE | | P | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 4 | HU | AT | | Z | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 1 | HU | AT | CZ | Z | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 2 | HU | DE | | P | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 6 | JP | DE | | T | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 8 | JP | NL | | T | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 2 | US | DE | | P | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 4 | US | DE | | T | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 1 | US | DE | NI | P | C | |
| E | 2 | B | <i>Boa constrictor</i> | live | 2 | US | GB | | P | C | |
| E | 2 | B | <i>Calabaria reinhardtii</i> | bodies | 2 | CH | DE | GH | S | W | |
| E | 2 | B | <i>Corallus caninus</i> | live | 5 | HU | DE | SR | T | W | |
| E | 2 | B | <i>Epicrates cenchria</i> | live | 4 | CH | DE | | T | C | |
| E | 2 | B | <i>Epicrates cenchria</i> | live | 2 | JP | DE | GB | T | C | |
| E | 2 | B | <i>Epicrates cenchria</i> | live | 4 | ZA | GB | | B | C | |
| E | 2 | B | <i>Epicrates maurus</i> | live | 10 | EE | FI | | Z | C | |
| E | 2 | B | <i>Eunectes notaeus</i> | live | 4 | CH | DK | | Z | R | |
| E | 2 | B | <i>Eunectes notaeus</i> | skins | 370 | JP | IT | AR | T | W | |
| E | 2 | B | <i>Eunectes notaeus</i> | skins | 137 | US | IT | AR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Eunectes notaeus</i> | skins | 44 | VE | IT | AR | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 1585 | BR | IT | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 1424 | CN | IT | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 101 | CN | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 2 | HK | ES | MY | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 1929 | IN | DE | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 32 | JP | IT | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 5 | JP | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 181 | KR | IT | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 11 | NO | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 255 | SA | ES | MY | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 5 | TR | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 66 | US | ES | MY | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 20 | US | IT | BD | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 81 | US | IT | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 8 | US | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skins | 130 | ZA | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skin pieces | 5 | JP | IT | TH | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skin pieces | 3670 | MU | FR | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skin pieces | 5 | US | IT | ID | T | W | |
| E | 2 | B | <i>Ptyas mucosus</i> | skin pieces | 10 | US | IT | TH | T | W | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 100 | JP | DE | | T | C | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 5 | KR | NL | | T | C | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 8 | RU | DE | | Z | C | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 4 | SG | NL | | T | C | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 30 | US | DE | | T | C | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 69 | US | NL | | T | C | |
| E | 2 | B | <i>Dendrobates auratus</i> | live | 6 | US | NL | DE | T | C | |
| E | 2 | B | <i>Dendrobates azureus</i> | live | 120 | JP | DE | | T | C | |
| E | 2 | B | <i>Dendrobates azureus</i> | live | 9 | JP | NL | | T | C | |
| E | 2 | B | <i>Dendrobates azureus</i> | live | 6 | SG | NL | | T | C | |
| E | 2 | B | <i>Dendrobates azureus</i> | live | 10 | US | DE | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Sour |
|----------|------|-------|------------------------------------|------|----------|------|----------|----------|--------|---------|------|
| E | 2 | B | <i>Dendrobates azureus</i> | live | 40 | US | DK | | | B | C |
| E | 2 | B | <i>Dendrobates azureus</i> | live | 35 | US | NL | | | T | C |
| E | 2 | B | <i>Dendrobates azureus</i> | live | 6 | ZA | DE | | | Z | C |
| E | 2 | B | <i>Dendrobates fantasticus</i> | live | 30 | US | NL | DE | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 60 | JP | DE | | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 4 | JP | NL | | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 5 | KR | NL | | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 6 | SG | DE | | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 4 | SG | NL | | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 25 | US | BE | | | P | F |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 86 | US | DE | | | T | C |
| E | 2 | B | <i>Dendrobates galactonotus</i> | live | 128 | US | NL | | | T | C |
| E | 2 | B | <i>Dendrobates histrionicus</i> | live | 5 | US | BE | | | P | C |
| E | 2 | B | <i>Dendrobates imitator</i> | live | 43 | US | NL | | | T | C |
| E | 2 | B | <i>Dendrobates imitator</i> | live | 20 | US | NL | DE | | T | C |
| E | 2 | B | <i>Dendrobates lamasi</i> | live | 4 | US | BE | | | T | F |
| E | 2 | B | <i>Dendrobates lamasi</i> | live | 12 | US | BE | | | P | C |
| E | 2 | B | <i>Dendrobates lamasi</i> | live | 32 | US | NL | DE | | T | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 20 | JP | DE | | | T | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 5 | JP | NL | | | T | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 5 | KR | NL | | | T | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 15 | LV | GB | | | Z | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 10 | RU | DE | | | Z | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 4 | SG | NL | | | T | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 15 | US | DE | | | T | C |
| E | 2 | B | <i>Dendrobates leucomelas</i> | live | 75 | US | NL | | | T | C |
| E | 2 | B | <i>Dendrobates pumilio</i> | live | 2 | SG | DE | | | T | C |
| E | 2 | B | <i>Dendrobates pumilio</i> | live | 8 | US | DE | | | T | C |
| E | 2 | B | <i>Dendrobates quinquevittatus</i> | live | 40 | CA | DE | | | T | C |
| E | 2 | B | <i>Dendrobates quinquevittatus</i> | live | 20 | US | DE | | | T | C |
| E | 2 | B | <i>Dendrobates quinquevittatus</i> | live | 30 | US | NL | DE | | T | C |
| E | 2 | B | <i>Dendrobates reticulatus</i> | live | 1 | US | BE | | | P | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Dendrobates tinctorius</i> | bodies | 27 | | US | FR | S | W | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 130 | | JP | DE | T | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 5 | | JP | NL | T | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 4 | | RU | DE | Z | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 8 | | SG | DE | T | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 4 | | SG | NL | T | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 5 | | US | BE | P | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 60 | | US | BE | T | F | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 95 | | US | DE | T | C | |
| E | 2 | B | <i>Dendrobates tinctorius</i> | live | 330 | | US | NL | T | C | |
| E | 2 | B | <i>Dendrobates variabilis</i> | live | 4 | | US | NL | T | C | |
| E | 2 | B | <i>Dendrobates ventrimaculatus</i> | live | 10 | | JP | NL | T | C | |
| E | 2 | B | <i>Dendrobates ventrimaculatus</i> | live | 4 | | SG | NL | T | C | |
| E | 2 | B | <i>Dendrobates ventrimaculatus</i> | live | 12 | | US | BE | T | F | |
| E | 2 | B | <i>Dendrobates ventrimaculatus</i> | live | 90 | | US | DE | T | C | |
| E | 2 | B | <i>Dendrobates ventrimaculatus</i> | live | 52 | | US | NL | T | C | |
| E | 2 | B | <i>Epipedobates spp.</i> | live | 2 | | SG | DE | T | C | |
| E | 2 | B | <i>Epipedobates tricolor</i> | live | 4 | | JP | NL | T | C | |
| E | 2 | B | <i>Epipedobates tricolor</i> | live | 8 | | RU | DE | Z | C | |
| E | 2 | B | <i>Epipedobates tricolor</i> | live | 10 | | US | DE | T | C | |
| E | 2 | B | <i>Epipedobates tricolor</i> | live | 37 | | US | NL | T | C | |
| E | 2 | B | <i>Epipedobates zaparo</i> | live | 10 | | US | DE | T | C | |
| E | 2 | B | <i>Epipedobates zaparo</i> | live | 50 | | US | NL | T | C | |
| E | 2 | B | <i>Phobobates bassleri</i> | live | 10 | | US | DF | T | C | |
| E | 2 | B | <i>Phobobates silverstonei</i> | live | 9 | | US | DE | T | C | |
| E | 2 | B | <i>Phobobates silverstonei</i> | live | 15 | | US | NL | DE | T | C |
| E | 2 | B | <i>Phobobates trivittatus</i> | live | 6 | | SG | DE | T | C | |
| E | 2 | B | <i>Phylllobates aurotaenia</i> | live | 15 | | US | NL | DE | T | C |
| E | 2 | B | <i>Phylllobates bicolor</i> | live | 20 | | US | NL | T | C | |
| E | 2 | B | <i>Phylllobates lugubris</i> | live | 20 | | US | NL | T | C | |
| E | 2 | B | <i>Phylllobates terribilis</i> | live | 29 | | CA | DE | T | C | |
| E | 2 | B | <i>Phylllobates terribilis</i> | live | 10 | | JP | DE | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Phyllobates terribilis</i> | live | 4 | | US | BE | | P | F |
| E | 2 | B | <i>Phyllobates terribilis</i> | live | 50 | | US | DE | | T | C |
| E | 2 | B | <i>Phyllobates terribilis</i> | live | 23 | | US | NL | DE | T | C |
| E | 2 | B | <i>Phyllobates vittatus</i> | live | 4 | | JP | NL | | T | C |
| E | 2 | B | <i>Phyllobates vittatus</i> | live | 4 | | SG | NL | | T | C |
| E | 2 | B | <i>Phyllobates vittatus</i> | live | 55 | | US | NL | | T | C |
| E | 2 | B | <i>Hoplobatrachus tigerinus</i> | meat | 30 kg | | AE | FR | VN | T | C |
| E | 2 | B | Acipenseriformes spp. | bodies | 300 | | CH | IT | | T | R |
| E | 2 | B | Acipenseriformes spp. | bodies | 2000 | | JP | IT | | T | R |
| E | 2 | B | Acipenser spp. | caviar | 875 g | | AD | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 5 kg | | BR | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 8 kg | | CH | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 510 kg | | HK | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 50 g | | JP | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 2 kg | | MU | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 1 kg | | MY | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 20 kg | | OM | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 5 kg | | SG | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 615 g | | TH | FR | IR | T | W |
| E | 2 | B | Acipenser spp. | caviar | 2 kg | | TW | FR | IR | T | W |
| E | 2 | B | Acipenser baerii | bodies | 110 | | CH | FR | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 80 kg | | AU | FR | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 10 kg | | CH | DE | FR | T | C |
| E | 2 | B | Acipenser baerii | caviar | 481 kg | | CH | FR | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 3 kg | | CM | FR | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 2 kg | | GA | FR | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 450 g | | JP | FR | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 50 g | | NO | BE | | T | C |
| E | 2 | B | Acipenser baerii | caviar | 10 kg | | US | FR | | T | C |
| E | 2 | B | Acipenser baerii | eggs (live) | 190000 | | US | IT | | T | R |
| E | 2 | B | Acipenser baerii | live | 4 kg | | CN | DE | RU | T | F |
| E | 2 | B | Acipenser baerii | live | 503000 | | CN | FR | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser baerii</i> | meat | 75 kg | AU | FR | | T | C | |
| E | 2 | B | <i>Acipenser baerii</i> | meat | 278 kg | CH | FR | | T | C | |
| E | 2 | B | <i>Acipenser baerii</i> | meat | 300 kg | JP | FR | | T | C | |
| E | 2 | B | <i>Acipenser baerii</i> | meat | 100 kg | SG | BE | FR | T | C | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 500 g | AD | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 66 kg | AE | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 628 kg | AE | DK | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 21 kg | AR | FR | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 6 kg | BR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 25 kg | BR | FR | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 265 kg | CA | BE | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 75 kg | CA | BE | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 32 kg | CA | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 20 kg | CA | FR | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 87 kg | CL | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 3 kg | CL | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 202 kg | CL | DK | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 3 kg | HK | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 105 kg | JP | DE | AZ | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 6 kg | JP | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 96 kg | JP | DE | RO | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 12 kg | JP | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 4 kg | JP | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 500 | JP | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 56 kg | JP | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 14 kg | KR | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 20 kg | KR | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 98 kg | KR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 500 g | LB | GB | RU | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 2 kg | MU | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 17 kg | MX | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 32 kg | MX | FR | RU | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 4 kg | NC | DK | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 500 g | NC | FR | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 3 kg | NO | BE | RO | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 2 kg | NO | BE | RU | T | O | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 4 kg | NO | BE | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 10 kg | NO | DE | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 2 kg | OM | FR | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 30 kg | SA | DE | RO | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 232 kg | SA | DE | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 1 kg | SA | DK | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 3 kg | SA | FR | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 4 kg | SG | DE | AZ | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 9 kg | SG | DE | KZ | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 11 kg | SG | DE | RO | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 5 kg | SG | DE | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 100 g | TH | DE | AZ | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 12 kg | TW | DK | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 2 kg | TW | FR | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 2108 kg | US | DE | AZ | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 21 kg | US | DE | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 151 kg | US | DE | KZ | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 100 kg | US | DE | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | eggs | 10 | US | ES | IR | S | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 524 kg | US | FR | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 66 kg | UY | DE | KZ | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 2 kg | VE | DE | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 2 kg | VE | FR | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 31 kg | ZA | DE | RO | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 42 kg | ZA | GB | IR | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | caviar | 171 kg | ZA | GB | RU | T | W | |
| E | 2 | B | Acipenser gueldenstaedtii | live | 250 | JP | GB | RU | T | F | |
| E | 2 | B | Acipenser naccarii | eggs (live) | 5000 | US | IT | | T | R | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | AR | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 43 kg | BR | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 4 kg | CA | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 392 kg | CH | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 179 kg | CI | FR | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 21 kg | HK | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | IL | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | IN | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | JO | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | NZ | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 8 kg | SA | FR | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | SG | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 38 kg | SN | FR | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 285 kg | US | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 86 kg | UY | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | VN | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser nudiventris</i> | caviar | 8 kg | ZA | FR | KZ | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 11 kg | AD | ES | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 15 kg | AD | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 375 g | AN | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 9 kg | AR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 400 g | BH | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 916 kg | BR | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 57 kg | BR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 60 kg | CA | BE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 16 kg | CA | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 250 g | CA | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 328 kg | CH | BE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 648 kg | CH | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 1569 kg | CH | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 181 kg | CH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 976 kg | CH | LU | IR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 2 kg | CI | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 345 kg | CL | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 120 g | CM | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 275 g | CN | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 150 g | CZ | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 750 g | EG | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 875 g | GA | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 999 kg | HK | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 1 kg | ID | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 522 kg | JP | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 2 kg | JP | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 100 g | KE | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 3 kg | KH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 16 kg | KR | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 251 kg | KR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 500 g | MA | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 2 kg | MC | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 21 kg | MU | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 40 kg | MX | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 1 kg | MY | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 2 kg | NC | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 14 kg | NO | BE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 3 kg | NO | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 44 kg | OM | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 160 g | PA | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 805 g | PF | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 27 kg | SA | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 5 kg | SA | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 450 g | SA | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 1 kg | SG | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 49 kg | SG | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 60 g | SN | FR | IR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 6 kg | TG | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 18 kg | TH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 5 kg | TR | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 251 kg | TW | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 2 kg | TW | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 380 kg | US | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 599 kg | US | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 50 g | US | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 410 g | US | IT | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 300 g | US | LU | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 4 kg | VE | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 2 kg | VN | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 900 g | XX | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser persicus</i> | caviar | 575 g | ZA | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser ruthenus</i> | live | 855 | JP | GB | HU | T | F | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 3 kg | CA | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 48 kg | HK | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 54 kg | JP | DE | CN | T | O | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 12 kg | KR | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 30 kg | MT | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 19 kg | NO | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 181 kg | TR | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 4 g | US | DE | CN | S | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 189 kg | US | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 411 kg | US | NL | CN | T | W | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 50 kg | ZA | DE | CN | T | O | |
| E | 2 | B | <i>Acipenser schrencki</i> | caviar | 56 kg | ZA | DE | CN | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 23 kg | AD | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 9 kg | AD | ES | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | AD | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 9 kg | AE | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 74 kg | AE | DK | RU | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | AN | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2 kg | AN | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 30 kg | AR | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 44 kg | AR | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2 kg | AR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | AR | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | BO | FR | RO | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 87 kg | BR | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 42 kg | BR | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 160 kg | BR | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 118 kg | BR | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 31 kg | CA | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 31 kg | CA | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2 kg | CA | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 250 g | CA | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 400 g | CG | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 104 kg | CH | BE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 73 kg | CH | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 629 kg | CH | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 162 kg | CH | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 12 kg | CH | DK | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 4 kg | CH | ES | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 250 g | CH | FR | IR | P | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 73 kg | CH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 410 kg | CH | LU | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 104 kg | CI | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | CL | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 75 kg | CL | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 240 g | CM | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 22 kg | CN | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 375 g | CN | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 100 kg | CN | GB | RU | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 10 kg | CR | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 4 kg | CY | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | CZ | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | CZ | DK | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | DZ | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 125 g | GA | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | HK | CH | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 8 kg | HK | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | HK | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2257 kg | HK | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | HK | FR | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 9 kg | ID | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 22 kg | IL | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 22 kg | IN | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 300 g | IN | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 500 g | IN | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 31 kg | IS | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 500 g | IS | LU | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 720 g | JO | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 586 kg | JP | DE | AZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 5 kg | JP | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 12 kg | JP | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 466 kg | JP | DE | RO | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 177 kg | JP | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 487 kg | JP | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2 kg | JP | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 633 kg | JP | GB | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 300 g | KE | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | KH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 77 kg | KR | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 88 kg | KR | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 97 kg | KR | FR | IR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Acipenser stellatus | caviar | 2 kg | LB | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 4 kg | LB | FR | RU | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 31 kg | MA | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 2 kg | MC | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 15 kg | MU | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 13 kg | MU | FR | RU | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 25 kg | MX | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 11 kg | MX | FR | RU | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 10 kg | MY | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 6 kg | NC | DK | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 3 kg | NC | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 11 kg | NO | BE | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 8 kg | NO | BE | RU | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 19 kg | NO | DE | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 22 kg | NO | DE | KZ | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 4 kg | NO | DE | RO | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 55 kg | NO | DE | RU | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 9 kg | NO | DK | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 15 kg | NZ | DE | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 64 kg | PA | DE | KZ | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 2 kg | PA | DK | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 65 kg | PF | DE | KZ | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 5 kg | PF | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 375 g | PH | GB | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 129 kg | PR | DE | KZ | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 98 kg | RO | FR | RO | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 13 kg | SA | DE | RO | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 2 kg | SA | DK | RU | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 2 kg | SA | FR | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 84 kg | SG | DE | IR | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 64 kg | SG | DE | KZ | T | W | |
| E | 2 | B | Acipenser stellatus | caviar | 18 kg | SG | DE | RO | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 40 kg | SG | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 22 kg | SN | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 100 g | TH | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 200 g | TH | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 200 g | TH | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | TH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 23 kg | TH | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | TH | GB | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | TN | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 32 | TR | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2 kg | TR | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 15 kg | TW | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 46 kg | TW | DK | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 5 kg | TW | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 647 kg | US | DE | AZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | US | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 266 kg | US | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 10 g | US | ES | IR | S | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 71 kg | US | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | US | FR | RO | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 410 g | US | IT | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 1 kg | UY | DE | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 151 kg | UY | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 10 kg | UY | DE | RO | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 5 kg | UY | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 3 kg | UY | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 2 kg | VE | DE | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | VN | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 275 g | XX | GB | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 18 kg | ZA | DE | AZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 86 kg | ZA | DE | KZ | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 56 kg | ZA | GB | IR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Acipenser stellatus</i> | caviar | 14 kg | ZA | GB | RU | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | extract | 173 kg | CH | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | extract | 37 kg | US | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | meat | 5 kg | HK | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | meat | 10 kg | LB | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser stellatus</i> | meat | 8 kg | MU | FR | IR | T | W | |
| E | 2 | B | <i>Acipenser transmontanus</i> | bodies | 135 | CH | IT | | T | R | |
| E | 2 | B | <i>Acipenser transmontanus</i> | eggs | 9 | JP | IT | | T | R | |
| E | 2 | B | <i>Acipenser transmontanus</i> | meat | 8056 | JP | IT | | T | R | |
| E | 2 | B | <i>Huso dauricus</i> | caviar | 7 kg | CA | DE | CN | T | W | |
| E | 2 | B | <i>Huso dauricus</i> | caviar | 56 kg | CH | DE | CN | T | W | |
| E | 2 | B | <i>Huso dauricus</i> | caviar | 150 kg | SA | DE | CN | T | O | |
| E | 2 | B | <i>Huso dauricus</i> | caviar | 104 kg | US | DE | CN | T | W | |
| E | 2 | B | <i>Huso huso</i> | bodies | 1 | CH | GB | IR | T | O | |
| E | 2 | B | <i>Huso huso</i> | caviar | 2 kg | AD | DE | RU | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 4 kg | AD | ES | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 500 g | AD | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 19 kg | AE | DK | RU | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 125 g | AN | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 1 kg | AU | DE | RU | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 6 kg | BR | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 8 kg | CA | DE | RO | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 3 kg | CA | DE | RU | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 500 g | CA | GB | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 54 kg | CH | DE | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 42 kg | CH | DE | RO | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 20 kg | CH | DK | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 500 g | CH | ES | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 131 kg | CH | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 34 kg | CH | LU | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 1 kg | CI | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 900 g | CN | GB | IR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | Huso huso | caviar | 50 g | CZ | DK | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 1 kg | EG | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | HK | CH | KZ | T | W | |
| E | 2 | B | Huso huso | caviar | 3 kg | HK | DE | AZ | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | HK | DE | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 28 kg | HK | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | HK | FR | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 90 g | ID | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 163 kg | JP | DE | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | JP | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 1175 g | JP | GB | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 560 g | KH | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 6 kg | KR | DE | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 14 kg | KR | DE | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 10 kg | KR | DE | RU | T | W | |
| E | 2 | B | Huso huso | caviar | 6 kg | KR | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 1 kg | LB | FR | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | MC | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 18 kg | MX | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | MY | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 250 g | NC | DK | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 600 g | NG | GB | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 400 g | NO | BE | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 5 kg | NO | DE | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 50 kg | OM | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 22 kg | OM | FR | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 805 g | PF | FR | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 11 kg | SA | DK | RU | T | W | |
| E | 2 | B | Huso huso | caviar | 4 kg | SA | FR | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 8 kg | SA | FR | RO | T | W | |
| E | 2 | B | Huso huso | caviar | 600 g | SA | GB | IR | T | W | |
| E | 2 | B | Huso huso | caviar | 2 kg | SG | DE | AZ | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Huso huso</i> | caviar | 16 kg | SG | DE | RO | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 17 kg | SG | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 120 g | TH | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 2 kg | TR | GB | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 1 kg | TW | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 1 kg | TW | FR | RO | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 10 kg | US | DE | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 133 kg | US | DE | KZ | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 10 g | US | ES | IR | S | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 12 kg | US | FR | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 1 kg | US | GB | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 300 g | US | LU | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | caviar | 7 kg | UY | DE | RO | T | W | |
| E | 2 | B | <i>Huso huso</i> | meat | 863 kg | CH | NL | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | meat | 20 kg | SG | DE | IR | T | W | |
| E | 2 | B | <i>Huso huso</i> | meat | 166 | SG | IT | IR | T | W | |
| E | 2 | B | <i>Ornithoptera alexandrae</i> | bodies | 2 | US | FR | PN | P | R | |
| E | 2 | B | <i>Ornithoptera chimaera</i> | bodies | 2 | IL | FR | PG | T | R | |
| E | 2 | B | <i>Ornithoptera chimaera</i> | bodies | 1 | KR | FR | PG | T | R | |
| E | 2 | B | <i>Ornithoptera chimaera</i> | bodies | 3 | US | FR | XX | T | O | |
| E | 2 | B | <i>Ornithoptera goliath</i> | bodies | 1 | US | GB | XX | Q | O | |
| E | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 20 | JP | DE | PG | T | R | |
| E | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 2 | US | FR | PG | T | R | |
| E | 2 | B | <i>Ornithoptera priamus</i> | bodies | 6 | JP | FR | PG | T | R | |
| E | 2 | B | <i>Ornithoptera priamus</i> | bodies | 1 | KR | FR | SB | T | R | |
| E | 2 | B | <i>Ornithoptera priamus</i> | bodies | 22 | SZ | GB | PG | T | C | |
| E | 2 | B | <i>Ornithoptera priamus</i> | bodies | 4 | US | FR | XX | P | O | |
| E | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 4 | KR | FR | SB | T | R | |
| E | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 2 | PL | DE | SB | T | R | |
| E | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 20 | US | FR | SB | T | W | |
| E | 2 | B | <i>Trogonoptera</i> spp. | bodies | 2 | US | FR | PN | P | O | |
| E | 2 | B | <i>Trogonoptera</i> spp. | bodies | 4 | US | FR | XX | P | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Troides aeacus</i> | bodies | 2 | | US | FR | XX | P | O |
| E | 2 | B | <i>Troides amphrysus</i> | bodies | 2 | | US | FR | XX | P | O |
| E | 2 | B | <i>Troides cuneifer</i> | bodies | 2 | | US | FR | XX | P | O |
| E | 2 | B | <i>Troides helena</i> | bodies | 2 | | US | FR | XX | P | O |
| E | 2 | B | <i>Troides helena</i> | live | 40 | | CA | GB | MY | T | W |
| E | 2 | B | <i>Troides magellanus</i> | bodies | 2 | | US | FR | XX | P | O |
| E | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 21 | | SZ | GB | ID | T | C |
| E | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 2 | | US | FR | PN | P | R |
| E | 2 | B | <i>Troides rhadamantus</i> | bodies | 1 | | US | FR | XX | P | O |
| E | 2 | B | <i>Brachypelma albopilosum</i> | live | 5 | | JO | FR | NI | Q | W |
| E | 2 | B | <i>Brachypelma auratum</i> | live | 230 | | MX | DE | MX | N | I |
| E | 2 | B | <i>Brachypelma auratum</i> | live | 100 | | US | DE | | T | C |
| E | 2 | B | <i>Brachypelma baumgarteni</i> | live | 400 | | US | DK | | T | C |
| E | 2 | B | <i>Brachypelma boehmei</i> | live | 5 | | JP | DE | | T | C |
| E | 2 | B | <i>Brachypelma boehmei</i> | live | 35 | | JP | DE | CH | T | C |
| E | 2 | B | <i>Brachypelma boehmei</i> | live | 30 | | MX | DE | MX | N | I |
| E | 2 | B | <i>Brachypelma emilia</i> | live | 50 | | JP | DE | CH | T | C |
| E | 2 | B | <i>Brachypelma emilia</i> | live | 400 | | US | DK | | T | C |
| E | 2 | B | <i>Brachypelma emilia</i> | live | 1 | | US | NL | | T | C |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 10 | | JP | DE | AT | T | C |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 45 | | JP | DE | CH | T | C |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 5 | | JP | DE | FR | T | C |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 284 | | MX | DE | MX | N | I |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 100 | | MY | NL | | T | C |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 100 | | US | DE | | T | C |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 800 | | US | FR | | T | F |
| E | 2 | B | <i>Brachypelma smithi</i> | live | 100 | | US | NL | | T | C |
| E | 2 | B | <i>Brachypelma vagans</i> | live | 5 | | JP | DE | | T | C |
| E | 2 | B | <i>Brachypelma vagans</i> | live | 25 | | JP | DE | CZ | T | C |
| E | 2 | B | <i>Pandinus imperator</i> | live | 8 | | JO | FR | TG | Q | R |
| E | 2 | B | <i>Hirudo medicinalis</i> | extract | 2 kg | | CH | FR | RO | S | W |
| E | 2 | B | <i>Hirudo medicinalis</i> | extract | 354 kg | | CH | FR | RU | S | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Hirudo medicinalis</i> | extract | 3933 | kg | CH | FR | TR | S | W |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 15200 | | CH | DE | TR | T | W |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 3200 | | JP | GB | | T | F |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 10000 | | KR | GB | | T | F |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 330 | | MX | DE | TR | T | W |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 1500 | | US | DE | TR | T | W |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 5 kg | | US | DE | TR | T | W |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 77000 | | US | FR | | T | C |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 16850 | | US | GB | | T | F |
| E | 2 | B | <i>Hirudo medicinalis</i> | live | 372 | | ZA | GB | | T | F |
| E | 2 | B | <i>Tridacnidae</i> spp. | live | 100 | | MC | FR | VN | T | W |
| E | 2 | B | <i>Tridacnidae</i> spp. | shells | 1 | | US | NL | XX | T | O |
| E | 2 | B | <i>Tridacna crocea</i> | live | 50 | | CH | DE | VN | T | W |
| E | 2 | B | <i>Tridacna crocea</i> | live | 800 | | CH | FR | VN | T | W |
| E | 2 | B | <i>Tridacna gigas</i> | shells | 2 | | US | FR | XX | T | O |
| E | 2 | B | <i>Tridacna gigas</i> | shells | 3 | | US | GB | XX | T | O |
| E | 2 | B | <i>Tridacna maxima</i> | live | 50 | | CH | DE | VN | T | W |
| E | 2 | B | <i>Tridacna squamosa</i> | live | 50 | | CH | DE | VN | T | W |
| E | 2 | B | <i>Strombus gigas</i> | shells | 35 | | CY | GR | HT | T | W |
| E | 2 | B | <i>Strombus gigas</i> | shells | 300 | | MT | GB | HT | T | W |
| E | 2 | B | <i>Strombus gigas</i> | shells | 22 | | US | IT | HT | T | W |
| E | 2 | B | <i>Scleractinia</i> spp. | raw corals | 47 | | AU | FR | YE | S | W |
| E | 2 | B | <i>Scleractinia</i> spp. | raw corals | 4 | | CH | FR | XX | T | O |
| E | 2 | B | <i>Scleractinia</i> spp. | raw corals | 2800 kg | | CZ | DE | VN | T | W |
| E | 2 | B | <i>Scleractinia</i> spp. | raw corals | 1 | | HK | FR | XX | T | O |
| E | 2 | B | <i>Scleractinia</i> spp. | raw corals | 2 | | JP | FR | PH | T | W |
| E | 2 | B | <i>Scleractinia</i> spp. | live | 20 | | CH | DE | TO | T | W |
| E | 2 | B | <i>Scleractinia</i> spp. | live | 10 | | MC | FR | | E | C |
| E | 2 | B | <i>Pocilloporidae</i> spp. | live | 3 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Pocillopora</i> spp. | live | 10 | | CH | DE | TO | T | W |
| E | 2 | B | <i>Pocillopora verrucosa</i> | raw corals | 269 kg | | YU | IT | VN | T | W |
| E | 2 | B | <i>Seriatopora</i> spp. | live | 10 | | CH | DE | TO | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Stylophora</i> spp. | live | 20 | | CH | DE | TO | T | W |
| E | 2 | B | <i>Acropora</i> spp. | live | 100 | | CH | DE | TO | T | W |
| E | 2 | B | <i>Acropora cervicornis</i> | raw corals | 4 | | JP | FR | PH | T | W |
| E | 2 | B | <i>Acropora nobilis</i> | raw corals | 1 | | JP | FR | FJ | T | W |
| E | 2 | B | <i>Pachyseris rugosa</i> | raw corals | 1 | | JP | FR | ID | T | W |
| E | 2 | B | <i>Fungiidae</i> spp. | live | 8 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Fungia fungites</i> | raw corals | 3 | | JP | FR | PH | T | W |
| E | 2 | B | <i>Poritidae</i> spp. | live | 9 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Faviidae</i> spp. | live | 21 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Oculina</i> spp. | live | 6 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Lobophyllia</i> spp. | live | 5 | | CH | DE | TO | T | W |
| E | 2 | B | <i>Mussa</i> spp. | live | 5 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Caryophylliidae</i> spp. | live | 4 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Dendrophylliidae</i> spp. | live | 10 | | MC | BE | ID | L | W |
| E | 2 | B | <i>Turbinaria</i> spp. | live | 5 | | CH | DE | TO | T | W |
| E | 2 | B | <i>Galanthus elwesii</i> | live | 229250 | | CA | NL | TR | T | W |
| E | 2 | B | <i>Galanthus elwesii</i> | live | 120000 | | JP | NL | TR | T | W |
| E | 2 | B | <i>Galanthus elwesii</i> | live | 1046826 | | US | NL | TR | T | W |
| E | 2 | B | <i>Galanthus ikariae</i> | live | 90000 | | US | NL | GE | T | W |
| E | 2 | B | <i>Galanthus woronowii</i> | live | 25490 | | US | NL | TR | T | W |
| E | 2 | B | <i>Sternbergia lutea</i> | live | 7375 | | US | NL | TR | T | W |
| E | 2 | B | <i>Rauvolfia serpentina</i> | roots | 11 kg | | AU | DE | TH | T | W |
| E | 2 | B | <i>Astrophytum myriostigma</i> | live | 1 | | MX | NL | MX | L | W |
| E | 2 | B | <i>Aztekium hintonii</i> | live | 46 | | MX | NL | MX | L | W |
| E | 2 | B | <i>Echinocereus pectinatus</i> | live | 2 | | MX | NL | MX | L | W |
| E | 2 | B | <i>Eulychnia acida</i> | stems | 550 | | JP | GB | CL | T | W |
| E | 2 | B | <i>Geohintonia mexicana</i> | live | 24 | | MX | NL | MX | L | W |
| E | 2 | B | <i>Mammillaria</i> spp. | live | 1 | | MX | NL | MX | L | W |
| E | 2 | B | <i>Opuntia</i> spp. | dried plants | 100 kg | | CH | DE | MA | T | W |
| E | 2 | B | <i>Turbinicarpus</i> spp. | live | 115 | | MX | NL | MX | L | W |
| E | 2 | B | <i>Dicksonia antarctica</i> | live | 40 | | CH | NL | AU | T | W |
| E | 2 | B | <i>Euphorbia primulifolia</i> | live | 10 | | US | DE | MG | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Pericopsis elata</i> | sawn wood | 19 | m3 | CH | BE | CM | T | W |
| E | 2 | B | <i>Pericopsis elata</i> | sawn wood | 21 | m3 | EG | BE | CD | T | W |
| E | 2 | B | <i>Pericopsis elata</i> | sawn wood | 5 | m3 | IL | IT | CD | T | W |
| E | 2 | B | <i>Pericopsis elata</i> | sawn wood | 2 | m3 | IL | IT | CM | T | W |
| E | 2 | B | <i>Pericopsis elata</i> | sawn wood | 73 | m3 | ZA | ES | CM | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 2501 | kg | AR | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 84 | kg | AR | IT | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 1681 | kg | BR | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 2014 | kg | BR | IT | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 28 | kg | BZ | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 1100 | kg | CA | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 1814 | kg | CH | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 1976 | kg | CH | IT | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 1344 | kg | CL | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 25 | kg | CL | IT | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 2000 | kg | GH | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 1100 | kg | GT | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 10 | kg | HK | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 25 | kg | HN | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 4825 | kg | IL | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 160 | kg | JP | FR | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 3030 | kg | KR | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 200 | kg | NI | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 8078 | kg | PL | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 50 | g | PL | IT | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 40 | kg | SV | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 500 | kg | US | DE | ZA | T | W |
| E | 2 | B | <i>Aloe ferox</i> | extract | 15 | kg | ZA | DE | ZA | T | W |
| E | 2 | B | <i>Cypripedium japonicum</i> | dried plants | 1 | | JP | NL | JP | E | O |
| E | 2 | B | <i>Gymnadenia conopsea</i> | dried plants | 1 | | JP | NL | JP | E | O |
| E | 2 | B | <i>Ludisia</i> spp. | live | 500 | | US | BE | | T | D |
| E | 2 | B | <i>Ponerorchis graminifolia</i> | dried plants | 1 | | JP | NL | JP | E | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|--------------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Cyclamen cilicium</i> | live | 800 | | JP | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen cilicium</i> | live | 39434 | | US | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen coum</i> | live | 400 | | CA | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen coum</i> | live | 250 | | CH | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen coum</i> | live | 6075 | | US | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen hederifolium</i> | live | 14133 | | CA | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen hederifolium</i> | live | 250 | | CH | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen hederifolium</i> | live | 23110 | | JP | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen hederifolium</i> | live | 40 | | PL | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen hederifolium</i> | live | 269831 | | US | NL | TR | T | W |
| E | 2 | B | <i>Cyclamen hederifolium</i> var. <i>hederifolium</i> fa. <i>hed.</i> | live | 4410 | | JP | NL | TR | T | W |
| E | 2 | B | <i>Prunus africana</i> | dried plants | 1004 kg | | US | DE | CM | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 20 kg | | AR | FR | CM | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 85 kg | | AR | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 25 kg | | AR | FR | XF | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 30 kg | | BR | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 10 kg | | CA | FR | CM | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 30 kg | | CA | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 230 kg | | CH | ES | CM | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 250 kg | | CH | ES | GQ | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 50 kg | | CH | FR | CM | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 45 kg | | CH | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 10 kg | | CH | FR | XF | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 25 kg | | CN | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 500 g | | EG | FR | CM | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 50 kg | | EG | FR | KE | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 110 kg | | EG | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 105 kg | | EG | FR | XF | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 500 | | EG | IT | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 2 kg | | ID | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 30 kg | | KR | FR | MG | T | W |
| E | 2 | B | <i>Prunus africana</i> | extract | 60 kg | | KR | FR | XF | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|---------|----------|------|----------|----------|--------|---------|--------|
| E | 2 | B | <i>Prunus africana</i> | extract | 100 g | MY | FR | MG | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 5 kg | PE | ES | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 40 g | PH | FR | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 2 kg | PL | ES | GQ | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 1 kg | PY | ES | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 1 kg | RU | FR | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 144 kg | SI | ES | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 250 g | SI | FR | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 75 kg | SI | FR | MG | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 120 kg | SI | FR | XF | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 5 kg | TH | FR | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 3 kg | TH | FR | MG | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 100 kg | US | DE | MG | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 1260 kg | US | ES | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 1 kg | US | ES | GQ | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 111 kg | US | FR | CM | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 730 kg | US | FR | MG | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 350 kg | US | FR | XF | T | W | |
| E | 2 | B | <i>Prunus africana</i> | extract | 21 kg | UY | FR | MG | T | W | |
| E | 3 | C | <i>Agouti pacá</i> | live | 2 | CH | GB | GY | B | W | |
| E | 3 | C | <i>Nasua narica</i> | live | 10 | JP | NL | PY | T | W | |
| E | 3 | C | <i>Nasua nasua solitaria</i> | live | 16 | JP | NL | PY | T | W | |
| E | 3 | C | <i>Mustela altaica</i> | plates | 4 | KR | DE | CN | T | W | |
| E | 3 | C | <i>Mustela altaica</i> | plates | 5 | US | IT | CN | T | W | |
| E | 3 | C | <i>Mustela altaica</i> | skins | 14 | US | IT | CN | T | W | |
| E | 3 | C | <i>Mustela sibirica</i> | bodies | 1 | JP | NL | XX | E | O | |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 264 | AE | DE | CN | T | W | |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 32 g | AE | DE | CN | T | W | |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 293 | AU | DE | CN | T | W | |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 60 g | AU | DE | CN | T | W | |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 41 | CA | DE | CN | T | W | |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 125 g | CA | DE | CN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|---------|------------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Mustela sibirica</i> | hair | 2820 | | EG | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 66 g | | HN | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 12 g | | IL | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 17 kg | | JP | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 17 kg | | LK | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 409 | | NZ | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 21 g | | NZ | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 1845 | | PH | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 366 g | | PH | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 258 | | TH | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 15 g | | TH | GB | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 123 | | TN | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 118314 | | US | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 12017 g | | US | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 10 kg | | US | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 25448 | | US | ES | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | hair | 2589 items | | US | IE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | live | 4 | | CZ | DE | Z | C | |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 143 | | CH | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 250 | | CN | DE | CN | T | C |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 70 | | HK | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 200 | | JP | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 480 | | KR | DE | CN | T | C |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 1623 | | KR | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 464 | | RU | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 6 | | TR | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | plates | 124 | | US | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | skins | 6626 | | CN | GB | RU | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | skins | 30 | | HK | IT | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | skins | 1258 | | RU | DE | CN | T | W |
| E | 3 | C | <i>Mustela sibirica</i> | skins | 7467 m | | SI | DE | CN | T | W |
| E | 3 | C | <i>Civettictis civetta</i> | extract | 30 kg | | US | FR | ET | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Civettictis civetta</i> | feet | 10 | US | FR | ET | T | W | |
| E | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | PL | FR | ZA | P | W | |
| E | 3 | B | <i>Odobenus rosmarus</i> | hair | 1 | US | ES | RU | E | O | |
| E | 3 | B | <i>Odobenus rosmarus</i> | skulls | 1 | CA | DK | GL | Q | O | |
| E | 3 | B | <i>Odobenus rosmarus</i> | tusks | 13 | GL | DK | CA | Q | O | |
| E | 3 | B | <i>Odobenus rosmarus</i> | tusks | 24 | GL | DK | GL | Q | O | |
| E | 3 | B | <i>Odobenus rosmarus</i> | tusks | 35 | GL | DK | US | Q | O | |
| E | 3 | B | <i>Odobenus rosmarus</i> | tusks | 1 | US | SE | US | T | W | |
| E | 3 | C | <i>Antilope cervicapra</i> | live | 4 | AE | BE | | T | C | |
| E | 3 | C | <i>Antilope cervicapra</i> | live | 5 | CH | DK | | Z | C | |
| E | 3 | C | <i>Antilope cervicapra</i> | live | 10 | PL | DK | | Z | C | |
| E | 3 | C | <i>Antilope cervicapra</i> | live | 4 | TR | BE | | T | C | |
| E | 3 | C | <i>Antilope cervicapra</i> | trophies | 1 | PL | FR | US | P | C | |
| E | 3 | C | <i>Tragelaphus eurycerus</i> | live | 1 | CH | BE | | Z | C | |
| E | 3 | C | <i>Tragelaphus eurycerus</i> | live | 1 | PL | DE | | Z | C | |
| E | 3 | C | <i>Tragelaphus eurycerus</i> | trophies | 1 | CH | FR | XX | T | O | |
| E | 3 | C | <i>Tragelaphus spekii</i> | live | 3 | TN | FR | | Z | C | |
| E | 3 | A | <i>Bubulcus ibis</i> | live | 5 | PH | DE | | T | C | |
| E | 3 | A | <i>Casmerodus albus</i> | specimens | 1 | US | GB | XX | T | O | |
| E | 3 | A | <i>Egretta garzetta</i> | bodies | 1 | JP | NL | XX | E | O | |
| E | 3 | C | <i>Ephippiorhynchus senegalensis</i> | live | 1 | US | DE | TZ | T | W | |
| E | 3 | C | <i>Leptoptilos crumeniferus</i> | feathers | 8 | US | DK | | T | C | |
| E | 3 | C | <i>Leptoptilos crumeniferus</i> | feathers | 6 | US | DK | XX | T | U | |
| E | 3 | C | <i>Leptoptilos crumeniferus</i> | live | 2 | CZ | NL | | Z | C | |
| E | 3 | C | <i>Leptoptilos crumeniferus</i> | live | 2 | PL | NL | TZ | T | W | |
| E | 3 | C | <i>Leptoptilos crumeniferus</i> | live | 6 | US | GB | DE | B | F | |
| E | 3 | C | <i>Bostrychia hagedash</i> | live | 1 | LK | DE | TZ | T | W | |
| E | 3 | C | <i>Threskiornis aethiopicus</i> | live | 2 | CZ | ES | | Z | C | |
| E | 3 | C | <i>Threskiornis aethiopicus</i> | live | 1 | CZ | ES | CH | Z | C | |
| E | 3 | C | <i>Threskiornis aethiopicus</i> | live | 10 | PH | DE | | T | C | |
| E | 3 | C | <i>Threskiornis aethiopicus</i> | live | 4 | VN | NL | | Z | F | |
| E | 3 | C | <i>Threskiornis aethiopicus</i> | specimens | 1 | US | GB | XX | T | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Alopochen aegyptiacus</i> | live | 6 | | JP | NL | | T | C |
| E | 3 | C | <i>Alopochen aegyptiacus</i> | live | 12 | | QA | NL | | T | C |
| E | 3 | C | <i>Anas acuta</i> | bodies | 1 | | CH | FR | XX | T | O |
| E | 3 | C | <i>Anas acuta</i> | live | 24 | | BH | NL | | T | C |
| E | 3 | C | <i>Anas acuta</i> | live | 3 | | CH | NL | | T | C |
| E | 3 | C | <i>Anas acuta</i> | live | 11 | | JP | NL | | T | C |
| E | 3 | C | <i>Anas acuta</i> | live | 7 | | ZA | NL | | T | C |
| E | 3 | C | <i>Anas acuta</i> | skins | 2 | | NO | DK | | T | W |
| E | 3 | C | <i>Anas capensis</i> | live | 6 | | JP | NL | | T | C |
| E | 3 | C | <i>Anas capensis</i> | live | 4 | | SG | NL | | T | C |
| E | 3 | C | <i>Anas clypeata</i> | bodies | 1 | | MT | GB | | H | W |
| E | 3 | C | <i>Anas clypeata</i> | feathers | 2 | | US | DK | | T | W |
| E | 3 | C | <i>Anas clypeata</i> | live | 12 | | BH | NL | | T | C |
| E | 3 | C | <i>Anas clypeata</i> | live | 9 | | CH | NL | | T | C |
| E | 3 | C | <i>Anas clypeata</i> | live | 11 | | JP | NL | | T | C |
| E | 3 | C | <i>Anas clypeata</i> | skins | 3 | | NO | DK | | T | W |
| E | 3 | C | <i>Anas crecca</i> | bodies | 384 | | CH | GB | | T | W |
| E | 3 | C | <i>Anas crecca</i> | bodies | 3 | | MT | GB | | H | W |
| E | 3 | C | <i>Anas crecca</i> | live | 10 | | CH | NL | | T | C |
| E | 3 | C | <i>Anas crecca</i> | live | 4 | | CL | DE | | B | C |
| E | 3 | C | <i>Anas crecca</i> | live | 4 | | SG | NL | | T | C |
| E | 3 | C | <i>Anas crecca</i> | live | 16 | | ZA | NL | | T | C |
| E | 3 | C | <i>Anas crecca</i> | live | 2 | | ZW | NL | | T | C |
| E | 3 | C | <i>Anas penelope</i> | bodies | 72 | | CH | GB | | T | W |
| E | 3 | C | <i>Anas penelope</i> | bodies | 3 | | MT | GB | | H | W |
| E | 3 | C | <i>Anas penelope</i> | live | 9 | | CH | NL | | T | C |
| E | 3 | C | <i>Anas penelope</i> | live | 10 | | JP | NL | | T | C |
| E | 3 | C | <i>Anas penelope</i> | live | 5 | | QA | NL | | T | C |
| E | 3 | C | <i>Anas penelope</i> | live | 2 | | ZA | NL | | T | C |
| E | 3 | A | <i>Anas querquedula</i> | live | 8 | | ZA | NL | | T | C |
| E | 3 | A | <i>Anas querquedula</i> | live | 1 | | ZW | NL | | T | C |
| E | 3 | A | <i>Anas querquedula</i> | skins | 2 | | NO | DK | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|-----------|------|----------|----------|--------|---------|--------|
| E | 3 | A | <i>Aythya nyroca</i> | live | 4 | ZA | NL | | T | C | |
| E | 3 | A | <i>Aythya nyroca</i> | live | 2 | ZW | NL | | T | C | |
| E | 3 | C | <i>Cairina moschata</i> | feathers | 45164 kg | CN | FR | | T | C | |
| E | 3 | C | <i>Cairina moschata</i> | feathers | 7124 kg | HU | FR | | T | C | |
| E | 3 | C | <i>Cairina moschata</i> | feathers | 24683 kg | JP | FR | | T | C | |
| E | 3 | C | <i>Cairina moschata</i> | feathers | 166499 kg | TW | FR | | T | C | |
| E | 3 | C | <i>Cairina moschata</i> | feathers | 23385 kg | US | FR | | T | C | |
| E | 3 | C | <i>Dendrocygna autumnalis</i> | live | 10 | CH | NL | | T | C | |
| E | 3 | C | <i>Dendrocygna autumnalis</i> | live | 4 | ZW | NL | | T | C | |
| E | 3 | C | <i>Dendrocygna bicolor</i> | live | 4 | BB | GB | | B | C | |
| E | 3 | C | <i>Dendrocygna viduata</i> | live | 20 | CH | NL | | T | C | |
| E | 3 | C | <i>Dendrocygna viduata</i> | live | 2 | CY | NL | | T | C | |
| E | 3 | C | <i>Dendrocygna viduata</i> | live | 5 | QA | NL | | T | C | |
| E | 3 | C | <i>Plectropterus gambensis</i> | live | 6 | JP | NL | | T | C | |
| E | 3 | C | <i>Sarcoramphus papa</i> | live | 1 | CZ | DE | | Z | C | |
| E | 3 | B | <i>Crax rubra</i> | live | 1 | CN | NL | | T | C | |
| E | 3 | B | <i>Crax rubra</i> | live | 1 | CZ | BE | | Z | C | |
| E | 3 | B | <i>Crax rubra</i> | live | 1 | HU | BE | | Z | C | |
| E | 3 | B | <i>Pauxi pauxi</i> | live | 2 | JP | NL | | T | C | |
| E | 3 | C | <i>Agriocharis ocellata</i> | live | 5 | CA | BE | | B | C | |
| E | 3 | C | <i>Agriocharis ocellata</i> | live | 6 | US | BE | | B | C | |
| E | 3 | C | <i>Agriocharis ocellata</i> | live | 6 | US | NL | | T | C | |
| E | 3 | C | <i>Agriocharis ocellata</i> | live | 2 | ZA | NL | | B | C | |
| E | 3 | B | <i>Lophura erythrophthalma</i> | live | 2 | AR | NL | | T | C | |
| E | 3 | B | <i>Lophura erythrophthalma</i> | live | 2 | JP | NL | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 6 | AR | NL | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 4 | CN | NL | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 22 | JP | NL | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 18 | TH | NL | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 5 | TR | DE | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 8 | TW | NL | | T | C | |
| E | 3 | B | <i>Lophura ignita</i> | live | 2 | ZA | NL | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Polyplectron inopinatum</i> | live | 2 | | AR | NL | | T | C |
| E | 3 | C | <i>Polyplectron inopinatum</i> | live | 4 | | JP | NL | | T | C |
| E | 3 | C | <i>Rollulus rouloul</i> | live | 4 | | CN | NL | | T | C |
| E | 3 | C | <i>Rollulus rouloul</i> | live | 15 | | JP | NL | | T | C |
| E | 3 | C | <i>Rollulus rouloul</i> | live | 1 | | RU | NL | | Z | C |
| E | 3 | C | <i>Rollulus rouloul</i> | live | 50 | | ZA | NL | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | bodies | 2 | | NO | DK | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | bodies | 1 | | US | DK | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | feathers | 12 | | NO | DK | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 2 | | AR | BE | | B | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 2 | | AR | NL | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 2 | | BG | NL | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 40 | | CL | NL | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 29 | | JP | NL | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 2 | | LT | BE | | B | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 1 | | MT | GB | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | live | 26 | | TW | NL | | T | C |
| E | 3 | C | <i>Tragopan satyra</i> | skins | 5 | | US | DK | | T | C |
| E | 3 | A | <i>Columba livia</i> | live | 1500 | | MA | ES | | T | C |
| E | 3 | A | <i>Columba livia</i> | live | 2500 | | MA | ES | PT | T | C |
| E | 3 | A | <i>Columba livia</i> | skeletons | 1 | | US | GB | | T | C |
| E | 3 | C | <i>Oena capensis</i> | live | 11 | | AR | BE | ML | T | W |
| E | 3 | C | <i>Oena capensis</i> | live | 25 | | AR | ES | SN | T | W |
| E | 3 | C | <i>Oena capensis</i> | live | 50 | | CA | FR | SN | T | W |
| E | 3 | C | <i>Oena capensis</i> | live | 70 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Turtur tympanistria</i> | live | 4 | | TN | BE | GN | T | W |
| E | 3 | C | <i>Psittacula krameri</i> | live | 4 | | AE | GB | | P | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 105 | | AN | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 4 | | AR | ES | NL | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 4 | | BB | GB | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 43 | | BH | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 17 | | CA | DK | BE | T | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | Psittacula krameri | live | 10 | CA | GB | | T | C | |
| E | 3 | C | Psittacula krameri | live | 219 | CA | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 10 | CH | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 20 | CL | ES | PK | T | W | |
| E | 3 | C | Psittacula krameri | live | 16 | CL | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 14 | CR | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 20 | CU | ES | PK | T | W | |
| E | 3 | C | Psittacula krameri | live | 18 | CY | GB | | T | C | |
| E | 3 | C | Psittacula krameri | live | 90 | CY | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 8 | HN | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 33 | ID | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 10 | ID | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 20 | IL | BE | | P | C | |
| E | 3 | C | Psittacula krameri | live | 228 | IL | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 4 | IL | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 8 | IS | GB | | T | C | |
| E | 3 | C | Psittacula krameri | live | 6 | JO | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 10 | JO | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 106 | JP | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 2 | JP | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 16 | KR | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 60 | KW | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 44 | LK | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 206 | MT | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 10 | MT | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 4 | MU | GB | | T | C | |
| E | 3 | C | Psittacula krameri | live | 10 | MU | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 18 | MV | NL | | T | C | |
| E | 3 | C | Psittacula krameri | live | 446 | MX | BE | | T | C | |
| E | 3 | C | Psittacula krameri | live | 11 | NO | DK | | T | C | |
| E | 3 | C | Psittacula krameri | live | 336 | NO | SE | BE | T | C | |
| E | 3 | C | Psittacula krameri | live | 28 | NO | SE | DK | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Psittacula krameri</i> | live | 35 | | NO | SE | NL | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 22 | | NP | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 20 | | PA | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 10 | | PE | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 125 | | PH | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 22 | | PK | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 40 | | PK | GB | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 445 | | PK | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 63 | | PL | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 50 | | QA | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 22 | | SA | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 17 | | SG | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 14 | | SG | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 4 | | SR | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 9 | | TH | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 153 | | TH | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 54 | | TN | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 14 | | TN | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 19 | | TR | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 10 | | TT | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 726 | | TW | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 7 | | US | BE | | P | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 66 | | US | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 1 | | US | DE | | P | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 5 | | US | DE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 1 | | US | ES | | P | F |
| E | 3 | C | <i>Psittacula krameri</i> | live | 24 | | US | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 12 | | VE | NL | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 14 | | ZA | BE | | P | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 21 | | ZA | BE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 2 | | ZA | DE | | T | C |
| E | 3 | C | <i>Psittacula krameri</i> | live | 156 | | ZA | NL | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | B | <i>Corythaeola cristata</i> | live | 2 | JP | NL | GN | T | W | |
| E | 3 | B | <i>Musophaga violacea</i> | live | 6 | AR | ES | GN | T | W | |
| E | 3 | B | <i>Musophaga violacea</i> | live | 1 | CN | NL | | T | C | |
| E | 3 | B | <i>Musophaga violacea</i> | live | 10 | DO | ES | GN | T | W | |
| E | 3 | B | <i>Musophaga violacea</i> | live | 2 | IL | BE | ML | T | W | |
| E | 3 | B | <i>Pteroglossus castanotis</i> | skins | 1 | US | DK | | T | C | |
| E | 3 | B | <i>Pteroglossus castanotis</i> | skins | 1 | US | DK | XX | T | U | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 150 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 100 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 50 | CA | FR | SN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 20 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 750 | ID | NL | ML | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 400 | ID | NL | SN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 10 | IL | BE | XX | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 30 | MT | BE | GN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 110 | MT | NL | ML | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 300 | MY | NL | ML | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 173 | SG | NL | ML | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 300 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 2100 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 2200 | TW | NL | ML | T | W | |
| E | 3 | C | <i>Serinus leucopygius</i> | live | 90 | TW | NL | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 30 | AR | BE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 30 | AR | ES | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 200 | AR | ES | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 330 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 375 | CA | DE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 600 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 400 | CA | FR | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 250 | CA | FR | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 225 | CA | NL | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 300 | CA | NL | SN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Serinus mozambicus</i> | live | 50 | CH | DE | TZ | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 70 | CH | NL | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 40 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 60 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 40 | CY | GB | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 1200 | ID | NL | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 600 | ID | NL | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 150 | ID | NL | TZ | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 150 | IL | BE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 50 | IL | BE | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 36 | IL | BE | XX | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 100 | IL | ES | SN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 26 | IS | GB | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 500 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 400 | JP | BE | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 700 | MT | BE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 440 | MT | BE | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 40 | MT | GB | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 1050 | MT | NL | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 20 | MV | BE | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 255 | MY | NL | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 80 | PL | BE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 397 | SG | NL | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 600 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 3400 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 1000 | TW | NL | GN | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 2025 | TW | NL | ML | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 700 | TW | NL | MZ | T | W | |
| E | 3 | C | <i>Serinus mozambicus</i> | live | 80 | VE | BE | ML | T | W | |
| E | 3 | C | <i>Amadina fasciata</i> | live | 70 | AR | BE | GN | T | W | |
| E | 3 | C | <i>Amadina fasciata</i> | live | 400 | AR | ES | ML | T | W | |
| E | 3 | C | <i>Amadina fasciata</i> | live | 320 | AR | ES | SN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | Amadina fasciata | live | 100 | | AR | ES | TZ | T | W |
| E | 3 | C | Amadina fasciata | live | 20 | | BD | GB | | T | C |
| E | 3 | C | Amadina fasciata | live | 360 | | CA | DE | SN | T | W |
| E | 3 | C | Amadina fasciata | live | 200 | | CA | FR | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 225 | | CA | NL | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 100 | | CA | NL | SN | T | W |
| E | 3 | C | Amadina fasciata | live | 12 | | CH | DE | TZ | T | W |
| E | 3 | C | Amadina fasciata | live | 50 | | CH | NL | TZ | T | W |
| E | 3 | C | Amadina fasciata | live | 60 | | CL | ES | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 110 | | CL | ES | SN | T | W |
| E | 3 | C | Amadina fasciata | live | 100 | | IL | BE | GN | T | W |
| E | 3 | C | Amadina fasciata | live | 150 | | IL | BE | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 45 | | IL | BE | XX | T | W |
| E | 3 | C | Amadina fasciata | live | 180 | | IL | ES | SN | T | W |
| E | 3 | C | Amadina fasciata | live | 250 | | JP | BE | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 10 | | MT | BE | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 110 | | MT | NL | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 10 | | MU | NL | GN | T | W |
| E | 3 | C | Amadina fasciata | live | 10 | | MV | BE | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 22 | | TN | BE | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 400 | | TW | BE | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 924 | | TW | NL | ML | T | W |
| E | 3 | C | Amadina fasciata | live | 120 | | VE | BE | ML | T | W |
| E | 3 | C | Amandava subflava | live | 250 | | AR | ES | ML | T | W |
| E | 3 | C | Amandava subflava | live | 4 | | BD | GB | | T | C |
| E | 3 | C | Amandava subflava | live | 100 | | CA | DE | GN | T | W |
| E | 3 | C | Amandava subflava | live | 100 | | CA | DE | TZ | T | W |
| E | 3 | C | Amandava subflava | live | 200 | | CA | FR | SN | T | W |
| E | 3 | C | Amandava subflava | live | 175 | | CA | NL | ML | T | W |
| E | 3 | C | Amandava subflava | live | 20 | | CH | DE | SN | T | W |
| E | 3 | C | Amandava subflava | live | 50 | | CH | NL | TZ | T | W |
| E | 3 | C | Amandava subflava | live | 40 | | CL | ES | SN | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Amandava subflava</i> | live | 20 | CL | ES | TZ | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 50 | IL | BE | GN | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 100 | IL | ES | ML | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 16 | IS | GB | GN | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 30 | MV | BE | GN | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 10 | NO | BE | TZ | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 30 | PL | BE | ML | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 20 | PL | BE | TZ | T | W | |
| E | 3 | C | <i>Amandava subflava</i> | live | 400 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda astrild</i> | live | 50 | CA | DE | TZ | T | W | |
| E | 3 | C | <i>Estrilda astrild</i> | live | 200 | CA | FR | GN | T | W | |
| E | 3 | C | <i>Estrilda astrild</i> | live | 20 | CH | DE | TZ | T | W | |
| E | 3 | C | <i>Estrilda astrild</i> | live | 20 | MV | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda astrild</i> | live | 500 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 50 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 150 | CA | FR | ML | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 450 | CA | NL | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 60 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 10 | CY | GB | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 75 | IL | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 50 | IL | BE | ML | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 50 | IL | ES | SN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 16 | IS | GB | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 37 | MT | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 30 | MV | BE | ML | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 30 | PL | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda caerulescens</i> | live | 200 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 50 | AR | BE | GN | T | W | |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 300 | AR | ES | ML | T | W | |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 230 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 10 | BD | GB | T | C | | |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 80 | CA | DE | SN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Estrilda melpoda</i> | live | 200 | | CA | FR | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 200 | | CA | FR | SN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 180 | | CA | NL | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 150 | | CA | NL | ML | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 46 | | CH | DE | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 20 | | CL | ES | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 90 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 75 | | IL | BE | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 230 | | IL | BE | ML | T | N |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 100 | | IL | ES | ML | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 16 | | IS | GB | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 1250 | | JP | BE | ML | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 20 | | MT | BE | ML | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 100 | | MT | NL | ML | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 30 | | MV | BE | GN | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 500 | | TW | BE | ML | T | W |
| E | 3 | C | <i>Estrilda melpoda</i> | live | 450 | | TW | NL | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 100 | | AR | ES | SN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 16 | | BD | GB | | T | C |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 200 | | CA | DE | SN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 200 | | CA | FR | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 100 | | CA | NL | GN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 150 | | CA | NL | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 20 | | CH | DE | GN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 50 | | CH | NL | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 120 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 175 | | IL | BE | GN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 220 | | IL | BE | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 200 | | IL | ES | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 16 | | IS | GB | GN | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 1200 | | JP | BE | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 30 | | MV | BE | GN | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 900 | | TW | BE | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 600 | | TW | NL | ML | T | W |
| E | 3 | C | <i>Estrilda troglodytes</i> | live | 400 | | TW | NL | SN | T | W |
| E | 3 | C | <i>Lagonosticta rubricata</i> | live | 200 | | CA | NL | TZ | T | W |
| E | 3 | C | <i>Lagonosticta rubricata</i> | live | 20 | | CH | DE | GN | T | W |
| E | 3 | C | <i>Lagonosticta rubricata</i> | live | 10 | | IL | BE | GN | T | W |
| E | 3 | C | <i>Lagonosticta rubricata</i> | live | 30 | | MV | BE | GN | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 100 | | AR | ES | GN | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 50 | | AR | ES | SG | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 130 | | AR | ES | SN | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 4 | | BD | GB | | C | |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 75 | | CA | DE | SN | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 100 | | CA | DE | TZ | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 300 | | CA | FR | ML | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 190 | | CA | NL | ML | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 20 | | CH | DE | SN | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 60 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Lagonosticta senegala</i> | live | 50 | | IL | BE | ML | T | W |
| E | 3 | C | <i>Lonchura bicolor</i> | live | 100 | | CA | DE | GN | T | W |
| E | 3 | C | <i>Lonchura bicolor</i> | live | 190 | | CA | NL | GN | T | W |
| E | 3 | C | <i>Lonchura bicolor</i> | live | 50 | | CH | NL | GN | T | W |
| E | 3 | C | <i>Lonchura bicolor</i> | live | 50 | | IL | BE | GN | T | W |
| E | 3 | C | <i>Lonchura cantans</i> | live | 360 | | CA | DE | SN | T | W |
| E | 3 | C | <i>Lonchura cantans</i> | live | 20 | | CH | DE | SN | T | W |
| E | 3 | C | <i>Lonchura cantans</i> | live | 20 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Lonchura cucullata</i> | live | 60 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Lonchura fringilloides</i> | live | 10 | | NO | NL | GN | T | W |
| E | 3 | C | <i>Mandingoa nitidula</i> | live | 80 | | AR | ES | GN | T | W |
| E | 3 | C | <i>Mandingoa nitidula</i> | live | 24 | | CA | DE | GN | T | W |
| E | 3 | C | <i>Mandingoa nitidula</i> | live | 65 | | CA | NL | GN | T | W |
| E | 3 | C | <i>Mandingoa nitidula</i> | live | 18 | | CH | DE | GN | T | W |
| E | 3 | C | <i>Mandingoa nitidula</i> | live | 230 | | JP | BE | GN | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Mandingoa nitidula</i> | live | 20 | VE | BE | GN | T | W | |
| E | 3 | C | <i>Ortygospiza atricollis</i> | live | 10 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Ortygospiza atricollis</i> | live | 50 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Ortygospiza atricollis</i> | live | 50 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Ptililia hypogrammica</i> | live | 20 | AR | ES | ML | T | W | |
| E | 3 | C | <i>Ptililia hypogrammica</i> | live | 100 | CA | DE | GN | T | W | |
| E | 3 | C | <i>Ptililia hypogrammica</i> | live | 40 | CA | NL | GN | T | W | |
| E | 3 | C | <i>Ptililia hypogrammica</i> | live | 20 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Ptililia hypogrammica</i> | live | 50 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Ptililia hypogrammica</i> | live | 180 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Ptililia phoenicoptera</i> | live | 50 | CA | NL | GN | T | W | |
| E | 3 | C | <i>Ptililia phoenicoptera</i> | live | 20 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 30 | AR | ES | GN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 200 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 50 | AR | ES | TZ | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 4 | BD | GB | | T | C | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 280 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 180 | CA | DE | TZ | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 300 | CA | FR | ML | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 300 | CA | NL | ML | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 200 | CA | NL | SN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 20 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 20 | CL | ES | TZ | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 30 | CY | GB | ML | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 50 | IL | BE | GN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 60 | IL | BE | SN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 22 | IS | GB | GN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 100 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 1240 | JP | BE | ML | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 40 | MT | BE | TZ | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 12 | MT | GB | | T | C | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 30 | MV | BE | ML | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 130 | NO | BE | GN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 40 | PL | BE | GN | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 52 | SG | NL | ML | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 50 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Uraeginthus bengalus</i> | live | 80 | VE | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 150 | AR | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 100 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 100 | CA | NL | ML | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 80 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 20 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 50 | IL | BE | ML | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 360 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 28 | SG | NL | GN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 400 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes afer</i> | live | 100 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Euplectes ardens</i> | live | 50 | CA | DE | TZ | T | W | |
| E | 3 | C | <i>Euplectes ardens</i> | live | 40 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes ardens</i> | live | 200 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | bodies | 112 | US | DK | NL | T | C | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 20 | AR | BE | TZ | T | C | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 100 | AR | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 50 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 100 | AR | ES | TZ | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 100 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 160 | CA | NL | TZ | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 60 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 50 | IL | BE | ML | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 200 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 30 | MT | BE | ML | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 20 | MT | NL | ML | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 20 | PL | BE | TZ | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 48 | SG | NL | GN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 250 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 1440 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 600 | TW | NL | TZ | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | live | 40 | VE | BE | TZ | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | skins | 1 | NO | DK | XX | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | skins | 21 | US | DK | | T | C | |
| E | 3 | C | <i>Euplectes franciscanus</i> | skins | 1 | US | DK | NL | T | C | |
| E | 3 | C | <i>Euplectes franciscanus</i> | skins | 1 | US | DK | XX | T | W | |
| E | 3 | C | <i>Euplectes franciscanus</i> | skins | 2 | US | DK | XX | T | U | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 230 | AR | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 60 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 100 | IL | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 250 | JP | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 10 | MU | NL | GN | T | W | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 10 | NO | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes hordeaceus</i> | live | 380 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes macrourus</i> | live | 15 | AR | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes macrourus</i> | live | 20 | CL | ES | GN | T | W | |
| E | 3 | C | <i>Euplectes macrourus</i> | live | 20 | MT | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes macrourus</i> | live | 4 | TN | BE | GN | T | W | |
| E | 3 | C | <i>Euplectes macrourus</i> | live | 580 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Ploceus spp.</i> | skins | 1 | NO | DK | NL | T | W | |
| E | 3 | C | <i>Ploceus cucullatus</i> | bodies | 1 | US | GB | XX | Q | O | |
| E | 3 | C | <i>Ploceus cucullatus</i> | live | 85 | AR | BE | SN | T | W | |
| E | 3 | C | <i>Ploceus cucullatus</i> | live | 400 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Ploceus cucullatus</i> | live | 30 | AR | ES | TZ | T | W | |
| E | 3 | C | <i>Ploceus cucullatus</i> | live | 50 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Ploceus cucullatus</i> | live | 80 | CL | ES | SN | T | W | |
| E | 3 | C | <i>Ploceus cucullatus</i> | live | 20 | CL | ES | TZ | T | W | |
| E | 3 | C | <i>Ploceus vitellinus</i> | live | 230 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Ploceus vitellinus</i> | live | 50 | CA | DE | SN | T | W | |
| E | 3 | C | <i>Ploceus vitellinus</i> | live | 50 | CL | ES | SN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Vidua chalybeata</i> | live | 38 | | AR | BE | ML | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 100 | | CA | NL | ML | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 60 | | CL | ES | GN | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 30 | | CL | ES | SN | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 75 | | IL | BE | GN | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 5 | | IL | BE | XX | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 100 | | JP | BE | GN | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 150 | | JP | BE | ML | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 6 | | TN | BE | ML | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 200 | | TW | BE | GN | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 170 | | TW | NL | GN | T | W |
| E | 3 | C | <i>Vidua chalybeata</i> | live | 150 | | TW | NL | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 40 | | AR | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 40 | | AR | ES | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 20 | | AR | ES | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 50 | | CA | NL | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 60 | | CL | ES | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 40 | | CL | ES | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 20 | | CL | ES | TZ | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 50 | | ID | NL | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 50 | | IL | BE | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 88 | | IL | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 225 | | JP | BE | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 200 | | JP | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 30 | | MT | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 10 | | MU | NL | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 10 | | MV | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 10 | | PL | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 6 | | TN | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 1500 | | TW | BE | GN | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 300 | | TW | BE | ML | T | W |
| E | 3 | C | <i>Vidua macroura</i> | live | 760 | | TW | NL | GN | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| E | 3 | C | <i>Vidua macroura</i> | live | 20 | VE | NL | GN | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 80 | AR | BE | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 20 | AR | ES | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 40 | AR | ES | SN | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 50 | CA | NL | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 20 | CA | NL | TZ | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 80 | CL | ES | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 10 | CY | GB | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 30 | ID | NL | TZ | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 140 | IL | BE | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 340 | JP | BE | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 10 | MT | BE | TZ | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 40 | MT | NL | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 10 | MU | NL | GN | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 6 | TN | BE | TZ | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 200 | TW | BE | GN | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 2280 | TW | BE | ML | T | W | |
| E | 3 | C | <i>Vidua paradisaea</i> | live | 500 | TW | NL | ML | T | W | |
| E | 3 | C | <i>Trionyx triunguis</i> | live | 1 | IL | DE | XX | Z | O | |
| E | 3 | C | <i>Agkistrodon bilineatus</i> | live | 8 | US | DE | | T | C | |
| E | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 880 kg | EE | SE | BR | T | W | |
| E | 3 | C | <i>Swietenia macrophylla</i> | timber pieces | 12 | CH | DE | BR | T | W | |
| E | 3 | C | <i>Swietenia macrophylla</i> | veneer | 44 m3 | US | DK | BR | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Eulemur fulvus</i> | live | 1 | NL | CZ | | T | C | |
| | 1 | A | <i>Eulemur fulvus</i> | specimens | 135 g | DE | MG | | S | W | |
| | 1 | A | <i>Eulemur fulvus rufus</i> | live | 1 | FR | CZ | | Z | F | |
| | 1 | A | <i>Hapalemur simus</i> | live | 2 | FR | MG | | B | W | |
| | 1 | A | <i>Varecia variegata</i> | live | 1 | DK | NO | GB | Z | C | |
| | 1 | A | <i>Varecia variegata</i> | live | 2 | ES | HR | | Z | C | |
| | 1 | A | <i>Cheirogaleus medius</i> | specimens | 20 g | DE | MG | | S | W | |
| | 1 | A | <i>Microcebus coquereli</i> | specimens | 75 g | DE | MG | | S | W | |
| | 1 | A | <i>Microcebus murinus</i> | specimens | 235 g | DE | MG | | S | W | |
| | 1 | A | <i>Phaner furcifer</i> | specimens | 20 g | DE | MG | | S | W | |
| | 1 | A | <i>Propithecus verreauxi</i> | specimens | 125 g | DE | MG | | S | W | |
| | 1 | A | <i>Callimico goeldii</i> | live | 1 | FR | CH | | Z | C | |
| | 1 | A | <i>Cercopithecus diana</i> | live | 1 | FR | RU | DE | Z | C | |
| | 1 | A | <i>Macaca silenus</i> | live | 2 | IE | IL | IE | Z | C | |
| | 1 | A | <i>Mandrillus sphinx</i> | live | 2 | FR | HU | | Z | C | |
| | 1 | A | <i>Mandrillus sphinx</i> | live | 1 | FR | HU | NL | Z | C | |
| | 1 | A | <i>Hylobates agilis</i> | live | 1 | GB | TW | | Z | U | |
| | 1 | A | <i>Hylobates concolor</i> | live | 1 | FR | HK | | Z | C | |
| | 1 | A | <i>Hylobates gabriellae</i> | live | 2 | GB | TW | | Z | U | |
| | 1 | A | <i>Hylobates lar</i> | live | 1 | GB | TW | | Z | U | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| I | 1 | A | <i>Hylobates moloch</i> | live | 2 | | GB | TW | | Z | U |
| I | 1 | A | <i>Hylobates muelleri</i> | live | 1 | | GB | TW | | Z | U |
| I | 1 | A | <i>Hylobates pileatus</i> | live | 1 | | PT | US | | B | F |
| I | 1 | A | <i>Hylobates syndactylus</i> | live | 1 | | FR | IL | | Z | C |
| I | 1 | A | <i>Hylobates syndactylus</i> | live | 1 | | NL | CH | | Z | C |
| I | 1 | A | <i>Gorilla gorilla</i> | hair | 200 | g | DE | UG | | S | W |
| I | 1 | A | <i>Gorilla gorilla</i> | live | 1 | | DE | HU | | B | C |
| I | 1 | A | <i>Gorilla gorilla</i> | live | 2 | | GB | CZ | CM | Z | O |
| I | 1 | A | <i>Gorilla gorilla</i> | specimens | 2 | | DE | US | | S | F |
| I | 1 | A | <i>Gorilla gorilla</i> | specimens | 1 | | DE | US | XX | S | O |
| I | 1 | A | <i>Pan troglodytes</i> | hair | 300 | g | DE | CI | | S | W |
| I | 1 | A | <i>Pan troglodytes</i> | hair | 25 | | SE | KE | | S | W |
| I | 1 | A | <i>Pan troglodytes</i> | live | 1 | | DE | CZ | | M | C |
| I | 1 | A | <i>Pan troglodytes</i> | live | 1 | | DE | US | | Q | C |
| I | 1 | A | <i>Pan troglodytes</i> | live | 2 | | FR | US | | Q | C |
| I | 1 | A | <i>Pan troglodytes</i> | live | 1 | | GB | CY | | Z | F |
| I | 1 | A | <i>Pan troglodytes</i> | skeletons | 6 | | DE | CI | | S | W |
| I | 1 | A | <i>Pan troglodytes</i> | skin pieces | 9 | | SE | KE | | S | W |
| I | 1 | A | <i>Pan troglodytes</i> | specimens | 0 ml | | DE | GA | | S | C |
| I | 1 | A | <i>Pan troglodytes</i> | specimens | 13 ml | | DE | GA | | S | F |
| I | 1 | A | <i>Pan troglodytes</i> | specimens | 18 ml | | DE | GA | | S | W |
| I | 1 | A | <i>Pan troglodytes</i> | specimens | 11 | | DE | US | | S | F |
| I | 1 | A | <i>Pan troglodytes</i> | specimens | 2 | | DE | US | XX | S | O |
| I | 1 | A | <i>Pongo pygmaeus</i> | live | 1 | | DE | IL | | B | C |
| I | 1 | A | <i>Pongo pygmaeus</i> | live | 1 | | GB | TW | | Z | U |
| I | 1 | A | <i>Pongo pygmaeus</i> | specimens | 10 | | DE | US | | S | F |
| I | 1 | A | <i>Pongo pygmaeus</i> | specimens | 2 | | DE | US | XX | S | O |
| I | 1 | A | <i>Pongo pygmaeus abelii</i> | live | 1 | | ES | CZ | DE | Q | C |
| I | 1 | A | <i>Cetacea spp.</i> | bones | 2 | | DK | GL | | Q | O |
| I | 1 | A | <i>Cetacea spp.</i> | carvings | 11 | | FR | CA | | T | O |
| I | 1 | A | <i>Physeter catodon</i> | bone carvings | 1 | | DE | CA | | P | O |
| I | 1 | A | <i>Physeter catodon</i> | bones | 2 | | AT | US | XX | Q | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Physeter catodon</i> | carvings | 1 | | ES | US | XX | E | U |
| | 1 | A | <i>Physeter catodon</i> | carvings | 2 | | GB | US | XX | T | O |
| | 1 | A | <i>Physeter catodon</i> | carvings | 1 | | NL | US | XX | T | O |
| | 1 | A | <i>Physeter catodon</i> | specimens | 10 | | GB | BS | | S | W |
| | 1 | A | <i>Physeter catodon</i> | teeth | 1 | | ES | US | XX | E | U |
| | 1 | A | <i>Balaenoptera acutorostrata</i> | bones | 2 | | DK | GL | | P | W |
| | 1 | A | <i>Balaenoptera acutorostrata</i> | carvings | 3 | | DK | GL | | P | W |
| | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | DE | PL | DE | B | C |
| | 1 | A | <i>Ailurus fulgens</i> | live | 1 | | NL | CH | FI | Z | C |
| | 1 | A | <i>Helarctos malayanus</i> | live | 1 | | AT | XX | AT | Z | C |
| | 1 | A | <i>Tremartcos ornatus</i> | live | 1 | | FR | CH | | Z | C |
| | 1 | A | <i>Tremartcos ornatus</i> | live | 1 | | FR | RU | | Z | C |
| | 1 | A | <i>Ursus arctos</i> | skins | 1 | | SE | NO | SE | T | C |
| | 1 | A | <i>Enhydra lutris nereis</i> | skulls | 1 | | DE | US | | S | W |
| | 1 | A | <i>Lutra lutra</i> | bodies | 1 | | NL | JP | XX | E | O |
| | 1 | A | <i>Lutra lutra</i> | live | 1 | | AT | CZ | | E | C |
| | 1 | A | <i>Lutra lutra</i> | live | 2 | | DE | PL | | Z | F |
| | 1 | A | <i>Lutra lutra</i> | live | 1 | | FR | CH | | B | C |
| | 1 | A | <i>Acinonyx jubatus</i> | live | 3 | | ES | AE | ZA | Z | C |
| | 1 | A | <i>Acinonyx jubatus</i> | skins | 21 | | DE | NA | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | skins | 1 | | DE | ZW | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | skulls | 1 | | DE | NA | | E | W |
| | 1 | A | <i>Acinonyx jubatus</i> | skulls | 16 | | DE | NA | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | skulls | 1 | | DE | ZW | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 8 | | AT | NA | | P | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 1 | | AT | ZA | NA | P | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 2 | | DE | NA | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 1 | | DK | ZW | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 1 | | ES | NA | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 1 | | ES | ZW | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 3 | | FR | NA | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 1 | | FR | ZW | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 6 | | IT | NA | | H | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 2 | | NL | NA | | P | W |
| | 1 | A | <i>Acinonyx jubatus</i> | trophies | 2 | | SE | NA | | H | W |
| | 1 | A | <i>Caracal caracal</i> | skins | 1 | | BE | NA | | H | W |
| | 1 | A | <i>Catopuma temminckii</i> | live | 2 | | DE | VN | | B | W |
| | 1 | A | <i>Leopardus pardalis</i> | live | 1 | | PT | BR | | Z | F |
| | 1 | A | <i>Leopardus pardalis</i> | live | 1 | | PT | BR | | Z | W |
| | 1 | A | <i>Leopardus pardalis</i> | skins | 2 | | ES | EC | XX | I | |
| | 1 | A | <i>Leopardus wiedii</i> | bones | 35 | | GB | BZ | | S | W |
| | 1 | A | <i>Leopardus wiedii</i> | live | 2 | | PT | PE | | Z | C |
| | 1 | A | <i>Panthera leo persica</i> | live | 1 | | ES | PL | | Z | C |
| | 1 | A | <i>Panthera leo persica</i> | live | 1 | | FR | PL | | Z | C |
| | 1 | A | <i>Panthera onca</i> | live | 2 | | PT | BR | | Z | F |
| | 1 | A | <i>Panthera pardus</i> | bodies | 1 | | FR | ZA | ZW | H | W |
| | 1 | A | <i>Panthera pardus</i> | bodies | 2 | | GB | RU | | S | C |
| | 1 | A | <i>Panthera pardus</i> | bones | 2 | | DE | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | live | 1 | | IT | CH | IT | Q | C |
| | 1 | A | <i>Panthera pardus</i> | live | 1 | | NL | CZ | | Z | F |
| | 1 | A | <i>Panthera pardus</i> | skins | 6 | | DE | BW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | DE | CH | TZ | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 23 | | DE | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 10 | | DE | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 3 | | DE | ZA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | DE | ZA | ZM | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 3 | | DE | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | DE | ZW | | P | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 35 | | DE | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | DK | NO | | Q | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | FR | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | PT | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | PT | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skins | 1 | | PT | ZW | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Panthera pardus</i> | skulls | 4 | | DE | BW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 1 | | DE | CH | TZ | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 23 | | DE | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 9 | | DE | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 4 | | DE | ZA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 1 | | DE | ZA | ZM | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 3 | | DE | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 1 | | DE | ZW | | P | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 34 | | DE | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 1 | | PT | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 1 | | PT | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | skulls | 2 | | PT | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 5 | | AT | NA | | P | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | AT | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | AT | TZ | | P | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | AT | ZA | BW | P | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | AT | ZA | ZW | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | AT | ZM | | P | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | AT | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | AT | ZW | | P | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | BE | BW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 7 | | BE | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | BE | ZA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | BE | ZA | TZ | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | BE | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 5 | | DE | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DE | ZA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DK | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | DK | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DK | ZA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DK | ZA | ZW | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DK | ZM | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Panthera pardus</i> | trophies | 6 | | DK | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | DK | ZW | ZM | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 6 | | ES | BW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | ES | CF | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 8 | | ES | MZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | ES | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 32 | | ES | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | ES | US | TZ | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 7 | | ES | ZA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | ES | ZA | BW | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 4 | | ES | ZA | MZ | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | ES | ZA | ZW | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 11 | | ES | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 22 | | ES | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | FI | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | FI | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 24 | | FR | CF | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | FR | CH | XX | P | O |
| | 1 | A | <i>Panthera pardus</i> | trophies | 3 | | FR | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | FR | TZ | | H | O |
| | 1 | A | <i>Panthera pardus</i> | trophies | 80 | | FR | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | FR | ZA | | H | O |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | FR | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 17 | | FR | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | FR | ZW | ZM | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | GB | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | IT | NA | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 10 | | IT | TZ | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | IT | ZA | TZ | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 2 | | IT | ZM | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 3 | | IT | ZW | | H | W |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | | LU | ZW | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | NL | TZ | | H | W | |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | PT | ZW | | H | W | |
| | 1 | A | <i>Panthera pardus</i> | trophies | 8 | SE | TZ | | H | W | |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | SE | ZA | | H | W | |
| | 1 | A | <i>Panthera pardus</i> | trophies | 1 | SE | ZW | | H | W | |
| | 1 | A | <i>Panthera tigris</i> | live | 2 | AT | HU | | Z | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 1 | BE | MX | BE | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 3 | DE | PL | | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 6 | DE | PL | GB | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 9 | IT | AE | IT | Q | O | |
| | 1 | A | <i>Panthera tigris</i> | live | 1 | IT | CH | ES | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 1 | IT | CH | FR | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 5 | IT | HU | | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | live | 2 | IT | LB | | Q | C | |
| | 1 | A | <i>Panthera tigris</i> | skins | 1 | SE | NO | SE | T | C | |
| | 1 | A | <i>Panthera tigris altaica</i> | live | 1 | DE | CH | | Z | C | |
| | 1 | A | <i>Panthera tigris altaica</i> | live | 1 | DE | LT | | B | C | |
| | 1 | A | <i>Panthera tigris altaica</i> | live | 2 | DE | PL | | Q | C | |
| | 1 | A | <i>Panthera tigris altaica</i> | live | 6 | IT | HU | | Q | C | |
| | 1 | A | <i>Panthera tigris altaica</i> | specimens | 1 | GB | CH | DE | S | F | |
| | 1 | A | <i>Panthera tigris sumatrae</i> | live | 1 | PT | CZ | | Z | C | |
| | 1 | A | <i>Uncia uncia</i> | live | 1 | DE | RU | KG | B | W | |
| | 1 | A | <i>Uncia uncia</i> | live | 1 | PT | PL | | Z | C | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 3 | BE | CH | XX | T | O | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 20 | ES | CU | XX | P | O | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 1 | ES | PH | XX | I | | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 30 | FI | JP | XX | E | W | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 2 | FR | CA | XX | Q | O | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 1 | FR | CH | XX | P | O | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 1 | FR | CH | XX | Q | O | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 27 | FR | CH | XX | T | O | |
| | 1 | A | <i>Elephantidae spp.</i> | carvings | 4 | FR | CN | XX | Q | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | Elephantidae spp. | carvings | 1 | | FR | HK | XX | T | O |
| | 1 | A | Elephantidae spp. | carvings | 5 | | FR | HK | XX | Q | O |
| | 1 | A | Elephantidae spp. | carvings | 1 | | FR | JP | XX | Q | O |
| | 1 | A | Elephantidae spp. | carvings | 4 | | FR | JP | XX | E | O |
| | 1 | A | Elephantidae spp. | carvings | 16 | | FR | MC | XX | T | O |
| | 1 | A | Elephantidae spp. | carvings | 2 | | FR | US | XX | E | O |
| | 1 | A | Elephantidae spp. | carvings | 24 | | FR | US | XX | T | O |
| | 1 | A | Elephantidae spp. | carvings | 1 | | FR | XX | | P | O |
| | 1 | A | Elephantidae spp. | carvings | 1 | | FR | XX | | T | O |
| | 1 | A | Elephantidae spp. | ivory carvings | 4 | | DE | CH | XX | Q | O |
| | 1 | A | Elephantidae spp. | ivory carvings | 4 | | DE | CH | XX | T | O |
| | 1 | A | Elephantidae spp. | ivory carvings | 16 | | DE | CU | XX | P | O |
| | 1 | A | Elephantidae spp. | ivory carvings | 1 | | DE | JP | XX | Q | O |
| | 1 | A | Elephantidae spp. | ivory carvings | 2 | | NL | CH | XX | T | O |
| | 1 | A | Elephantidae spp. | ivory carvings | 35 | | NL | JP | XX | Q | O |
| | 1 | A | Elephantidae spp. | ivory products | 1 | | AT | CH | XX | P | U |
| | 1 | A | Elephantidae spp. | ivory products | 1 | | ES | RU | XX | Q | O |
| | 1 | A | Elephantidae spp. | ivory products | 1 | | IT | CA | XX | E | O |
| | 1 | A | Elephantidae spp. | ivory products | 2 | | IT | CH | XX | P | O |
| | 1 | A | Elephantidae spp. | ivory products | 3 | | IT | CH | XX | E | O |
| | 1 | A | Elephantidae spp. | ivory products | 1 | | IT | CZ | XX | E | O |
| | 1 | A | Elephantidae spp. | ivory products | 2 | | IT | US | XX | E | O |
| | 1 | A | Elephantidae spp. | ivory products | 1 | | NL | JP | XX | Q | O |
| | 1 | A | Elephantidae spp. | sets of piano keys | 2 | | DE | CH | XX | P | O |
| | 1 | A | Elephantidae spp. | sets of piano keys | 23 | | DE | CH | XX | T | O |
| | 1 | A | Elephantidae spp. | sets of piano keys | 1 | | DE | RU | XX | P | O |
| | 1 | A | Elephantidae spp. | teeth | 2 | | ES | RU | XX | I | O |
| | 1 | A | Elephantidae spp. | trophies | 1 | | FR | CH | XX | P | O |
| | 1 | A | Elephantidae spp. | tusks | 3 | | ES | XX | | I | O |
| | 1 | A | Elephantidae spp. | tusks | 2 | | FR | CH | XX | P | O |
| | 1 | A | Elephas maximus | carvings | 34 | | ES | NO | XX | P | O |
| | 1 | A | Elephas maximus | carvings | 2 | | ES | PH | XX | E | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| I | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | FR | CA | XX | E | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | FR | US | XX | Q | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | FR | US | XX | U | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | GB | AU | IN | P | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | GB | AU | XX | P | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | GB | CA | XX | Q | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | GB | CA | XX | E | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 37 | | GB | CA | XX | P | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 1 | | GB | CH | XX | T | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | GB | CN | XX | P | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 2 | | GB | MX | XX | T | O |
| I | 1 | A | <i>Elephas maximus</i> | carvings | 36 | | GB | US | XX | T | O |
| I | 1 | A | <i>Elephas maximus</i> | ivory carvings | 2 | | NL | CH | XX | T | O |
| I | 1 | A | <i>Elephas maximus</i> | ivory products | 1 | | IT | RO | XX | P | O |
| I | 1 | A | <i>Elephas maximus</i> | live | 3 | | BE | RU | XX | Q | O |
| I | 1 | A | <i>Elephas maximus</i> | live | 1 | | DE | CA | | B | F |
| I | 1 | A | <i>Elephas maximus</i> | live | 1 | | DE | IL | | B | F |
| I | 1 | A | <i>Elephas maximus</i> | live | 1 | | ES | CZ | XX | Q | O |
| I | 1 | A | <i>Elephas maximus</i> | live | 3 | | ES | US | IN | Q | O |
| I | 1 | A | <i>Elephas maximus</i> | live | 2 | | IT | AE | XX | Q | O |
| I | 1 | A | <i>Elephas maximus</i> | specimens | 300 | | DE | TH | | S | F |
| I | 1 | A | <i>Elephas maximus</i> | specimens | 1 | | SE | US | | S | F |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 25 kg | | BE | BI | | P | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 26 | | BE | CH | XX | E | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | BE | US | XX | E | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | BE | US | XX | T | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 8 | | BE | US | XX | P | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 6 | | ES | CI | XX | I | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | ES | GQ | | P | O |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | ES | GQ | | H | I |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | ES | GQ | | P | I |
| I | 1 | A | <i>Loxodonta africana</i> | carvings | 94 | | ES | GQ | XX | | I |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Loxodonta africana</i> | carvings | 350 | g | ES | GQ | XX | I | |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | ES | IL | | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | ES | NG | XX | I | |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 10 | | ES | UG | XX | I | |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | ES | US | XX | E | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 7 | | ES | US | XX | E | U |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 22 | | ES | UY | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | FR | CA | XX | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 358 | | FR | GA | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 26 | | FR | GA | CM | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 17 | | FR | GA | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | FR | IL | KE | L | W |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | FR | JP | XX | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 8 | | FR | NC | CI | P | W |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 50 | | FR | SN | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | FR | US | XX | E | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | FR | US | XX | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 10 | | FR | US | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 3 | | FR | UY | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | FR | XX | | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | FR | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | | GB | AR | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | GB | AU | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 3 | | GB | AU | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | GB | CA | XX | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | | GB | CA | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 94 | | GB | CH | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | GB | CY | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | | GB | IL | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 3 | | GB | JP | XX | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 4 | | GB | JP | XX | E | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 4 | | GB | JP | XX | T | O |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | GB | KE | | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 3 | GB | MX | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | GB | NO | XX | | E | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 18 | GB | NZ | XX | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 19 | GB | RU | XX | | Q | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 5 | GB | US | XX | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 341 | GB | US | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 1 | GB | ZA | | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 2 | GB | ZA | | | P | U |
| | 1 | A | <i>Loxodonta africana</i> | carvings | 45 | NL | ZA | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | feet | 4 | DE | CM | | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | feet | 1 | DE | ZA | | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | feet | 4 | ES | CM | XX | | H | I |
| | 1 | A | <i>Loxodonta africana</i> | feet | 8 | GB | KE | | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | feet | 4 | GB | ZA | | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 23 | DE | CA | XX | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 1 | DE | CH | XX | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 70 | DE | CH | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 5 | DE | US | XX | | E | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 52 | DE | US | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 1 | DE | ZA | | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 4 | NL | TD | XX | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 12 | NL | US | XX | | T | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory carvings | 64 | NL | US | XX | | T | W |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 2 | AT | XX | BJ | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | AT | XX | NG | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 2 | ES | US | XX | | E | U |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | GR | RU | EG | | Q | W |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | GR | RU | XX | | Q | W |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | IT | CH | XX | | E | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | PT | CH | CG | | E | O |
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 17 | PT | MZ | | | I | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|--------------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Loxodonta africana</i> | ivory products | 1 | | PT | US | XX | E | O |
| | 1 | A | <i>Loxodonta africana</i> | live | 2 | | DE | EE | ZW | Q | W |
| | 1 | A | <i>Loxodonta africana</i> | live | 1 | | DE | PL | ZA | Q | W |
| | 1 | A | <i>Loxodonta africana</i> | live | 3 | | DE | PL | ZW | Q | W |
| | 1 | A | <i>Loxodonta africana</i> | live | 2 | | FR | CH | ZW | Q | W |
| | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 1 | | DE | CH | XX | T | O |
| | 1 | A | <i>Loxodonta africana</i> | sets of piano keys | 3 | | DE | CH | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | skin pieces | 1 | | DE | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | skin pieces | 1 | | GB | KE | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | specimens | 100 | | DE | TZ | | S | W |
| | 1 | A | <i>Loxodonta africana</i> | specimens | 2 | | ES | CM | XX | H | I |
| | 1 | A | <i>Loxodonta africana</i> | specimens | 1 | | SE | US | | S | F |
| | 1 | A | <i>Loxodonta africana</i> | tails | 1 | | DE | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | teeth | 7 | | ES | CM | XX | H | I |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 4 | | AT | CM | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | AT | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | AT | TZ | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | BE | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | DK | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 16 | | ES | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 5 | | ES | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 13 | | FR | CH | CI | P | O |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 6 | | FR | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 48 | | FR | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 27 | | FR | ZA | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | IT | BW | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 5 | | IT | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 1 | | IT | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | trophies | 3 | | SE | TZ | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | AT | CM | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | BE | US | XX | E | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 9 | | DE | CM | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | DK | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | ES | CI | XX | I | |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | ES | CM | | W | |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | ES | GQ | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | ES | GQ | | P | I |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 10 | | ES | GQ | XX | I | |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | ES | NG | XX | I | |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | ES | XX | | I | |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | FR | CF | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | FR | CH | CG | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 5 | | FR | CH | CI | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 8 | | FR | CH | CM | P | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | FR | CH | NG | E | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | FR | CH | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 17 | | FR | CM | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | FR | GA | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | FR | GA | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | FR | GA | CI | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | FR | GA | XX | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 1 | | FR | TD | BF | P | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | FR | ZA | | H | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 4 | | GB | KE | | L | I |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 6 | | GB | KE | | P | W |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 2 | | GB | ZA | | P | O |
| | 1 | A | <i>Loxodonta africana</i> | tusks | 6 | | SE | NO | XX | P | O |
| | 1 | A | <i>Trichechus senegalensis</i> | specimens | 1 | | IT | ML | | S | W |
| | 1 | A | <i>Equus grevyi</i> | live | 2 | | DE | CZ | | B | C |
| | 1 | A | <i>Equus grevyi</i> | live | 2 | | IT | LB | XX | Q | C |
| | 1 | A | <i>Equus grevyi</i> | live | 2 | | PT | CZ | | Z | C |
| | 1 | A | <i>Equus grevyi</i> | specimens | 1 | | SE | US | | S | C |
| | 1 | A | <i>Equus przewalskii</i> | live | 4 | | DE | PL | | Z | C |
| | 1 | A | <i>Equus przewalskii</i> | specimens | 1 | | SE | US | | S | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Tapirus indicus</i> | live | 1 | GB | US | | Z | F | |
| | 1 | A | <i>Tapirus indicus</i> | specimens | 1 | SE | US | | S | F | |
| | 1 | A | Rhinocerotidae spp. | carvings | 2 | GB | US | XX | T | O | |
| | 1 | A | <i>Ceratotherium simum simum</i> | trophies | 1 | FI | ZA | ZW | H | W | |
| | 1 | A | <i>Ceratotherium simum simum</i> | live | 1 | IE | BG | | Z | F | |
| | 1 | A | <i>Ceratotherium simum simum</i> | specimens | 1 | SE | US | | S | F | |
| | 1 | A | <i>Diceros bicornis</i> | horns | 1 | FR | CH | XX | H | O | |
| | 1 | A | <i>Diceros bicornis</i> | specimens | 1 | SE | US | KE | S | W | |
| | 1 | A | Rhinoceros spp. | horn carvings | 2 | DE | US | XX | T | O | |
| | 1 | A | <i>Rhinoceros sondaicus</i> | carvings | 4 | GB | US | XX | T | O | |
| | 1 | A | <i>Rhinoceros unicornis</i> | carvings | 6 | GB | US | XX | T | O | |
| | 1 | A | <i>Vicugna vicugna</i> | skins | 1 | DE | CH | | E | C | |
| | 1 | A | <i>Axis calamianensis</i> | specimens | 1 | SE | US | | S | F | |
| | 1 | A | <i>Cervus eldii</i> | live | 3 | GB | CZ | | B | C | |
| | 1 | A | <i>Cervus eldii</i> | trophies | 2 | ES | US | | H | F | |
| | 1 | A | <i>Dama mesopotamica</i> | specimens | 1 | SE | US | | S | F | |
| | 1 | A | <i>Addax nasomaculatus</i> | live | 1 | PT | CZ | | Z | C | |
| | 1 | A | <i>Addax nasomaculatus</i> | trophies | 1 | ES | US | | H | F | |
| | 1 | A | <i>Addax nasomaculatus</i> | trophies | 1 | FR | US | | H | C | |
| | 1 | A | <i>Addax nasomaculatus</i> | trophies | 1 | PT | ZA | | P | F | |
| | 1 | A | <i>Bos gaurus</i> | specimens | 1 | SE | US | | S | F | |
| | 1 | A | <i>Bos gaurus</i> | trophies | 1 | FR | CH | IN | H | O | |
| | 1 | A | <i>Bos mutus</i> | trophies | 1 | ES | CN | | H | W | |
| | 1 | A | <i>Bubalus depressicornis</i> | live | 1 | DE | CZ | | Z | C | |
| | 1 | A | <i>Capra falconeri</i> | trophies | 1 | DK | PK | | H | W | |
| | 1 | A | <i>Capra falconeri</i> | trophies | 1 | ES | PK | | H | W | |
| | 1 | A | <i>Capra falconeri</i> | trophies | 1 | ES | US | | H | F | |
| | 1 | A | <i>Capra falconeri</i> | trophies | 2 | FR | CH | PK | H | O | |
| | 1 | A | <i>Capra falconeri</i> | trophies | 2 | FR | US | | H | C | |
| | 1 | A | <i>Naemorhedus goral</i> | live | 2 | DE | PL | US | Z | F | |
| | 1 | A | <i>Oryx dammah</i> | skins | 1 | DE | ZA | | H | C | |
| | 1 | A | <i>Oryx dammah</i> | skulls | 1 | DE | ZA | | H | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Oryx dammah</i> | trophies | 1 | | ES | US | | H | F |
| | 1 | A | <i>Oryx dammah</i> | trophies | 1 | | ES | ZA | | H | W |
| | 1 | A | <i>Oryx dammah</i> | trophies | 3 | | FR | US | | H | C |
| | 1 | A | <i>Oryx dammah</i> | trophies | 2 | | PT | ZA | | P | F |
| | 1 | A | <i>Oryx leucoryx</i> | live | 1 | | BE | CH | AE | Z | C |
| | 1 | A | <i>Oryx leucoryx</i> | live | 1 | | DE | CH | | B | C |
| | 1 | A | <i>Oryx leucoryx</i> | specimens | 150 ml | | DE | AE | | S | C |
| | 1 | A | <i>Ovis vignei</i> | trophies | 1 | | IT | PK | | H | W |
| | 1 | A | <i>Pantholops hodgsonii</i> | garments | 3 | | BE | HK | XX | E | I |
| | 1 | A | <i>Pantholops hodgsonii</i> | skins | 2 | | DE | CN | | L | I |
| | 1 | A | <i>Pantholops hodgsonii</i> | trophies | 1 | | ES | CN | | H | W |
| | 1 | A | <i>Spheniscus humboldti</i> | live | 9 | | ES | CZ | | Z | C |
| | 1 | A | <i>Spheniscus humboldti</i> | live | 1 | | ES | CZ | GB | Z | C |
| | 1 | A | <i>Branta canadensis leucopareia</i> | carvings | 2 | | FR | US | XX | Q | O |
| | 1 | A | <i>Cairina scutulata</i> | live | 7 | | NL | HK | | Z | C |
| | 1 | A | <i>Vultur gryphus</i> | live | 1 | | BE | RU | | Z | F |
| | 1 | A | <i>Aquila heliaca</i> | live | 2 | | BE | AE | | P | C |
| | 1 | A | <i>Aquila heliaca</i> | live | 1 | | FR | RU | | Z | F |
| | 1 | A | <i>Haliaeetus albicilla</i> | bodies | 1 | | DK | GL | | E | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | bodies | 12 | | DK | GL | | S | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | eggs | 2 | | DK | GL | | S | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | feathers | 5 | | SE | RU | | S | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | live | 2 | | NL | PL | | Z | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | specimens | 14 | | DK | GL | | S | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | specimens | 40 | | SE | EE | | S | W |
| | 1 | A | <i>Haliaeetus albicilla</i> | specimens | 140 | | SE | NO | | S | W |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | bones | 4 | | DE | CA | | P | W |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | carvings | 4 | | FR | US | XX | Q | O |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | claws | 4 | | DE | CA | | P | W |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | feathers | 36 | | DE | CA | | P | W |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | feathers | 2 | | DK | CA | | P | W |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 1 | | DE | CZ | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 1 | FR | CA | | Z | C | |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 2 | FR | CZ | | Z | C | |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 2 | GB | CZ | | B | C | |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 2 | NL | CA | | B | C | |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | live | 4 | NL | CA | | T | C | |
| | 1 | A | <i>Haliaeetus leucocephalus</i> | skulls | 1 | DE | CA | | P | W | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | AT | AE | | B | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 4 | AT | AE | XX | B | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 5 | AT | AE | XX | B | U | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | AT | CA | | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 2 | AT | HU | | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | AT | HU | AT | P | D | |
| | 1 | A | <i>Falco hybrid</i> | live | 2 | AT | HU | DE | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | AT | XX | AT | T | D | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | AT | XX | AT | T | D | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | BE | AE | | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 6 | BE | AE | DE | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | BE | AE | US | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 9 | DE | AE | DE | T | D | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | DK | SK | DK | P | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 1 | ES | AE | DE | T | C | |
| | 1 | A | <i>Falco hybrid</i> | live | 2 | FR | HU | FR | B | C | |
| | 1 | A | <i>Falco pelegrinoides</i> | live | 2 | BE | SA | | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | eggs | 10 | DK | GL | | S | W | |
| | 1 | A | <i>Falco peregrinus</i> | live | 10 | AT | AE | | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | AT | AE | AT | T | D | |
| | 1 | A | <i>Falco peregrinus</i> | live | 5 | AT | AE | XX | B | U | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | AT | HU | | P | U | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | AT | HU | DE | P | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 4 | AT | HU | GB | P | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | BE | AE | | P | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | BE | AE | CA | P | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | BE | AE | DE | P | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | BE | SA | | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 4 | BE | ZA | | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | DE | AE | DE | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | DE | AE | DE | T | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | DE | AE | DE | T | D | |
| | 1 | A | <i>Falco peregrinus</i> | live | 4 | DE | CA | | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | DE | US | | P | F | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | ES | AE | ES | T | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | ES | AE | US | T | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | ES | CA | | T | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | FR | HU | FR | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 4 | GB | CA | | B | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 2 | GB | MA | GB | T | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | NL | AE | | T | C | |
| | 1 | A | <i>Falco peregrinus</i> | live | 1 | NL | US | | B | F | |
| | 1 | A | <i>Falco peregrinus</i> | specimens | 200 | DK | GL | | S | W | |
| | 1 | A | <i>Falco peregrinus pealei</i> | live | 2 | AT | CA | | P | C | |
| | 1 | A | <i>Falco peregrinus peregrinus</i> | live | 1 | AT | HU | AT | P | D | |
| | 1 | A | <i>Falco peregrinus peregrinus</i> | live | 1 | AT | SK | AT | P | C | |
| | 1 | A | <i>Falco rusticolus</i> | bodies | 1 | DK | GL | | E | W | |
| | 1 | A | <i>Falco rusticolus</i> | bodies | 1 | DK | GL | | Q | W | |
| | 1 | A | <i>Falco rusticolus</i> | feathers | 355 | GB | IS | | S | W | |
| | 1 | A | <i>Falco rusticolus</i> | live | 3 | AT | CA | | P | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 2 | BE | CA | | P | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | DE | AE | DE | B | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 12 | DE | AE | DE | T | D | |
| | 1 | A | <i>Falco rusticolus</i> | live | 5 | DE | US | | T | D | |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | DK | CA | | T | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 6 | ES | CA | | T | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | GB | AE | GB | T | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | GB | AE | US | T | D | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Falco rusticolus</i> | live | 2 | GB | CA | | | B | C |
| | 1 | A | <i>Falco rusticolus</i> | live | 5 | GB | CA | | | P | C |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | GB | CA | US | T | D | |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | GB | CA | US | T | F | |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | GB | US | | | P | C |
| | 1 | A | <i>Falco rusticolus</i> | live | 3 | GB | US | | | P | F |
| | 1 | A | <i>Falco rusticolus</i> | live | 4 | GB | US | | | B | F |
| | 1 | A | <i>Falco rusticolus</i> | live | 1 | NL | AE | | | T | C |
| | 1 | A | <i>Falco rusticolus</i> | live | 2 | NL | AE | DE | T | C | |
| | 1 | A | <i>Falco rusticolus</i> | live | 2 | NL | AE | US | T | C | |
| | 1 | A | <i>Catreus wallichii</i> | live | 1 | GB | US | | | B | C |
| | 1 | A | <i>Crossoptilon crossoptilon</i> | live | 1 | GB | US | | | B | C |
| | 1 | A | <i>Crossoptilon crossoptilon</i> | live | 3 | NL | CZ | | | Z | C |
| | 1 | A | <i>Lophura edwardsi</i> | live | 2 | GB | US | | | B | C |
| | 1 | A | <i>Tragopan caboti</i> | live | 2 | BE | US | | | B | F |
| | 1 | A | <i>Tragopan caboti</i> | live | 24 | DK | US | | | B | C |
| | 1 | A | <i>Tragopan caboti</i> | live | 4 | FR | US | | | Z | C |
| | 1 | A | <i>Grus japonensis</i> | live | 4 | BE | CN | | | B | C |
| | 1 | A | <i>Grus japonensis</i> | live | 2 | BE | US | | | B | F |
| | 1 | A | <i>Grus japonensis</i> | live | 1 | DE | RU | | | B | F |
| | 1 | A | <i>Grus japonensis</i> | live | 2 | DE | RU | | | B | C |
| | 1 | A | <i>Grus japonensis</i> | live | 2 | FR | RU | | | B | C |
| | 1 | A | <i>Grus japonensis</i> | live | 2 | NL | CN | | | B | C |
| | 1 | A | <i>Grus leucogeranus</i> | live | 3 | BE | RU | US | | B | F |
| | 1 | A | <i>Grus leucogeranus</i> | live | 2 | BE | US | | | B | F |
| | 1 | A | <i>Grus leucogeranus</i> | live | 1 | DE | RU | | | B | C |
| | 1 | A | <i>Grus leucogeranus</i> | live | 2 | FR | RU | | | B | C |
| | 1 | A | <i>Grus monacha</i> | live | 1 | BE | JP | | | B | C |
| | 1 | A | <i>Grus nigricollis</i> | live | 4 | BE | CN | | | B | C |
| | 1 | A | <i>Grus nigricollis</i> | live | 2 | BE | US | | | B | F |
| | 1 | A | <i>Grus nigricollis</i> | live | 1 | DE | CN | | | Z | C |
| | 1 | A | <i>Grus vipio</i> | live | 1 | BE | CH | DE | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Grus vipo</i> | live | 1 | | BE | CH | GB | T | F |
| | 1 | A | <i>Grus vipo</i> | live | 1 | | BE | CH | RU | T | F |
| | 1 | A | <i>Grus vipo</i> | live | 1 | | SE | EE | | Z | C |
| | 1 | A | <i>Chlamydots undulata</i> | live | 6 | | BE | AE | | B | C |
| | 1 | A | <i>Chlamydots undulata</i> | specimens | 500 | g | GB | AE | | M | C |
| | 1 | A | <i>Caloenas nicobarica</i> | live | 6 | | ES | SG | | T | C |
| | 1 | A | <i>Caloenas nicobarica</i> | live | 33 | | GB | PH | | T | C |
| | 1 | A | <i>Caloenas nicobarica</i> | live | 2 | | NL | HK | | T | C |
| | 1 | A | <i>Caloenas nicobarica</i> | live | 41 | | NL | SG | | T | C |
| | 1 | A | <i>Amazona barbadensis</i> | live | 2 | | GB | US | | B | F |
| | 1 | A | <i>Amazona brasiliensis</i> | live | 1 | | AT | XX | | AT | D |
| | 1 | A | <i>Amazona brasiliensis</i> | live | 5 | | DE | HU | | P | C |
| | 1 | A | <i>Amazona guildingii</i> | live | 4 | | FR | VC | | B | C |
| | 1 | A | <i>Amazona vinacea</i> | live | 4 | | AT | CH | | B | C |
| | 1 | A | <i>Amazona vinacea</i> | live | 3 | | BE | ZA | | B | C |
| | 1 | A | <i>Amazona vinacea</i> | live | 20 | | BE | ZA | | T | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | BE | ZA | | B | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 2 | | DE | CH | | P | F |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 3 | | DE | PH | | P | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | DE | US | | P | F |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | DE | ZA | | B | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | ES | PH | | T | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | ES | ZA | | P | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | FR | CH | PH | B | F |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 2 | | FR | CH | PH | B | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 3 | | FR | PH | | Z | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 5 | | GB | PH | | B | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 12 | | GB | PH | | T | C |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 1 | | GB | US | | B | F |
| | 1 | A | <i>Anodorhynchus hyacinthinus</i> | live | 2 | | NL | PH | | B | C |
| | 1 | A | <i>Ara hybrid</i> | live | 1 | | DE | US | | P | F |
| | 1 | A | <i>Ara hybrid</i> | live | 1 | | ES | ZA | | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Ara hybrid</i> | live | 2 | | ES | ZA | | T | C |
| | 1 | A | <i>Ara ambigua</i> | live | 2 | | AT | CH | | P | F |
| | 1 | A | <i>Ara ambigua</i> | live | 2 | | AT | PH | | P | C |
| | 1 | A | <i>Ara ambigua</i> | live | 2 | | FR | CH | PH | B | C |
| | 1 | A | <i>Ara ambigua</i> | live | 2 | | FR | CH | ZA | B | C |
| | 1 | A | <i>Ara ambigua</i> | live | 4 | | GB | BH | | T | C |
| | 1 | A | <i>Ara ambigua</i> | live | 4 | | NL | ZA | | B | C |
| | 1 | A | <i>Ara glaucogularis</i> | live | 6 | | BE | US | | B | F |
| | 1 | A | <i>Ara glaucogularis</i> | live | 6 | | GB | ZA | | T | C |
| | 1 | A | <i>Ara glaucogularis</i> | live | 6 | | GB | ZA | | T | D |
| | 1 | A | <i>Ara glaucogularis</i> | live | 2 | | GB | ZA | US | T | C |
| | 1 | A | <i>Ara macao</i> | live | 4 | | BE | ZA | | B | C |
| | 1 | A | <i>Ara macao</i> | live | 1 | | DE | ZA | | B | C |
| | 1 | A | <i>Ara macao</i> | live | 1 | | FR | CH | | B | F |
| | 1 | A | <i>Ara macao</i> | live | 1 | | FR | CH | XX | Q | U |
| | 1 | A | <i>Ara macao</i> | live | 1 | | GB | BH | | T | C |
| | 1 | A | <i>Ara macao</i> | live | 1 | | GB | SA | | P | C |
| | 1 | A | <i>Ara macao</i> | live | 1 | | GB | ZA | | P | C |
| | 1 | A | <i>Ara macao</i> | live | 6 | | GB | ZA | | T | D |
| | 1 | A | <i>Ara macao</i> | live | 7 | | GB | ZA | | T | C |
| | 1 | A | <i>Ara macao</i> | live | 1 | | GR | US | | P | F |
| | 1 | A | <i>Ara macao</i> | live | 1 | | IE | US | | P | F |
| | 1 | A | <i>Ara macao</i> | live | 7 | | NL | AN | | T | C |
| | 1 | A | <i>Ara macao</i> | live | 2 | | NL | PH | | B | C |
| | 1 | A | <i>Ara macao</i> | live | 6 | | NL | ZA | | B | C |
| | 1 | A | <i>Ara maracana</i> | live | 1 | | BE | ZA | | P | C |
| | 1 | A | <i>Ara maracana</i> | live | 2 | | BE | ZA | | B | C |
| | 1 | A | <i>Ara maracana</i> | live | 6 | | BE | ZA | | T | C |
| | 1 | A | <i>Ara maracana</i> | live | 1 | | DE | NA | | P | C |
| | 1 | A | <i>Ara maracana</i> | live | 1 | | GR | ZA | | P | C |
| | 1 | A | <i>Ara militaris</i> | live | 1 | | DE | US | | P | F |
| | 1 | A | <i>Ara militaris</i> | live | 4 | | GB | ZA | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Ara militaris</i> | live | 4 | NL | ZA | | B | C | |
| | 1 | A | <i>Ara rubrogenys</i> | live | 2 | DE | PH | | P | C | |
| | 1 | A | <i>Ara rubrogenys</i> | live | 2 | NL | ZA | | B | C | |
| | 1 | A | <i>Ara rubrogenys</i> | live | 8 | NL | ZA | | T | C | |
| | 1 | A | <i>Aratinga guarouba</i> | live | 2 | DE | PH | | T | C | |
| | 1 | A | <i>Aratinga guarouba</i> | live | 2 | FR | CH | | B | C | |
| | 1 | A | <i>Aratinga guarouba</i> | live | 3 | GB | BH | | T | C | |
| | 1 | A | <i>Aratinga guarouba</i> | live | 8 | NL | ZA | | T | C | |
| | 1 | A | <i>Cacatua goffini</i> | live | 1 | FR | CH | FR | B | F | |
| | 1 | A | <i>Cacatua goffini</i> | live | 1 | FR | US | | B | F | |
| | 1 | A | <i>Cacatua haematuropygia</i> | live | 1 | DE | PH | | P | W | |
| | 1 | A | <i>Cacatua haematuropygia</i> | live | 5 | DE | PH | | P | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | DE | PH | | P | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | DE | US | | P | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | ES | ZA | | B | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | ES | ZA | | T | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | FR | CH | FR | Q | F | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 9 | GB | PH | | T | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | LU | PH | | B | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 22 | NL | SG | | T | C | |
| | 1 | A | <i>Cacatua moluccensis</i> | live | 1 | NL | ZA | | B | C | |
| | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 268 | ES | CZ | | T | C | |
| | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 2 | FR | CH | | B | F | |
| | 1 | A | <i>Cyanoramphus novaezelandiae</i> | live | 430 | GR | CZ | | T | C | |
| | 1 | A | <i>Eos histrio</i> | live | 2 | BE | ZA | | B | C | |
| | 1 | A | <i>Eos histrio</i> | live | 6 | NL | SG | | T | C | |
| | 1 | A | <i>Probosciger aterrimus</i> | live | 4 | GB | PH | | T | C | |
| | 1 | A | <i>Probosciger aterrimus</i> | live | 6 | NL | ZA | | B | C | |
| | 1 | A | <i>Geochelone nigra</i> | live | 2 | FR | CH | EC | Z | O | |
| | 1 | A | <i>Cheloniidae spp.</i> | carapace | 1 | PT | AO | | I | | |
| | 1 | A | <i>Cheloniidae spp.</i> | carvings | 1 | FR | CH | XX | P | O | |
| | 1 | A | <i>Cheloniidae spp.</i> | carvings | 2 | GB | CH | XX | T | O | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | Cheloniidae spp. | carvings | 1 | GB | US | XX | T | O | |
| | 1 | A | Cheloniidae spp. | horn carvings | 1 | DE | CH | XX | T | O | |
| | 1 | A | Cheloniidae spp. | shells | 1 | ES | GQ | XX | I | | |
| | 1 | A | Cheloniidae spp. | skulls | 1 | ES | CU | XX | I | | |
| | 1 | A | Caretta caretta | shells | 1 | ES | CU | XX | I | | |
| | 1 | A | Caretta caretta | shells | 1 | ES | DZ | XX | I | | |
| | 1 | A | Caretta caretta | shells | 1 | ES | UY | XX | I | | |
| | 1 | A | Caretta caretta | specimens | 5 | GB | ST | | S | W | |
| | 1 | A | Chelonia spp. | bodies | 1 | ES | DO | XX | I | | |
| | 1 | A | Chelonia mydas | skulls | 2 | ES | CU | XX | I | | |
| | 1 | A | Chelonia mydas | specimens | 50 | GB | BJ | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 130 | GB | GA | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 100 | GB | GH | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 350 | GB | GQ | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 20 | GB | LR | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 13 | GB | NA | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 60 | GB | ST | | S | W | |
| | 1 | A | Chelonia mydas | specimens | 50 | GB | TG | | S | W | |
| | 1 | A | Eretmochelys imbricata | bodies | 1 | SE | XX | | I | | |
| | 1 | A | Eretmochelys imbricata | carvings | 7 | ES | PH | | E | O | |
| | 1 | A | Eretmochelys imbricata | carvings | 1 | FR | CH | XX | P | O | |
| | 1 | A | Eretmochelys imbricata | carvings | 1 | GB | US | PF | E | O | |
| | 1 | A | Eretmochelys imbricata | carvings | 1 | GB | US | XX | T | O | |
| | 1 | A | Eretmochelys imbricata | carvings | 1 | NL | US | XX | T | O | |
| | 1 | A | Eretmochelys imbricata | shells | 1 | ES | CU | XX | I | | |
| | 1 | A | Eretmochelys imbricata | skulls | 2 | ES | CU | XX | I | | |
| | 1 | A | Eretmochelys imbricata | specimens | 5 | GB | BJ | | S | W | |
| | 1 | A | Eretmochelys imbricata | specimens | 20 | GB | GA | | S | W | |
| | 1 | A | Eretmochelys imbricata | specimens | 20 | GB | GH | | S | W | |
| | 1 | A | Eretmochelys imbricata | specimens | 50 | GB | GQ | | S | W | |
| | 1 | A | Eretmochelys imbricata | specimens | 20 | GB | LR | | S | W | |
| | 1 | A | Eretmochelys imbricata | specimens | 30 | GB | ST | | S | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Eretmochelys imbricata</i> | specimens | 10 | GB | TG | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 100 | GB | BJ | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 30 | GB | GA | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 100 | GB | GH | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 20 | GB | GQ | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 50 | GB | LR | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 30 | GB | ST | | S | W | |
| | 1 | A | <i>Lepidochelys olivacea</i> | specimens | 100 | GB | TG | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 50 | GB | BJ | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 70 | GB | GA | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 20 | GB | GH | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 30 | GB | GQ | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 10 | GB | LR | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 5 | GB | ST | | S | W | |
| | 1 | A | <i>Dermochelys coriacea</i> | specimens | 10 | GB | TG | | S | W | |
| | 1 | A | <i>Crocodylus moreletii</i> | eggs | 70 | ES | MX | | S | C | |
| | 1 | A | <i>Crocodylus moreletii</i> | live | 5 | DK | IN | | B | C | |
| | 1 | A | <i>Crocodylus moreletii</i> | live | 100 | ES | MX | | T | D | |
| | 1 | A | <i>Crocodylus moreletii</i> | large leather products | 1 | IT | MX | | T | D | |
| | 1 | A | <i>Crocodylus moreletii</i> | shoes | 6 | IT | MX | | T | D | |
| | 1 | A | <i>Crocodylus moreletii</i> | skins | 4 | ES | MX | | T | D | |
| | 1 | A | <i>Crocodylus niloticus</i> | bones | 1 | GB | CH | XX | E | O | |
| | 1 | A | <i>Crocodylus niloticus</i> | bones | 1 | GB | US | CD | Q | O | |
| | 1 | A | <i>Crocodylus niloticus</i> | carvings | 1 | FR | US | XX | E | O | |
| | 1 | A | <i>Crocodylus niloticus</i> | live | 5 | NL | PL | | Z | C | |
| | 1 | A | <i>Crocodylus niloticus</i> | small leather products | 70 | ES | CH | BR | T | C | |
| | 1 | A | <i>Crocodylus niloticus</i> | skins | 1 | BE | TZ | | H | W | |
| | 1 | A | <i>Crocodylus niloticus</i> | skins | 5 | DE | NA | | P | D | |
| | 1 | A | <i>Crocodylus niloticus</i> | skins | 1 | ES | MR | XX | I | | |
| | 1 | A | <i>Crocodylus niloticus</i> | skulls | 27 | NL | NA | | T | D | |
| | 1 | A | <i>Crocodylus niloticus</i> | trophies | 1 | BE | TZ | | H | W | |
| | 1 | A | <i>Crocodylus niloticus</i> | trophies | 8 | ES | MZ | | H | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Crocodylus niloticus</i> | trophies | 9 | | ES | TZ | | H | W |
| | 1 | A | <i>Crocodylus niloticus</i> | trophies | 1 | | SE | NO | | Z | W |
| | 1 | A | <i>Crocodylus palustris</i> | carvings | 2 | | FR | US | XX | Q | O |
| | 1 | A | <i>Crocodylus palustris</i> | live | 2 | | DK | IN | | B | C |
| | 1 | A | <i>Crocodylus porosus</i> | live | 5 | | DK | IN | | B | C |
| | 1 | A | <i>Crocodylus porosus</i> | live | 3 | | DK | TH | | B | C |
| | 1 | A | <i>Crocodylus porosus</i> | live | 3 | | DK | TH | | T | C |
| | 1 | A | <i>Crocodylus porosus</i> | skulls | 1 | | DK | TH | | E | C |
| | 1 | A | <i>Crocodylus rhombifer</i> | bodies | 2 | | ES | CU | | P | D |
| | 1 | A | <i>Crocodylus rhombifer</i> | skulls | 1 | | DE | CU | | P | D |
| | 1 | A | <i>Crocodylus siamensis</i> | large leather products | 1 | | DE | TH | | P | D |
| | 1 | A | <i>Crocodylus siamensis</i> | large leather products | 1 pair | | DE | TH | | P | D |
| | 1 | A | <i>Crocodylus siamensis</i> | small leather products | 1 | | DE | TH | | P | D |
| | 1 | A | <i>Crocodylus siamensis</i> | live | 4 | | DK | IN | | B | C |
| | 1 | A | <i>Crocodylus siamensis</i> | live | 3 | | DK | TH | | B | C |
| | 1 | A | <i>Crocodylus siamensis</i> | live | 3 | | DK | TH | | T | C |
| | 1 | A | <i>Crocodylus siamensis</i> | large leather products | 1 pair | | DE | TH | | P | D |
| | 1 | A | <i>Crocodylus siamensis</i> | skulls | 1 | | DK | TH | | E | C |
| | 1 | A | <i>Osteolaemus tetraspis</i> | live | 2 | | DK | CH | | T | C |
| | 1 | A | <i>Tomistoma schlegelii</i> | live | 1 | | DK | CZ | XX | Z | O |
| | 1 | A | <i>Tomistoma schlegelii</i> | live | 2 | | DK | CZ | XX | B | O |
| | 1 | A | <i>Gavialis gangeticus</i> | live | 2 | | DK | IN | | B | C |
| | 1 | A | <i>Gavialis gangeticus</i> | live | 6 | | FR | NP | | Z | C |
| | 1 | A | <i>Cyclura cornuta</i> | live | 6 | | DK | US | | B | F |
| | 1 | A | <i>Cyclura cornuta</i> | live | 3 | | GB | CZ | | Z | C |
| | 1 | A | <i>Varanus bengalensis</i> | skins | 14 | | PT | ID | | I | |
| | 1 | A | <i>Varanus griseus</i> | bodies | 1 | | DE | SY | | S | W |
| | 1 | A | <i>Varanus griseus</i> | skulls | 1 | | DE | MA | | S | W |
| | 1 | A | <i>Varanus komodoensis</i> | live | 1 | | GB | US | | Z | C |
| | 1 | A | <i>Varanus komodoensis</i> | live | 1 | | PT | US | | Z | C |
| | 1 | A | <i>Scleropages formosus</i> | live | 6 | | DE | SG | | P | D |
| | 1 | A | <i>Scleropages formosus</i> | live | 13 | | GB | MY | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Scleropages formosus</i> | live | 6 | GB | SG | | P | D | |
| | 1 | A | <i>Scleropages formosus</i> | live | 2 | NL | SG | ID | T | D | |
| | 1 | A | <i>Scleropages formosus</i> | live | 3 | NL | SG | ID | TT | C | |
| | 1 | A | <i>Agave parviflora</i> | live | 3 | DE | MC | DE | T | D | |
| | 1 | A | <i>Agave parviflora</i> | seeds | 60 | BE | US | | P | D | |
| | 1 | A | <i>Pachypodium spp.</i> | live | 52 | DE | CH | | T | D | |
| | 1 | A | <i>Pachypodium spp.</i> | live | 80 | DE | CH | | TT | A | |
| | 1 | A | <i>Pachypodium baronii</i> | live | 40 | DE | CH | | TT | A | |
| | 1 | A | <i>Pachypodium baronii</i> | live | 80 | DE | CH | | T | D | |
| | 1 | A | <i>Pachypodium baronii</i> | live | 5 | DE | MC | DE | TT | D | |
| | 1 | A | <i>Pachypodium decaryi</i> | live | 3 | DE | MC | DE | TT | D | |
| | 1 | A | <i>Ariocarpus spp.</i> | live | 1 | SE | MT | | P | A | |
| | 1 | A | <i>Ariocarpus agavooides</i> | live | 60 | DE | CZ | | T | A | |
| | 1 | A | <i>Ariocarpus agavooides</i> | live | 100 | DE | CZ | | T | D | |
| | 1 | A | <i>Ariocarpus agavooides</i> | live | 2 | DE | MC | DE | T | D | |
| | 1 | A | <i>Ariocarpus agavooides</i> | seeds | 15 | BE | US | | P | D | |
| | 1 | A | <i>Ariocarpus fissuratus</i> | live | 100 | DE | CZ | | T | A | |
| | 1 | A | <i>Ariocarpus fissuratus</i> | live | 440 | DE | CZ | | TT | D | |
| | 1 | A | <i>Ariocarpus fissuratus</i> | live | 2 | DE | MC | DE | T | D | |
| | 1 | A | <i>Ariocarpus fissuratus</i> | seeds | 50 | BE | US | | P | D | |
| | 1 | A | <i>Ariocarpus fissuratus</i> | seeds | 1000 | GB | CZ | | TT | D | |
| | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 120 | DE | CZ | | T | A | |
| | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 350 | DE | CZ | | T | D | |
| | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 5 | DE | MC | DE | T | D | |
| | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | live | 2 | SE | MT | | P | A | |
| | 1 | A | <i>Ariocarpus kotschoubeyanus</i> | seeds | 50 | BE | US | | P | D | |
| | 1 | A | <i>Ariocarpus retusus</i> | live | 542 | DE | CZ | | TT | D | |
| | 1 | A | <i>Ariocarpus retusus</i> | live | 12 | DE | MC | DE | T | D | |
| | 1 | A | <i>Ariocarpus retusus</i> | seeds | 250 | BE | US | | P | D | |
| | 1 | A | <i>Ariocarpus retusus</i> | seeds | 1000 | GB | CZ | | T | D | |
| | 1 | A | <i>Ariocarpus retusus ssp. trigonus</i> | seeds | 10 | BE | US | | P | D | |
| | 1 | A | <i>Ariocarpus scaphirostris</i> | live | 20 | DE | CZ | | T | D | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Ariocarpus scaphirostris</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Astrophytum asterias</i> | live | 20 | | DE | CZ | | T | D |
| | 1 | A | <i>Astrophytum asterias</i> | live | 12 | | DE | MC | DE | T | D |
| | 1 | A | <i>Astrophytum asterias</i> | live | 75 | | DE | US | | T | A |
| | 1 | A | <i>Astrophytum asterias</i> | live | 2 | | FR | US | | B | D |
| | 1 | A | <i>Aztekium ritteri</i> | live | 20 | | DE | CZ | | T | D |
| | 1 | A | <i>Aztekium ritteri</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Coryphantha werdermannii</i> | seeds | 40 | | BE | US | | P | D |
| | 1 | A | <i>Discocactus spp.</i> | live | 50 | | DE | US | | T | A |
| | 1 | A | <i>Discocactus bahiensis</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Discocactus heptacanthus</i> | live | 23 | | DE | MC | DE | T | D |
| | 1 | A | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live | 40 | | DE | US | | T | D |
| | 1 | A | <i>Discocactus heptacanthus</i> ssp. <i>heptacanthus</i> | live | 50 | | DE | US | | T | A |
| | 1 | A | <i>Discocactus horstii</i> | live | 8 | | DE | MC | DE | T | D |
| | 1 | A | <i>Discocactus horstii</i> | live | 50 | | DE | US | | T | A |
| | 1 | A | <i>Discocactus placentiformis</i> | live | 7 | | DE | MC | DE | T | D |
| | 1 | A | <i>Discocactus pseudoinsignis</i> | live | 1 | | DE | MC | DE | T | D |
| | 1 | A | <i>Discocactus zehntneri</i> | live | 7 | | DE | MC | DE | T | D |
| | 1 | A | <i>Discocactus zehntneri</i> | live | 50 | | DE | US | | T | A |
| | 1 | A | <i>Discocactus zehntneri</i> ssp. <i>boomianus</i> | live | 75 | | DE | US | | T | A |
| | 1 | A | <i>Echinocereus ferreiranus</i> spp. <i>lindsayi</i> | live | 25 | | DE | CZ | | T | D |
| | 1 | A | <i>Echinocereus ferreiranus</i> spp. <i>lindsayi</i> | live | 1 | | DE | MC | DE | T | D |
| | 1 | A | <i>Echinocereus schmollii</i> | live | 1 | | DE | MC | DE | T | D |
| | 1 | A | <i>Escobaria minima</i> | live | 5 | | DE | MC | DE | T | D |
| | 1 | A | <i>Escobaria sneedii</i> | live | 6 | | DE | MC | DE | T | D |
| | 1 | A | <i>Mammillaria pectinifera</i> | live | 50 | | DE | CZ | | T | D |
| | 1 | A | <i>Mammillaria pectinifera</i> | live | 100 | | DE | CZ | | T | A |
| | 1 | A | <i>Mammillaria pectinifera</i> | live | 3 | | DE | MC | DE | T | D |
| | 1 | A | <i>Mammillaria pectinifera</i> | seeds | 250 | | GB | CZ | | T | D |
| | 1 | A | <i>Mammillaria solisioides</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Mammillaria solisioides</i> | seeds | 500 | | GB | CZ | | T | D |
| | 1 | A | <i>Obregonia denegrii</i> | live | 100 | | DE | CZ | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Obregonia denegrii</i> | live | 3 | | DE | MC | DE | T | D |
| | 1 | A | <i>Pediocactus bradyi</i> | live | 160 | | DE | CZ | | T | D |
| | 1 | A | <i>Pediocactus bradyi</i> ssp. <i>despainii</i> | live | 35 | | DE | CZ | | T | D |
| | 1 | A | <i>Pediocactus knowltonii</i> | live | 30 | | DE | CZ | | T | D |
| | 1 | A | <i>Pediocactus knowltonii</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Pediocactus paradisei</i> | live | 110 | | DE | CZ | | T | D |
| | 1 | A | <i>Pediocactus peeblesianus</i> | live | 290 | | DE | CZ | | T | D |
| | 1 | A | <i>Pediocactus sileri</i> | live | 35 | | DE | CZ | | T | D |
| | 1 | A | <i>Pelecyphora aselliformis</i> | live | 40 | | DE | CZ | | T | D |
| | 1 | A | <i>Pelecyphora aselliformis</i> | seeds | 10 | | BE | US | | P | D |
| | 1 | A | <i>Sclerocactus erectocentrus</i> | live | 30 | | DE | CZ | | T | D |
| | 1 | A | <i>Sclerocactus glaucus</i> | live | 20 | | DE | CZ | | T | D |
| | 1 | A | <i>Sclerocactus mesae-verdae</i> | live | 45 | | DE | CZ | | T | D |
| | 1 | A | <i>Sclerocactus papyracanthus</i> | live | 201 | | DE | CZ | | T | D |
| | 1 | A | <i>Sclerocactus papyracanthus</i> | live | 3 | | DE | MC | DE | T | D |
| | 1 | A | <i>Sclerocactus pubispinus</i> | live | 85 | | DE | CZ | | T | D |
| | 1 | A | <i>Sclerocactus wrightiae</i> | live | 20 | | DE | CZ | | T | D |
| | 1 | A | <i>Strombocactus disciformis</i> | live | 50 | | DE | CZ | | T | A |
| | 1 | A | <i>Strombocactus disciformis</i> | live | 50 | | DE | CZ | | T | D |
| | 1 | A | <i>Strombocactus disciformis</i> | live | 5 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus gielsdorfianus</i> | live | 3 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus hoferi</i> | live | 3 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus horripilus</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus jauernigii</i> | live | 40 | | DE | CZ | | T | A |
| | 1 | A | <i>Turbinicarpus jauernigii</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus knuthianus</i> | live | 1 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus laui</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus laui</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 75 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus lophophoroides</i> | live | 72 | | DE | US | | T | A |
| | 1 | A | <i>Turbinicarpus lophophoroides</i> | seeds | 20 | | BE | US | | P | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus pseudomacrochele</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus pseudopectinatus</i> | live | 42 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus pseudopectinatus</i> | live | 5 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus pseudopectinatus</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus roseiflorus</i> | live | 60 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | live | 60 | | DE | CZ | | T | A |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | live | 220 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | live | 6 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>flaviflorus</i> | seeds | 1000 | | GB | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>klinkerianus</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>macrochele</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schmiedickeanus</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | live | 60 | | DE | CZ | | T | A |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | live | 120 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus schmiedickeanus</i> ssp. <i>schwarzii</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus subterraneus</i> | live | 5 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus swobodae</i> | live | 130 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus swobodae</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus valdezianus</i> | live | 70 | | DE | CZ | | T | D |
| | 1 | A | <i>Turbinicarpus valdezianus</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Turbinicarpus valdezianus</i> | seeds | 20 | | BE | US | | P | D |
| | 1 | A | <i>Turbinicarpus viereckii</i> | live | 5 | | DE | MC | DE | T | D |
| | 1 | A | <i>Uebelmannia buiningii</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Uebelmannia buiningii</i> | live | 150 | | DE | US | | T | A |
| | 1 | A | <i>Uebelmannia buiningii</i> | seeds | 10 | | BE | US | | P | D |
| | 1 | A | <i>Uebelmannia gummifera</i> | live | 6 | | DE | MC | DE | T | D |
| | 1 | A | <i>Uebelmannia gummifera</i> | seeds | 20 | | BE | MT | | P | A |
| | 1 | A | <i>Uebelmannia pectinifera</i> | live | 17 | | DE | MC | DE | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Uebelmannia pectinifera</i> | live | 30 | | DE | US | | T | D |
| | 1 | A | <i>Uebelmannia pectinifera</i> | live | 266 | | DE | US | | T | A |
| | 1 | A | <i>Uebelmannia pectinifera</i> | seeds | 10 | | BE | MT | | P | A |
| | 1 | A | <i>Uebelmannia pectinifera</i> | seeds | 10 | | BE | US | | P | D |
| | 1 | A | <i>Uebelmannia pectinifera</i> ssp. <i>pectinifera</i> | seeds | 20 | | BE | MT | | P | A |
| | 1 | A | <i>Saussurea costus</i> | derivatives | 40 kg | | GB | CN | | T | A |
| | 1 | A | <i>Saussurea costus</i> | roots | 200 | kg | FR | IN | | T | A |
| | 1 | A | <i>Euphorbia ambovombensis</i> | live | 5 | | DE | MC | DE | T | D |
| | 1 | A | <i>Euphorbia ambovombensis</i> | live | 20 | | DE | ZA | | T | D |
| | 1 | A | <i>Euphorbia capsaintemariensis</i> | live | 20 | | DE | ZA | | T | D |
| | 1 | A | <i>Euphorbia cylindrifolia</i> | live | 15 | | DE | US | | T | A |
| | 1 | A | <i>Euphorbia cylindrifolia</i> | live | 98 | | DE | ZA | | T | D |
| | 1 | A | <i>Euphorbia cylindrifolia</i> | live | 20 | | GB | ZA | | T | A |
| | 1 | A | <i>Euphorbia decaryi</i> | live | 4 | | DE | MC | DE | T | D |
| | 1 | A | <i>Euphorbia decaryi</i> | live | 125 | | DE | US | | T | A |
| | 1 | A | <i>Euphorbia francoisii</i> | live | 25 | | DE | CH | | T | D |
| | 1 | A | <i>Euphorbia francoisii</i> | live | 7 | | DE | MC | DE | T | D |
| | 1 | A | <i>Aloe bellatula</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Aloe compressa</i> | live | 3 | | DE | CH | | T | D |
| | 1 | A | <i>Aloe compressa</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Aloe descoingsii</i> | live | 1 | | DE | MC | DE | T | D |
| | 1 | A | <i>Aloe haworthioides</i> | live | 3 | | DE | MC | DE | T | D |
| | 1 | A | <i>Aloe haworthioides</i> | live | 194 | | DE | US | | T | A |
| | 1 | A | <i>Aloe haworthioides</i> | live | 30 | | DE | ZA | | T | D |
| | 1 | A | <i>Aloe laeta</i> | live | 11 | | DE | CH | | T | D |
| | 1 | A | <i>Aloe laeta</i> | live | 2 | | DE | MC | DE | T | D |
| | 1 | A | <i>Aloe parvula</i> | live | 30 | | DE | CH | | T | A |
| | 1 | A | <i>Aloe pillansii</i> | live | 10 | | DE | ZA | | T | D |
| | 1 | A | <i>Cattleya trianaei</i> | live | 2 | | BE | EC | | T | A |
| | 1 | A | <i>Cattleya trianaei</i> | live | 12 | | DE | BR | | T | D |
| | 1 | A | <i>Cattleya trianaei</i> | live | 1 | | DE | CO | | T | A |
| | 1 | A | <i>Cattleya trianaei</i> | live | 10 | | GB | CO | | T | A |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Dendrobium cruentum</i> | live | 2 | | DE | TH | | T | A |
| | 1 | A | <i>Dendrobium cruentum</i> | live | 100 | | DE | TH | | T | D |
| | 1 | A | <i>Dendrobium cruentum</i> | live | 1 | | ES | TH | | T | A |
| | 1 | A | <i>Laelia jongheana</i> | live | 3 | | DE | BR | | T | D |
| | 1 | A | <i>Laelia jongheana</i> | live | 20 | | GB | BR | | T | A |
| | 1 | A | <i>Laelia lobata</i> | live | 2 | | DE | BR | | T | D |
| | 1 | A | <i>Paphiopedilum spp.</i> | live | 107 | | DE | US | | T | D |
| | 1 | A | <i>Paphiopedilum spp.</i> | live | 8 | | FR | US | | T | D |
| | 1 | A | <i>Paphiopedilum spp.</i> | live | 10 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum spp.</i> | live | 230 | | GB | US | | T | A |
| | 1 | A | <i>Paphiopedilum spp.</i> | live | 200 | | NL | US | | T | A |
| | 1 | A | <i>Paphiopedilum adductum</i> | live | 1 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum armeniacum</i> | live | 1 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum charlesworthii</i> | live | 2 | | GB | US | | T | D |
| | 1 | A | <i>Paphiopedilum emersonii</i> | live | 1 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum glanduliferum</i> | live | 1 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum kolopakingii</i> | live | 10 | | GB | US | | T | D |
| | 1 | A | <i>Paphiopedilum malipoense</i> | live | 15 | | GB | US | | T | D |
| | 1 | A | <i>Paphiopedilum micranthum</i> | live | 5 | | GB | US | | T | D |
| | 1 | A | <i>Paphiopedilum randsii</i> | live | 1 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum sanderianum</i> | live | 5 | | DE | VE | | T | D |
| | 1 | A | <i>Paphiopedilum stonei</i> | live | 2 | | GB | US | | P | A |
| | 1 | A | <i>Paphiopedilum supardii</i> | live | 1 | | GB | US | | P | A |
| | 1 | A | <i>Phragmipedium spp.</i> | live | 1 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium spp.</i> | live | 1 | | DE | US | | T | D |
| | 1 | A | <i>Phragmipedium spp.</i> | live | 34 | | GB | US | | T | A |
| | 1 | A | <i>Phragmipedium spp.</i> | live | 100 | | NL | US | | T | A |
| | 1 | A | <i>Phragmipedium besseae</i> | live | 6 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium besseae</i> | live | 2 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium boissierianum</i> | live | 5 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium boissierianum</i> | live | 8 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium boissierianum</i> | live | 8 | | BE | EC | | T | A |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Phragmipedium boissierianum</i> | live | 1 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium caudatum</i> | live | 7 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium caudatum</i> | live | 3 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium hirtzii</i> | live | 8 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium hirtzii</i> | live | 4 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium klotzschianum</i> | live | 30 | | DE | VE | | T | D |
| | 1 | A | <i>Phragmipedium lindenii</i> | live | 6 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium lindenii</i> | live | 5 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium longifolium</i> | live | 6 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium longifolium</i> | live | 4 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium pearcei</i> | live | 5 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium pearcei</i> | live | 6 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium schlimii</i> | live | 6 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium schlimii</i> | live | 3 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium wallisii</i> | live | 6 | | BE | EC | | T | A |
| | 1 | A | <i>Phragmipedium wallisii</i> | live | 1 | | GB | EC | | T | A |
| | 1 | A | <i>Phragmipedium xerophyticum</i> | live | 3 | | GB | US | | T | D |
| | 1 | A | <i>Vanda coerulea</i> | live | 1 | | BE | TH | | P | A |
| | 1 | A | <i>Vanda coerulea</i> | live | 50 | | DE | TH | | T | D |
| | 1 | A | <i>Vanda coerulea</i> | live | 1 | | ES | TH | | T | A |
| | 1 | A | <i>Vanda coerulea</i> | live | 52 | | GB | TH | | T | A |
| | 1 | A | <i>Stangeria eriopus</i> | live | 80 | | DE | ZA | | T | D |
| | 1 | A | <i>Stangeria eriopus</i> | live | 3 | | IT | AU | | P | A |
| | 1 | A | <i>Ceratozamia hildae</i> | live | 2 | | IT | AU | | P | A |
| | 1 | A | <i>Ceratozamia kuesteriana</i> | live | 5 | | IT | AU | | T | A |
| | 1 | A | <i>Ceratozamia latifolia</i> | live | 30 | | DE | ZA | | T | D |
| | 1 | A | <i>Ceratozamia mexicana</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 1 | A | <i>Ceratozamia mexicana</i> | live | 2 | | IT | AU | | P | A |
| | 1 | A | <i>Ceratozamia mexicana</i> | live | 10 | | IT | AU | | T | A |
| | 1 | A | <i>Encephalartos</i> spp. | live | 33 | | FR | ZA | | T | D |
| | 1 | A | <i>Encephalartos</i> spp. | live | 40 | | IT | AU | | T | A |
| | 1 | A | <i>Encephalartos altensteinii</i> | live | 20 | | DE | ZA | | T | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Encephalartos altensteinii</i> | live | 10 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos altensteinii</i> | seeds | 200 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos arenarius</i> | live | 1 | IT | AU | | P | A | |
| | 1 | A | <i>Encephalartos arenarius</i> | seeds | 1 | GB | ZA | | E | A | |
| | 1 | A | <i>Encephalartos caffer</i> | live | 40 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos caffer</i> | live | 10 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos cycadifolius</i> | live | 10 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos ferox</i> | live | 20 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos ferox</i> | live | 10 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos ferox</i> | seeds | 5 | GB | ZA | | E | A | |
| | 1 | A | <i>Encephalartos friderici-guilielmi</i> | live | 10 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos friderici-guilielmi</i> | seeds | 4 | GB | ZA | | E | A | |
| | 1 | A | <i>Encephalartos ghellinckii</i> | live | 10 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos ghellinckii</i> | seeds | 10 | GB | ZA | | E | A | |
| | 1 | A | <i>Encephalartos horridus</i> | live | 20 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos horridus</i> | live | 20 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos horridus</i> | live | 1 | IT | AU | | T | A | |
| | 1 | A | <i>Encephalartos kisambo</i> | live | 2 | IT | AU | | P | A | |
| | 1 | A | <i>Encephalartos kisambo</i> | live | 2 | IT | AU | | T | A | |
| | 1 | A | <i>Encephalartos lanatus</i> | live | 10 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos lebomboensis</i> | live | 10 | IT | AU | | T | A | |
| | 1 | A | <i>Encephalartos lebomboensis</i> | seeds | 7 | GB | ZA | | E | A | |
| | 1 | A | <i>Encephalartos lehmannii</i> | live | 20 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos lehmannii</i> | live | 20 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos longifolius</i> | live | 30 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos longifolius</i> | live | 10 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos manikensis</i> | live | 10 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos manikensis</i> | live | 10 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos middelburgensis</i> | live | 5 | DE | ZA | | T | D | |
| | 1 | A | <i>Encephalartos natalensis</i> | seeds | 3 | GB | ZA | | E | A | |
| | 1 | A | <i>Encephalartos princeps</i> | live | 15 | GB | ZA | | T | D | |
| | 1 | A | <i>Encephalartos sentica</i> | seeds | 10 | GB | ZA | | E | A | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 1 | A | <i>Encephalartos trispinosus</i> | live | 3 | | IT | AU | | T | A |
| | 1 | A | <i>Encephalartos umbeluziensis</i> | live | 1 | | IT | AU | | P | A |
| | 1 | A | <i>Encephalartos villosus</i> | live | 30 | | DE | ZA | | T | D |
| | 1 | A | <i>Encephalartos villosus</i> | live | 10 | | GB | ZA | | T | D |
| | 1 | A | <i>Encephalartos villosus</i> | live | 5 | | IT | AU | | T | A |
| | 1 | A | <i>Encephalartos villosus</i> | seeds | 4 | | GB | ZA | | E | A |
| | 2 | B | <i>Spilocucus maculatus</i> | skins | 4 | | DE | PG | | T | U |
| | 2 | B | <i>Tupaia</i> spp. | live | 16 | | DE | CN | | M | C |
| | 2 | B | <i>Galago moholi</i> | live | 5 | | DE | ZA | | Z | C |
| | 2 | B | <i>Callithrix jacchus</i> | live | 3 | | FR | BR | | S | C |
| | 2 | B | <i>Callithrix jacchus</i> | live | 32 | | GR | ZA | | T | C |
| | 2 | B | <i>Callithrix jacchus</i> | specimens | 200 | | GB | BR | | S | W |
| | 2 | B | <i>Callithrix pygmaea</i> | live | 4 | | PT | PE | | Z | C |
| | 2 | B | <i>Saguinus fuscicollis</i> | live | 8 | | PT | PE | | Z | C |
| | 2 | B | <i>Saguinus imperator</i> | live | 1 | | ES | CH | | Z | C |
| | 2 | B | <i>Saguinus imperator</i> | live | 1 | | GB | AU | | Z | C |
| | 2 | B | <i>Saguinus midas</i> | live | 7 | | GB | GY | | T | W |
| | 2 | B | <i>Alouatta caraya</i> | live | 1 | | PT | BR | | Z | C |
| | 2 | B | <i>Alouatta caraya</i> | live | 2 | | PT | BR | | Z | W |
| | 2 | B | <i>Aotus nancymaae</i> | live | 2 | | PT | PE | | Z | C |
| | 2 | B | <i>Ateles paniscus</i> | live | 6 | | PT | PE | | Z | C |
| | 2 | B | <i>Callicebus moloch</i> | live | 1 | | FR | US | | Z | F |
| | 2 | B | <i>Callicebus moloch</i> | live | 4 | | FR | US | | Z | C |
| | 2 | B | <i>Callicebus moloch</i> | live | 1 | | FR | US | PE | Z | W |
| | 2 | B | <i>Callicebus moloch</i> | live | 4 | | PT | US | | Z | F |
| | 2 | B | <i>Callicebus moloch</i> | live | 1 | | PT | US | PE | Z | W |
| | 2 | B | <i>Cebus</i> spp. | skulls | 1 | | ES | CU | XX | I | |
| | 2 | B | <i>Cebus apella</i> | live | 3 | | DE | BR | | Z | C |
| | 2 | B | <i>Cebus apella</i> | live | 2 | | ES | XX | | I | |
| | 2 | B | <i>Cebus apella</i> | live | 9 | | GB | GY | | T | W |
| | 2 | B | <i>Cebus apella</i> | live | 2 | | NL | BR | | Z | C |
| | 2 | B | <i>Cebus apella</i> | live | 14 | | PT | HU | NL | Z | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Lagothrix lagotricha</i> | live | 2 | | PT | PE | | Z | C |
| | 2 | B | <i>Saimiri sciureus</i> | live | 12 | | DE | HU | | Z | F |
| | 2 | B | <i>Saimiri sciureus</i> | live | 1 | | DK | NO | | Z | C |
| | 2 | B | <i>Saimiri sciureus</i> | live | 2 | | DK | NO | GB | Z | C |
| | 2 | B | <i>Saimiri sciureus</i> | live | 40 | | ES | GY | | T | W |
| | 2 | B | <i>Saimiri sciureus</i> | live | 1 | | ES | XX | | I | |
| | 2 | B | <i>Saimiri sciureus</i> | live | 25 | | FR | CH | | S | F |
| | 2 | B | <i>Saimiri sciureus</i> | live | 68 | | GB | GY | | T | W |
| | 2 | B | <i>Saimiri sciureus</i> | live | 3 | | PT | HU | | Z | C |
| | 2 | B | <i>Saimiri sciureus</i> | specimens | 55 | | DE | US | GY | M | W |
| | 2 | B | <i>Cercopithecus</i> spp. | live | 1 | | PT | ST | | I | |
| | 2 | B | <i>Cercopithecus hamlyni</i> | live | 1 | | FR | PL | FR | Z | C |
| | 2 | B | <i>Cercopithecus neglectus</i> | live | 1 | | DE | PL | | B | C |
| | 2 | B | <i>Cercopithecus neglectus</i> | live | 2 | | DE | PL | | B | F |
| | 2 | B | <i>Chlorocebus aethiops</i> | bodies | 1 | | FR | ZA | | H | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 60 | | BE | BB | | M | C |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 543 | | BE | BB | | M | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 2 | | DK | PL | | Z | F |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 88 | | FR | BB | | S | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 1 | | GB | ZA | | P | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 28 | | IT | BB | | S | C |
| | 2 | B | <i>Chlorocebus aethiops</i> | live | 26 | | IT | US | | S | F |
| | 2 | B | <i>Chlorocebus aethiops</i> | skins | 1 | | DE | ZA | | H | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | skins | 3 | | DE | ZA | | P | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | skins | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | skins | 3 | | DK | ZA | | H | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | skulls | 2 | | DE | ZA | | P | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | skulls | 2 | | DK | ZA | | H | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 3 | | AT | US | | S | F |
| | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 2 | | BE | US | | M | F |
| | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 2 | | BE | US | KN | M | W |
| | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 10 | | BE | US | KN | M | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 1 | | DE | US | | S | F |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 11 | | DE | US | | M | F |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 20 | | DE | ZA | | S | C |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 110 ml | | DE | ZA | | M | C |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 4 | | DK | BB | | S | C |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 2 | | DK | US | | M | C |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 2 ml | | FI | US | | S | F |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 1 | | IT | US | | S | F |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 104 | | SE | BB | | S | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | specimens | 1 | | SE | US | | S | F |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | DE | ZA | | H | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | DE | ZA | | P | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | DE | ZA | | T | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | DK | ZW | | H | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 4 | | ES | ZA | | H | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 5 | | ES | ZW | | H | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | FR | TZ | | H | W |
| I | 2 | B | <i>Chlorocebus aethiops</i> | trophies | 1 | | FR | ZW | | T | W |
| I | 2 | B | <i>Colobus guereza</i> | skins | 1 | | FR | ET | | H | W |
| I | 2 | B | <i>Colobus guereza</i> | skins | 1 | | GB | KE | | P | W |
| I | 2 | B | <i>Colobus guereza</i> | skins | 1 | | GB | KE | XX | P | O |
| I | 2 | B | <i>Erythrocebus patas</i> | live | 1 | | ES | XX | | I | |
| I | 2 | B | <i>Erythrocebus patas</i> | live | 2 | | FR | SN | | B | W |
| I | 2 | B | <i>Macaca spp.</i> | live | 2 | | ES | MA | XX | I | |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 300 | | DE | CN | | M | C |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 70 | | DE | MU | | M | W |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 414 | | DE | MU | | M | F |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 220 | | DE | VN | | M | C |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 76 | | ES | MU | | M | F |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 510 | | FR | CN | | S | C |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 40 | | FR | IS | | S | F |
| I | 2 | B | <i>Macaca fascicularis</i> | live | 20 | | FR | MU | | S | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Macaca fascicularis | live | 70 | | FR | MU | | T | F |
| | 2 | B | Macaca fascicularis | live | 606 | | FR | MU | | S | W |
| | 2 | B | Macaca fascicularis | live | 1344 | | FR | MU | | S | F |
| | 2 | B | Macaca fascicularis | live | 324 | | FR | PH | | S | C |
| | 2 | B | Macaca fascicularis | live | 120 | | GB | CN | | M | C |
| | 2 | B | Macaca fascicularis | live | 472 | | GB | CN | | T | C |
| | 2 | B | Macaca fascicularis | live | 60 | | GB | IL | | B | F |
| | 2 | B | Macaca fascicularis | live | 252 | | GB | IL | | M | F |
| | 2 | B | Macaca fascicularis | live | 4 | | GB | MU | | M | C |
| | 2 | B | Macaca fascicularis | live | 827 | | GB | MU | | M | F |
| | 2 | B | Macaca fascicularis | live | 220 | | IT | MU | | S | F |
| | 2 | B | Macaca fascicularis | live | 229 | | NL | CN | | S | C |
| | 2 | B | Macaca fascicularis | specimens | 216 | | BE | CA | ID | M | W |
| | 2 | B | Macaca fascicularis | specimens | 359 ml | | BE | CA | PH | M | W |
| | 2 | B | Macaca fascicularis | specimens | 1760 | | BE | US | ID | M | W |
| | 2 | B | Macaca fascicularis | specimens | 815 | | DE | CA | MU | M | W |
| | 2 | B | Macaca fascicularis | specimens | 396 | | DE | CH | CN | M | C |
| | 2 | B | Macaca fascicularis | specimens | 66 | | DE | CH | MU | M | C |
| | 2 | B | Macaca fascicularis | specimens | 134 | | DE | CH | PH | M | C |
| | 2 | B | Macaca fascicularis | specimens | 324 ml | | DE | JP | CN | T | C |
| | 2 | B | Macaca fascicularis | specimens | 24 | | DE | US | CN | M | F |
| | 2 | B | Macaca fascicularis | specimens | 180 | | DE | US | CN | T | C |
| | 2 | B | Macaca fascicularis | specimens | 576 | | DE | US | CN | M | C |
| | 2 | B | Macaca fascicularis | specimens | 84 | | DE | US | ID | M | F |
| | 2 | B | Macaca fascicularis | specimens | 324 | | DE | US | ID | T | W |
| | 2 | B | Macaca fascicularis | specimens | 360 | | DE | US | ID | T | C |
| | 2 | B | Macaca fascicularis | specimens | 1274 | | DE | US | ID | M | W |
| | 2 | B | Macaca fascicularis | specimens | 17 | | GB | MU | | M | F |
| | 2 | B | Macaca fascicularis | specimens | 2698 ml | | GB | MU | | M | F |
| | 2 | B | Macaca fascicularis | specimens | 2 ml | | GB | US | | M | C |
| | 2 | B | Macaca fascicularis | specimens | 28 ml | | GB | US | ID | M | F |
| | 2 | B | Macaca fascicularis | specimens | 97 ml | | GB | US | IN | S | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Macaca fascicularis | specimens | 2 | ml | GB | US | VN | S | F |
| | 2 | B | Macaca fascicularis | specimens | 35 | | NL | CA | VN | S | C |
| | 2 | B | Macaca fuscata | bodies | 1 | | NL | JP | XX | E | O |
| | 2 | B | Macaca mulatta | bodies | 39 | | IT | US | | S | F |
| | 2 | B | Macaca mulatta | bodies | 850 | ml | IT | US | | S | C |
| | 2 | B | Macaca mulatta | live | 7 | | BE | CN | | S | C |
| | 2 | B | Macaca mulatta | live | 10 | | DE | CN | | S | C |
| | 2 | B | Macaca mulatta | live | 100 | | DE | CN | | M | C |
| | 2 | B | Macaca mulatta | live | 86 | | FR | CN | | S | C |
| | 2 | B | Macaca mulatta | live | 36 | | FR | MU | US | S | C |
| | 2 | B | Macaca mulatta | live | 1 | | FR | RU | | Q | C |
| | 2 | B | Macaca mulatta | live | 76 | | FR | US | | S | F |
| | 2 | B | Macaca mulatta | live | 116 | | FR | US | | S | C |
| | 2 | B | Macaca mulatta | live | 136 | | GB | CN | | T | C |
| | 2 | B | Macaca mulatta | live | 5 | | GB | US | | M | C |
| | 2 | B | Macaca mulatta | live | 12 | | GB | US | CN | M | C |
| | 2 | B | Macaca mulatta | live | 526 | | NL | CN | | S | C |
| | 2 | B | Macaca mulatta | specimens | 10 | | AT | US | | S | C |
| | 2 | B | Macaca mulatta | specimens | 16 | | BE | US | | M | C |
| | 2 | B | Macaca mulatta | specimens | 72 | | BE | US | | M | F |
| | 2 | B | Macaca mulatta | specimens | 544 | g | DE | CH | CN | M | C |
| | 2 | B | Macaca mulatta | specimens | 969 | | DE | US | | M | C |
| | 2 | B | Macaca mulatta | specimens | 400 | g | DE | US | | M | C |
| | 2 | B | Macaca mulatta | specimens | 1 | | DE | US | XX | T | U |
| | 2 | B | Macaca mulatta | specimens | 1265 | | ES | US | | T | C |
| | 2 | B | Macaca mulatta | specimens | 2023 | | ES | US | | M | C |
| | 2 | B | Macaca mulatta | specimens | 87 | | GB | US | | T | C |
| | 2 | B | Macaca mulatta | specimens | 170 | | GB | US | | M | C |
| | 2 | B | Macaca mulatta | specimens | 322 | ml | GB | US | | T | C |
| | 2 | B | Macaca mulatta | specimens | 834 | ml | GB | US | | M | C |
| | 2 | B | Macaca mulatta | specimens | 8 | | GB | US | CN | M | C |
| | 2 | B | Macaca mulatta | specimens | 20 | | GB | US | CN | M | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Macaca mulatta | specimens | 207 | ml | GB | US | CN | T | W |
| | 2 | B | Macaca mulatta | specimens | 15317 | | IT | US | | S | C |
| | 2 | B | Macaca mulatta | specimens | 2502 | kg | IT | US | | S | C |
| | 2 | B | Macaca mulatta | specimens | 15 | | NL | CN | | S | C |
| | 2 | B | Macaca mulatta | specimens | 108 | ml | NL | CN | | S | C |
| | 2 | B | Macaca nemestrina | live | 4 | | ES | US | | M | F |
| | 2 | B | Macaca nemestrina | live | 4 | | FR | CH | ID | S | C |
| | 2 | B | Macaca nemestrina | live | 10 | | FR | HU | | Q | C |
| | 2 | B | Macaca nemestrina | live | 9 | | FR | RU | | Q | C |
| | 2 | B | Macaca nemestrina | specimens | 7 | | DE | US | | M | F |
| | 2 | B | Macaca nemestrina | specimens | 384 | | DE | US | RU | M | C |
| | 2 | B | Macaca nemestrina | specimens | 420 | | DE | US | RU | M | F |
| | 2 | B | Macaca sylvanus | live | 10 | | ES | MA | XX | I | C |
| | 2 | B | Macaca sylvanus | live | 1 | | FR | CH | FR | B | C |
| | 2 | B | Macaca sylvanus | live | 4 | | FR | MA | | B | C |
| | 2 | B | Miopithecus talapoin | live | 20 | | GR | CM | | T | W |
| | 2 | B | Papio hamadryas | skulls | 1 | | BE | ZW | | P | W |
| | 2 | B | Papio hamadryas | skulls | 2 | | DE | ZM | | H | W |
| | 2 | B | Papio hamadryas | specimens | 200 | | DE | US | | M | F |
| | 2 | B | Papio hamadryas | trophies | 1 | | BE | ZM | | H | W |
| | 2 | B | Papio hamadryas | trophies | 1 | | ES | CM | | H | W |
| | 2 | B | Papio hamadryas | trophies | 1 | | ES | ZA | | H | W |
| | 2 | B | Papio hamadryas | trophies | 2 | | ES | ZM | | H | W |
| | 2 | B | Papio hamadryas | trophies | 2 | | ES | ZW | | H | W |
| | 2 | B | Papio hamadryas | trophies | 1 | | FR | CM | | H | W |
| | 2 | B | Papio hamadryas | trophies | 1 | | IT | ZA | | H | W |
| | 2 | B | Papio hamadryas anubis | feet | 2 | | FR | BF | | H | W |
| | 2 | B | Papio hamadryas anubis | live | 8 | | FR | KE | | S | W |
| | 2 | B | Papio hamadryas anubis | skins | 1 | | DE | BF | | H | W |
| | 2 | B | Papio hamadryas anubis | skins | 1 | | DE | TZ | | H | W |
| | 2 | B | Papio hamadryas anubis | skulls | 2 | | AT | TZ | | P | W |
| | 2 | B | Papio hamadryas anubis | skulls | 1 | | BE | TZ | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Papio hamadryas anubis</i> | skulls | 1 | | DE | BF | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | skulls | 1 | | DE | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | skulls | 1 | | DK | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | skulls | 1 | | FR | BF | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | skulls | 13 | | FR | CF | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | skulls | 1 | | FR | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | specimens | 25 | | DE | US | KE | M | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | specimens | 2 | | SE | US | | S | F |
| | 2 | B | <i>Papio hamadryas anubis</i> | specimens | 8 | | SE | US | | S | C |
| | 2 | B | <i>Papio hamadryas anubis</i> | specimens | 7 | | SE | US | KE | S | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 3 | | AT | TZ | | P | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 5 | | ES | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 1 | | ES | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 9 | | FR | BF | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 22 | | FR | BJ | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 15 | | FR | CF | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 13 | | FR | CM | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 1 | | FR | ET | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 2 | | FR | NA | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 7 | | FR | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 3 | | IT | CF | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 1 | | IT | CM | | H | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 1 | | IT | CM | | P | W |
| | 2 | B | <i>Papio hamadryas anubis</i> | trophies | 2 | | IT | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas cynocephalus</i> | skulls | 1 | | FR | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas cynocephalus</i> | trophies | 8 | | ES | MZ | | H | W |
| | 2 | B | <i>Papio hamadryas cynocephalus</i> | trophies | 8 | | ES | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas cynocephalus</i> | trophies | 1 | | ES | ZM | | H | W |
| | 2 | B | <i>Papio hamadryas cynocephalus</i> | trophies | 2 | | IT | TZ | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | bones | 73 | | AT | ZA | | S | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | bones | 1 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | bones | 3 | | DE | NA | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Papio hamadryas ursinus</i> | feet | 2 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | live | 2 | | FR | GA | | S | F |
| | 2 | B | <i>Papio hamadryas ursinus</i> | live | 4 | | FR | GA | ZA | S | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 1 | | AT | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 1 | | DE | BW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 1 | | DE | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 1 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 1 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 4 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 2 | | DE | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skins | 2 | | DE | ZW | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 17 | | AT | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 2 | | AT | ZA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 2 | | AT | ZW | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 1 | | DE | BW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 2 | | DE | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 5 | | DE | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 12 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 43 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 1 | | DE | ZA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 6 | | DE | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 2 | | DE | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 6 | | DE | ZW | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 6 | | DE | ZW | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 13 | | DE | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 1 | | DK | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 1 | | FR | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 1 | | FR | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | skulls | 3 | | PT | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | specimens | 2060 | | AT | ZA | | S | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | specimens | 840 | | GB | NA | | S | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | tails | 1 | | DE | NA | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Papio hamadryas ursinus</i> | tails | 2 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | teeth | 4 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | AT | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 4 | | AT | ZW | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 1 | | DE | NA | | P | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | DE | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 1 | | DE | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | DK | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 5 | | DK | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 3 | | DK | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | ES | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 13 | | ES | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 26 | | ES | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 6 | | FR | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | FR | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 1 | | FR | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | IT | NA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 1 | | IT | ZA | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 6 | | IT | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 1 | | PT | ZW | | H | W |
| | 2 | B | <i>Papio hamadryas ursinus</i> | trophies | 2 | | SE | NA | | H | W |
| | 2 | B | <i>Theropithecus gelada</i> | live | 1 | | FR | CH | | Z | C |
| | 2 | B | <i>Myrmecophaga tridactyla</i> | live | 1 | | PT | BR | | Z | C |
| | 2 | A | <i>Cetacea</i> spp. | carvings | 7 | | IT | CA | | E | W |
| | 2 | B | <i>Monodon monoceros</i> | bones | 1 | | DK | GL | | P | W |
| | 2 | B | <i>Monodon monoceros</i> | carvings | 12 | | DK | GL | | P | W |
| | 2 | B | <i>Monodon monoceros</i> | carvings | 22 | | DK | GL | | Q | W |
| | 2 | B | <i>Monodon monoceros</i> | teeth | 4 | | DE | GL | | T | W |
| | 2 | B | <i>Monodon monoceros</i> | teeth | 1 | | DK | GL | | P | W |
| | 2 | B | <i>Monodon monoceros</i> | teeth | 670 | | DK | GL | | T | W |
| | 2 | B | <i>Monodon monoceros</i> | tusks | 2 | | DE | CA | | P | W |
| | 2 | B | <i>Monodon monoceros</i> | tusks | 7 | | DK | GL | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Monodon monoceros</i> | tusks | 59 | | DK | GL | | T | W |
| | 2 | B | <i>Monodon monoceros</i> | tusks | 1 | | NL | CA | GL | P | W |
| | 2 | A | <i>Globicephala melas</i> | meat | 120 kg | | DK | FO | | P | W |
| | 2 | A | <i>Tursiops truncatus</i> | live | 2 | | DE | US | | S | O |
| | 2 | A | <i>Tursiops truncatus</i> | live | 2 | | DE | US | | S | W |
| | 2 | A | <i>Tursiops truncatus</i> | live | 4 | | ES | CU | | E | W |
| | 2 | A | <i>Tursiops truncatus</i> | specimens | 15 | | GB | BS | | S | W |
| | 2 | A | <i>Phocoena</i> spp. | specimens | 40 kg | | DE | IS | | S | W |
| | 2 | A | <i>Phocoena phocoena</i> | specimens | 30 kg | | DE | NO | | S | W |
| | 2 | A | <i>Phocoena phocoena</i> | teeth | 200 | | DK | NO | | S | W |
| | 2 | A | <i>Balaenoptera acutorostrata</i> | carvings | 8 | | DK | GL | | Q | W |
| | 2 | A | <i>Balaenoptera acutorostrata</i> | horn carvings | 1 | | DE | GL | | P | W |
| | 2 | A | <i>Balaenoptera acutorostrata</i> | meat | 20 kg | | DK | NO | | S | W |
| | 2 | | <i>Canis lupus</i> | bodies | 1 | | DE | CH | | E | O |
| | 2 | | <i>Canis lupus</i> | bodies | 1 | | FR | RU | | H | W |
| | 2 | | <i>Canis lupus</i> | bodies | 2 | | GR | BG | GR | T | W |
| | 2 | | <i>Canis lupus</i> | bodies | 1 | | SE | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | bodies | 1 | | SE | US | | H | W |
| | 2 | | <i>Canis lupus</i> | live | 10 | | AT | HU | | E | C |
| | 2 | | <i>Canis lupus</i> | live | 3 | | DK | NO | | Z | C |
| | 2 | | <i>Canis lupus</i> | skins | 3 | | AT | CA | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | DE | BG | | H | W |
| | 2 | | <i>Canis lupus</i> | skins | 4 | | DE | BY | | H | W |
| | 2 | | <i>Canis lupus</i> | skins | 2 | | DE | CA | | E | W |
| | 2 | | <i>Canis lupus</i> | skins | 11 | | DE | CA | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 24 | | DE | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | DE | LT | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 3 | | DE | RU | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 13 | | DE | RU | | H | W |
| | 2 | | <i>Canis lupus</i> | skins | 3 | | DE | US | | H | W |
| | 2 | | <i>Canis lupus</i> | skins | 3 | | DE | US | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | DK | US | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | | <i>Canis lupus</i> | skins | 1 | | DK | US | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | ES | US | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 2 | | FI | RU | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 3 | | FR | CA | | P | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | FR | CH | IR | H | O |
| | 2 | | <i>Canis lupus</i> | skins | 114 | | IT | CA | | T | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | SE | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | skins | 1 | | SE | NO | SE | T | C |
| | 2 | | <i>Canis lupus</i> | skulls | 1 | | DE | BG | | H | W |
| | 2 | | <i>Canis lupus</i> | skulls | 2 | | DE | BY | | H | W |
| | 2 | | <i>Canis lupus</i> | skulls | 2 | | DE | CA | | E | W |
| | 2 | | <i>Canis lupus</i> | skulls | 9 | | DE | CA | | P | W |
| | 2 | | <i>Canis lupus</i> | skulls | 15 | | DE | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | skulls | 12 | | DE | RU | | H | W |
| | 2 | | <i>Canis lupus</i> | skulls | 1 | | DE | US | | P | W |
| | 2 | | <i>Canis lupus</i> | skulls | 2 | | DE | US | | H | W |
| | 2 | | <i>Canis lupus</i> | skulls | 1 | | FI | RU | | P | W |
| | 2 | | <i>Canis lupus</i> | skulls | 1 | | FR | CA | | P | W |
| | 2 | | <i>Canis lupus</i> | specimens | 15 | | SE | NO | S | W | |
| | 2 | | <i>Canis lupus</i> | teeth | 1 | | SE | US | E | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 8 | | AT | CA | P | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 4 | | AT | RU | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 6 | | AT | RU | P | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 1 | | DE | CA | P | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 8 | | DE | CA | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 3 | | DK | CA | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | DK | RU | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 4 | | ES | BG | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 1 | | ES | CA | P | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 3 | | ES | CA | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 1 | | ES | RO | H | W | |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | ES | RU | H | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | | <i>Canis lupus</i> | trophies | 1 | | ES | US | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | FI | EE | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | FI | RU | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 21 | | FR | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | FR | RO | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | FR | RU | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | GB | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 4 | | IT | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | IT | RU | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | IT | US | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 1 | | SE | CA | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | SE | CA | | P | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | SE | EE | | H | W |
| | 2 | | <i>Canis lupus</i> | trophies | 2 | | SE | RU | | H | W |
| | 2 | B | <i>Chrysocyon brachyurus</i> | live | 3 | | DE | BR | | Z | C |
| | 2 | B | <i>Pseudalopex culpaeus</i> | garments | 36 | | FR | AR | | T | W |
| | 2 | B | <i>Pseudalopex culpaeus</i> | skins | 485 | | DE | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | feet | 1510 | | FR | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | garments | 24 | | FR | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | plates | 895 | | DE | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | plates | 2526 kg | | DE | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | plates | 42 | | DE | CH | AR | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | skins | 8534 | | DE | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | skins | 258 kg | | DE | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | skins | 1202 | | IT | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | skins | 221 kg | | IT | AR | | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | skins | 600 | | IT | CH | AR | T | W |
| | 2 | B | <i>Pseudalopex griseus</i> | skin pieces | 3 | | FR | AR | | T | W |
| | 2 | B | <i>Vulpes zerda</i> | live | 1 | | GB | PL | | Z | C |
| | 2 | B | <i>Ursus spp.</i> | teeth | 1 | | IT | US | XX | E | O |
| | 2 | B | <i>Ursus americanus</i> | bodies | 1 | | ES | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | bodies | 1 | | FR | CA | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ursus americanus</i> | bodies | 3 | FR | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | bodies | 1 | IE | CA | | | P | C |
| | 2 | B | <i>Ursus americanus</i> | bodies | 2 | SE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | bones | 2 | DE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | claws | 40 | DE | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | claws | 135 | DE | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | claws | 24 | FR | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | claws | 20 | SE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | meat | 35 kg | DE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | meat | 6 kg | SE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | plates | 2 | IT | CA | | | P | F |
| | 2 | B | <i>Ursus americanus</i> | skins | 7 | AT | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 7 | BE | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 26 | DE | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 58 | DE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 62 | DE | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 1 | DE | US | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 1 | DE | US | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 1 | DK | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 80 | DK | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 4 | DK | US | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 1 | ES | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 6 | FR | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 6 | FR | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 13 | FR | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 2 | GB | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 185 | GB | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 1 | IT | CA | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 3 | IT | CA | | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 1 | NL | US | | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skins | 16 | SE | CA | | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skin pieces | 1 | DE | CA | | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ursus americanus</i> | skulls | 4 | | AT | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 36 | | DE | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 42 | | DE | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 46 | | DE | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 1 | | DE | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 1 | | DE | US | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 1 | | DK | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 1 | | FR | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | skulls | 6 | | SE | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | teeth | 9 | | DE | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | teeth | 40 | | DE | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | teeth | 36 | | SE | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | AT | CA | | P | C |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | AT | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 4 | | AT | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 45 | | AT | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 2 | | AT | US | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | BE | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | BE | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | BE | US | | T | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 25 | | DE | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 89 | | DE | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 96 | | DE | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 4 | | DE | US | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 6 | | DE | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | DE | US | CA | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 2 | | DK | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 46 | | DK | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | DK | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 31 | | ES | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 6 | | ES | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | ES | US | XX | H | I |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ursus americanus</i> | trophies | 18 | | FR | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 309 | | FR | CA | | T | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 484 | | FR | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 2 | | FR | CH | CA | H | O |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | FR | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 3 | | GB | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 9 | | IT | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | IT | SI | CA | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | IT | US | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 3 | | NL | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | SE | CA | | P | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 54 | | SE | CA | | H | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 1 | | SE | US | | T | W |
| | 2 | B | <i>Ursus americanus</i> | trophies | 4 | | SE | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | bodies | 2 | | DK | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | bodies | 2 | | SE | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | claws | 25 | | DE | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | live | 2 | | DE | CH | | Z | C |
| | 2 | A | <i>Ursus arctos</i> | live | 1 | | DE | CZ | | Z | F |
| | 2 | A | <i>Ursus arctos</i> | live | 1 | | ES | SK | | B | W |
| | 2 | A | <i>Ursus arctos</i> | live | 7 | | FR | RU | | Q | C |
| | 2 | A | <i>Ursus arctos</i> | live | 2 | | NL | RU | | Z | W |
| | 2 | A | <i>Ursus arctos</i> | meat | 1 | | FI | EE | | H | W |
| | 2 | A | <i>Ursus arctos</i> | meat | 2 | | FI | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | AT | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 3 | | BE | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 3 | | DE | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 14 | | DE | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 2 | | DE | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 3 | | DE | EE | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 17 | | DE | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | DE | RU | | P | W |

ropean Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Ursus arctos</i> | skins | 35 | | DE | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | DE | SK | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | DE | US | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 3 | | DE | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | FR | BG | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | FR | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 9 | | PT | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skins | 1 | | SE | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 3 | | BE | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 4 | | DE | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 13 | | DE | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 2 | | DE | CA | US | P | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 3 | | DE | EE | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 18 | | DE | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 34 | | DE | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 1 | | DE | SK | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 1 | | DE | US | | P | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 3 | | DE | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | skulls | 9 | | PT | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 4 | | AT | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | AT | RO | | P | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 10 | | AT | RU | | P | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 2 | | BE | RO | | P | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 3 | | BE | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | BE | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | DE | BG | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 4 | | DE | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | DE | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 7 | | DE | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | DK | CA | | P | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 2 | | DK | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 3 | | DK | EE | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | DK | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 6 | | DK | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | DK | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | ES | BG | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | ES | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | ES | HR | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | ES | NO | US | P | O |
| | 2 | A | <i>Ursus arctos</i> | trophies | 39 | | ES | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 4 | | ES | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 11 | | ES | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | ES | US | XX | I | |
| | 2 | A | <i>Ursus arctos</i> | trophies | 4 | | FI | EE | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 2 | | FI | RU | | P | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 20 | | FI | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | FR | BG | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 15 | | FR | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 14 | | FR | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 2 | | IT | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 2 | | IT | HR | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | IT | RO | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | IT | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | IT | US | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 1 | | NL | CA | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 2 | | SE | RU | | H | W |
| | 2 | A | <i>Ursus arctos</i> | trophies | 4 | | SE | US | | H | W |
| | 2 | B | <i>Ursus maritimus</i> | bodies | 1 | | DK | NO | CA | T | W |
| | 2 | B | <i>Ursus maritimus</i> | bones | 1 | | DK | GL | | Q | W |
| | 2 | B | <i>Ursus maritimus</i> | claws | 20 | | DE | CA | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | claws | 10 | | DK | GL | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | claws | 140 | | DK | GL | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | garments | 1 | | DK | GL | | E | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 3 | | DE | CA | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ursus maritimus</i> | skins | 5 | | DE | CA | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 1 | | DE | GL | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 5 | | DK | CA | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 5 | | DK | GL | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 50 | | DK | GL | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 1 | | FR | CA | | H | W |
| | 2 | B | <i>Ursus maritimus</i> | skins | 4 | | FR | CA | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 1 | | DE | CA | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 2 | | DE | CA | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 1 | | DK | GL | | E | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 1 | | DK | GL | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 2 | | DK | GL | | T | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 4 | | DK | GL | | S | W |
| | 2 | B | <i>Ursus maritimus</i> | skulls | 2 | | GB | CA | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | specimens | 43 | | BE | CA | | S | W |
| | 2 | B | <i>Ursus maritimus</i> | teeth | 1 | | DK | GL | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | teeth | 1 | | DK | GL | | Q | W |
| | 2 | B | <i>Ursus maritimus</i> | trophies | 2 | | DE | CA | | H | W |
| | 2 | B | <i>Ursus maritimus</i> | trophies | 2 | | DE | CA | | P | W |
| | 2 | B | <i>Ursus maritimus</i> | trophies | 1 | | ES | NO | US | P | O |
| | 2 | B | <i>Ursus maritimus</i> | trophies | 2 | | FR | CA | | H | W |
| | 2 | B | <i>Ursus maritimus</i> | trophies | 5 | | IT | CA | | H | W |
| | 2 | B | <i>Amblyonyx cinereus</i> | live | 2 | | GB | SG | | B | C |
| | 2 | B | <i>Conepatus humboldtii</i> | skins | 9970 | | DE | AR | | T | W |
| | 2 | B | <i>Lontra canadensis</i> | bones | 3 | | DE | CA | | T | W |
| | 2 | B | <i>Lontra canadensis</i> | live | 1 | | DE | CA | | Z | W |
| | 2 | B | <i>Lontra canadensis</i> | skins | 1 | | DE | CA | | H | W |
| | 2 | B | <i>Lontra canadensis</i> | skins | 2 | | DE | CA | | P | W |
| | 2 | B | <i>Lontra canadensis</i> | skins | 6 | | DE | CA | | T | W |
| | 2 | B | <i>Lontra canadensis</i> | skins | 1987 | | IT | CA | | T | W |
| | 2 | B | <i>Lontra canadensis</i> | skins | 278 | | IT | CA | US | T | W |
| | 2 | B | <i>Lontra canadensis</i> | skulls | 1 | | DE | CA | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Lontra canadensis</i> | skulls | 3 | DE | CA | | | P | W |
| | 2 | B | <i>Lontra canadensis</i> | skulls | 1 | DE | US | | | S | W |
| | 2 | B | <i>Lontra canadensis</i> | trophies | 1 | DE | CA | | | P | W |
| | 2 | B | <i>Lontra canadensis</i> | trophies | 1 | DE | CA | | | P | W |
| | 2 | B | <i>Lontra canadensis</i> | trophies | 1 | DE | CA | | | T | W |
| | 2 | B | <i>Cryptoprocta ferox</i> | live | 1 | NL | CZ | | | Z | C |
| | 2 | B | <i>Parahyaena brunnea</i> | trophies | 1 | DE | ZA | | | H | W |
| | 2 | B | <i>Parahyaena brunnea</i> | trophies | 1 | IT | ZA | | | H | W |
| | 2 | B | <i>Felidae</i> spp. | teeth | 1 | PT | CH | AO | E | O | |
| | 2 | B | <i>Felidae</i> spp. | teeth | 2 | PT | CH | CD | E | O | |
| | 2 | B | <i>Caracal caracal</i> | bones | 1 | DE | NA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | live | 1 | DK | RU | | | Z | C |
| | 2 | B | <i>Caracal caracal</i> | skins | 1 | AT | NA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 1 | AT | ZA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 1 | DE | NA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 1 | DE | NA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 5 | DE | NA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 1 | DE | ZA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 1 | DE | ZA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 2 | DE | ZA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | skins | 3 | DE | ZA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | skulls | 1 | AT | ZA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skulls | 1 | DE | NA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skulls | 4 | DE | NA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skulls | 1 | DE | ZA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | skulls | 1 | DE | ZA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | skulls | 2 | DE | ZA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | trophies | 3 | AT | NA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | trophies | 1 | AT | ZA | | | P | W |
| | 2 | B | <i>Caracal caracal</i> | trophies | 1 | DE | ZA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | trophies | 3 | DE | ZA | | | H | W |
| | 2 | B | <i>Caracal caracal</i> | trophies | 1 | DK | NA | | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Caracal caracal | trophies | 1 | | ES | ZA | | H | F |
| | 2 | B | Caracal caracal | trophies | 7 | | ES | ZA | | H | W |
| | 2 | B | Caracal caracal | trophies | 1 | | ES | ZW | | H | W |
| | 2 | B | Caracal caracal | trophies | 1 | | FR | ZA | | H | F |
| | 2 | B | Caracal caracal | trophies | 6 | | FR | ZA | | H | W |
| | 2 | B | Caracal caracal | trophies | 1 | | IT | NA | | H | W |
| | 2 | B | Caracal caracal | trophies | 1 | | IT | ZA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | live | 5 | | DE | CH | | N | C |
| | 2 | A | <i>Felis silvestris</i> | live | 5 | | DE | CH | | N | F |
| | 2 | A | <i>Felis silvestris</i> | live | 1 | | DE | CH | DE | N | C |
| | 2 | A | <i>Felis silvestris</i> | live | 1 | | GR | YU | | U | C |
| | 2 | A | <i>Felis silvestris</i> | skins | 1 | | DE | NA | | P | W |
| | 2 | A | <i>Felis silvestris</i> | skins | 2 | | DE | NA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | skins | 1 | | DE | ZW | | H | W |
| | 2 | A | <i>Felis silvestris</i> | skins | 2 | | FR | ZW | | H | W |
| | 2 | A | <i>Felis silvestris</i> | skins | 1 | | PT | ZW | | H | W |
| | 2 | A | <i>Felis silvestris</i> | skulls | 1 | | AT | ZW | | P | W |
| | 2 | A | <i>Felis silvestris</i> | skulls | 1 | | DE | NA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | skulls | 1 | | DE | NA | | P | W |
| | 2 | A | <i>Felis silvestris</i> | skulls | 1 | | DE | ZW | | H | W |
| | 2 | A | <i>Felis silvestris</i> | skulls | 1 | | PT | ZW | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | AT | NA | | P | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 2 | | AT | ZA | | P | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 5 | | AT | ZW | | P | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | BE | ZA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | DE | NA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | DE | ZA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | DK | NA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 2 | | DK | NA | | P | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 5 | | DK | ZA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | ES | NA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | ES | TZ | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Felis silvestris</i> | trophies | 6 | | ES | ZA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | ES | ZW | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 3 | | FR | ZW | | P | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | IT | NA | | H | W |
| | 2 | A | <i>Felis silvestris</i> | trophies | 1 | | IT | TZ | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Leptailurus serval</i> | live | 1 | | FR | US | | B | F |
| | 2 | B | <i>Leptailurus serval</i> | skins | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Leptailurus serval</i> | skins | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Leptailurus serval</i> | skins | 1 | | FR | ET | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | skins | 1 | | PT | ZW | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | skulls | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Leptailurus serval</i> | skulls | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Leptailurus serval</i> | skulls | 1 | | PT | ZW | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 3 | | AT | ZW | | P | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 1 | | DK | TZ | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 4 | | DK | ZW | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 1 | | ES | TZ | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 1 | | ES | ZA | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 4 | | ES | ZW | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 2 | | FR | TZ | | H | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 1 | | FR | ZA | | H | F |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 1 | | FR | ZW | | P | W |
| | 2 | B | <i>Leptailurus serval</i> | trophies | 1 | | IT | ZW | | H | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1 | | AT | CA | | P | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1 | | BE | CA | | H | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 43 | | DE | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1 | | DE | US | | P | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1274 | | DK | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 4 | | DK | CA | US | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 83 | | ES | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1 | | FR | CA | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Lynx canadensis</i> | skins | 3 | | FR | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1 | | IT | CA | | P | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 1331 | | IT | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 11 | | IT | CA | US | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 727 | | IT | PL | CA | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 2 | | IT | PL | US | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skins | 5 | | SE | CA | | H | W |
| | 2 | B | <i>Lynx canadensis</i> | skin pieces | 21 | | DK | HK | CA | T | W |
| | 2 | B | <i>Lynx canadensis</i> | skin pieces | 377 | | GR | CA | | | |
| | 2 | B | <i>Lynx canadensis</i> | skulls | 4 | | DE | CA | | P | W |
| | 2 | B | <i>Lynx canadensis</i> | skulls | 17 | | DE | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | trophies | 2 | | AT | CA | | P | W |
| | 2 | B | <i>Lynx canadensis</i> | trophies | 8 | | DE | CA | | T | W |
| | 2 | B | <i>Lynx canadensis</i> | trophies | 1 | | ES | CA | | H | W |
| | 2 | B | <i>Lynx canadensis</i> | trophies | 1 | | ES | CA | XX | I | |
| | 2 | B | <i>Lynx canadensis</i> | trophies | 5 | | FR | CA | | P | W |
| | 2 | B | <i>Lynx canadensis</i> | trophies | 1 | | IT | CA | | H | W |
| | 2 | A | <i>Lynx lynx</i> | bodies | 1 | | DE | CH | | E | O |
| | 2 | A | <i>Lynx lynx</i> | bodies | 1 | | FR | RU | | H | W |
| | 2 | A | <i>Lynx lynx</i> | garments | 2 pairs | | DE | RU | | E | O |
| | 2 | A | <i>Lynx lynx</i> | live | 2 | | DE | SK | | Z | F |
| | 2 | A | <i>Lynx lynx</i> | skins | 2 | | DE | EE | | H | W |
| | 2 | A | <i>Lynx lynx</i> | skins | 2 | | DK | CA | | T | W |
| | 2 | A | <i>Lynx lynx</i> | skulls | 2 | | DE | EE | | H | W |
| | 2 | A | <i>Lynx lynx</i> | trophies | 3 | | DK | RU | | H | W |
| | 2 | A | <i>Lynx lynx</i> | trophies | 1 | | FI | EE | | H | W |
| | 2 | A | <i>Lynx lynx</i> | trophies | 1 | | FI | RU | | H | W |
| | 2 | A | <i>Lynx lynx</i> | trophies | 2 | | IT | RU | | H | W |
| | 2 | A | <i>Lynx lynx</i> | trophies | 3 | | SE | EE | | H | W |
| | 2 | B | <i>Lynx rufus</i> | bodies | 1 | | FR | CA | | H | W |
| | 2 | B | <i>Lynx rufus</i> | garments | 1 | | IT | CA | | T | C |
| | 2 | B | <i>Lynx rufus</i> | plates | 100 | | DE | PL | US | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Lynx rufus</i> | skins | 1 | | AT | CA | | P | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 2 | | AT | US | | P | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 21 | | DE | CA | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 121 | | DE | CA | US | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 181 | | DE | US | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 268 | | DK | CA | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 104 | | DK | CA | US | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 79 | | ES | CA | US | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 200 | | ES | US | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 9 | | FR | CA | US | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 13 | | IT | CA | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 381 | | IT | CA | US | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 2996 | | IT | US | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skins | 49 | | IT | US | CA | T | W |
| | 2 | B | <i>Lynx rufus</i> | skin pieces | 54 kg | | GB | US | | T | W |
| | 2 | B | <i>Lynx rufus</i> | skin pieces | 150 | | GR | US | | | |
| | 2 | B | <i>Lynx rufus</i> | trophies | 1 | | AT | CA | | P | W |
| | 2 | B | <i>Lynx rufus</i> | trophies | 1 | | BE | CA | | H | W |
| | 2 | B | <i>Lynx rufus</i> | trophies | 1 | | DE | CA | | H | W |
| | 2 | B | <i>Lynx rufus</i> | trophies | 1 | | DE | CA | | T | W |
| | 2 | B | <i>Lynx rufus</i> | trophies | 2 | | DE | CA | | P | W |
| | 2 | B | <i>Lynx rufus</i> | trophies | 1 | | DE | US | | P | W |
| | 2 | B | <i>Lynx rufus</i> | trophies | 1 | | FR | CA | | P | W |
| | 2 | B | <i>Otocolobus manul</i> | bodies | 2 | | GB | RU | | S | W |
| | 2 | B | <i>Otocolobus manul</i> | live | 1 | | FR | RU | | Z | F |
| | 2 | B | <i>Panthera leo</i> | bones | 2 | | DE | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | claws | 2 | | DE | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | claws | 18 | | DE | ZW | | P | W |
| | 2 | B | <i>Panthera leo</i> | claws | 16 | | FR | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | feet | 4 | | DE | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | live | 1 | | AT | RU | | Z | C |
| | 2 | B | <i>Panthera leo</i> | live | 1 | | DE | PL | | Q | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Panthera leo</i> | live | 1 | | ES | CZ | | Z | C |
| | 2 | B | <i>Panthera leo</i> | live | 8 | | NL | CZ | | Q | C |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | DE | BW | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 2 | | DE | NA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 3 | | DE | NA | | P | W |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | DE | TZ | | P | W |
| | 2 | B | <i>Panthera leo</i> | skins | 4 | | DE | TZ | | T | W |
| | 2 | B | <i>Panthera leo</i> | skins | 5 | | DE | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 4 | | DE | ZA | | T | W |
| | 2 | B | <i>Panthera leo</i> | skins | 9 | | DE | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | DE | ZA | MZ | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 2 | | DE | ZA | ZM | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 2 | | DE | ZM | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | DE | ZW | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 3 | | DE | ZW | | P | W |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | FR | CH | CM | H | O |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | FR | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 2 | | PT | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 2 | | PT | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | PT | ZW | | P | C |
| | 2 | B | <i>Panthera leo</i> | skins | 2 | | PT | ZW | | H | W |
| | 2 | B | <i>Panthera leo</i> | skins | 1 | | SE | NO | SE | T | C |
| | 2 | B | <i>Panthera leo</i> | skin pieces | 2 | | GB | KE | | P | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 2 | | AT | ZW | | P | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 1 | | DE | NA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 2 | | DE | NA | | P | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 2 | | DE | TZ | | T | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 5 | | DE | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 8 | | DE | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 1 | | DE | ZA | MZ | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 2 | | DE | ZA | ZM | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 2 | | DE | ZA | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Panthera leo</i> | skulls | 1 | | DE | ZW | | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 3 | | DE | ZW | | P | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 1 | | FR | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | skulls | 2 | | PT | ZW | | H | W |
| | 2 | B | <i>Panthera leo</i> | tails | 1 | | DE | ZM | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 2 | | AT | NA | | P | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 2 | | AT | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 4 | | AT | TZ | | P | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 2 | | AT | ZA | | P | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | AT | ZA | ZW | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | AT | ZW | | P | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | AT | ZW | | T | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 2 | | BE | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 2 | | DE | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | DE | ZW | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 4 | | DE | ZW | | P | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | DK | NA | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 5 | | DK | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | ES | BW | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 3 | | ES | CM | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | ES | MZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 24 | | ES | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 11 | | ES | ZA | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 1 | | ES | ZA | BW | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 6 | | ES | ZM | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 6 | | ES | ZW | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 18 | | FR | BF | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 4 | | FR | BJ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 10 | | FR | CF | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 12 | | FR | CM | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 98 | | FR | TZ | | H | W |
| | 2 | B | <i>Panthera leo</i> | trophies | 2 | | FR | ZA | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Panthera leo</i> | trophies | 2 | FR | ZA | MZ | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 6 | FR | ZM | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 4 | FR | ZW | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 1 | GB | ZA | | P | O | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 1 | IT | CM | | P | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 1 | IT | TZ | | P | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 4 | IT | TZ | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 2 | IT | ZA | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 1 | IT | ZM | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 1 | IT | ZW | | P | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 4 | IT | ZW | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 2 | PT | ZA | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 3 | SE | TZ | | H | W | |
| I | 2 | B | <i>Panthera leo</i> | trophies | 1 | SE | ZW | | P | W | |
| I | 2 | B | <i>Prionailurus bengalensis</i> | live | 2 | DE | CZ | | Z | C | |
| I | 2 | B | <i>Prionailurus bengalensis</i> | live | 1 | DE | US | | P | F | |
| I | 2 | B | <i>Prionailurus bengalensis</i> | plates | 1100 | GB | CN | | T | W | |
| I | 2 | B | <i>Prionailurus bengalensis</i> | skins | 1800 | ES | CN | | T | W | |
| I | 2 | B | <i>Prionailurus bengalensis</i> | skins | 9300 | GB | CN | | T | W | |
| I | 2 | B | <i>Prionailurus bengalensis chinensis</i> | garments | 14 | IT | CN | | T | W | |
| I | 2 | B | <i>Prionailurus bengalensis chinensis</i> | skins | 33745 | IT | CN | | T | W | |
| I | 2 | B | <i>Prionailurus bengalensis chinensis</i> | skin pieces | 400 | IT | CN | | T | W | |
| I | 2 | B | <i>Puma concolor</i> | claws | 20 | DE | CA | | P | W | |
| I | 2 | B | <i>Puma concolor</i> | garments | 1 | DE | CA | | T | W | |
| I | 2 | B | <i>Puma concolor</i> | live | 2 | BE | MX | BE | Q | C | |
| I | 2 | B | <i>Puma concolor</i> | live | 1 | IT | CH | IT | Q | C | |
| I | 2 | B | <i>Puma concolor</i> | skins | 1 | AT | CA | | P | W | |
| I | 2 | B | <i>Puma concolor</i> | skins | 2 | DE | AR | | H | W | |
| I | 2 | B | <i>Puma concolor</i> | skins | 1 | DE | CA | | E | W | |
| I | 2 | B | <i>Puma concolor</i> | skins | 1 | DE | CA | | T | W | |
| I | 2 | B | <i>Puma concolor</i> | skins | 20 | DE | CA | | T | W | |
| I | 2 | B | <i>Puma concolor</i> | skulls | 1 | DE | AR | | H | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Puma concolor</i> | skulls | 1 | | DE | CA | | E | W |
| | 2 | B | <i>Puma concolor</i> | skulls | 2 | | DE | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | skulls | 14 | | DE | CA | | T | W |
| | 2 | B | <i>Puma concolor</i> | skulls | 1 | | DK | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 5 | | AT | AR | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 9 | | AT | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | BE | CA | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | BE | US | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | DE | AR | | T | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | DE | AR | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 16 | | DE | AR | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | DE | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | DE | CA | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | DE | CA | | T | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 3 | | DE | CA | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 3 | | DE | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 4 | | DE | CA | | T | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | DK | CA | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | DK | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 7 | | ES | AR | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | ES | CA | XX | I | |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | ES | MX | CA | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | ES | US | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | FR | AR | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | FR | CA | | P | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 1 | | GB | US | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 3 | | IT | AR | | H | W |
| | 2 | B | <i>Puma concolor</i> | trophies | 2 | | IT | CA | | H | W |
| | 2 | B | <i>Arctocephalus gazella</i> | specimens | 358 | | GB | FK | GS | S | W |
| | 2 | B | <i>Arctocephalus gazella</i> | teeth | 112 | | GB | FK | GS | S | W |
| | 2 | B | <i>Arctocephalus pusillus</i> | skins | 170 | | DE | NA | | T | W |
| | 2 | B | <i>Arctocephalus pusillus</i> | skins | 100 | | DE | NO | NA | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Arctocephalus pusillus</i> | skins | 500 | | GB | NO | NA | T | W |
| | 2 | B | <i>Arctocephalus pusillus</i> | skins | 31 | | IT | ZA | NA | T | W |
| | 2 | B | <i>Loxodonta africana</i> | bones | 1 | | DE | NA | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | bones | 1 | | DE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | bones | 7 | | DE | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | bone pieces | 4 | | SE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | carvings | 15 | | ES | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 10 | | DE | BW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 2 | | DE | NA | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 8 | | DE | NA | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 2 | | DE | NA | BW | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 4 | | DE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 27 | | DE | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 7 | | PT | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | ears | 3 | | SE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 4 | | AT | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 11 | | DE | BW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 2 | | DE | NA | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 20 | | DE | NA | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 14 | | DE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 29 | | DE | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 25 | | PT | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | feet | 4 | | SE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | ivory carvings | 4 | | DE | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ivory products | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ivory products | 3 | | IT | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | ivory products | 1 | | PT | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | ivory products | 52 | | PT | ZW | | P | C |
| | 2 | B | <i>Loxodonta africana</i> | live | 1 | | BE | RU | NA | Q | W |
| | 2 | B | <i>Loxodonta africana</i> | large leather products | 6 | | DE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | large leather products | 26 | | ES | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | large leather products | 6 | | PT | ZW | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Loxodonta africana</i> | large leather products | 1 | SE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | small leather products | 15 | SE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | plates | 2 | DE | BW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | plates | 10 m2 | DE | NA | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | plates | 2 | DE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | plates | 9 | DE | ZW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 14 | AT | NA | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 1 | AT | ZW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 5 | DE | BW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 36 | DE | NA | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 2 | DE | NA | BW | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 10 | DE | ZW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 17 | DE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 1 | ES | ZA | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 1 | FI | ZA | ZW | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skins | 27 | PT | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 2 | AT | ZW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 1 | DE | NA | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 10 | DE | NA | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 6 | DE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 37 | DE | ZW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 8 | PT | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skin pieces | 10 | SE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skulls | 1 | DE | BW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skulls | 2 | DE | ZW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | skulls | 1 pairs | DE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skulls | 1 | FI | ZA | ZW | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skulls | 1 | PT | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | skulls | 1 | SE | ZW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | tails | 1 | AT | BW | | P | W | |
| | 2 | B | <i>Loxodonta africana</i> | tails | 6 | DE | BW | | H | W | |
| | 2 | B | <i>Loxodonta africana</i> | tails | 10 | DE | NA | | H | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Loxodonta africana</i> | tails | 4 | | DE | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tails | 16 | | DE | ZW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tails | 3 | | ES | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tails | 5 | | PT | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tails | 1 | | SE | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | teeth | 1 | | DE | NA | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | teeth | 4 | | DE | NA | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | teeth | 9 | | DE | ZW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | teeth | 1 | | ES | BW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | teeth | 2 | | PT | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 1 | | AT | BW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 17 | | AT | NA | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 2 | | AT | ZW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 3 | | DE | BW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 3 | | DE | NA | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 2 | | DE | ZW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 21 | | ES | BW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 8 | | ES | NA | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 8 | | ES | ZA | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 4 | | ES | ZA | BW | H | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 1 | | ES | ZA | NA | H | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 64 | | ES | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 1 | | ES | ZW | XX | H | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 36 | | FR | NA | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 25 | | FR | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 75 | | FR | ZW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 2 | | IT | ZW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 26 | | IT | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | trophies | 4 | | PT | ZW | H | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | AT | BW | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | AT | NA | P | W | |
| I | 2 | B | <i>Loxodonta africana</i> | tusks | 5 | | AT | ZW | P | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | DE | BW | | T | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 26 | | DE | BW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | DE | NA | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 22 | | DE | NA | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 15 | | DE | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 38 | | DE | ZW | | P | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 3 | | ES | BW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | FI | ZA | ZW | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | FR | BW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | FR | CH | ZW | H | O |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 2 | | FR | NA | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 6 | | FR | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 23 | | PT | ZW | | H | W |
| | 2 | B | <i>Loxodonta africana</i> | tusks | 6 | | SE | ZW | | H | W |
| | 2 | B | <i>Equus onager</i> | specimens | 1 | | SE | US | | S | F |
| | 2 | B | <i>Equus zebra hartmannae</i> | bones | 2 | | DE | NA | | H | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | feet | 4 | | AT | NA | | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | feet | 8 | | DE | NA | | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | feet | 25 | | DE | NA | | H | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | feet | 4 | | FR | ZA | NA | H | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | live | 2 | | AT | CZ | | Z | C |
| | 2 | B | <i>Equus zebra hartmannae</i> | live | 2 | | FR | CZ | | Z | C |
| | 2 | B | <i>Equus zebra hartmannae</i> | live | 3 | | NL | CZ | | T | C |
| | 2 | B | <i>Equus zebra hartmannae</i> | large leather products | 1 | | GB | ZA | | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 25 | | AT | NA | | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 1 | | AT | NA | ZA | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 5 | | BE | ZA | | T | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 19 | | DE | NA | | T | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 53 | | DE | NA | | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 117 | | DE | NA | | H | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 1 | | DE | ZA | | P | W |
| | 2 | B | <i>Equus zebra hartmannae</i> | skins | 2 | | DE | ZA | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | Equus zebra hartmannae | skins | 5 | | DE | ZA | NA | P | W |
| I | 2 | B | Equus zebra hartmannae | skins | 13 | | DE | ZA | NA | T | W |
| I | 2 | B | Equus zebra hartmannae | skins | 7 | | DK | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 10 | | DK | NA | | T | W |
| I | 2 | B | Equus zebra hartmannae | skins | 1 | | DK | ZA | | P | W |
| I | 2 | B | Equus zebra hartmannae | skins | 2 | | DK | ZA | | T | W |
| I | 2 | B | Equus zebra hartmannae | skins | 4 | | ES | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 6 | | ES | ZA | NA | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 1 | | FI | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 21 | | FR | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 1 | | FR | ZA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 1 | | FR | ZA | | T | W |
| I | 2 | B | Equus zebra hartmannae | skins | 4 | | FR | ZA | NA | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 7 | | IT | NA | | T | W |
| I | 2 | B | Equus zebra hartmannae | skins | 10 | | PT | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skins | 1 | | PT | ZA | | T | W |
| I | 2 | B | Equus zebra hartmannae | skins | 4 | | PT | ZA | | P | W |
| I | 2 | B | Equus zebra hartmannae | skin pieces | 1 | | DE | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | skin pieces | 3 | | DK | ZA | NA | T | W |
| I | 2 | B | Equus zebra hartmannae | skin pieces | 1 | | FR | NA | | T | W |
| I | 2 | B | Equus zebra hartmannae | skulls | 6 | | DE | NA | | P | W |
| I | 2 | B | Equus zebra hartmannae | specimens | 1 | | SE | US | | S | C |
| I | 2 | B | Equus zebra hartmannae | tails | 1 | | DE | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | teeth | 6 | | DE | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 2 | | AT | NA | | P | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 1 | | DE | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 1 | | DE | NA | | P | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 10 | | DK | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 7 | | ES | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 4 | | ES | ZA | | H | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 49 | | FR | NA | | H | W |
| I | 2 | B | Equus zebra hartmannae | trophies | 1 | | FR | ZA | NA | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source | |
|----------|------|-------|----------------------------------|------------------------|------------|------|----------|----------|--------|---------|--------|---|
| | 2 | B | <i>Equus zebra hartmannae</i> | trophies | 1 | | GB | ZA | | P | O | |
| | 2 | B | <i>Equus zebra hartmannae</i> | trophies | 12 | | IT | NA | | H | W | |
| | 2 | B | <i>Equus zebra hartmannae</i> | trophies | 1 | | SE | NA | | P | W | |
| | 2 | B | <i>Equus zebra hartmannae</i> | trophies | 8 | | SE | NA | | H | W | |
| | 2 | B | <i>Equus zebra hartmannae</i> | trophies | 1 | | SE | ZA | | P | W | |
| | 2 | B | <i>Tapirus terrestris</i> | live | 1 | | DE | CH | | Z | C | |
| | 2 | B | <i>Tapirus terrestris</i> | live | 1 | | FR | PL | | Z | C | |
| | 2 | B | <i>Tapirus terrestris</i> | live | 1 | | PT | BR | | Z | C | |
| | 2 | B | <i>Ceratotherium simum</i> | live | 1 | | AT | CZ | ZA | Z | O | |
| | 2 | B | <i>Ceratotherium simum</i> | live | 4 | | DK | ZA | | Z | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | feet | 8 | | DE | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | horns | 1 | | DE | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | live | 1 | | ES | ZA | | B | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | live | 5 | | FR | ZA | | Z | F | |
| | 2 | B | <i>Ceratotherium simum simum</i> | plates | 4 | | DE | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | skins | 2 | | DE | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | skins | 1 | | PT | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | skulls | 1 | | DE | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | trophies | 1 | | AT | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | trophies | 12 | | ES | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | trophies | 14 | | FR | ZA | | H | W | |
| | 2 | B | <i>Ceratotherium simum simum</i> | trophies | 1 | | IT | ZA | | H | W | |
| | 2 | B | <i>Pecari tajacu</i> | garments | 1842 pairs | | DE | PE | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | small leather products | 1513 | | FR | PE | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | skins | 2 | | DE | AR | | H | W | |
| | 2 | B | <i>Pecari tajacu</i> | skins | 27078 | | DE | PE | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | skins | 590 kg | | DE | PE | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | skins | 200 | | FR | PE | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | skins | 1806 | | IT | AR | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | skins | 5475 | | IT | CH | | AR | T | W |
| | 2 | B | <i>Pecari tajacu</i> | skins | 20370 | | IT | PE | | T | W | |
| | 2 | B | <i>Pecari tajacu</i> | trophies | 1 | | IT | AR | | H | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Tayassu spp. | skins | 1 | | FR | AR | | H | W |
| | 2 | B | Tayassu pecari | skins | 10441 | | DE | PE | | T | W |
| | 2 | B | Tayassu pecari | skins | 270 kg | | DE | PE | | T | W |
| | 2 | B | Tayassu pecari | skins | 9359 | | IT | PE | | T | W |
| | 2 | B | Hexaprotodon liberiensis | specimens | 1 | | SE | US | | S | C |
| | 2 | B | Hippopotamus amphibius | feet | 1 | | AT | ZA | ZW | H | W |
| | 2 | B | Hippopotamus amphibius | feet | 5 | | DE | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | feet | 2 | | DE | ZM | | H | W |
| | 2 | B | Hippopotamus amphibius | feet | 4 | | DE | ZW | | P | W |
| | 2 | B | Hippopotamus amphibius | feet | 8 | | ES | CM | XX | H | I |
| | 2 | B | Hippopotamus amphibius | feet | 4 | | FR | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | ivory products | 1 | | ES | US | XX | E | U |
| | 2 | B | Hippopotamus amphibius | plates | 1 | | DE | SD | ZW | T | W |
| | 2 | B | Hippopotamus amphibius | plates | 3 | | DE | ZW | | P | W |
| | 2 | B | Hippopotamus amphibius | skins | 1 | | BE | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | skins | 1 | | DE | CM | | H | W |
| | 2 | B | Hippopotamus amphibius | skins | 9 | | DE | ZA | ZM | H | W |
| | 2 | B | Hippopotamus amphibius | skins | 8 | | DE | ZW | | H | W |
| | 2 | B | Hippopotamus amphibius | skins | 3 | | PT | ZW | | H | W |
| | 2 | B | Hippopotamus amphibius | skulls | 3 | | DE | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | skulls | 1 | | DE | ZM | | H | W |
| | 2 | B | Hippopotamus amphibius | skulls | 1 | | DK | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | skulls | 1 | | FR | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | tails | 1 | | DE | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | tails | 1 | | DE | ZM | | H | W |
| | 2 | B | Hippopotamus amphibius | tails | 2 | | DE | ZW | | P | W |
| | 2 | B | Hippopotamus amphibius | teeth | 24 | | AT | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | teeth | 59 | | AT | TZ | | P | W |
| | 2 | B | Hippopotamus amphibius | teeth | 12 | | AT | ZA | ZW | H | W |
| | 2 | B | Hippopotamus amphibius | teeth | 12 | | AT | ZW | | P | W |
| | 2 | B | Hippopotamus amphibius | teeth | 12 | | BE | TZ | | H | W |
| | 2 | B | Hippopotamus amphibius | teeth | 4 | | DE | CM | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 1 | | DE | HK | BI | T | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 71 | | DE | TZ | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 12 | | DE | ZA | ZM | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 36 | | DE | ZM | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 12 | | DE | ZW | | P | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 71 | | DE | ZW | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 4 | | DK | ZW | | T | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 26 | | ES | CM | XX | H | I |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 155 | | ES | HK | TZ | T | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 2 | | FI | ZA | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 20 | | IT | HK | CD | T | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 2116 | | IT | HK | TZ | T | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 12 | | PT | ZM | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 88 | | PT | ZW | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | teeth | 1 | | SE | SN | | I | |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | AT | SK | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | AT | TZ | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 31 | | AT | TZ | | P | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | AT | ZW | | P | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 12 | | BE | ZM | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 4 | | DE | ZM | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 3 | | DE | ZW | | P | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | DK | TZ | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 4 | | ES | CM | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | ES | MZ | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | ES | NA | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 24 | | ES | TZ | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 3 | | ES | ZA | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 16 | | ES | ZM | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | ES | ZW | | T | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 16 | | ES | ZW | | H | W |
| | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | FI | ZW | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 2 | | FR | BJ | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | FR | CM | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 108 | | FR | TZ | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 10 | | FR | ZA | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 62 | | FR | ZM | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | IT | TZ | | P | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 4 | | IT | TZ | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 3 | | IT | ZM | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 16 | | IT | ZM | | P | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 16 | | IT | ZW | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | trophies | 1 | | SE | TZ | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | tusks | 12 | | DE | ZA | ZM | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | tusks | 48 | | DE | ZM | | H | W |
| I | 2 | B | <i>Hippopotamus amphibius</i> | tusks | 4 | | FR | ZM | | H | W |
| I | 2 | B | <i>Lama guanicoe</i> | hair | 135 kg | | DE | PE | AR | T | W |
| I | 2 | B | <i>Lama guanicoe</i> | hair | 1 kg | | IT | AR | | P | W |
| I | 2 | B | <i>Lama guanicoe</i> | hair | 12 kg | | IT | CH | AR | T | W |
| I | 2 | B | <i>Lama guanicoe</i> | skins | 179 | | DE | AR | | T | W |
| I | 2 | B | <i>Vicugna vicugna</i> | garments | 20 | | DE | PE | | T | W |
| I | 2 | B | <i>Vicugna vicugna</i> | hair | 2007 kg | | IT | PE | | T | W |
| I | 2 | B | <i>Vicugna vicugna</i> | hair | 27 m | | IT | PE | | T | W |
| I | 2 | B | <i>Moschus moschiferus</i> | bodies | 1 | | FR | RU | | H | W |
| I | 2 | B | <i>Moschus moschiferus</i> | extract | 500 g | | FR | HK | RU | T | W |
| I | 2 | B | <i>Moschus moschiferus</i> | live | 2 | | DE | RU | | Z | F |
| I | 2 | B | <i>Moschus moschiferus</i> | specimens | 1 | | SE | US | | S | F |
| I | 2 | B | <i>Moschus moschiferus</i> | teeth | 1 | | DE | RU | | E | O |
| I | 2 | B | <i>Moschus moschiferus</i> | trophies | 2 | | FR | RU | | H | W |
| I | 2 | B | <i>Moschus moschiferus</i> | trophies | 1 | | IT | RU | | H | W |
| I | 2 | B | <i>Ammotragus lervia</i> | horns | 2 | | AT | US | | P | F |
| I | 2 | B | <i>Ammotragus lervia</i> | trophies | 2 | | AT | US | | P | F |
| I | 2 | B | <i>Ammotragus lervia</i> | trophies | 1 | | AT | ZA | | P | W |
| I | 2 | B | <i>Ammotragus lervia</i> | trophies | 1 | | DE | US | | H | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ammotragus lervia</i> | trophies | 2 | | DE | US | H | W | |
| | 2 | B | <i>Ammotragus lervia</i> | trophies | 2 | | ES | US | H | F | |
| | 2 | B | <i>Ammotragus lervia</i> | trophies | 2 | | ES | ZA | H | F | |
| | 2 | B | <i>Ammotragus lervia</i> | trophies | 12 | | ES | ZA | H | W | |
| | 2 | B | <i>Bison bison athabascae</i> | skulls | 1 | | DE | CA | H | W | |
| | 2 | B | <i>Budorcas taxicolor</i> | trophies | 1 | | ES | CN | H | W | |
| | 2 | B | <i>Cephalophus dorsalis</i> | trophies | 3 | | ES | CM | H | W | |
| | 2 | B | <i>Cephalophus dorsalis</i> | trophies | 4 | | FR | CF | H | W | |
| | 2 | B | <i>Cephalophus dorsalis</i> | trophies | 1 | | FR | CM | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | horns | 1 | | DE | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | horns | 1 | | DK | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skins | 1 | | AT | ZA | T | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skins | 1 | | DE | ZA | T | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skins | 5 | | DE | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skins | 1 | | DK | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skulls | 1 | | AT | ZA | P | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skulls | 1 | | DE | ZA | T | W | |
| | 2 | B | <i>Cephalophus monticola</i> | skulls | 2 | | DE | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 1 | | DE | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 2 | | ES | CF | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 3 | | ES | CM | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 1 | | ES | US | CM | H | W |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 6 | | ES | ZA | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 17 | | FR | CF | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 4 | | FR | CM | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 2 | | IT | CF | H | W | |
| | 2 | B | <i>Cephalophus monticola</i> | trophies | 1 | | IT | ZA | H | W | |
| | 2 | B | <i>Cephalophus silvicultor</i> | trophies | 1 | | ES | CF | H | W | |
| | 2 | B | <i>Cephalophus silvicultor</i> | trophies | 12 | | FR | CF | H | W | |
| | 2 | B | <i>Damaliscus pygargus</i> | skins | 1 | | FR | ZA | H | F | |
| | 2 | B | <i>Damaliscus pygargus</i> | skins | 1 | | FR | ZA | H | W | |
| | 2 | B | <i>Damaliscus pygargus</i> | skulls | 2 | | FR | ZA | H | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Damaliscus pygargus | trophies | 1 | | FR | ZA | | H | F |
| | 2 | B | Damaliscus pygargus | trophies | 13 | | FR | ZA | | H | W |
| | 2 | B | Damaliscus pygargus pygargus | skins | 5 | | DE | ZA | | H | W |
| | 2 | B | Damaliscus pygargus pygargus | skulls | 2 | | DE | ZA | | H | W |
| | 2 | B | Damaliscus pygargus pygargus | trophies | 2 | | BE | US | XX | H | W |
| | 2 | B | Damaliscus pygargus pygargus | trophies | 1 | | BE | ZA | | T | F |
| | 2 | B | Damaliscus pygargus pygargus | trophies | 1 | | DE | ZA | | H | W |
| | 2 | B | Damaliscus pygargus pygargus | trophies | 1 | | ES | ZA | | H | F |
| | 2 | B | Damaliscus pygargus pygargus | trophies | 8 | | ES | ZA | | H | W |
| | 2 | B | Damaliscus pygargus pygargus | trophies | 2 | | SE | ZA | | H | W |
| | 2 | B | Kobus leche | skins | 1 | | DE | BW | | H | W |
| | 2 | B | Kobus leche | skins | 1 | | DE | ZA | BW | P | W |
| | 2 | B | Kobus leche | skins | 2 | | DE | ZA | ZM | H | W |
| | 2 | B | Kobus leche | skins | 1 | | DK | ZA | | H | W |
| | 2 | B | Kobus leche | skulls | 2 | | AT | ZA | BW | P | W |
| | 2 | B | Kobus leche | skulls | 5 | | DE | BW | | H | W |
| | 2 | B | Kobus leche | skulls | 1 | | DE | ZA | ZM | H | W |
| | 2 | B | Kobus leche | skulls | 1 | | DK | ZA | | H | W |
| | 2 | B | Kobus leche | trophies | 2 | | AT | ZA | | P | W |
| | 2 | B | Kobus leche | trophies | 1 | | AT | ZA | BW | P | W |
| | 2 | B | Kobus leche | trophies | 4 | | BE | BW | | H | W |
| | 2 | B | Kobus leche | trophies | 1 | | DE | ZA | | H | F |
| | 2 | B | Kobus leche | trophies | 1 | | DE | ZA | | T | F |
| | 2 | B | Kobus leche | trophies | 4 | | DK | ZM | | H | W |
| | 2 | B | Kobus leche | trophies | 12 | | ES | BW | | H | W |
| | 2 | B | Kobus leche | trophies | 1 | | ES | ZA | | H | F |
| | 2 | B | Kobus leche | trophies | 21 | | ES | ZA | | H | W |
| | 2 | B | Kobus leche | trophies | 1 | | ES | ZA | BW | H | W |
| | 2 | B | Kobus leche | trophies | 6 | | ES | ZM | | H | W |
| | 2 | B | Kobus leche | trophies | 1 | | ES | ZW | | H | W |
| | 2 | B | Kobus leche | trophies | 2 | | FR | BW | | H | W |
| | 2 | B | Kobus leche | trophies | 1 | | FR | ZA | | H | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Kobus leche</i> | trophies | 13 | | FR | ZA | | H | W |
| | 2 | B | <i>Kobus leche</i> | trophies | 1 | | IT | BW | | H | W |
| | 2 | B | <i>Kobus leche</i> | trophies | 2 | | IT | ZM | | H | W |
| | 2 | B | <i>Kobus leche</i> | trophies | 1 | | PT | ZA | | H | W |
| | 2 | B | <i>Kobus leche</i> | trophies | 2 | | SE | ZM | | H | W |
| | 2 | B | <i>Kobus leche kafuensis</i> | skulls | 2 | | PT | ZM | | H | W |
| | 2 | B | <i>Kobus leche kafuensis</i> | trophies | 2 | | AT | ZM | | P | W |
| | 2 | B | <i>Kobus leche kafuensis</i> | trophies | 2 | | ES | ZM | | H | W |
| | 2 | B | <i>Kobus leche kafuensis</i> | trophies | 1 | | FI | ZA | ZM | H | W |
| | 2 | B | <i>Kobus leche kafuensis</i> | trophies | 3 | | IT | ZM | | H | W |
| | 2 | B | <i>Kobus leche smithemani</i> | trophies | 1 | | AT | ZM | | P | W |
| | 2 | B | <i>Kobus leche smithemani</i> | trophies | 1 | | ES | ZA | | H | W |
| | 2 | B | <i>Kobus leche smithemani</i> | trophies | 2 | | ES | ZA | BW | H | W |
| | 2 | B | <i>Kobus leche smithemani</i> | trophies | 3 | | ES | ZM | | H | W |
| | 2 | B | <i>Kobus leche smithemani</i> | trophies | 2 | | IT | ZM | | H | W |
| | 2 | B | <i>Ovis ammon</i> | horns | 2 | | DE | MN | | H | W |
| | 2 | B | <i>Ovis ammon</i> | skins | 2 | | DE | MN | | H | W |
| | 2 | B | <i>Ovis ammon</i> | skins | 2 | | DE | RU | KG | H | W |
| | 2 | B | <i>Ovis ammon</i> | skins | 8 | | DE | RU | TJ | H | W |
| | 2 | B | <i>Ovis ammon</i> | skulls | 2 | | DE | KZ | | H | W |
| | 2 | B | <i>Ovis ammon</i> | skulls | 2 | | DE | RU | KG | H | W |
| | 2 | B | <i>Ovis ammon</i> | skulls | 7 | | DE | RU | TJ | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 2 | | AT | CN | | P | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | AT | KG | | P | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | AT | RU | KG | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 2 | | AT | RU | KG | P | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | AT | RU | KR | P | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | AT | RU | KZ | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | AT | RU | TJ | P | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 2 | | DE | RU | TJ | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | ES | CN | | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 5 | | ES | RU | | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | ES | UZ | | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 3 | | FR | CH | MN | H | O |
| | 2 | B | <i>Ovis ammon</i> | trophies | 1 | | FR | KZ | | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 4 | | FR | RU | | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 10 | | FR | RU | KG | H | W |
| | 2 | B | <i>Ovis ammon</i> | trophies | 2 | | IT | RU | KG | H | W |
| | 2 | B | <i>Ovis ammon dalailamae</i> | trophies | 1 | | AT | CN | | P | W |
| | 2 | B | <i>Ovis ammon dalailamae</i> | trophies | 1 | | ES | CN | | H | W |
| | 2 | B | <i>Ovis ammon karelini</i> | trophies | 1 | | AT | RU | | P | W |
| | 2 | B | <i>Ovis ammon karelini</i> | trophies | 2 | | ES | RU | | H | W |
| | 2 | B | <i>Ovis canadensis</i> | trophies | 1 | | IT | MX | | H | W |
| | 2 | B | <i>Rhea americana</i> | live | 2 | | NL | CZ | | Z | C |
| | 2 | B | <i>Rhea americana albescens</i> | feathers | 40 kg | | FR | AR | | T | W |
| | 2 | B | <i>Spheniscus demersus</i> | live | 8 | | GR | ZA | | Z | C |
| | 2 | A | <i>Ciconia nigra</i> | live | 1 | | NL | CZ | | Z | C |
| | 2 | A | <i>Ciconia nigra</i> | live | 1 | | NL | CZ | SI | Z | W |
| | 2 | B | <i>Phoenicopterus minor</i> | live | 47 | | DE | TZ | | T | W |
| | 2 | B | <i>Phoenicopterus minor</i> | live | 6 | | ES | TZ | | T | W |
| | 2 | B | <i>Phoenicopterus minor</i> | live | 72 | | IT | TZ | | T | W |
| | 2 | B | <i>Phoenicopterus minor</i> | live | 464 | | NL | TZ | | T | W |
| | 2 | B | <i>Phoenicopterus minor</i> | live | 12 | | PT | TZ | | T | W |
| | 2 | A | <i>Phoenicopterus ruber</i> | live | 56 | | ES | CU | | B | R |
| | 2 | A | <i>Phoenicopterus ruber</i> | live | 4 | | FR | CU | | Z | R |
| | 2 | A | <i>Phoenicopterus ruber</i> | live | 20 | | FR | CU | | T | R |
| | 2 | A | <i>Phoenicopterus ruber</i> | live | 36 | | PT | TZ | | Z | W |
| | 2 | B | <i>Phoenicopterus ruber roseus</i> | live | 10 | | DE | CH | | Z | C |
| | 2 | B | <i>Coscoroba coscoroba</i> | live | 4 | | NL | HK | | T | C |
| | 2 | B | <i>Cygnus melanocorypha</i> | live | 2 | | NL | HK | | T | C |
| | 2 | B | <i>Dendrocygna arborea</i> | live | 6 | | NL | SK | | Z | C |
| | 2 | B | <i>Sarkidiornis melanotos</i> | live | 10 | | PT | GN | | T | W |
| | 2 | A | <i>Pandion haliaetus</i> | bodies | 1 | | NL | JP | XX | E | O |
| | 2 | Δ | <i>Accipiter gentilis</i> | live | 2 | | AT | SK | AT | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Accipiter gentilis</i> | live | 1 | | BE | RU | | P | W |
| | 2 | A | <i>Accipiter gentilis</i> | live | 1 | | DE | HU | | P | W |
| | 2 | A | <i>Accipiter gentilis</i> | live | 5 | | ES | HU | | P | C |
| | 2 | B | <i>Accipiter melanoleucus</i> | live | 1 | | FR | HU | GB | B | C |
| | 2 | B | <i>Accipiter melanoleucus</i> | live | 1 | | GB | ZA | | B | W |
| | 2 | A | <i>Accipiter nisus</i> | bodies | 1 | | NL | JP | XX | E | O |
| | 2 | B | <i>Accipiter tachiro</i> | live | 1 | | GB | ZA | | B | C |
| | 2 | A | <i>Aegypius monachus</i> | live | 1 | | AT | RU | KZ | B | C |
| | 2 | A | <i>Aegypius monachus</i> | live | 1 | | BE | CZ | | Z | C |
| | 2 | A | <i>Aegypius monachus</i> | live | 1 | | FR | CH | | N | F |
| | 2 | B | <i>Aquila hybrid</i> | live | 1 | | AT | SK | AT | P | D |
| | 2 | A | <i>Aquila chrysaetos</i> | bodies | 1 | | DE | CH | AT | P | O |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | AT | HU | DE | P | C |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | AT | HU | DE | P | D |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 2 | | AT | RU | KZ | B | C |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | AT | SK | AT | P | C |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | AT | SK | DE | P | D |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | AT | SK | RU | P | C |
| | 2 | A | <i>Aquila chrysaetos</i> | live | 1 | | BE | AE | | P | C |
| | 2 | A | <i>Aquila clanga</i> | live | 9 | | BE | AE | | P | C |
| | 2 | B | <i>Aquila nipalensis</i> | live | 2 | | FR | HU | | Z | C |
| | 2 | B | <i>Aquila nipalensis</i> | live | 2 | | GB | EE | | T | F |
| | 2 | B | <i>Aquila rapax</i> | live | 4 | | ES | GN | | T | W |
| | 2 | B | <i>Aquila wahlbergi</i> | live | 4 | | ES | GN | | T | W |
| | 2 | B | <i>Buteo albonotatus</i> | live | 40 | | ES | PE | | T | W |
| | 2 | B | <i>Buteo albonotatus</i> | live | 2 | | NL | PE | | T | W |
| | 2 | A | <i>Buteo buteo</i> | bodies | 2 | | SE | SY | | I | |
| | 2 | B | <i>Buteo jamaicensis</i> | live | 2 | | DE | CA | | B | C |
| | 2 | B | <i>Buteo jamaicensis</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Buteo magnirostris</i> | skeletons | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Buteo magnirostris</i> | skins | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Buteo platypterus</i> | live | 22 | | ES | PE | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Buteo poecilochrous</i> | live | 25 | | ES | PE | | T | W |
| | 2 | B | <i>Buteo poecilochrous</i> | live | 2 | | NL | PE | | T | W |
| | 2 | B | <i>Buteo polyosoma</i> | live | 3 | | BE | PE | | B | W |
| | 2 | B | <i>Buteo polyosoma</i> | live | 27 | | ES | PE | | T | W |
| | 2 | B | <i>Buteo polyosoma</i> | live | 12 | | NL | PE | | T | W |
| | 2 | A | <i>Buteo rufinus</i> | live | 1 | | BE | AE | | T | C |
| | 2 | A | <i>Buteo rufinus</i> | live | 3 | | BE | AE | | P | C |
| | 2 | B | <i>Buteo rufofuscus</i> | live | 5 | | AT | ZA | | B | C |
| | 2 | B | <i>Buteo rufofuscus</i> | live | 5 | | BE | ZA | | T | C |
| | 2 | B | <i>Buteogallus meridionalis</i> | skins | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Circaetus cinereus</i> | trophies | 1 | | DE | ZA | | H | W |
| | 2 | A | <i>Elanus caeruleus</i> | bodies | 1 | | ES | MA | XX | I | |
| | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 9 | | BE | PE | | B | W |
| | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 2 | | DE | PE | | T | W |
| | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 24 | | ES | PE | | T | W |
| | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 22 | | GB | PE | | T | W |
| | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 8 | | NL | PE | | T | W |
| | 2 | B | <i>Geranoaetus melanoleucus</i> | live | 4 | | PT | PE | | T | W |
| | 2 | B | <i>Geranospiza caerulescens</i> | skins | 1 | | SE | PY | | S | W |
| | 2 | A | <i>Gypaetus barbatus</i> | live | 1 | | AT | CH | | N | F |
| | 2 | A | <i>Gypaetus barbatus</i> | live | 2 | | AT | CZ | | N | F |
| | 2 | B | <i>Gypohierax angolensis</i> | live | 6 | | BE | GN | | T | W |
| | 2 | B | <i>Gypohierax angolensis</i> | live | 4 | | ES | GN | | T | W |
| | 2 | B | <i>Gypohierax angolensis</i> | live | 20 | | FR | GN | | T | W |
| | 2 | B | <i>Gypohierax angolensis</i> | live | 13 | | NL | CD | | T | W |
| | 2 | B | <i>Gypohierax angolensis</i> | live | 58 | | NL | GN | | T | W |
| | 2 | B | <i>Gyps africanus</i> | live | 16 | | PT | GN | | T | W |
| | 2 | A | <i>Haliaeetus pelagicus</i> | feathers | 6 | | SE | RU | | S | W |
| | 2 | A | <i>Haliaeetus pelagicus</i> | live | 3 | | AT | RU | | B | C |
| | 2 | A | <i>Haliaeetus pelagicus</i> | live | 2 | | FR | KZ | | Z | C |
| | 2 | A | <i>Haliaeetus pelagicus</i> | specimens | 360 | | SE | RU | | S | W |
| | 2 | A | <i>Haliaeetus vociferoides</i> | specimens | 4 ml | | GB | MG | | S | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Haliastur indus</i> | live | 1 | | BE | AE | | P | C |
| | 2 | B | <i>Haliastur indus</i> | live | 4 | | GB | SG | | B | U |
| | 2 | A | <i>Hieraetus fasciatus</i> | live | 5 | | BE | AE | | P | C |
| | 2 | A | <i>Hieraetus fasciatus</i> | live | 5 | | BE | AE | | T | C |
| | 2 | A | <i>Hieraetus pennatus</i> | live | 2 | | ES | AE | | P | C |
| | 2 | A | <i>Hieraetus pennatus</i> | live | 1 | | ES | MA | XX | I | |
| | 2 | B | <i>Kaupifalco monogrammicus</i> | live | 5 | | NL | CD | | T | W |
| | 2 | B | <i>Lophaetus occipitalis</i> | live | 4 | | ES | GN | | T | W |
| | 2 | B | <i>Lophaetus occipitalis</i> | live | 1 | | GB | TZ | | T | W |
| | 2 | A | <i>Milvus migrans</i> | live | 3 | | AT | SK | AT | N | W |
| | 2 | A | <i>Milvus migrans</i> | live | 2 | | BE | AE | | P | C |
| | 2 | B | <i>Necrosyrtes monachus</i> | live | 12 | | BE | GN | | T | W |
| | 2 | B | <i>Necrosyrtes monachus</i> | live | 6 | | ES | GN | | T | W |
| | 2 | B | <i>Necrosyrtes monachus</i> | live | 126 | | NL | GN | | T | W |
| | 2 | B | <i>Necrosyrtes monachus</i> | live | 10 | | PT | GN | | T | W |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | AT | HU | GB | P | C |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 4 | | BE | PE | | B | W |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 2 | | DE | CA | | B | C |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 4 | | ES | GI | | T | C |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 20 | | ES | PE | | T | W |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 1 | | FR | HU | FR | B | C |
| | 2 | B | <i>Parabuteo unicinctus</i> | live | 8 | | NL | PE | | T | W |
| | 2 | A | <i>Pernis apivorus</i> | live | 1 | | NL | SI | | Z | W |
| | 2 | B | <i>Polemaetus bellicosus</i> | live | 5 | | GB | TZ | | T | W |
| | 2 | B | <i>Polemaetus bellicosus</i> | live | 1 | | GB | ZA | | T | W |
| | 2 | B | <i>Terathopius ecaudatus</i> | live | 10 | | PT | GN | | T | W |
| | 2 | B | <i>Torgos tracheliotus</i> | live | 16 | | PT | GN | | T | W |
| | 2 | B | <i>Trigonoceps occipitalis</i> | live | 8 | | GB | GN | | T | W |
| | 2 | B | <i>Trigonoceps occipitalis</i> | live | 28 | | PT | GN | | T | W |
| | 2 | B | <i>Falco spp.</i> | live | 2 | | ES | MA | XX | I | |
| | 2 | A | <i>Falco biarmicus</i> | live | 1 | | GB | ZA | | B | C |
| | 2 | A | <i>Falco biarmicus</i> | live | 3 | | GR | QA | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Falco cherrug</i> | live | 5 | | AT | AE | | B | C |
| | 2 | A | <i>Falco cherrug</i> | live | 1 | | AT | SK | AT | T | D |
| | 2 | A | <i>Falco cherrug</i> | live | 2 | | BE | AE | DE | P | C |
| | 2 | A | <i>Falco cherrug</i> | live | 1 | | FR | MC | DE | Q | C |
| | 2 | A | <i>Falco cherrug</i> | specimens | 500 | g | GB | AE | | M | C |
| | 2 | B | <i>Falco concolor</i> | live | 2 | | BE | AE | | P | C |
| | 2 | B | <i>Falco rupicoloides</i> | live | 3 | | GB | ZA | | B | C |
| | 2 | B | <i>Falco sparverius</i> | live | 4 | | BE | PE | | B | W |
| | 2 | B | <i>Falco sparverius</i> | live | 27 | | ES | PE | | T | W |
| | 2 | B | <i>Falco sparverius</i> | live | 8 | | PT | PE | | Z | W |
| | 2 | B | <i>Falco sparverius</i> | skeletons | 1 | | SE | PY | | S | W |
| | 2 | A | <i>Falco tinnunculus</i> | live | 5 | | ES | MA | XX | I | |
| | 2 | B | <i>Milvago chimango</i> | skins | 3 | | SE | PY | | S | W |
| | 2 | B | <i>Phalcoboenus megalopterus</i> | live | 5 | | BE | PE | | B | W |
| | 2 | B | <i>Phalcoboenus megalopterus</i> | live | 2 | | DE | PE | | T | W |
| | 2 | B | <i>Phalcoboenus megalopterus</i> | live | 18 | | ES | PE | | T | W |
| | 2 | B | <i>Phalcoboenus megalopterus</i> | live | 8 | | NL | PE | | T | W |
| | 2 | B | <i>Polihierax semitorquatus</i> | live | 2 | | DE | US | | T | F |
| | 2 | B | <i>Polihierax semitorquatus</i> | live | 1 | | GB | ZA | | B | C |
| | 2 | B | <i>Polyborus plancus</i> | live | 6 | | BE | PE | | B | W |
| | 2 | B | <i>Polyborus plancus</i> | live | 1 | | DE | CZ | XX | Z | U |
| | 2 | B | <i>Polyborus plancus</i> | live | 20 | | ES | PE | | T | W |
| | 2 | B | <i>Polyborus plancus</i> | live | 1 | | FR | CZ | AT | Z | C |
| | 2 | B | <i>Polyborus plancus</i> | live | 1 | | FR | MC | DE | Q | C |
| | 2 | B | <i>Polyborus plancus</i> | live | 14 | | GB | PE | | T | W |
| | 2 | B | <i>Polyborus plancus</i> | live | 8 | | NL | PE | | T | W |
| | 2 | B | <i>Polyborus plancus</i> | live | 2 | | PT | PE | | T | W |
| | 2 | B | <i>Argusianus argus</i> | live | 1 | | NL | HK | | Z | C |
| | 2 | B | <i>Pavo muticus</i> | live | 1 | | BE | RU | | Z | C |
| | 2 | B | <i>Pavo muticus</i> | specimens | 20 | | GB | SG | MY | S | W |
| | 2 | B | <i>Polyplectron malacense</i> | live | 2 | | ES | CZ | | Z | C |
| | 2 | B | <i>Balearica pavonina</i> | live | 2 | | DE | CH | | Q | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Balearica pavonina</i> | live | 2 | ES | US | | T | F | |
| | 2 | B | <i>Grus antigone</i> | live | 2 | NL | US | | T | F | |
| | 2 | A | <i>Grus canadensis</i> | live | 4 | BE | US | | T | C | |
| | 2 | A | <i>Grus canadensis</i> | live | 6 | BE | US | | T | F | |
| | 2 | A | <i>Grus canadensis pratensis</i> | live | 12 | BE | US | | T | F | |
| | 2 | B | <i>Grus carunculatus</i> | live | 1 | BE | US | | T | C | |
| | 2 | A | <i>Grus grus</i> | eggs | 6 | FR | RU | | B | F | |
| | 2 | A | <i>Grus grus</i> | live | 1 | NL | CH | | Z | F | |
| | 2 | B | <i>Grus paradisea</i> | live | 1 | NL | CZ | XX | Z | W | |
| | 2 | B | <i>Grus virgo</i> | live | 20 | IT | RU | | T | W | |
| | 2 | B | <i>Grus virgo</i> | live | 2 | NL | CH | | T | F | |
| | 2 | B | <i>Grus virgo</i> | live | 98 | NL | RU | | T | W | |
| | 2 | B | <i>Ardeotis australis</i> | feathers | 150 | GB | AU | | P | C | |
| | 2 | B | <i>Ardeotis kori</i> | live | 6 | BE | AE | | B | C | |
| | 2 | B | <i>Eupodotis senegalensis</i> | live | 6 | BE | AE | | B | C | |
| | 2 | B | <i>Goura cristata</i> | live | 1 | GB | PH | | T | C | |
| | 2 | B | <i>Goura cristata</i> | live | 14 | NL | SG | | T | C | |
| | 2 | B | <i>Goura scheepmakeri</i> | live | 1 | GB | PH | | T | C | |
| | 2 | B | <i>Goura scheepmakeri</i> | live | 4 | NL | HK | | Z | C | |
| | 2 | B | <i>Goura victoria</i> | live | 1 | NL | HK | | Z | C | |
| | 2 | B | <i>Goura victoria</i> | live | 16 | NL | SG | | T | C | |
| | 2 | B | <i>Psittaciformes spp.</i> | live | 4 | ES | MA | XX | I | | |
| | 2 | B | <i>Psittacidae spp.</i> | live | 8 | PT | AO | | I | | |
| | 2 | B | <i>Psittacidae spp.</i> | live | 2 | PT | GN | | I | | |
| | 2 | B | <i>Psittacidae spp.</i> | live | 18 | PT | ST | | I | | |
| | 2 | B | <i>Agapornis canus</i> | live | 1970 | NL | MG | | T | W | |
| | 2 | B | <i>Agapornis canus</i> | live | 200 | PT | MG | | T | W | |
| | 2 | B | <i>Agapornis fischeri</i> | live | 550 | BE | CN | | T | C | |
| | 2 | B | <i>Agapornis fischeri</i> | live | 21917 | ES | CN | | T | C | |
| | 2 | B | <i>Agapornis fischeri</i> | live | 490 | ES | CZ | | T | C | |
| | 2 | B | <i>Agapornis fischeri</i> | live | 100 | ES | PK | | T | C | |
| | 2 | B | <i>Agapornis fischeri</i> | live | 450 | FR | CN | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Agapornis fischeri</i> | live | 50 | | GB | ZA | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 1950 | | GR | CN | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 160 | | GR | CZ | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 100 | | GR | PK | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 3000 | | IT | CN | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 4800 | | NL | CN | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 3100 | | PT | CN | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 8010 | | PT | ZA | | T | C |
| | 2 | B | <i>Agapornis fischeri</i> | live | 350 | | PT | ZW | | T | C |
| | 2 | B | <i>Agapornis lilianae</i> | live | 3 | | DE | AU | | P | C |
| | 2 | B | <i>Agapornis nigripenis</i> | live | 50 | | GB | ZA | | T | C |
| | 2 | B | <i>Agapornis nigripenis</i> | live | 550 | | PT | ZA | | T | C |
| | 2 | B | <i>Agapornis nigripenis</i> | live | 75 | | PT | ZW | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 550 | | BE | CN | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 16476 | | ES | CN | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 2393 | | ES | CZ | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 70 | | ES | VE | | Q | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 850 | | FR | CN | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 2 | | FR | CR | XX | B | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 1 | | GB | ZA | | P | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 95 | | GB | ZA | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 3650 | | GR | CN | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 140 | | GR | CZ | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 3000 | | GR | ZA | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 3250 | | IT | CN | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 1100 | | PT | CN | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 7650 | | PT | ZA | | T | C |
| | 2 | B | <i>Agapornis personatus</i> | live | 200 | | PT | ZW | | T | C |
| | 2 | B | <i>Agapornis pullarius</i> | live | 2 | | ES | CM | | T | W |
| | 2 | B | <i>Agapornis pullarius</i> | live | 190 | | ES | GN | | T | W |
| | 2 | B | <i>Agapornis pullarius</i> | live | 1 | | IT | CA | | P | F |
| | 2 | B | <i>Agapornis pullarius</i> | live | 250 | | PT | GN | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Agapornis roseicollis</i> | live | 600 | | BE | CN | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | DE | JP | | P | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 24624 | | ES | CN | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 7030 | | ES | CU | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1195 | | ES | CZ | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 100 | | ES | PK | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | ES | US | | P | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 630 | | FR | CN | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | FR | KR | | B | F |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 2 | | FR | MX | | B | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 2 | | GB | CA | | P | F |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 3 | | GB | US | | P | F |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | GB | ZA | | P | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 95 | | GB | ZA | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1800 | | GR | CN | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 200 | | GR | CZ | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 100 | | GR | CZ | CH | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 300 | | GR | ZA | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 3700 | | IT | CN | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 1 | | NL | AU | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 4700 | | PT | CN | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 9400 | | PT | ZA | | T | C |
| | 2 | B | <i>Agapornis roseicollis</i> | live | 250 | | PT | ZW | | T | C |
| | 2 | B | <i>Alisterus amboinensis</i> | live | 24 | | DE | ID | | T | C |
| | 2 | B | <i>Alisterus amboinensis</i> | live | 10 | | ES | ID | | T | C |
| | 2 | B | <i>Alisterus amboinensis</i> | live | 4 | | NL | SG | | T | C |
| | 2 | B | <i>Alisterus chloropterus</i> | live | 10 | | DE | ID | | T | C |
| | 2 | B | <i>Alisterus chloropterus</i> | live | 10 | | DE | ID | | T | W |
| | 2 | B | <i>Alisterus chloropterus</i> | live | 8 | | NL | SG | ID | T | W |
| | 2 | B | <i>Amazona aestiva</i> | live | 3 | | DE | PY | | P | W |
| | 2 | B | <i>Amazona aestiva</i> | live | 1 | | DE | TH | XX | P | U |
| | 2 | B | <i>Amazona aestiva</i> | live | 2 | | DE | US | | P | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Amazona aestiva</i> | live | 90 | | ES | AR | | T | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1199 | | ES | AR | | T | W |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | ES | US | | P | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 24 | | ES | ZA | | T | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | FR | BR | | B | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | FR | CH | XX | B | U |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | FR | GN | XX | B | O |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | FR | MX | FR | B | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 2 | | FR | ZA | | T | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 48 | | GB | AR | | T | W |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | GB | US | | P | F |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | GB | US | GB | P | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | GB | ZA | | P | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | GB | ZA | | P | U |
| I | 2 | B | <i>Amazona aestiva</i> | live | 2 | | GB | ZW | | P | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 135 | | GR | AR | | T | W |
| I | 2 | B | <i>Amazona aestiva</i> | live | 2 | | GR | ZA | | T | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 55 | | IT | AR | | T | W |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | NL | US | | T | F |
| I | 2 | B | <i>Amazona aestiva</i> | live | 80 | | PT | AR | | T | W |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | PT | ZA | | T | C |
| I | 2 | B | <i>Amazona aestiva</i> | live | 1 | | SE | CH | SE | P | C |
| I | 2 | B | <i>Amazona aestiva</i> | skeletons | 1 | | SE | PY | | S | W |
| I | 2 | B | <i>Amazona albifrons</i> | live | 125 | | BE | NI | | T | R |
| I | 2 | B | <i>Amazona albifrons</i> | live | 27 | | DE | NI | | T | R |
| I | 2 | B | <i>Amazona albifrons</i> | live | 119 | | ES | NI | | T | R |
| I | 2 | B | <i>Amazona albifrons</i> | live | 1 | | GR | ZA | | T | C |
| I | 2 | B | <i>Amazona albifrons</i> | live | 132 | | IT | NI | | T | R |
| I | 2 | B | <i>Amazona albifrons</i> | live | 511 | | NL | NI | | T | R |
| I | 2 | B | <i>Amazona albifrons</i> | live | 140 | | PT | NI | | T | R |
| I | 2 | B | <i>Amazona albifrons</i> | live | 1 | | SE | CH | NL | P | C |
| I | 2 | B | <i>Amazona amazonica</i> | live | 391 | | BE | SR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Amazona amazonica</i> | live | 1 | | DE | CZ | GY | P | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 190 | | DE | GY | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 7 | | DE | PH | | T | C |
| | 2 | B | <i>Amazona amazonica</i> | live | 128 | | DE | SR | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 1495 | | ES | GY | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 584 | | ES | SR | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 8 | | ES | ZA | | T | C |
| | 2 | B | <i>Amazona amazonica</i> | live | 1 | | FR | MT | GY | B | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 1 | | FR | TT | | B | C |
| | 2 | B | <i>Amazona amazonica</i> | live | 1 | | FR | TT | | B | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 591 | | GB | GY | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 1 | | GB | US | | P | F |
| | 2 | B | <i>Amazona amazonica</i> | live | 1 | | GB | US | | T | F |
| | 2 | B | <i>Amazona amazonica</i> | live | 170 | | GR | SR | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 100 | | IT | SR | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 1728 | | NL | GY | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 3 | | NL | SR | | T | F |
| | 2 | B | <i>Amazona amazonica</i> | live | 1485 | | NL | SR | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 2356 | | PT | GY | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 250 | | PT | SR | | T | W |
| | 2 | B | <i>Amazona amazonica</i> | live | 12 | | PT | ZA | | T | C |
| | 2 | B | <i>Amazona europalliata</i> | live | 50 | | BE | NI | | T | R |
| | 2 | B | <i>Amazona europalliata</i> | live | 44 | | ES | NI | | T | R |
| | 2 | B | <i>Amazona europalliata</i> | live | 1 | | ES | US | | T | W |
| | 2 | B | <i>Amazona europalliata</i> | live | 20 | | IT | NI | | T | R |
| | 2 | B | <i>Amazona europalliata</i> | live | 297 | | NL | NI | | T | R |
| | 2 | B | <i>Amazona europalliata</i> | live | 50 | | PT | NI | | T | R |
| | 2 | B | <i>Amazona autumnalis</i> | live | 1 | | AT | XX | | P | U |
| | 2 | B | <i>Amazona autumnalis</i> | live | 166 | | BE | NI | | T | R |
| | 2 | B | <i>Amazona autumnalis</i> | live | 25 | | DE | NI | | T | R |
| | 2 | B | <i>Amazona autumnalis</i> | live | 1 | | DK | NI | US | P | U |
| | 2 | B | <i>Amazona autumnalis</i> | live | 309 | | ES | NI | | T | R |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Amazona autumnalis</i> | live | 2 | | ES | ZA | | T | C |
| | 2 | B | <i>Amazona autumnalis</i> | live | 1 | | FR | KM | XX | B | O |
| | 2 | B | <i>Amazona autumnalis</i> | live | 1 | | FR | NC | | B | F |
| | 2 | B | <i>Amazona autumnalis</i> | live | 2 | | FR | ZA | | T | C |
| | 2 | B | <i>Amazona autumnalis</i> | live | 175 | | IT | NI | | T | R |
| | 2 | B | <i>Amazona autumnalis</i> | live | 1108 | | NL | NI | | T | R |
| | 2 | B | <i>Amazona autumnalis</i> | live | 166 | | PT | NI | | T | R |
| | 2 | B | <i>Amazona dufresniana</i> | live | 6 | | BE | SR | | T | W |
| | 2 | B | <i>Amazona dufresniana</i> | live | 4 | | DE | SR | | T | W |
| | 2 | B | <i>Amazona dufresniana</i> | live | 2 | | GB | US | | P | F |
| | 2 | B | <i>Amazona dufresniana</i> | live | 11 | | GR | SR | | T | W |
| | 2 | B | <i>Amazona dufresniana</i> | live | 32 | | NL | SR | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 41 | | BE | NI | | T | R |
| | 2 | B | <i>Amazona farinosa</i> | live | 27 | | BE | SR | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 40 | | DE | GY | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 24 | | DE | SR | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 123 | | ES | GY | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 69 | | ES | NI | | T | R |
| | 2 | B | <i>Amazona farinosa</i> | live | 75 | | ES | SR | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 31 | | GB | GY | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 24 | | GR | SR | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 23 | | IT | NI | | T | R |
| | 2 | B | <i>Amazona farinosa</i> | live | 164 | | NL | GY | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 251 | | NL | NI | | T | R |
| | 2 | B | <i>Amazona farinosa</i> | live | 146 | | NL | SR | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 251 | | PT | GY | | T | W |
| | 2 | B | <i>Amazona farinosa</i> | live | 41 | | PT | NI | | T | R |
| | 2 | B | <i>Amazona farinosa</i> | live | 22 | | PT | SR | | T | W |
| | 2 | B | <i>Amazona festiva</i> | live | 2 | | GB | US | | P | F |
| | 2 | B | <i>Amazona finschi</i> | live | 50 | | ES | MX | | T | C |
| | 2 | B | <i>Amazona finschi</i> | live | 6 | | GB | US | | T | F |
| | 2 | B | <i>Amazona finschi</i> | live | 42 | | PT | MX | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | | AT | CH | | P | F |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 36 | | BE | SR | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | DE | CH | | P | F |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | DE | CH | XX | P | O |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 47 | | DE | GY | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 33 | | DE | SR | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 105 | | ES | GY | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 62 | | ES | SR | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | ES | US | | P | F |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | FR | US | | B | F |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 100 | | GB | GY | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | GB | IL | US | P | C |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 2 | | GB | SA | | P | C |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 1 | | GB | ZA | | P | C |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 41 | | GR | SR | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 284 | | NL | GY | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 251 | | NL | SR | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 228 | | PT | GY | | T | W |
| | 2 | B | <i>Amazona ochrocephala</i> | live | 22 | | PT | SR | | T | W |
| | 2 | B | <i>Amazona oratrix</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Amazona oratrix</i> | live | 2 | | ES | US | | T | W |
| | 2 | B | <i>Amazona oratrix</i> | live | 7 | | FR | CH | MX | B | U |
| | 2 | B | <i>Amazona oratrix</i> | live | 1 | | FR | MX | | B | F |
| | 2 | B | <i>Amazona oratrix</i> | live | 1 | | FR | US | | B | F |
| | 2 | B | <i>Amazona oratrix</i> | live | 1 | | GB | SA | | P | C |
| | 2 | B | <i>Amazona ventralis</i> | live | 2 | | DK | US | | B | C |
| | 2 | B | <i>Amazona xantholora</i> | live | 4 | | NL | US | | T | F |
| | 2 | B | <i>Amazona xantholora</i> | live | 2 | | NL | ZA | | T | C |
| | 2 | B | <i>Amazona xanthops</i> | live | 3 | | NL | ZA | | T | C |
| | 2 | B | <i>Aprosmictus erythropterus</i> | live | 10 | | NL | SG | | T | C |
| | 2 | B | <i>Aprosmictus jonquillaceus</i> | live | 11 | | DE | ID | | T | C |
| | 2 | B | <i>Ara ambiguus</i> | live | 6 | | DK | US | | B | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Ara ararauna | live | 53 | | BE | SR | | T | W |
| | 2 | B | Ara ararauna | live | 5 | | DE | GY | | T | W |
| | 2 | B | Ara ararauna | live | 17 | | DE | PH | | T | C |
| | 2 | B | Ara ararauna | live | 12 | | DE | SR | | T | W |
| | 2 | B | Ara ararauna | live | 1 | | ES | GM | ES | P | C |
| | 2 | B | Ara ararauna | live | 67 | | ES | GY | | T | W |
| | 2 | B | Ara ararauna | live | 1 | | ES | PH | | T | C |
| | 2 | B | Ara ararauna | live | 36 | | ES | SR | | T | W |
| | 2 | B | Ara ararauna | live | 2 | | ES | US | | P | F |
| | 2 | B | Ara ararauna | live | 22 | | ES | US | | T | F |
| | 2 | B | Ara ararauna | live | 1 | | ES | VE | | P | W |
| | 2 | B | Ara ararauna | live | 7 | | ES | ZA | | T | C |
| | 2 | B | Ara ararauna | live | 1 | | FR | BO | | B | O |
| | 2 | B | Ara ararauna | live | 1 | | FR | CH | | FR | C |
| | 2 | B | Ara ararauna | live | 1 | | FR | CH | VE | B | C |
| | 2 | B | Ara ararauna | live | 1 | | FR | MA | | B | C |
| | 2 | B | Ara ararauna | live | 1 | | GB | BH | | T | C |
| | 2 | B | Ara ararauna | live | 34 | | GB | GY | | T | W |
| | 2 | B | Ara ararauna | live | 9 | | GB | PH | | T | C |
| | 2 | B | Ara ararauna | live | 1 | | GB | US | | P | F |
| | 2 | B | Ara ararauna | live | 7 | | GB | ZA | | T | C |
| | 2 | B | Ara ararauna | live | 2 | | GR | HU | | T | C |
| | 2 | B | Ara ararauna | live | 25 | | GR | SR | | T | W |
| | 2 | B | Ara ararauna | live | 30 | | GR | ZA | | T | C |
| | 2 | B | Ara ararauna | live | 1 | | IT | CH | | PH | C |
| | 2 | B | Ara ararauna | live | 1 | | IT | CH | SR | Q | W |
| | 2 | B | Ara ararauna | live | 40 | | IT | SR | | T | W |
| | 2 | B | Ara ararauna | live | 2 | | NL | AN | | T | C |
| | 2 | B | Ara ararauna | live | 218 | | NL | GY | | T | W |
| | 2 | B | Ara ararauna | live | 311 | | NL | SR | | T | W |
| | 2 | B | Ara ararauna | live | 7 | | NL | ZA | | T | C |
| | 2 | B | Ara ararauna | live | 154 | | PT | GY | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ara ararauna</i> | live | 52 | | PT | SR | | T | W |
| | 2 | B | <i>Ara auricollis</i> | live | 2 | | BE | ZA | | B | C |
| | 2 | B | <i>Ara auricollis</i> | live | 4 | | IT | ZA | | T | C |
| | 2 | B | <i>Ara auricollis</i> | live | 1 | | NL | US | | T | F |
| | 2 | B | <i>Ara auricollis</i> | live | 8 | | NL | ZA | | T | C |
| | 2 | B | <i>Ara auricollis</i> | live | 1 | | SE | US | | T | C |
| | 2 | B | <i>Ara chloropterus</i> | bodies | 1 | | DE | US | | T | F |
| | 2 | B | <i>Ara chloropterus</i> | live | 22 | | BE | SR | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 5 | | DE | GY | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 1 | | DE | PH | | T | C |
| | 2 | B | <i>Ara chloropterus</i> | live | 6 | | DE | SR | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Ara chloropterus</i> | live | 70 | | ES | GY | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 11 | | ES | SR | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 1 | | ES | US | | T | F |
| | 2 | B | <i>Ara chloropterus</i> | live | 2 | | ES | ZA | | T | C |
| | 2 | B | <i>Ara chloropterus</i> | live | 40 | | GB | GY | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 11 | | GR | SR | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 4 | | GR | ZA | | T | C |
| | 2 | B | <i>Ara chloropterus</i> | live | 1 | | IT | CH | PH | Q | C |
| | 2 | B | <i>Ara chloropterus</i> | live | 220 | | NL | GY | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 102 | | NL | SR | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 211 | | PT | GY | | T | W |
| | 2 | B | <i>Ara chloropterus</i> | live | 25 | | PT | SR | | T | W |
| | 2 | B | <i>Ara couloni</i> | live | 3 | | BE | MX | | B | F |
| | 2 | B | <i>Ara couloni</i> | live | 12 | | GB | PH | | T | C |
| | 2 | B | <i>Ara couloni</i> | live | 6 | | NL | CZ | | T | F |
| | 2 | B | <i>Ara couloni</i> | live | 6 | | NL | ZA | | T | C |
| | 2 | B | <i>Ara manilata</i> | live | 21 | | BE | SR | | T | W |
| | 2 | B | <i>Ara manilata</i> | live | 1 | | DE | PH | | T | C |
| | 2 | B | <i>Ara manilata</i> | live | 8 | | DE | SR | | T | W |
| | 2 | B | <i>Ara manilata</i> | live | 69 | | ES | GY | | T | W |

European Community annual report to CITES 2000

| Op/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Ara manilata</i> | live | 64 | | ES | SR | | T | W |
| I | 2 | B | <i>Ara manilata</i> | live | 75 | | GB | GY | | T | W |
| I | 2 | B | <i>Ara manilata</i> | live | 26 | | GR | SR | | T | W |
| I | 2 | B | <i>Ara manilata</i> | live | 72 | | NL | GY | | T | W |
| I | 2 | B | <i>Ara manilata</i> | live | 15 | | NL | SR | | T | W |
| I | 2 | B | <i>Ara manilata</i> | live | 276 | | PT | GY | | T | W |
| I | 2 | B | <i>Ara manilata</i> | live | 15 | | PT | SR | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 31 | | DE | GY | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 6 | | DE | SR | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 61 | | ES | GY | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 37 | | ES | SR | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 81 | | GB | GY | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 128 | | NL | GY | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 10 | | NL | SR | | T | W |
| I | 2 | B | <i>Ara nobilis</i> | live | 217 | | PT | GY | | T | W |
| I | 2 | B | <i>Ara severa</i> | live | 12 | | BE | SR | | T | W |
| I | 2 | B | <i>Ara severa</i> | live | 2 | | BE | ZA | | B | C |
| I | 2 | B | <i>Ara severa</i> | live | 2 | | DE | PH | | T | C |
| I | 2 | B | <i>Ara severa</i> | live | 4 | | DE | SR | | T | W |
| I | 2 | B | <i>Ara severa</i> | live | 2 | | DE | US | | P | F |
| I | 2 | B | <i>Ara severa</i> | live | 19 | | ES | SR | | T | W |
| I | 2 | B | <i>Ara severa</i> | live | 6 | | GR | SR | | T | W |
| I | 2 | B | <i>Ara severa</i> | live | 39 | | NL | SR | | T | W |
| I | 2 | B | <i>Ara severa</i> | live | 2 | | NL | ZA | | T | C |
| I | 2 | B | <i>Ara severa</i> | live | 10 | | PT | SR | | T | W |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 24 | | DE | PY | | T | W |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 1450 | | ES | AR | | T | W |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 144 | | ES | PY | | T | W |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 80 | | FR | AR | | T | W |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 32 | | FR | PY | | T | W |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 8 | | GR | ZA | | T | C |
| I | 2 | B | <i>Aratinga acuticaudata</i> | live | 100 | | IT | AR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Aratinga aurea</i> | live | 2 | | ES | SA | | P | U |
| | 2 | B | <i>Aratinga aurea</i> | live | 5 | | ES | SR | | T | W |
| | 2 | B | <i>Aratinga aurea</i> | live | 3 | | GB | ZA | | T | C |
| | 2 | B | <i>Aratinga aurea</i> | live | 4 | | GR | SR | | T | W |
| | 2 | B | <i>Aratinga aurea</i> | live | 11 | | NL | SR | | T | W |
| | 2 | B | <i>Aratinga aurea</i> | live | 20 | | PT | ZA | | T | C |
| | 2 | B | <i>Aratinga aurea</i> | skeletons | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Aratinga auricapilla</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Aratinga auricapilla</i> | live | 1 | | FR | SG | | B | C |
| | 2 | B | <i>Aratinga auricapilla</i> | live | 18 | | GB | ZA | | T | C |
| | 2 | B | <i>Aratinga brevipes</i> | live | 2 | | BE | TO | | B | C |
| | 2 | B | <i>Aratinga cactorum</i> | live | 4 | | NL | ZA | | T | C |
| | 2 | B | <i>Aratinga canicularis</i> | live | 80 | | BE | NI | | T | R |
| | 2 | B | <i>Aratinga canicularis</i> | live | 54 | | ES | NI | | T | R |
| | 2 | B | <i>Aratinga canicularis</i> | live | 26 | | IT | NI | | T | R |
| | 2 | B | <i>Aratinga canicularis</i> | live | 160 | | NL | NI | | T | R |
| | 2 | B | <i>Aratinga canicularis</i> | live | 80 | | PT | NI | | T | R |
| | 2 | B | <i>Aratinga erythrogenys</i> | live | 4 | | ES | LV | | B | U |
| | 2 | B | <i>Aratinga finschi</i> | live | 30 | | BE | NI | | T | R |
| | 2 | B | <i>Aratinga finschi</i> | live | 13 | | ES | NI | | T | R |
| | 2 | B | <i>Aratinga finschi</i> | live | 2 | | GR | ZA | | T | C |
| | 2 | B | <i>Aratinga finschi</i> | live | 17 | | NL | NI | | T | R |
| | 2 | B | <i>Aratinga holochlora</i> | live | 3 | | NL | ZA | | T | C |
| | 2 | B | <i>Aratinga holochlora</i> | live | 78 | | PT | NI | | T | R |
| | 2 | B | <i>Aratinga holochlora</i> | live | 20 | | PT | ZA | | T | C |
| | 2 | B | <i>Aratinga jandaya</i> | live | 15 | | ES | CZ | | T | C |
| | 2 | B | <i>Aratinga jandaya</i> | live | 71 | | GB | ZA | | T | C |
| | 2 | B | <i>Aratinga jandaya</i> | live | 41 | | NL | ZA | | T | C |
| | 2 | B | <i>Aratinga jandaya</i> | live | 10 | | PT | ZA | | T | C |
| | 2 | B | <i>Aratinga jandaya</i> | live | 4 | | PT | ZW | | B | C |
| | 2 | B | <i>Aratinga leucophthalmus</i> | feathers | 3 sets | | SE | XM | | I | |
| | 2 | B | <i>Aratinga leucophthalmus</i> | live | 36 | | BE | SR | | T | W |

European Community annual report to CITES 2000

| p/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|--------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Aratinga leucophthalmus</i> | live | 30 | | DE | PY | | T | W |
| | 2 | B | <i>Aratinga leucophthalmus</i> | live | 252 | | ES | PY | | T | W |
| | 2 | B | <i>Aratinga leucophthalmus</i> | live | 81 | | ES | SR | | T | W |
| | 2 | B | <i>Aratinga leucophthalmus</i> | live | 4 | | GR | ZA | | T | C |
| | 2 | B | <i>Aratinga leucophthalmus</i> | live | 60 | | NL | SR | | T | W |
| | 2 | B | <i>Aratinga mitrata</i> | live | 232 | | ES | PE | | T | W |
| | 2 | B | <i>Aratinga mitrata</i> | live | 68 | | NL | PE | | T | W |
| | 2 | B | <i>Aratinga nana</i> | live | 1 | | ES | MX | | T | W |
| | 2 | B | <i>Aratinga nana</i> | live | 219 | | PT | NI | | T | R |
| | 2 | B | <i>Aratinga nana astec</i> | live | 37 | | ES | NI | | T | R |
| | 2 | B | <i>Aratinga pertinax</i> | live | 106 | | BE | SR | | T | W |
| | 2 | B | <i>Aratinga pertinax</i> | live | 407 | | ES | SR | | T | W |
| | 2 | B | <i>Aratinga pertinax</i> | live | 22 | | GB | ZA | | T | C |
| | 2 | B | <i>Aratinga pertinax</i> | live | 85 | | GR | SR | | T | W |
| | 2 | B | <i>Aratinga pertinax</i> | live | 33 | | NL | AN | | T | C |
| | 2 | B | <i>Aratinga pertinax</i> | live | 240 | | NL | SR | | T | W |
| | 2 | B | <i>Aratinga pertinax</i> | live | 17 | | NL | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 16 | | BE | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 53 | | ES | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 1 | | FR | SG | | ZA | B |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 144 | | GB | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 6 | | GR | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 1 | | IT | US | | P | F |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 4 | | IT | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 43 | | NL | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 70 | | PT | ZA | | T | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 4 | | PT | ZW | | B | C |
| | 2 | B | <i>Aratinga solstitialis</i> | live | 2 | | SE | SG | | ZA | P |
| | 2 | B | <i>Aratinga wagleri</i> | live | 737 | | ES | PE | | T | W |
| | 2 | B | <i>Aratinga wagleri</i> | live | 200 | | NL | PE | | T | W |
| | 2 | B | <i>Aratinga weddellii</i> | live | 31 | | ES | PE | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Aratinga weddellii</i> | live | 30 | GB | ZA | | T | C | |
| | 2 | B | <i>Aratinga weddellii</i> | live | 2 | GR | ZA | | T | C | |
| | 2 | B | <i>Aratinga weddellii</i> | live | 29 | NL | PE | | T | W | |
| | 2 | B | <i>Aratinga weddellii</i> | live | 20 | PT | ZA | | T | C | |
| | 2 | B | <i>Bolborhynchus aurifrons</i> | live | 41 | NL | PE | | T | W | |
| | 2 | B | <i>Bolborhynchus orbygnesius</i> | live | 6 | ES | ZA | | B | C | |
| | 2 | B | <i>Bolborhynchus orbygnesius</i> | live | 57 | NL | PE | | T | W | |
| | 2 | B | <i>Brotogeris chrysopterus</i> | live | 25 | BE | SR | | T | W | |
| | 2 | B | <i>Brotogeris chrysopterus</i> | live | 30 | ES | SR | | T | W | |
| | 2 | B | <i>Brotogeris chrysopterus</i> | live | 45 | GR | SR | | T | W | |
| | 2 | B | <i>Brotogeris chrysopterus</i> | live | 9 | NL | SR | | T | W | |
| | 2 | B | <i>Brotogeris chrysopterus</i> | live | 5 | PT | GY | | T | W | |
| | 2 | B | <i>Brotogeris cyanoptera</i> | live | 6 | ES | IL | | T | C | |
| | 2 | B | <i>Brotogeris cyanoptera</i> | live | 57 | NL | PE | | T | W | |
| | 2 | B | <i>Brotogeris jugularis</i> | live | 34 | BE | NI | | T | R | |
| | 2 | B | <i>Brotogeris jugularis</i> | live | 50 | NL | NI | | T | R | |
| | 2 | B | <i>Brotogeris jugularis</i> | live | 81 | PT | NI | | T | R | |
| | 2 | B | <i>Brotogeris pyrrhopterus</i> | live | 1 | DE | US | XX | P | U | |
| | 2 | B | <i>Brotogeris pyrrhopterus</i> | live | 6 | ES | IL | | T | C | |
| | 2 | B | <i>Brotogeris sanctithomae</i> | live | 2 | ES | IL | | T | C | |
| | 2 | B | <i>Brotogeris sanctithomae</i> | live | 87 | ES | PE | | T | W | |
| | 2 | B | <i>Brotogeris sanctithomae</i> | live | 38 | NL | PE | | T | W | |
| | 2 | B | <i>Brotogeris versicolurus</i> | live | 4 | ES | IL | | T | C | |
| | 2 | B | <i>Brotogeris versicolurus</i> | live | 235 | ES | PE | | T | W | |
| | 2 | B | <i>Brotogeris versicolurus</i> | live | 261 | NL | PE | | T | W | |
| | 2 | B | <i>Cacatua alba</i> | live | 36 | DE | PH | | T | C | |
| | 2 | B | <i>Cacatua alba</i> | live | 31 | ES | ID | | T | C | |
| | 2 | B | <i>Cacatua alba</i> | live | 2 | ES | US | | P | F | |
| | 2 | B | <i>Cacatua alba</i> | live | 26 | ES | ZA | | T | C | |
| | 2 | B | <i>Cacatua alba</i> | live | 1 | FR | ID | | B | C | |
| | 2 | B | <i>Cacatua alba</i> | live | 3 | FR | ID | | T | C | |
| | 2 | B | <i>Cacatua alba</i> | live | 3 | FR | SG | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Cacatua alba</i> | live | 1 | | FR | US | | B | F |
| | 2 | B | <i>Cacatua alba</i> | live | 7 | | FR | ZA | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 1 | | GB | US | | P | F |
| | 2 | B | <i>Cacatua alba</i> | live | 3 | | GB | ZA | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 31 | | GR | ZA | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 1 | | IT | CH | IT | Q | C |
| | 2 | B | <i>Cacatua alba</i> | live | 1 | | IT | CH | SG | Q | C |
| | 2 | B | <i>Cacatua alba</i> | live | 1 | | IT | SG | | Q | C |
| | 2 | B | <i>Cacatua alba</i> | live | 17 | | IT | SG | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 3 | | NL | CA | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 89 | | NL | SG | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 1 | | NL | ZA | | T | C |
| | 2 | B | <i>Cacatua alba</i> | live | 10 | | PT | MY | | T | W |
| | 2 | B | <i>Cacatua alba</i> | live | 24 | | PT | MY | ID | T | W |
| | 2 | B | <i>Cacatua ducorpsii</i> | live | 2 | | GB | ZA | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 15 | | DE | ID | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 28 | | DE | PH | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 3 | | FR | NZ | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 6 | | FR | NZ | | T | W |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | GB | AU | | P | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | GB | ZA | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | GR | ZA | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 2 | | IE | US | | P | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | IT | CH | SG | Q | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 4 | | IT | ID | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | IT | SG | Q | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 6 | | IT | SG | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 14 | | IT | SG | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 34 | | NL | NZ | | T | W |
| | 2 | B | <i>Cacatua galerita</i> | live | 88 | | NL | SG | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | PT | AU | | T | C |
| | 2 | B | <i>Cacatua galerita</i> | live | 1 | | PT | AU | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Cacatua galerita</i> | live | 6 | | PT | MY | | T | C |
| | 2 | B | <i>Cacatua galerita eleonora</i> | live | 170 | | ES | ID | | T | C |
| | 2 | B | <i>Cacatua galerita eleonora</i> | live | 2 | | ES | ZA | | T | C |
| | 2 | B | <i>Cacatua galerita eleonora</i> | live | 1 | | FR | ID | | B | C |
| | 2 | B | <i>Cacatua galerita eleonora</i> | live | 21 | | FR | ID | | T | C |
| | 2 | B | <i>Cacatua galerita eleonora</i> | live | 4 | | FR | SG | | T | C |
| | 2 | B | <i>Cacatua galerita eleonora</i> | live | 4 | | IT | SG | | T | C |
| | 2 | B | <i>Cacatua leadbeateri</i> | live | 2 | | FR | CH | | B | F |
| | 2 | B | <i>Cacatua leadbeateri</i> | live | 2 | | FR | NZ | | T | C |
| | 2 | B | <i>Cacatua leadbeateri</i> | live | 1 | | NL | ZA | | T | C |
| | 2 | B | <i>Cacatua leadbeateri</i> | live | 10 | | PT | ZA | | T | C |
| | 2 | B | <i>Cacatua sanguinea</i> | live | 5 | | DE | PH | | T | C |
| | 2 | B | <i>Cacatua sanguinea</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Cacatua sanguinea</i> | live | 4 | | ES | ID | | T | C |
| | 2 | B | <i>Cacatua sanguinea</i> | live | 10 | | IT | ID | | T | C |
| | 2 | B | <i>Cacatua sanguinea</i> | live | 3 | | NL | SG | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 20 | | DE | ID | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 26 | | DE | PH | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | | DE | US | | P | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | | DE | US | DE | P | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 2 | | ES | ID | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 15 | | ES | ID | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 9 | | ES | ZA | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 2 | | FR | CH | SG | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | | FR | GA | FR | B | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 7 | | FR | ID | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | | GB | JP | US | P | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | | GB | SA | | P | U |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 1 | | GB | ZA | | P | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 2 | | GB | ZA | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 7 | | GR | ZA | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Cacatua sulphurea</i> | live | 5 | | IT | ID | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 3 | | IT | SG | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 10 | | IT | SG | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 56 | | NL | SG | | T | C |
| | 2 | B | <i>Cacatua sulphurea</i> | live | 6 | | PT | MY | | T | C |
| | 2 | B | <i>Cacatua tenuirostris</i> | live | 6 | | FR | NZ | | T | C |
| | 2 | B | <i>Calyptorhynchus banksii</i> | live | 1 | | DE | CH | | B | F |
| | 2 | B | <i>Calyptorhynchus banksii</i> | live | 2 | | DE | PH | | T | C |
| | 2 | B | <i>Calyptorhynchus baudinii</i> | live | 6 | | DE | PH | | T | C |
| | 2 | B | <i>Calyptorhynchus funereus</i> | live | 8 | | DE | PH | | T | C |
| | 2 | B | <i>Chalcopsitta atra</i> | live | 52 | | ES | ID | | T | C |
| | 2 | B | <i>Chalcopsitta atra</i> | live | 8 | | ES | ZA | | B | C |
| | 2 | B | <i>Chalcopsitta atra</i> | live | 3 | | PT | ZW | | T | C |
| | 2 | B | <i>Chalcopsitta cardinalis</i> | live | 5 | | NL | SG | | T | C |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 9 | | ES | ID | | T | C |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 11 | | ES | ID | | T | W |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 6 | | IT | ID | | T | C |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 10 | | NL | SG | | T | C |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 15 | | NL | SG | ID | T | W |
| | 2 | B | <i>Chalcopsitta duivenbodei</i> | live | 6 | | PT | ID | | T | W |
| | 2 | B | <i>Chalcopsitta sintillata</i> | live | 27 | | ES | ID | | T | C |
| | 2 | B | <i>Chalcopsitta sintillata</i> | live | 12 | | IT | ID | | T | C |
| | 2 | B | <i>Chalcopsitta sintillata</i> | live | 11 | | NL | SG | ID | T | W |
| | 2 | B | <i>Chalcopsitta sintillata</i> | live | 8 | | PT | ID | | T | W |
| | 2 | B | <i>Charmosyna multistriata</i> | live | 1 | | ES | ZA | | B | C |
| | 2 | B | <i>Charmosyna papou</i> | live | 20 | | ES | ID | | T | C |
| | 2 | B | <i>Charmosyna papou</i> | live | 10 | | IT | SG | ID | T | W |
| | 2 | B | <i>Charmosyna papou</i> | live | 10 | | NL | SG | ID | T | W |
| | 2 | B | <i>Charmosyna papou</i> | live | 8 | | PT | ID | | T | W |
| | 2 | B | <i>Charmosyna placentis</i> | live | 10 | | ES | ID | | T | W |
| | 2 | B | <i>Charmosyna placentis</i> | live | 7 | | ES | ZA | | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Charmosyna placensis</i> | live | 6 | PT | ID | | | T | W |
| | 2 | B | <i>Charmosyna placensis</i> | live | 4 | PT | ZW | | | T | C |
| | 2 | B | <i>Charmosyna pulchella</i> | live | 6 | PT | ID | | | T | W |
| | 2 | B | <i>Coracopsis nigra</i> | live | 2 | FR | MG | | | B | W |
| | 2 | B | <i>Coracopsis nigra</i> | live | 135 | NL | MG | | | T | W |
| | 2 | B | <i>Coracopsis nigra</i> | live | 100 | PT | MG | | | T | W |
| | 2 | B | <i>Coracopsis vasa</i> | live | 1 | DE | PH | | | T | C |
| | 2 | B | <i>Coracopsis vasa</i> | live | 4 | IT | ZA | | | T | C |
| | 2 | B | <i>Coracopsis vasa</i> | live | 2 | NL | ZA | | | T | C |
| | 2 | B | <i>Cyanoliseus patagonus</i> | live | 9785 | ES | AR | | | T | W |
| | 2 | B | <i>Cyanoliseus patagonus</i> | live | 50 | FR | AR | | | T | W |
| | 2 | B | <i>Cyanoliseus patagonus</i> | live | 105 | GB | AR | | | T | W |
| | 2 | B | <i>Cyanoliseus patagonus</i> | live | 70 | GR | AR | | | T | W |
| | 2 | B | <i>Cyanoramphus auriceps</i> | live | 462 | ES | CZ | | | T | C |
| | 2 | B | <i>Cyanoramphus auriceps</i> | live | 30 | IT | CZ | | | T | C |
| | 2 | B | <i>Cyclopsitta diophthalma</i> | live | 79 | ES | ID | | | T | C |
| | 2 | B | <i>Cyclopsitta diophthalma</i> | live | 6 | FR | ID | | | T | C |
| | 2 | B | <i>Cyclopsitta diophthalma</i> | live | 10 | NL | SG | ID | | T | W |
| | 2 | B | <i>Cyclopsitta diophthalma</i> | live | 5 | PT | ID | | | T | W |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 13 | BE | SR | | | T | W |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 2 | DE | CH | GY | | Z | W |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 16 | DE | SR | | | T | W |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 17 | ES | SR | | | T | W |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 1 | ES | ZA | | | T | C |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 93 | NL | SR | | | T | W |
| | 2 | B | <i>Deroptyus accipitrinus</i> | live | 16 | PT | SR | | | T | W |
| | 2 | B | <i>Eclectus roratus</i> | live | 52 | DE | ID | | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 1 | DE | LB | | | P | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 5 | DE | PH | | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 1 | DE | US | | | P | F |
| | 2 | B | <i>Eclectus roratus</i> | live | 4 | DE | ZA | | | B | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 12 | ES | ID | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Eclectus roratus</i> | live | 176 | | ES | ID | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 4 | | ES | ZA | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 21 | | ES | ZA | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 2 | | FR | ID | | B | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 8 | | FR | ID | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 15 | | FR | ID | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 2 | | FR | ZA | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 36 | | GB | ZA | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 30 | | GR | ZA | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 5 | | IT | ID | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 42 | | IT | SG | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 2 | | NL | HK | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 36 | | NL | SG | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 2 | | NL | ZA | | T | C |
| | 2 | B | <i>Eclectus roratus</i> | live | 12 | | PT | ZA | | T | C |
| | 2 | B | <i>Enicognathus ferrugineus</i> | live | 8 | | GR | ZA | | T | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | | DE | AU | | P | W |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | | DE | PH | | T | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 6 | | ES | ZA | | T | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 14 | | FR | NZ | | T | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | | GB | BH | | T | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | | GB | NZ | | P | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 1 | | IE | AU | | P | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 34 | | PT | ZA | | T | C |
| | 2 | B | <i>Eolophus roseicapillus</i> | live | 2 | | SE | AU | | P | C |
| | 2 | B | <i>Eos bornea</i> | live | 34 | | ES | ID | | T | C |
| | 2 | B | <i>Eos bornea</i> | live | 20 | | ES | SG | | T | W |
| | 2 | B | <i>Eos bornea</i> | live | 80 | | ES | ZA | | T | C |
| | 2 | B | <i>Eos bornea</i> | live | 12 | | IT | ID | | T | C |
| | 2 | B | <i>Eos bornea</i> | live | 15 | | NL | SG | | T | C |
| | 2 | B | <i>Eos bornea</i> | live | 47 | | NL | ZA | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Eos bornea</i> | live | 6 | | PT | ZW | | T | C |
| | 2 | B | <i>Eos reticulata</i> | live | 1 | | ES | CZ | | Z | F |
| | 2 | B | <i>Eos reticulata</i> | live | 2 | | ES | ZA | | B | C |
| | 2 | B | <i>Eos semilarvata</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Eos semilarvata</i> | live | 2 | | NL | SG | | T | C |
| | 2 | B | <i>Eos squamata</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Eos squamata</i> | live | 6 | | ES | ZA | | B | C |
| | 2 | B | <i>Eos squamata</i> | live | 10 | | IT | SG | ID | T | W |
| | 2 | B | <i>Eos squamata</i> | live | 4 | | NL | SG | ID | T | W |
| | 2 | B | <i>Eos squamata</i> | live | 8 | | NL | ZA | | T | C |
| | 2 | B | <i>Eunymphicus cornutus cornutus</i> | live | 2 | | FR | NC | | B | C |
| | 2 | B | <i>Forpus coelestis</i> | live | 20 | | BE | US | | T | C |
| | 2 | B | <i>Forpus passerinus</i> | live | 106 | | BE | SR | | T | W |
| | 2 | B | <i>Forpus passerinus</i> | live | 525 | | ES | SR | | T | W |
| | 2 | B | <i>Forpus passerinus</i> | live | 115 | | NL | SR | | T | W |
| | 2 | B | <i>Forpus passerinus</i> | live | 9 | | PT | GY | | T | W |
| | 2 | B | <i>Forpus xanthopterygius</i> | skeletons | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Loriculus galgulus</i> | live | 100 | | DE | MY | | T | W |
| | 2 | B | <i>Loriculus galgulus</i> | live | 10 | | ES | MY | | T | W |
| | 2 | B | <i>Loriculus galgulus</i> | live | 90 | | GR | MY | | T | W |
| | 2 | B | <i>Loriculus galgulus</i> | live | 150 | | IT | MY | | T | W |
| | 2 | B | <i>Loriculus galgulus</i> | live | 383 | | NL | MY | | T | W |
| | 2 | B | <i>Loriculus galgulus</i> | live | 160 | | NL | SG | MY | T | W |
| | 2 | B | <i>Loriculus stigmatus</i> | live | 10 | | DE | ID | | T | C |
| | 2 | B | <i>Loriculus stigmatus</i> | live | 17 | | ES | ID | | T | C |
| | 2 | B | <i>Loriculus stigmatus</i> | live | 10 | | ES | ZA | | B | C |
| | 2 | B | <i>Lorius chlorocercus</i> | live | 20 | | ES | ZA | | T | C |
| | 2 | B | <i>Lorius chlorocercus</i> | live | 40 | | NL | ZA | | T | C |
| | 2 | B | <i>Lorius chlorocercus</i> | live | 4 | | PT | ZW | | T | C |
| | 2 | B | <i>Lorius domicella</i> | live | 1 | | IT | SG | | T | C |
| | 2 | B | <i>Lorius domicella</i> | live | 45 | | NL | SG | | T | C |
| | 2 | B | <i>Lorius garrulus</i> | live | 105 | | ES | ID | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Lorius garrulus</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Lorius garrulus</i> | live | 6 | | GB | ZA | | T | C |
| | 2 | B | <i>Lorius garrulus</i> | live | 10 | | IT | SG | | T | C |
| | 2 | B | <i>Lorius garrulus</i> | live | 73 | | NL | SG | | T | C |
| | 2 | B | <i>Lorius garrulus</i> | live | 4 | | NL | ZA | | T | C |
| | 2 | B | <i>Lorius garrulus</i> | live | 6 | | PT | ZW | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 194 | | ES | ID | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 2 | | ES | ZA | | B | C |
| | 2 | B | <i>Lorius lory</i> | live | 10 | | FR | ID | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 10 | | GB | ZA | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 12 | | IT | ID | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 20 | | IT | SG | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 44 | | NL | SG | | T | C |
| | 2 | B | <i>Lorius lory</i> | live | 4 | | NL | ZA | | T | C |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 50 | | DE | PY | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 2 | | DE | US | | P | F |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 2540 | | ES | AR | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 8928 | | ES | UY | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 200 | | FR | AR | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 60 | | FR | PY | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 1 | | FR | US | | B | F |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 120 | | GB | AR | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 1 | | GB | US | | P | F |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 240 | | GR | AR | | T | W |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 1 | | IT | US | | P | F |
| | 2 | B | <i>Myiopsitta monachus</i> | live | 15 | | NL | RU | | Z | C |
| | 2 | B | <i>Nandayus nenday</i> | live | 50 | | DE | PY | | T | W |
| | 2 | B | <i>Nandayus nenday</i> | live | 1191 | | ES | AR | | T | W |
| | 2 | B | <i>Nandayus nenday</i> | live | 80 | | FR | AR | | T | W |
| | 2 | B | <i>Nandayus nenday</i> | live | 1 | | GB | US | | P | F |
| | 2 | B | <i>Nandayus nenday</i> | live | 11 | | GB | ZA | | T | C |
| | 2 | B | <i>Nandayus nenday</i> | live | 50 | | GR | AR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Nandayus nenday</i> | live | 100 | | IT | AR | | T | W |
| | 2 | B | <i>Neophema elegans</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Neophema pulchella</i> | live | 137 | | ES | CZ | | T | C |
| | 2 | B | <i>Neophema pulchella</i> | live | 40 | | GR | CZ | CH | T | C |
| | 2 | B | <i>Neophema pulchella</i> | live | 500 | | GR | ZA | | T | C |
| | 2 | B | <i>Neophema pulchella</i> | live | 90 | | PT | ZA | | T | C |
| | 2 | B | <i>Neophema splendida</i> | live | 249 | | ES | CZ | | T | C |
| | 2 | B | <i>Neophema splendida</i> | live | 10 | | ES | ZA | | B | C |
| | 2 | B | <i>Neophema splendida</i> | live | 3 | | FR | CH | | B | F |
| | 2 | B | <i>Neophema splendida</i> | live | 70 | | PT | ZA | | T | C |
| | 2 | B | <i>Neopsephotus bourkii</i> | live | 35 | | ES | CZ | | T | C |
| | 2 | B | <i>Neopsephotus bourkii</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Neopsephotus bourkii</i> | live | 2 | | FR | CH | | B | F |
| | 2 | B | <i>Neopsephotus bourkii</i> | live | 600 | | GR | ZA | | T | C |
| | 2 | B | <i>Neopsephotus bourkii</i> | live | 225 | | PT | ZA | | T | C |
| | 2 | B | <i>Neopsephotus bourkii</i> | live | 8 | | PT | ZW | | T | C |
| | 2 | B | <i>Neopsittacus musschenbroekii</i> | live | 3 | | ES | ZA | | B | C |
| | 2 | B | <i>Neopsittacus pullicauda</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Nestor notabilis</i> | live | 2 | | BE | CH | | B | F |
| | 2 | B | <i>Nestor notabilis</i> | live | 3 | | DE | CH | | T | F |
| | 2 | B | <i>Pionites leucogaster</i> | live | 10 | | BE | ZA | | B | C |
| | 2 | B | <i>Pionites melanocephala</i> | live | 52 | | BE | SR | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 38 | | DE | GY | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 7 | | DE | PH | | T | C |
| | 2 | B | <i>Pionites melanocephala</i> | live | 40 | | DE | SR | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 58 | | ES | GY | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 75 | | ES | SR | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 108 | | GB | GY | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 32 | | GR | SR | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 150 | | NL | GY | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 334 | | NL | SR | | T | W |
| | 2 | B | <i>Pionites melanocephala</i> | live | 133 | | PT | GY | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Pionites melanocephala</i> | live | 31 | | PT | SR | | T | W |
| | 2 | B | <i>Pionus chalcopterus</i> | live | 14 | | DE | ZA | | T | C |
| | 2 | B | <i>Pionus fuscus</i> | live | 3 | | DE | PH | | T | C |
| | 2 | B | <i>Pionus fuscus</i> | live | 16 | | DE | SR | | T | W |
| | 2 | B | <i>Pionus fuscus</i> | live | 31 | | ES | SR | | T | W |
| | 2 | B | <i>Pionus fuscus</i> | live | 10 | | GR | SR | | T | W |
| | 2 | B | <i>Pionus fuscus</i> | live | 14 | | NL | SR | | T | W |
| | 2 | B | <i>Pionus maximiliani</i> | live | 6 | | DE | PH | | T | C |
| | 2 | B | <i>Pionus maximiliani</i> | live | 765 | | ES | AR | | T | W |
| | 2 | B | <i>Pionus maximiliani</i> | live | 168 | | GB | AR | | T | W |
| | 2 | B | <i>Pionus maximiliani</i> | live | 75 | | GR | AR | | T | W |
| | 2 | B | <i>Pionus maximiliani</i> | live | 50 | | IT | AR | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 44 | | DE | GY | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 37 | | DE | SR | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Pionus menstruus</i> | live | 56 | | ES | GY | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 158 | | ES | SR | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 55 | | GB | GY | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 23 | | GR | SR | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 224 | | NL | GY | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 208 | | NL | SR | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 221 | | PT | GY | | T | W |
| | 2 | B | <i>Pionus menstruus</i> | live | 35 | | PT | SR | | T | W |
| | 2 | B | <i>Pionus senilis</i> | live | 114 | | ES | NI | | T | R |
| | 2 | B | <i>Pionus senilis</i> | live | 1 | | GB | CA | | P | U |
| | 2 | B | <i>Pionus senilis</i> | live | 47 | | IT | NI | | T | R |
| | 2 | B | <i>Pionus senilis</i> | live | 289 | | NL | NI | | T | R |
| | 2 | B | <i>Pionus senilis</i> | live | 62 | | PT | NI | | T | R |
| | 2 | B | <i>Platycercus adscitus</i> | live | 4 | | ES | CZ | | T | C |
| | 2 | B | <i>Platycercus adscitus</i> | live | 140 | | PT | ZA | | T | C |
| | 2 | B | <i>Platycercus elegans</i> | live | 430 | | ES | CZ | | T | C |
| | 2 | B | <i>Platycercus elegans</i> | live | 190 | | GR | CZ | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Platycercus elegans</i> | live | 95 | | IT | CZ | | T | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 2 | | DE | NO | DE | P | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 2236 | | ES | CZ | | T | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 1 | | ES | SA | | P | U |
| | 2 | B | <i>Platycercus eximius</i> | live | 1 | | FR | NC | | B | F |
| | 2 | B | <i>Platycercus eximius</i> | live | 545 | | GR | CZ | | T | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 20 | | GR | ZA | | T | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 150 | | IT | CZ | | T | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 280 | | PT | ZA | | T | C |
| | 2 | B | <i>Platycercus eximius</i> | live | 10 | | PT | ZW | | T | C |
| | 2 | B | <i>Platycercus icterotis</i> | live | 30 | | IT | CZ | | T | C |
| | 2 | B | <i>Platycercus zonarius</i> | live | 1 | | IE | AU | | P | C |
| | 2 | B | <i>Poicephalus cryptoxanthus</i> | live | 28 | | GB | ZW | | T | C |
| | 2 | B | <i>Poicephalus cryptoxanthus</i> | live | 12 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus cryptoxanthus</i> | live | 12 | | PT | ZA | | T | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 1 | | BE | CD | | P | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 105 | | BE | CD | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 50 | | BE | CM | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 70 | | DE | CD | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 1 | | DE | PH | | T | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 26 | | ES | CM | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 20 | | ES | ZA | | T | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 1 | | FR | CM | | B | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 4 | | IT | ZA | | T | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 668 | | NL | CD | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 60 | | NL | CM | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 5 | | NL | ZA | | B | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 43 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 50 | | PT | CM | | T | W |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 3 | | PT | ZA | | T | C |
| | 2 | B | <i>Poicephalus gulielmi</i> | live | 2 | | PT | ZW | | B | C |
| | 2 | B | <i>Poicephalus meyeri</i> | live | 2 | | DE | PH | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Poicephalus meyeri</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Poicephalus meyeri</i> | live | 94 | | GB | ZW | | T | C |
| | 2 | B | <i>Poicephalus meyeri</i> | live | 1 | | NL | SN | NL | T | C |
| | 2 | B | <i>Poicephalus meyeri</i> | live | 35 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus meyeri</i> | live | 6 | | PT | ZW | | T | C |
| | 2 | B | <i>Poicephalus robustus</i> | live | 28 | | GB | ZW | | T | C |
| | 2 | B | <i>Poicephalus robustus</i> | live | 1 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus robustus</i> | live | 11 | | PT | ZW | | T | C |
| | 2 | B | <i>Poicephalus robustus</i> | live | 16 | | PT | ZW | | B | C |
| | 2 | B | <i>Poicephalus rueppellii</i> | live | 10 | | BE | ZA | | B | C |
| | 2 | B | <i>Poicephalus rueppellii</i> | live | 6 | | DE | ZA | | B | C |
| | 2 | B | <i>Poicephalus rueppellii</i> | live | 20 | | ES | ZA | | T | C |
| | 2 | B | <i>Poicephalus rueppellii</i> | live | 74 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus rueppellii</i> | live | 10 | | PT | ZA | | T | C |
| | 2 | B | <i>Poicephalus rufiventris</i> | live | 5 | | DE | PH | | T | C |
| | 2 | B | <i>Poicephalus rufiventris</i> | live | 12 | | DE | ZA | | B | C |
| | 2 | B | <i>Poicephalus rufiventris</i> | live | 20 | | ES | ZA | | T | C |
| | 2 | B | <i>Poicephalus rufiventris</i> | live | 1 | | GB | IN | GB | P | C |
| | 2 | B | <i>Poicephalus rufiventris</i> | live | 12 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus rufiventris</i> | live | 5 | | PT | ZW | | T | C |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2969 | | BE | ML | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 300 | | DE | GN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 6 | | DE | PH | | T | C |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 450 | | DE | SN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | | DE | US | | P | F |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | | ES | ML | XX | I | |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 5026 | | ES | SN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 20 | | ES | ZA | | T | C |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | | FR | BF | | B | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | | FR | CG | CI | B | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | | FR | CH | GN | B | O |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 4 | | FR | CI | | B | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1050 | | FR | GN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1400 | | FR | ML | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 10 | | FR | SN | | B | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1601 | | FR | SN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | | FR | SN | XX | B | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 260 | | FR | TG | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | | GB | CA | | P | F |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 3 | | GB | US | | P | F |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1 | | GB | ZA | | P | C |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 300 | | GR | LR | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 300 | | GR | ML | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 300 | | IT | ML | GN | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1066 | | IT | SN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 718 | | NL | GN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 3 | | NL | ZA | | T | C |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2900 | | PT | GN | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 2 | | PT | GW | | P | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 1000 | | PT | ML | | T | W |
| | 2 | B | <i>Poicephalus senegalus</i> | live | 5070 | | PT | SN | | T | W |
| | 2 | B | <i>Polytelis alexandrae</i> | live | 2 | | FR | CH | | B | F |
| | 2 | B | <i>Polytelis anthopeplus</i> | live | 117 | | ES | CZ | | T | C |
| | 2 | B | <i>Polytelis anthopeplus</i> | live | 75 | | GR | CZ | | T | C |
| | 2 | B | <i>Polytelis anthopeplus</i> | live | 60 | | IT | CZ | | T | C |
| | 2 | B | <i>Polytelis swainsonii</i> | live | 1 | | DE | NO | | P | C |
| | 2 | B | <i>Polytelis swainsonii</i> | live | 1 | | DE | NO | DE | P | C |
| | 2 | B | <i>Polytelis swainsonii</i> | live | 110 | | ES | CZ | | T | C |
| | 2 | B | <i>Polytelis swainsonii</i> | live | 10 | | IT | CZ | | T | C |
| | 2 | B | <i>Prioniturus platurus</i> | live | 6 | | DE | ID | | T | C |
| | 2 | B | <i>Prioniturus platurus</i> | live | 10 | | ES | ID | | T | W |
| | 2 | B | <i>Prosoparia tabuensis</i> | live | 2 | | DE | TO | | T | C |
| | 2 | B | <i>Prosoparia tabuensis</i> | live | 4 | | DE | TO | | P | C |
| | 2 | B | <i>Psephotus haematonotus</i> | live | 866 | | ES | CZ | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Psephotus haematonotus</i> | live | 200 | | GR | CZ | | T | C |
| | 2 | B | <i>Psephotus haematonotus</i> | live | 30 | | GR | CZ | CH | T | C |
| | 2 | B | <i>Psephotus haematonotus</i> | live | 500 | | GR | ZA | | T | C |
| | 2 | B | <i>Psephotus haematonotus</i> | live | 120 | | IT | CZ | | T | C |
| | 2 | B | <i>Psephotus haematonotus</i> | live | 595 | | PT | ZA | | T | C |
| | 2 | B | <i>Psephotus varius</i> | live | 2 | | PT | ZW | | T | C |
| | 2 | B | <i>Pseudeos fuscata</i> | live | 1 | | ES | ID | | T | W |
| | 2 | B | <i>Pseudeos fuscata</i> | live | 14 | | ES | ID | | T | C |
| | 2 | B | <i>Pseudeos fuscata</i> | live | 15 | | NL | SG | ID | T | W |
| | 2 | B | <i>Pseudeos fuscata</i> | live | 20 | | NL | ZA | | T | C |
| | 2 | B | <i>Pseudeos fuscata</i> | live | 8 | | PT | ID | | T | W |
| | 2 | B | <i>Pseudeos fuscata</i> | live | 4 | | PT | ZA | | T | C |
| | 2 | B | <i>Psittacula alexandri</i> | live | 7 | | DE | CH | | T | F |
| | 2 | B | <i>Psittacula alexandri</i> | live | 65 | | ES | ID | | T | C |
| | 2 | B | <i>Psittacula alexandri</i> | live | 1 | | GB | ZW | | P | C |
| | 2 | B | <i>Psittacula alexandri</i> | live | 100 | | IT | VN | | T | W |
| | 2 | B | <i>Psittacula alexandri</i> | live | 6 | | NL | SG | | T | C |
| | 2 | B | <i>Psittacula alexandri</i> | live | 2 | | NL | ZA | | T | C |
| | 2 | B | <i>Psittacula alexandri</i> | live | 60 | | PT | ZA | | T | C |
| | 2 | B | <i>Psittacula alexandri</i> | live | 4 | | PT | ZW | | T | C |
| | 2 | B | <i>Psittacula calthropae</i> | live | 2 | | DE | CH | | T | F |
| | 2 | B | <i>Psittacula cyanocephala</i> | live | 2 | | DE | US | | T | F |
| | 2 | B | <i>Psittacula cyanocephala</i> | live | 100 | | ES | PK | | T | C |
| | 2 | B | <i>Psittacula cyanocephala</i> | live | 4 | | NL | US | | T | F |
| | 2 | B | <i>Psittacula cyanocephala</i> | live | 60 | | PT | ZA | | T | C |
| | 2 | B | <i>Psittacula cyanocephala</i> | live | 4 | | PT | ZW | | B | C |
| | 2 | B | <i>Psittacula eupatria</i> | live | 15 | | BE | ZA | | B | C |
| | 2 | B | <i>Psittacula eupatria</i> | live | 2 | | ES | SA | | P | U |
| | 2 | B | <i>Psittacula eupatria</i> | live | 1 | | ES | US | | P | F |
| | 2 | B | <i>Psittacula eupatria</i> | live | 1 | | FR | US | | B | C |
| | 2 | B | <i>Psittacula eupatria</i> | live | 2 | | NL | AN | | T | C |
| | 2 | B | <i>Psittacula eupatria</i> | live | 4 | | PT | ZW | | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Psittacula longicauda</i> | live | 6 | | DE | ZA | | B | C |
| | 2 | B | <i>Psittacula longicauda</i> | live | 40 | | ES | MY | | T | W |
| | 2 | B | <i>Psittacula longicauda</i> | live | 158 | | IT | MY | | T | W |
| | 2 | B | <i>Psittacula longicauda</i> | live | 116 | | NL | MY | | T | W |
| | 2 | B | <i>Psittacula longicauda</i> | live | 8 | | PT | ID | | T | W |
| | 2 | B | <i>Psittacula longicauda</i> | live | 260 | | PT | MY | | T | W |
| | 2 | B | <i>Psittacula longicauda</i> | live | 8 | | DE | ID | | T | C |
| | 2 | B | <i>Psittaculirostris desmarestii</i> | live | 117 | | ES | ID | | T | C |
| | 2 | B | <i>Psittaculirostris desmarestii</i> | live | 6 | | ES | ZA | | B | C |
| | 2 | B | <i>Psittaculirostris desmarestii</i> | live | 6 | | FR | ID | | T | C |
| | 2 | B | <i>Psittaculirostris desmarestii</i> | live | 12 | | NL | SG | | T | C |
| | 2 | B | <i>Psittaculirostris edwardsii</i> | live | 6 | | DE | ID | | T | C |
| | 2 | B | <i>Psittaculirostris edwardsii</i> | live | 6 | | IT | ID | | T | C |
| | 2 | B | <i>Psittaculirostris salvadorii</i> | live | 30 | | ES | ID | | T | C |
| | 2 | B | <i>Psittaculirostris salvadorii</i> | live | 6 | | ES | ZA | | B | C |
| | 2 | B | <i>Psittaculirostris salvadorii</i> | live | 6 | | FR | ID | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | bones | 1 | | GB | BW | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | AT | BS | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | AT | BS | AT | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | AT | CZ | XX | P | O |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | BE | CD | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2210 | | BE | CD | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | BE | CH | CD | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2000 | | BE | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | BE | NG | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | BE | TH | KE | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 380 | | DE | CD | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 300 | | DE | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | EG | BE | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | GW | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | ID | CM | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | IR | | P | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | JO | NL | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | LB | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 91 | | DE | PH | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | TR | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | DE | US | | P | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DE | ZA | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | DK | NO | | P | O |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | DK | NO | DK | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 15 | | DK | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | ES | CD | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | ES | CD | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 40 | | ES | CI | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 4215 | | ES | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 175 | | ES | CZ | CD | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | ES | SN | XX | I | |
| | 2 | B | <i>Psittacus erithacus</i> | live | 30 | | ES | US | | T | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 556 | | ES | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FI | NO | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | FI | RU | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | BJ | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | FR | BJ | GA | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 14 | | FR | CF | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | FR | CF | GA | B | O |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | CH | | B | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | CH | | B | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | CH | XX | B | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 12 | | FR | CI | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | CI | GA | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 16 | | FR | CM | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2225 | | FR | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 3 | | FR | CM | GA | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | EG | AE | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | FR | GA | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 23 | | FR | GA | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | FR | GA | CD | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | GQ | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | HU | XX | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | MR | GA | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | MR | XX | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | NE | CG | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | PL | CM | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | FR | SD | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 3 | | FR | TG | | B | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | FR | US | | B | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 76 | | FR | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | AE | XF | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | BM | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 600 | | GB | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | CY | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | CY | CD | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | GH | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | IN | EG | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | KE | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | KR | | P | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | GB | LY | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | NG | | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | OM | | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | SA | | P | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 7 | | GB | US | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 13 | | GB | ZA | | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 68 | | GB | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GB | ZM | | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 26 | | GB | ZW | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GR | CD | CG | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Psittacus erithacus</i> | live | 100 | | GR | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 400 | | GR | LR | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 180 | | GR | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | GR | ZW | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | IE | US | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | IE | ZA | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | IT | CH | | P | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | IT | US | | P | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | IT | US | GB | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 24 | | IT | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 100 | | IT | ZA | CD | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 2 | | NL | AW | NL | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 7522 | | NL | CD | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 300 | | NL | CG | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 3160 | | NL | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 57 | | NL | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 850 | | PT | CD | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | PT | CH | LR | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 200 | | PT | CM | | T | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 950 | | PT | CM | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | PT | GA | | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 40 | | PT | ST | | I | |
| | 2 | B | <i>Psittacus erithacus</i> | live | 7 | | PT | XX | | I | |
| | 2 | B | <i>Psittacus erithacus</i> | live | 4 | | PT | ZA | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 20 | | PT | ZA | | T | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 305 | | PT | ZA | | T | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 8 | | PT | ZW | | B | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | SE | JP | NG | P | U |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | SE | MX | AO | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | SE | NO | | P | C |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | SE | NO | XX | P | W |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | | SE | US | | P | D |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | SE | US | | | P | F |
| | 2 | B | <i>Psittacus erithacus</i> | live | 1 | SE | ZM | | | P | C |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 400 | BE | GN | | | T | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 1 | ES | MA | XX | | I | |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 62 | ES | ZA | | | T | C |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | FR | CI | | | B | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 34 | FR | ZA | | | T | C |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2250 | GB | CI | | | T | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 1 | GB | US | | | P | F |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 450 | PT | GN | | | T | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 500 | PT | GN | SL | | T | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 1100 | PT | LR | | | T | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 200 | PT | SL | | | T | W |
| | 2 | B | <i>Psittacus erithacus timneh</i> | live | 2 | PT | ZW | | | B | C |
| | 2 | B | <i>Psitteuteles goldiei</i> | live | 7 | ES | ZA | | | B | C |
| | 2 | B | <i>Psitteuteles iris</i> | live | 3 | NL | SG | | | T | C |
| | 2 | B | <i>Psittinus cyanurus</i> | live | 60 | DE | MY | | | T | W |
| | 2 | B | <i>Psittinus cyanurus</i> | live | 10 | ES | MY | | | T | W |
| | 2 | B | <i>Psittinus cyanurus</i> | live | 200 | IT | MY | | | T | W |
| | 2 | B | <i>Psittinus cyanurus</i> | live | 140 | NL | MY | | | T | W |
| | 2 | B | <i>Psittinus cyanurus</i> | live | 30 | NL | SG | MY | | T | W |
| | 2 | B | <i>Psittinus cyanurus</i> | live | 40 | PT | MY | | | T | W |
| | 2 | B | <i>Psittrichas fulgidus</i> | live | 2 | DE | ID | | | T | C |
| | 2 | B | <i>Psittrichas fulgidus</i> | live | 1 | ES | ID | | | T | C |
| | 2 | B | <i>Pyrrhura frontalis</i> | live | 1 | GB | ZA | | | P | C |
| | 2 | B | <i>Pyrrhura frontalis</i> | live | 50 | GB | ZA | | | T | C |
| | 2 | B | <i>Pyrrhura frontalis</i> | live | 8 | GR | ZA | | | T | C |
| | 2 | B | <i>Pyrrhura frontalis</i> | live | 2 | NL | ZA | | | T | C |
| | 2 | B | <i>Pyrrhura frontalis</i> | skeletons | 2 | SE | PY | | | S | W |
| | 2 | B | <i>Pyrrhura hoematotis</i> | live | 2 | NL | AN | | | T | C |
| | 2 | B | <i>Pyrrhura leucotis</i> | live | 2 | NL | AN | | | T | C |
| | 2 | B | <i>Pyrrhura molinae</i> | live | 87 | GB | ZA | | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Pyrrhura molinae</i> | live | 48 | | NL | US | | T | F |
| | 2 | B | <i>Pyrrhura molinae</i> | live | 2 | | NL | ZA | | T | C |
| | 2 | B | <i>Pyrrhura molinae</i> | live | 80 | | PT | ZA | | T | C |
| | 2 | B | <i>Pyrrhura perlata</i> | live | 3 | | NL | ZA | | T | C |
| | 2 | B | <i>Pyrrhura picta</i> | live | 38 | | BE | SR | | T | W |
| | 2 | B | <i>Pyrrhura picta</i> | live | 4 | | DE | PH | | T | C |
| | 2 | B | <i>Pyrrhura picta</i> | live | 34 | | ES | SR | | T | W |
| | 2 | B | <i>Pyrrhura picta</i> | live | 10 | | GR | SR | | T | W |
| | 2 | B | <i>Pyrrhura picta</i> | live | 14 | | NL | SR | | T | W |
| | 2 | B | <i>Pyrrhura rhodocephala</i> | live | 10 | | NL | AN | | T | C |
| | 2 | B | <i>Pyrrhura rhodogaster</i> | live | 10 | | DE | PH | | T | C |
| | 2 | B | <i>Pyrrhura rupicola</i> | live | 10 | | GB | ZA | | T | C |
| | 2 | B | <i>Pyrrhura rupicola</i> | live | 4 | | NL | ZA | | T | C |
| | 2 | B | <i>Tanygnathus lucionensis</i> | live | 2 | | DE | PH | | T | C |
| | 2 | B | <i>Tanygnathus megalorynchos</i> | live | 2 | | DE | ID | | T | C |
| | 2 | B | <i>Tanygnathus megalorynchos</i> | live | 2 | | ES | ID | | T | C |
| | 2 | B | <i>Tanygnathus sumatranus</i> | live | 2 | | ES | ID | | T | C |
| | 2 | B | <i>Tanygnathus sumatranus</i> | live | 3 | | GB | PH | | T | C |
| | 2 | B | <i>Tanygnathus sumatranus</i> | live | 11 | | NL | SG | | T | C |
| | 2 | B | <i>Trichoglossus chlorolepidotus</i> | live | 6 | | PT | ZW | | T | C |
| | 2 | B | <i>Trichoglossus euteles</i> | live | 4 | | PT | ZW | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 1 | | ES | CH | FR | P | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 13 | | ES | ID | | T | W |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 157 | | ES | ID | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 19 | | ES | SG | ID | T | W |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 8 | | ES | ZA | | B | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 100 | | ES | ZA | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 1 | | FR | US | | B | F |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 3 | | GB | ZA | | P | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 50 | | IT | SG | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 40 | | IT | SG | ID | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 10 | | NL | SG | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 61 | | NL | ZA | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 8 | | PT | ID | | T | W |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 30 | | PT | MY | ID | T | W |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 36 | | PT | ZA | | T | C |
| | 2 | B | <i>Trichoglossus haematodus</i> | live | 20 | | PT | ZW | | T | C |
| | 2 | B | <i>Trichoglossus ornatus</i> | live | 3 | | NL | SG | | T | C |
| | 2 | B | <i>Trichoglossus rubritorquis</i> | live | 4 | | ES | ZA | | B | C |
| | 2 | B | <i>Tricleria malachitacea</i> | live | 4 | | ES | AR | | T | C |
| | 2 | B | <i>Tauraco hartlaubi</i> | live | 132 | | NL | TZ | | T | W |
| | 2 | B | <i>Tauraco livingstonii</i> | live | 20 | | ES | TZ | | T | W |
| | 2 | B | <i>Tauraco livingstonii</i> | live | 80 | | NL | TZ | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 20 | | BE | GN | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 20 | | ES | GH | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 61 | | ES | GN | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 20 | | ES | TG | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 30 | | FR | GN | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 196 | | FR | TG | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 1 | | NL | CM | GH | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 15 | | NL | GN | | T | W |
| | 2 | B | <i>Tauraco persa</i> | live | 2 | | PT | GH | | Z | W |
| | 2 | B | <i>Tauraco persa</i> | live | 25 | | PT | GN | | T | W |
| | 2 | B | <i>Asio capensis</i> | live | 2 | | GB | ZA | | B | C |
| | 2 | B | <i>Asio capensis</i> | live | 2 | | GB | ZA | | B | F |
| | 2 | B | <i>Asio clamator</i> | live | 6 | | GB | PE | | T | W |
| | 2 | B | <i>Asio clamator</i> | live | 5 | | PT | PE | | Z | W |
| | 2 | B | <i>Bubo africanus</i> | live | 2 | | GR | ZA | | Z | C |
| | 2 | B | <i>Bubo bengalensis</i> | live | 2 | | GR | ZA | | Z | C |
| | 2 | A | <i>Bubo bubo</i> | bodies | 1 | | DE | CH | | P | W |
| | 2 | A | <i>Bubo bubo</i> | live | 2 | | GR | YU | | U | C |
| | 2 | B | <i>Bubo virginianus</i> | live | 2 | | ES | PE | | T | W |
| | 2 | B | <i>Bubo virginianus</i> | live | 5 | | PT | PE | | Z | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Bubo virginianus</i> | skeletons | 1 | SE | PY | | S | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | live | 2 | DE | PE | | T | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | live | 54 | ES | PE | | T | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | live | 1 | GB | CZ | NL | Z | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | live | 9 | GB | PE | | T | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | live | 18 | NL | PE | | T | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | live | 9 | PT | PE | | Z | W | |
| | 2 | B | <i>Glaucidium brasilianum</i> | skeletons | 2 | SE | PY | | S | W | |
| | 2 | A | <i>Glaucidium passerinum</i> | live | 2 | DE | CZ | | Z | C | |
| | 2 | B | <i>Ninox scutulata</i> | live | 2 | GB | SG | | Z | U | |
| | 2 | A | <i>Nyctea scandiaca</i> | bodies | 1 | DK | GL | | E | W | |
| | 2 | A | <i>Nyctea scandiaca</i> | bodies | 1 | ES | CA | | P | W | |
| | 2 | A | <i>Nyctea scandiaca</i> | live | 1 | BE | HU | | Z | C | |
| | 2 | A | <i>Nyctea scandiaca</i> | live | 2 | DE | CH | | B | C | |
| | 2 | A | <i>Nyctea scandiaca</i> | live | 2 | FR | CH | | Z | F | |
| | 2 | B | <i>Otus choliba</i> | live | 4 | ES | PE | | T | W | |
| | 2 | B | <i>Otus roboratus</i> | live | 2 | DE | PE | | T | W | |
| | 2 | B | <i>Otus watsonii</i> | live | 5 | PT | PE | | Z | W | |
| | 2 | B | <i>Pulsatrix perspicillata</i> | live | 4 | ES | PE | | T | W | |
| | 2 | B | <i>Pulsatrix perspicillata</i> | live | 5 | GB | PE | | T | W | |
| | 2 | B | <i>Speotyto cunicularia</i> | live | 2 | DE | PE | | T | W | |
| | 2 | B | <i>Speotyto cunicularia</i> | live | 2 | DK | PL | | Z | C | |
| | 2 | B | <i>Speotyto cunicularia</i> | live | 56 | ES | PE | | T | W | |
| | 2 | B | <i>Speotyto cunicularia</i> | live | 23 | NL | PE | | T | W | |
| | 2 | B | <i>Speotyto cunicularia</i> | live | 11 | PT | PE | | Z | W | |
| | 2 | B | <i>Speotyto cunicularia</i> | skeletons | 1 | SE | PY | | S | W | |
| | 2 | A | <i>Strix uralensis</i> | live | 1 | AT | SI | | N | W | |
| | 2 | A | <i>Strix uralensis</i> | live | 1 | AT | SK | | B | W | |
| | 2 | A | <i>Strix uralensis</i> | live | 2 | DE | CH | | B | C | |
| | 2 | A | <i>Strix uralensis</i> | live | 2 | DE | CH | | B | F | |
| | 2 | A | <i>Strix uralensis</i> | live | 1 | DE | CZ | | Z | F | |
| | 2 | A | <i>Strix uralensis</i> | live | 2 | SE | EE | | Z | F | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Strix varia</i> | live | 6 | | GB | CA | | B | C |
| | 2 | B | <i>Strix woodfordii</i> | live | 2 | | BE | CZ | | B | C |
| | 2 | B | <i>Strix woodfordii</i> | live | 2 | | GB | ZA | | B | C |
| | 2 | B | <i>Strix woodfordii</i> | live | 4 | | GB | ZA | | B | U |
| | 2 | A | <i>Surnia ulula</i> | live | 2 | | DE | CZ | | Z | C |
| | 2 | B | <i>Aglaeactis cupripennis</i> | live | 5 | | BE | PE | | T | W |
| | 2 | B | <i>Aglaeactis cupripennis</i> | live | 20 | | NL | PE | | T | W |
| | 2 | B | <i>Aglaioocercus kingi</i> | live | 10 | | DE | PE | | T | W |
| | 2 | B | <i>Aglaioocercus kingi</i> | live | 17 | | NL | PE | | T | W |
| | 2 | B | <i>Amazilia amazilia</i> | live | 24 | | BE | PE | | T | W |
| | 2 | B | <i>Amazilia amazilia</i> | live | 172 | | NL | PE | | T | W |
| | 2 | B | <i>Amazilia franciae</i> | live | 20 | | BE | PE | | T | W |
| | 2 | B | <i>Anthracothorax prevostii</i> | live | 3 | | BE | PE | | T | W |
| | 2 | B | <i>Chlorostilbon aureoventris</i> | skeletons | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Coeligena coeligena</i> | live | 17 | | BE | PE | | T | W |
| | 2 | B | <i>Coeligena coeligena</i> | live | 16 | | NL | PE | | T | W |
| | 2 | B | <i>Coeligena iris</i> | live | 14 | | BE | PE | | T | W |
| | 2 | B | <i>Coeligena iris</i> | live | 6 | | DE | PE | | T | W |
| | 2 | B | <i>Coeligena iris</i> | live | 12 | | NL | PE | | T | W |
| | 2 | B | <i>Coeligena torquata</i> | live | 16 | | BE | PE | | T | W |
| | 2 | B | <i>Coeligena violifer</i> | live | 13 | | BE | PE | | T | W |
| | 2 | B | <i>Colibri coruscans</i> | live | 57 | | BE | PE | | T | W |
| | 2 | B | <i>Colibri coruscans</i> | live | 10 | | DE | PE | | T | W |
| | 2 | B | <i>Colibri coruscans</i> | live | 135 | | NL | PE | | T | W |
| | 2 | B | <i>Colibri delphinae</i> | live | 2 | | BE | PE | | T | W |
| | 2 | B | <i>Colibri thalassinus</i> | live | 16 | | BE | PE | | T | W |
| | 2 | B | <i>Damophila julie</i> | live | 16 | | BE | PE | | T | W |
| | 2 | B | <i>Damophila julie</i> | live | 4 | | DE | PE | | T | W |
| | 2 | B | <i>Damophila julie</i> | live | 2 | | ES | PE | | T | W |
| | 2 | B | <i>Damophila julie</i> | live | 9 | | NL | PE | | T | W |
| | 2 | B | <i>Ensifera ensifera</i> | live | 13 | | BE | PE | | T | W |
| | 2 | B | <i>Florisuga mellivora</i> | live | 13 | | BE | PE | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Glaucis hirsuta</i> | live | 18 | BE | PE | | T | W | |
| | 2 | B | <i>Heliangelus viola</i> | live | 20 | BE | PE | | T | W | |
| | 2 | B | <i>Heliodoxa rubinoides</i> | live | 15 | BE | PE | | T | W | |
| | 2 | B | <i>Heliomaster longirostris</i> | live | 16 | BE | PE | | T | W | |
| | 2 | B | <i>Hylocharis chrysura</i> | skeletons | 1 | SE | PY | | S | W | |
| | 2 | B | <i>Hylocharis chrysura</i> | skins | 1 | SE | PY | | S | W | |
| | 2 | B | <i>Lesbia nuna</i> | live | 21 | BE | PE | | T | W | |
| | 2 | B | <i>Lesbia nuna</i> | live | 10 | DE | PE | | T | W | |
| | 2 | B | <i>Lesbia nuna</i> | live | 133 | NL | PE | | T | W | |
| | 2 | B | <i>Lesbia victoriae</i> | live | 23 | BE | PE | | T | W | |
| | 2 | B | <i>Lesbia victoriae</i> | live | 10 | DE | PE | | T | W | |
| | 2 | B | <i>Lesbia victoriae</i> | live | 10 | NL | PE | | T | W | |
| | 2 | B | <i>Metallura phoebe</i> | live | 17 | BE | PE | | T | W | |
| | 2 | B | <i>Metallura phoebe</i> | live | 15 | NL | PE | | T | W | |
| | 2 | B | <i>Metallura tyrianthina</i> | live | 10 | BE | PE | | T | W | |
| | 2 | B | <i>Myrtis fanny</i> | live | 57 | BE | PE | | T | W | |
| | 2 | B | <i>Myrtis fanny</i> | live | 2 | ES | PE | | T | W | |
| | 2 | B | <i>Myrtis fanny</i> | live | 67 | NL | PE | | T | W | |
| | 2 | B | <i>Oreotrochilus estella</i> | live | 3 | BE | PE | | T | W | |
| | 2 | B | <i>Oreotrochilus estella</i> | live | 20 | NL | PE | | T | W | |
| | 2 | B | <i>Oreotrochilus melanogaster</i> | live | 3 | BE | PE | | T | W | |
| | 2 | B | <i>Oreotrochilus melanogaster</i> | live | 6 | DE | PE | | T | W | |
| | 2 | B | <i>Oreotrochilus melanogaster</i> | live | 37 | NL | PE | | T | W | |
| | 2 | B | <i>Patagona gigas</i> | live | 3 | BE | PE | | T | W | |
| | 2 | B | <i>Patagona gigas</i> | live | 2 | ES | PE | | T | W | |
| | 2 | B | <i>Patagona gigas</i> | live | 4 | NL | PE | | T | W | |
| | 2 | B | <i>Phaethornis griseogularis</i> | live | 8 | BE | PE | | T | W | |
| | 2 | B | <i>Phaethornis superciliosus</i> | live | 6 | ES | PE | | T | W | |
| | 2 | B | <i>Polyonymus caroli</i> | live | 38 | BE | PE | | T | W | |
| | 2 | B | <i>Polyonymus caroli</i> | live | 6 | DE | PE | | T | W | |
| | 2 | B | <i>Polyonymus caroli</i> | live | 71 | NL | PE | | T | W | |
| | 2 | B | <i>Rhodopis vesper</i> | live | 49 | BE | PE | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Rhodopis vesper</i> | live | 8 | | DE | PE | | T | W |
| | 2 | B | <i>Rhodopis vesper</i> | live | 54 | | NL | PE | | T | W |
| | 2 | B | <i>Thalurania glaucopis</i> | skeletons | 1 | | SE | PY | | S | W |
| | 2 | B | <i>Thaumastura cora</i> | live | 68 | | BE | PE | | T | W |
| | 2 | B | <i>Thaumastura cora</i> | live | 10 | | DE | PE | | T | W |
| | 2 | B | <i>Thaumastura cora</i> | live | 97 | | NL | PE | | T | W |
| | 2 | B | <i>Aceros corrugatus</i> | live | 3 | | NL | SG | | T | C |
| | 2 | B | <i>Pteroglossus aracari</i> | live | 6 | | DE | SR | | T | W |
| | 2 | B | <i>Pteroglossus aracari</i> | live | 29 | | ES | SR | | T | W |
| | 2 | B | <i>Pteroglossus aracari</i> | live | 36 | | GB | GY | | T | W |
| | 2 | B | <i>Pteroglossus aracari</i> | live | 81 | | NL | SR | | T | W |
| | 2 | B | <i>Pteroglossus aracari</i> | live | 63 | | PT | GY | | T | W |
| | 2 | B | <i>Pteroglossus aracari</i> | live | 7 | | PT | SR | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 8 | | DE | SR | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 21 | | ES | SR | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 11 | | GB | GY | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 10 | | GR | SR | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 77 | | NL | SR | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 2 | | PT | GY | | T | W |
| | 2 | B | <i>Pteroglossus viridis</i> | live | 7 | | PT | SR | | T | W |
| | 2 | B | <i>Ramphastos sulfuratus</i> | live | 50 | | BE | NI | | T | R |
| | 2 | B | <i>Ramphastos sulfuratus</i> | live | 34 | | ES | NI | | T | R |
| | 2 | B | <i>Ramphastos sulfuratus</i> | live | 18 | | IT | NI | | T | R |
| | 2 | B | <i>Ramphastos sulfuratus</i> | live | 134 | | NL | NI | | T | R |
| | 2 | B | <i>Ramphastos sulfuratus</i> | live | 60 | | PT | NI | | T | R |
| | 2 | B | <i>Ramphastos toco</i> | live | 18 | | ES | GY | | T | W |
| | 2 | B | <i>Ramphastos toco</i> | live | 10 | | GB | GY | | T | W |
| | 2 | B | <i>Ramphastos toco</i> | live | 30 | | NL | AR | | T | C |
| | 2 | B | <i>Ramphastos toco</i> | live | 35 | | NL | GY | | T | W |
| | 2 | B | <i>Ramphastos toco</i> | live | 42 | | PT | GY | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 1 | | BE | SR | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 6 | | DE | SR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ramphastos tucanus</i> | live | 8 | | ES | GY | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 11 | | ES | SR | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 20 | | GB | GY | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 4 | | GR | SR | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 10 | | NL | GY | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 49 | | NL | SR | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 35 | | PT | GY | | T | W |
| | 2 | B | <i>Ramphastos tucanus</i> | live | 4 | | PT | SR | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 12 | | BE | SR | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 11 | | DE | SR | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 6 | | ES | GY | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 20 | | ES | SR | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 18 | | GB | GY | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 5 | | GR | SR | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 12 | | NL | GY | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 131 | | NL | SR | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 28 | | PT | GY | | T | W |
| | 2 | B | <i>Ramphastos vitellinus</i> | live | 4 | | PT | SR | | T | W |
| | 2 | B | <i>Leiothrix argentauris</i> | live | 100 | | DE | VN | | T | W |
| | 2 | B | <i>Leiothrix argentauris</i> | live | 40 | | IT | CN | | T | W |
| | 2 | B | <i>Leiothrix argentauris</i> | live | 500 | | IT | VN | | T | W |
| | 2 | B | <i>Leiothrix argentauris</i> | live | 300 | | NL | CN | | T | W |
| | 2 | B | <i>Leiothrix argentauris</i> | live | 300 | | NL | VN | | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 300 | | BE | CN | | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 800 | | BE | MY | CN | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 2300 | | DE | CN | | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 578 | | ES | CN | | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 800 | | IT | CN | | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 500 | | NL | CN | | T | C |
| | 2 | B | <i>Leiothrix lutea</i> | live | 6900 | | NL | CN | | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 500 | | NL | MY | CN | T | W |
| | 2 | B | <i>Leiothrix lutea</i> | live | 200 | | PT | CN | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Gubernatrix cristata</i> | live | 8 | ES | AR | | T | C | |
| | 2 | B | <i>Paroaria capitata</i> | live | 318 | DE | PY | | T | W | |
| | 2 | B | <i>Paroaria capitata</i> | live | 284 | ES | PY | | T | W | |
| | 2 | B | <i>Paroaria capitata</i> | live | 50 | FR | PY | | T | W | |
| | 2 | B | <i>Paroaria capitata</i> | live | 410 | GR | PY | | T | W | |
| | 2 | B | <i>Paroaria capitata</i> | live | 352 | NL | PY | | T | W | |
| | 2 | B | <i>Paroaria coronata</i> | bodies | 3 | ES | AR | | P | W | |
| | 2 | B | <i>Paroaria coronata</i> | live | 208 | DE | PY | | T | W | |
| | 2 | B | <i>Paroaria coronata</i> | live | 35 | ES | AR | | T | C | |
| | 2 | B | <i>Paroaria coronata</i> | live | 370 | ES | PY | | T | W | |
| | 2 | B | <i>Paroaria coronata</i> | live | 40 | FR | PY | | T | W | |
| | 2 | B | <i>Paroaria coronata</i> | live | 466 | NL | PY | | T | W | |
| | 2 | B | <i>Padda oryzivora</i> | live | 1 | DE | JP | | P | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 2900 | ES | CN | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 831 | ES | CZ | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 1 | FR | HK | XX | B | U | |
| | 2 | B | <i>Padda oryzivora</i> | live | 800 | GR | CN | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 400 | GR | CZ | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 100 | GR | CZ | CH | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 100 | GR | ZA | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 300 | IT | CN | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 300 | PT | CN | | T | W | |
| | 2 | B | <i>Padda oryzivora</i> | live | 450 | PT | CN | | T | C | |
| | 2 | B | <i>Padda oryzivora</i> | live | 1660 | PT | ZA | | T | C | |
| | 2 | B | <i>Gracula religiosa</i> | live | 970 | BE | MY | | T | W | |
| | 2 | B | <i>Gracula religiosa</i> | live | 565 | BE | MY | VN | T | W | |
| | 2 | B | <i>Gracula religiosa</i> | live | 1615 | DE | MY | | T | W | |
| | 2 | B | <i>Gracula religiosa</i> | live | 150 | DE | MY | VN | T | W | |
| | 2 | B | <i>Gracula religiosa</i> | live | 300 | DE | VN | | T | W | |
| | 2 | B | <i>Gracula religiosa</i> | live | 1 | DK | TR | DK | P | C | |
| | 2 | B | <i>Gracula religiosa</i> | live | 708 | ES | MY | | T | W | |
| | 2 | B | <i>Gracula religiosa</i> | live | 250 | ES | MY | VN | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Gracula religiosa</i> | live | 150 | | ES | VN | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 1 | | FR | HK | XX | B | U |
| I | 2 | B | <i>Gracula religiosa</i> | live | 780 | | FR | MY | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 840 | | FR | MY | VN | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 3 | | FR | SN | IN | B | O |
| I | 2 | B | <i>Gracula religiosa</i> | live | 500 | | FR | VN | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 4 | | FR | ZA | VN | Q | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 100 | | GR | MY | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 750 | | GR | VN | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 200 | | IT | MY | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 400 | | IT | MY | VN | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 18 | | IT | SG | MY | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 3650 | | IT | VN | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 360 | | NL | MY | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 250 | | NL | MY | VN | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 2300 | | NL | VN | | T | W |
| I | 2 | B | <i>Gracula religiosa</i> | live | 120 | | PT | MY | | T | C |
| I | 2 | B | <i>Gracula religiosa</i> | live | 785 | | PT | MY | | T | W |
| I | 2 | B | <i>Paradisaea minor</i> | live | 1 | | DE | US | | Z | F |
| I | 2 | B | <i>Cuora amboinensis</i> | live | 50 | | ES | ID | | T | W |
| I | 2 | B | <i>Cuora amboinensis</i> | live | 500 | | ES | MY | | T | W |
| I | 2 | B | <i>Terrapene carolina</i> | live | 3 | | GB | US | | P | F |
| I | 2 | B | <i>Terrapene ornata</i> | live | 1 | | DE | CA | | P | C |
| I | 2 | B | Testudinidae spp. | bodies | 1 | | PT | ST | | I | |
| I | 2 | B | Testudinidae spp. | carapace | 1 | | PT | AO | | I | |
| I | 2 | B | Testudinidae spp. | carapace | 2 | | PT | BR | | I | |
| I | 2 | B | Testudinidae spp. | carapace | 2 | | PT | CV | | I | |
| I | 2 | B | <i>Chersina angulata</i> | live | 10 | | ES | ZA | | Z | C |
| I | 2 | B | <i>Geochelone carbonaria</i> | live | 20 | | BE | SR | | T | W |
| I | 2 | B | <i>Geochelone carbonaria</i> | live | 75 | | DE | GY | | T | W |
| I | 2 | B | <i>Geochelone carbonaria</i> | live | 6 | | DE | US | GY | T | W |
| I | 2 | B | <i>Geochelone carbonaria</i> | live | 6 | | DK | US | GY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Geochelone carbonaria</i> | live | 180 | | ES | BR | | T | C |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 49 | | ES | SR | | T | W |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 200 | | ES | VE | | T | C |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 100 | | GB | BR | | T | C |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 110 | | GB | GY | | T | W |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 50 | | IT | BB | | T | C |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 20 | | IT | US | GY | T | W |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 1 | | NL | PL | XX | Z | U |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 15 | | NL | SR | | T | F |
| | 2 | B | <i>Geochelone carbonaria</i> | live | 177 | | NL | SR | | T | W |
| | 2 | B | <i>Geochelone chilensis</i> | live | 1 | | ES | AR | | P | W |
| | 2 | B | <i>Geochelone chilensis</i> | live | 3 | | ES | AR | XX | - | I |
| | 2 | B | <i>Geochelone denticulata</i> | live | 3 | | DK | US | GY | T | W |
| | 2 | B | <i>Geochelone denticulata</i> | live | 196 | | ES | PE | | T | C |
| | 2 | B | <i>Geochelone elegans</i> | live | 20 | | BE | UA | | T | C |
| | 2 | B | <i>Geochelone elegans</i> | live | 3 | | DE | CH | | T | C |
| | 2 | B | <i>Geochelone elegans</i> | live | 2 | | DE | CZ | | P | F |
| | 2 | B | <i>Geochelone gigantea</i> | live | 5 | | FR | MU | | B | C |
| | 2 | B | <i>Geochelone gigantea</i> | live | 4 | | FR | US | SC | T | C |
| | 2 | B | <i>Geochelone gigantea</i> | live | 4 | | FR | US | SC | Z | C |
| | 2 | B | <i>Geochelone pardalis</i> | bodies | 1 | | ES | CU | ET | P | O |
| | 2 | B | <i>Geochelone pardalis</i> | live | 4 | | DE | CH | | Z | C |
| | 2 | B | <i>Geochelone pardalis</i> | live | 40 | | DE | TZ | | T | F |
| | 2 | B | <i>Geochelone pardalis</i> | live | 50 | | DK | TZ | | T | F |
| | 2 | B | <i>Geochelone pardalis</i> | live | 1 | | FR | MU | | B | C |
| | 2 | B | <i>Geochelone pardalis</i> | live | 15 | | FR | TZ | | T | F |
| | 2 | B | <i>Geochelone pardalis</i> | live | 3 | | FR | ZW | NA | B | W |
| | 2 | B | <i>Geochelone sulcata</i> | live | 18 | | DE | BJ | | T | R |
| | 2 | B | <i>Geochelone sulcata</i> | live | 2 | | DE | CH | | B | F |
| | 2 | B | <i>Geochelone sulcata</i> | live | 100 | | DE | US | | T | F |
| | 2 | B | <i>Geochelone sulcata</i> | live | 46 | | DK | GH | | T | R |
| | 2 | B | <i>Geochelone sulcata</i> | live | 50 | | ES | SV | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Geochelone sulcata</i> | live | 25 | | ES | US | | T | F |
| | 2 | B | <i>Geochelone sulcata</i> | live | 200 | | ES | US | | T | C |
| | 2 | B | <i>Geochelone sulcata</i> | live | 72 | | FR | CH | | T | C |
| | 2 | B | <i>Geochelone sulcata</i> | live | 400 | | FR | SV | | T | C |
| | 2 | B | <i>Geochelone sulcata</i> | live | 98 | | FR | TG | | T | R |
| | 2 | B | <i>Geochelone sulcata</i> | live | 500 | | FR | US | | T | C |
| | 2 | B | <i>Geochelone sulcata</i> | live | 232 | | GB | SV | | T | C |
| | 2 | B | <i>Geochelone sulcata</i> | live | 1 | | GB | US | | P | F |
| | 2 | B | <i>Geochelone sulcata</i> | live | 200 | | GB | US | | T | F |
| | 2 | B | <i>Indotestudo elongata</i> | live | 25 | | BE | MY | | T | W |
| | 2 | B | <i>Indotestudo elongata</i> | live | 70 | | ES | MY | | T | W |
| | 2 | B | <i>Indotestudo elongata</i> | live | 235 | | FR | MY | | T | W |
| | 2 | B | <i>Indotestudo elongata</i> | shells | 1 | | DE | KH | | S | W |
| | 2 | B | <i>Kinixys belliana</i> | live | 130 | | AT | TG | | T | R |
| | 2 | B | <i>Kinixys belliana</i> | live | 73 | | BE | TG | | T | R |
| | 2 | B | <i>Kinixys belliana</i> | live | 250 | | DE | TG | | T | R |
| | 2 | B | <i>Kinixys belliana</i> | live | 4 | | DE | TZ | | T | F |
| | 2 | B | <i>Kinixys belliana</i> | live | 850 | | ES | TG | | T | R |
| | 2 | B | <i>Kinixys belliana</i> | live | 1650 | | FR | TG | | T | R |
| | 2 | B | <i>Kinixys belliana</i> | live | 107 | | IT | TG | | T | R |
| | 2 | B | <i>Kinixys erosa</i> | live | 37 | | BE | TG | | T | R |
| | 2 | B | <i>Kinixys erosa</i> | live | 50 | | FR | TG | | T | R |
| | 2 | B | <i>Kinixys homeana</i> | live | 230 | | BE | TG | | T | R |
| | 2 | B | <i>Kinixys homeana</i> | live | 320 | | DE | TG | | T | R |
| | 2 | B | <i>Kinixys homeana</i> | live | 50 | | ES | TG | | T | R |
| | 2 | B | <i>Kinixys homeana</i> | live | 323 | | FR | TG | | T | R |
| | 2 | B | <i>Kinixys homeana</i> | live | 83 | | IT | TG | | T | R |
| | 2 | B | <i>Manouria impressa</i> | shells | 1 | | DE | KH | | S | W |
| | 2 | A | <i>Pyxis planicauda</i> | live | 2 | | DE | HK | MG | B | W |
| | 2 | A | <i>Pyxis planicauda</i> | live | 3 | | DE | US | MG | B | W |
| | 2 | B | <i>Testudo</i> spp. | live | 1 | | ES | MA | XX | I | |
| | 2 | A | <i>Testudo graeca</i> | bodies | 1 | | DE | SY | | S | W |

European Community annual report to CITES 2000

| Exp/Imp | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Testudo graeca</i> | live | 33 | | BE | UA | | T | C |
| | 2 | A | <i>Testudo graeca</i> | live | 1 | | DE | CZ | | P | U |
| | 2 | A | <i>Testudo graeca</i> | live | 102 | | ES | MA | XX | | I |
| | 2 | A | <i>Testudo graeca</i> | live | 1 | | ES | XX | | | I |
| | 2 | A | <i>Testudo graeca</i> | live | 2 | | GB | SA | | P | C |
| | 2 | A | <i>Testudo graeca</i> | shells | 1 | | ES | MA | XX | | I |
| | 2 | A | <i>Testudo hermanni</i> | live | 26 | | BE | HU | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 4 | | DE | CH | | P | F |
| | 2 | A | <i>Testudo hermanni</i> | live | 12 | | DE | CH | | P | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 3 | | DE | CH | XX | P | O |
| | 2 | A | <i>Testudo hermanni</i> | live | 25 | | DE | CZ | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 1 | | DE | SG | AT | P | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 1527 | | DE | SI | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 104 | | FI | SI | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 1 | | GB | BM | GB | P | U |
| | 2 | A | <i>Testudo hermanni</i> | live | 1 | | GB | CH | | P | F |
| | 2 | A | <i>Testudo hermanni</i> | live | 400 | | GB | SI | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 16 | | GB | US | HU | T | F |
| | 2 | A | <i>Testudo hermanni</i> | live | 300 | | NL | SI | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 150 | | SE | SI | | T | C |
| | 2 | A | <i>Testudo hermanni</i> | live | 3 | | SE | US | SE | P | U |
| | 2 | A | <i>Testudo hermanni</i> | shells | 1 | | IT | US | XX | E | O |
| | 2 | B | <i>Testudo horsfieldii</i> | live | 52 | | BE | UA | | T | C |
| | 2 | B | <i>Testudo horsfieldii</i> | live | 1 | | DE | KR | BG | P | O |
| | 2 | B | <i>Testudo horsfieldii</i> | live | 2000 | | DE | UZ | | T | F |
| | 2 | B | <i>Testudo horsfieldii</i> | live | 4 | | PT | RU | | P | I |
| | 2 | B | <i>Testudo horsfieldii</i> | live | 1 | | SE | CH | SE | P | O |
| | 2 | B | <i>Testudo horsfieldii</i> | live | 200 | | SE | RU | UA | T | C |
| | 2 | A | <i>Testudo marginata</i> | live | 20 | | BE | HU | | T | C |
| | 2 | A | <i>Testudo marginata</i> | live | 9 | | DE | CH | | P | F |
| | 2 | A | <i>Testudo marginata</i> | live | 20 | | DE | CH | | T | C |
| | 2 | A | <i>Testudo marginata</i> | live | 18 | | DE | CZ | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | A | <i>Testudo marginata</i> | live | 1 | | ES | CH | | P | I |
| | 2 | A | <i>Testudo marginata</i> | live | 22 | | GR | RO | | T | W |
| | 2 | B | <i>Podocnemis unifilis</i> | skeletons | 2 | | DE | BR | | S | W |
| | 2 | B | <i>Podocnemis unifilis</i> | skulls | 2 | | DE | BR | | S | W |
| | 2 | B | <i>Crocodylia</i> spp. | bodies | 1 | | DE | US | GT | P | U |
| | 2 | B | <i>Crocodylia</i> spp. | large leather products | 1 | | DE | BH | | P | U |
| | 2 | B | <i>Crocodylia</i> spp. | small leather products | 1 | | DE | BH | | P | U |
| | 2 | B | <i>Crocodylia</i> spp. | skulls | 1 | | SE | XX | | I | |
| | 2 | B | <i>Alligatoridae</i> spp. | skulls | 1 | | ES | MX | XX | I | |
| | 2 | B | <i>Alligator mississippiensis</i> | garments | 4 | | IT | US | | T | W |
| | 2 | B | <i>Alligator mississippiensis</i> | live | 1 | | NL | CH | US | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | large leather products | 1 | | DE | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | large leather products | 2 | | DE | US | | P | C |
| | 2 | B | <i>Alligator mississippiensis</i> | large leather products | 1 pairs | | DE | US | | P | U |
| | 2 | B | <i>Alligator mississippiensis</i> | large leather products | 1 | | FR | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | large leather products | 2 | | IT | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | large leather products | 2 | | NL | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | small leather products | 5 | | DE | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | small leather products | 12 | | DE | US | | T | W |
| | 2 | B | <i>Alligator mississippiensis</i> | small leather products | 1875 | | FR | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | small leather products | 2 | | IT | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | small leather products | 28 | | IT | US | | T | W |
| | 2 | B | <i>Alligator mississippiensis</i> | meat | 545 kg | | GB | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | shoes | 7 | | IT | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | shoes | 8 | | IT | US | | T | W |
| | 2 | B | <i>Alligator mississippiensis</i> | shoes | 16 pairs | | IT | US | | T | R |
| | 2 | B | <i>Alligator mississippiensis</i> | shoes | 17 pairs | | IT | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | shoes | 27 pairs | | IT | US | | T | W |
| | 2 | B | <i>Alligator mississippiensis</i> | skins | 754 | | AT | CH | US | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | skins | 1315 | | AT | SG | US | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | skins | 4 | | AT | US | | T | C |
| | 2 | B | <i>Alligator mississippiensis</i> | skins | 2392 | | DE | CH | US | T | C |

European Community annual report to CITES 2000

| Exp/Imp | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|---------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Alligator mississippiensis | skins | 20 | | DE | SG | US | T | W |
| | 2 | B | Alligator mississippiensis | skins | 148 | | DE | SG | US | T | C |
| | 2 | B | Alligator mississippiensis | skins | 400 | | DE | US | | T | C |
| | 2 | B | Alligator mississippiensis | skins | 5 | | DE | ZA | US | T | W |
| | 2 | B | Alligator mississippiensis | skins | 1449 | | ES | PA | US | T | W |
| | 2 | B | Alligator mississippiensis | skins | 348 | | ES | US | | T | W |
| | 2 | B | Alligator mississippiensis | skins | 102 | | FR | CH | US | T | C |
| | 2 | B | Alligator mississippiensis | skins | 7699 | | FR | MU | US | T | C |
| | 2 | B | Alligator mississippiensis | skins | 201 | | FR | SG | US | T | W |
| | 2 | B | Alligator mississippiensis | skins | 1001 | | FR | SG | US | T | C |
| | 2 | B | Alligator mississippiensis | skins | 1167 | | FR | US | | T | W |
| | 2 | B | Alligator mississippiensis | skins | 2897 | | FR | US | | T | R |
| | 2 | B | Alligator mississippiensis | skins | 4035 | | FR | US | | T | F |
| | 2 | B | Alligator mississippiensis | skins | 8879 | | FR | US | | T | C |
| | 2 | B | Alligator mississippiensis | skins | 3 | | IT | CH | US | T | W |
| | 2 | B | Alligator mississippiensis | skins | 293 | | IT | CH | US | T | C |
| | 2 | B | Alligator mississippiensis | skins | 545 | | IT | US | | T | F |
| | 2 | B | Alligator mississippiensis | skins | 3188 | | IT | US | | T | R |
| | 2 | B | Alligator mississippiensis | skins | 8739 | | IT | US | | T | W |
| | 2 | B | Alligator mississippiensis | skins | 50768 | | IT | US | | T | C |
| | 2 | B | Alligator mississippiensis | skin pieces | 7790 | | AT | CH | US | T | C |
| | 2 | B | Alligator mississippiensis | skin pieces | 2050 | | AT | SG | US | T | C |
| | 2 | B | Alligator mississippiensis | skin pieces | 4 | | ES | US | | T | C |
| | 2 | B | Alligator mississippiensis | skin pieces | 273 | | ES | US | | T | W |
| | 2 | B | Alligator mississippiensis | skin pieces | 90 | | GB | CH | US | T | C |
| | 2 | B | Alligator mississippiensis | skulls | 1 | | DE | US | | T | W |
| | 2 | B | Alligator mississippiensis | skulls | 7 | | DE | US | | P | U |
| | 2 | B | Alligator mississippiensis | specimens | 84 | | SE | US | | S | W |
| | 2 | B | Alligator mississippiensis | trophies | 1 | | DE | US | | P | U |
| | 2 | B | Caiman crocodilus crocodilus | live | 50 | | BE | GY | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 132 | | DE | GY | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 13 | | DE | SR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------------------|-------------|------|----------|----------|--------|---------|--------|
| | 2 | B | Caiman crocodilus crocodilus | live | 10 | | DE | US | GT | T | C |
| | 2 | B | Caiman crocodilus crocodilus | live | 105 | | DE | US | GY | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 30 | | DK | US | GY | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 50 | | ES | US | GY | T | C |
| | 2 | B | Caiman crocodilus crocodilus | live | 30 | | FR | GY | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 97 | | GB | GY | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 80 | | GR | SR | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | live | 171 | | NL | SR | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 60 sides | | DE | CH | CO | T | C |
| | 2 | B | Caiman crocodilus crocodilus | skins | 20072 sides | | DE | VE | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 796 sides | | ES | CH | VE | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 365 kg | | ES | PA | VE | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 2357 sides | | ES | PA | VE | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 10670 sides | | ES | VE | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 1557 sides | | IT | CH | VE | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 3 | | IT | JP | VE | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skins | 13511 sides | | IT | VE | | T | W |
| | 2 | B | Caiman crocodilus crocodilus | skin pieces | 150 kg | | ES | PA | VE | T | W |
| | 2 | B | Caiman crocodilus crocodilus | tails | 956 | | ES | PA | VE | T | W |
| | 2 | B | Caiman crocodilus fuscus | small leather products | 10 | | BE | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | small leather products | 205 | | ES | NI | | T | W |
| | 2 | B | Caiman crocodilus fuscus | skins | 345 | | AT | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 200 | | BE | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 175 | | DE | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 335 sides | | DE | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 2300 | | DE | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 35990 sides | | DE | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 8 | | DE | SG | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 250 | | ES | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 6000 sides | | ES | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 6552 sides | | ES | NI | | T | W |
| | 2 | B | Caiman crocodilus fuscus | skins | 5775 | | ES | PA | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|-------------|----------|-------|----------|----------|--------|---------|--------|
| | 2 | B | Caiman crocodilus fuscus | skins | 12744 | ES | PA | CO | T | C | |
| | 2 | B | Caiman crocodilus fuscus | skins | 1000 | sides | ES | PA | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 3000 | sides | ES | PA | HN | T | W |
| | 2 | B | Caiman crocodilus fuscus | skins | 562 | | ES | PA | NI | T | W |
| | 2 | B | Caiman crocodilus fuscus | skins | 15 | | ES | TH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 67 | | ES | US | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 69 | | FR | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 4000 | sides | FR | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 3490 | | FR | MU | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 400 | sides | FR | SG | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 170 | | IT | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 3191 | sides | IT | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 6630 | | IT | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 182 | kg | IT | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 71700 | sides | IT | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 1777 | | IT | PA | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 28 | | IT | US | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skins | 17 | sides | IT | US | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skin pieces | 8170 | | AT | CH | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skin pieces | 1050 | pairs | ES | PA | | T | C |
| | 2 | B | Caiman crocodilus fuscus | skin pieces | 700 | pairs | ES | PA | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | skin pieces | 700 | pairs | ES | PA | HN | T | W |
| | 2 | B | Caiman crocodilus fuscus | skin pieces | 197514 | | ES | US | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | tails | 7820 | | DE | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | tails | 7100 | | ES | CO | | T | C |
| | 2 | B | Caiman crocodilus fuscus | tails | 4520 | | ES | PA | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | tails | 1700 | | ES | PA | HN | T | W |
| | 2 | B | Caiman crocodilus fuscus | tails | 2828 | | ES | SG | CO | T | C |
| | 2 | B | Caiman crocodilus fuscus | tails | 900 | | IT | CO | | T | W |
| | 2 | B | Caiman crocodilus fuscus | tails | 25610 | | IT | CO | | T | C |
| | 2 | B | Caiman latirostris | live | 3 | | DE | AR | | Z | R |
| | 2 | B | Caiman yacare | skins | 1000 | | DE | PY | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------------------------|----------|-------|----------|----------|--------|---------|--------|
| | 2 | B | Caiman yacare | skins | 10000 | sides | DE | PY | | T | W |
| | 2 | B | Caiman yacare | skins | 1000 | | ES | PA | BR | T | C |
| | 2 | B | Caiman yacare | skins | 2000 | sides | ES | PY | | T | W |
| | 2 | B | Caiman yacare | skins | 16000 | sides | IT | CH | BO | T | W |
| | 2 | B | Caiman yacare | tails | 8500 | | IT | CH | BO | T | W |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 4 | | BE | CZ | DE | Z | C |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 17 | | BE | GY | | T | W |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 27 | | DE | GY | | T | W |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 6 | | DE | US | GY | T | C |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 24 | | DE | US | GY | T | W |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 6 | | ES | US | GY | T | W |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 45 | | GB | GY | | T | W |
| | 2 | B | <i>Paleosuchus palpebrosus</i> | live | 15 | | NL | US | GY | T | W |
| | 2 | B | <i>Crocodylidae</i> spp. | bodies | 1 | | PT | AO | | I | |
| | 2 | B | <i>Crocodylus johnsoni</i> | bodies | 2 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus niloticus</i> | bodies | 3 | | ES | ZW | | P | C |
| | 2 | B | <i>Crocodylus niloticus</i> | bodies | 1 | | FR | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | bodies | 1 | | SE | NO | XX | P | W |
| | 2 | B | <i>Crocodylus niloticus</i> | feet | 2 | | DE | TZ | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | live | 50 | | ES | ZA | | Z | C |
| | 2 | B | <i>Crocodylus niloticus</i> | live | 3 | | FR | ZA | | B | C |
| | 2 | B | <i>Crocodylus niloticus</i> | large leather products | 1 | | AT | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | large leather products | 40 | | DE | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | large leather products | 13 | | GB | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | small leather products | 152 | | DE | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | small leather products | 72 | | ES | ZW | | P | C |
| | 2 | B | <i>Crocodylus niloticus</i> | small leather products | 1 | | GB | KE | | P | R |
| | 2 | B | <i>Crocodylus niloticus</i> | meat | 2390 | kg | DE | ZA | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | meat | 3245 | kg | DE | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | meat | 5080 | kg | DE | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | meat | 2265 | kg | GB | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | meat | 9369 | kg | NL | ZA | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Crocodylus niloticus</i> | meat | 11245 | kg | NL | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 50 | | AT | CH | ZW | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 5 | | AT | TZ | | P | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | AT | ZW | | P | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | AT | ZW | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 72 | | DE | CH | ZW | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 6 | | DE | SG | ET | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 200 | | DE | SG | ZA | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 778 | | DE | SG | ZW | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 7 | | DE | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | DE | ZA | | P | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1414 | | DE | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | DE | ZW | | P | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 3 | | DE | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 3 | | DK | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1687 | | ES | PA | ZA | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 9 | | ES | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 200 | | FR | MG | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 200 | | FR | MW | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 80 | | FR | SG | ZW | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 226 | | FR | SG | ZW | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 25 | | FR | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 40 | | FR | TZ | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 100 | | FR | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1 | | FR | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 2110 | | FR | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 2 | | IT | JP | ZW | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 1100 | | IT | MG | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 2600 | | IT | MG | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 8 | | IT | UG | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 200 | | IT | UG | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 300 | | IT | UG | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 97 | | IT | US | ZA | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 9 | | IT | US | ZM | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 3168 | | IT | US | ZW | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 501 | | IT | ZA | | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 300 | | IT | ZW | | T | R |
| | 2 | B | <i>Crocodylus niloticus</i> | skins | 2 | | PT | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skin pieces | 7 | | ES | US | ZA | T | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skin pieces | 1 | | PT | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skulls | 1 | | DE | TZ | | T | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skulls | 1 | | DK | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | skulls | 20 | | ES | ZW | | P | C |
| | 2 | B | <i>Crocodylus niloticus</i> | skulls | 2 | | PT | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | AT | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 5 | | AT | ZW | | P | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | BE | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | DE | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | DE | ZW | | P | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | DK | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | DK | ZA | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | DK | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 7 | | ES | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 20 | | ES | ZW | | P | C |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | FI | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | FR | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | FR | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 3 | | IT | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | IT | ZA | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 3 | | IT | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | PT | ZW | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 1 | | SE | TZ | | H | W |
| | 2 | B | <i>Crocodylus niloticus</i> | trophies | 2 | | SE | ZA | | H | W |
| | 2 | B | <i>Crocodylus novaeguineae novaeguineae</i> | live | 3 | | DK | TH | | B | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Crocodylus novaeguineae</i> <i>novaeguineae</i> | meat | 250 | kg | GB | AU | PG | T | C |
| | 2 | B | <i>Crocodylus novaeguineae</i> <i>novaeguineae</i> | skins | 30 | | IT | AU | PG | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | bodies | 3 | | BE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | bodies | 2 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | feet | 1 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | garments | 4 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | garments | 4 | | ES | AU | | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | small leather products | 214 | | AT | AU | | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | small leather products | 1 | | DE | AU | | P | U |
| | 2 | B | <i>Crocodylus porosus</i> | small leather products | 5 | | DE | AU | | P | R |
| | 2 | B | <i>Crocodylus porosus</i> | small leather products | 22 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | small leather products | 22 | | ES | AU | | T | R |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 1 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 63 | | DE | SG | AU | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 8 | | DE | SG | ID | T | R |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 1 | | DE | SG | PG | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 3 | | DE | SG | PG | T | W |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 4 | | ES | AU | | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 154 | | FR | AU | | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 174 | | FR | JP | PG | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 255 | | FR | JP | PG | T | W |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 60 | | IT | AU | | T | C |
| | 2 | B | <i>Crocodylus porosus</i> | skins | 319 | | IT | AU | | T | R |
| | 2 | B | <i>Crocodylus porosus</i> | skulls | 3 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | skulls | 1 | | IT | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | specimens | 360 | | BE | AU | | S | C |
| | 2 | B | <i>Crocodylus porosus</i> | teeth | 3 | | DE | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | teeth | 1 | | DE | AU | PG | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | trophies | 1 | | IT | AU | | P | C |
| | 2 | B | <i>Crocodylus porosus</i> | trophies | 1 | | SE | AU | | H | C |
| | 2 | B | <i>Crocodylus porosus</i> | trophies | 1 | | SE | AU | | H | R |
| | 2 | B | <i>Crocodylus porosus</i> | specimens | 11 | | IT | MG | | S | W |
| | 2 | B | <i>Phelsuma</i> spp. | | | | | | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Phelsuma comorensis</i> | live | 8 | | BE | KM | | S | W |
| | 2 | B | <i>Phelsuma comorensis</i> | live | 870 | | DE | KM | | T | W |
| | 2 | B | <i>Phelsuma comorensis</i> | live | 26 | | DE | MG | KM | T | W |
| | 2 | B | <i>Phelsuma comorensis</i> | live | 20 | | FR | KM | | T | W |
| | 2 | B | <i>Phelsuma comorensis</i> | live | 20 | | NL | MG | KM | T | W |
| | 2 | B | <i>Phelsuma dubia</i> | live | 3 | | BE | KM | | S | W |
| | 2 | B | <i>Phelsuma dubia</i> | live | 44 | | BE | TZ | | T | W |
| | 2 | B | <i>Phelsuma dubia</i> | live | 700 | | DE | KM | | T | W |
| | 2 | B | <i>Phelsuma dubia</i> | live | 20 | | DE | MG | KM | T | W |
| | 2 | B | <i>Phelsuma dubia</i> | live | 20 | | FR | KM | | T | W |
| | 2 | B | <i>Phelsuma dubia</i> | live | 20 | | NL | MG | KM | T | W |
| | 2 | B | <i>Phelsuma laticauda</i> | live | 200 | | BE | MG | | T | W |
| | 2 | B | <i>Phelsuma laticauda</i> | live | 600 | | DE | KM | | T | W |
| | 2 | B | <i>Phelsuma laticauda</i> | live | 445 | | DE | MG | | T | W |
| | 2 | B | <i>Phelsuma laticauda</i> | live | 130 | | DE | MG | KM | T | W |
| | 2 | B | <i>Phelsuma laticauda</i> | live | 20 | | FR | MG | | T | W |
| | 2 | B | <i>Phelsuma laticauda</i> | live | 143 | | NL | MG | | T | W |
| | 2 | B | <i>Phelsuma lineata</i> | live | 200 | | BE | MG | | T | W |
| | 2 | B | <i>Phelsuma lineata</i> | live | 615 | | DE | MG | | T | W |
| | 2 | B | <i>Phelsuma lineata</i> | live | 25 | | ES | US | MG | T | W |
| | 2 | B | <i>Phelsuma lineata</i> | live | 20 | | FR | MG | | T | W |
| | 2 | B | <i>Phelsuma lineata</i> | live | 200 | | NL | MG | | T | W |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 200 | | BE | MG | | T | W |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 425 | | DE | MG | | T | W |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 8 | | ES | CZ | | T | C |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 21 | | ES | MG | | T | W |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 40 | | FR | MG | | T | W |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 50 | | FR | MG | | T | W |
| | 2 | B | <i>Phelsuma madagascariensis</i> | live | 85 | | NL | MG | | T | W |
| | 2 | B | <i>Phelsuma quadriocellata</i> | live | 200 | | BE | MG | | T | W |
| | 2 | B | <i>Phelsuma quadriocellata</i> | live | 445 | | DE | MG | | T | W |
| | 2 | B | <i>Phelsuma quadriocellata</i> | live | 20 | | FR | MG | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Phelsuma quadriocellata</i> | live | 143 | | NL | MG | | T | W |
| | 2 | B | <i>Phelsuma robertmertensi</i> | live | 20 | | FR | KM | | T | W |
| | 2 | B | <i>Phelsuma v-nigra</i> | live | 16 | | BE | KM | | S | W |
| | 2 | B | <i>Phelsuma v-nigra</i> | live | 1140 | | DE | KM | | T | W |
| | 2 | B | <i>Phelsuma v-nigra</i> | live | 66 | | DE | MG | KM | T | W |
| | 2 | B | <i>Phelsuma v-nigra</i> | live | 100 | | FR | KM | | T | W |
| | 2 | B | <i>Phelsuma v-nigra</i> | live | 20 | | NL | MG | KM | T | W |
| | 2 | B | <i>Uromastyx spp.</i> | bodies | 1 | | ES | MA | XX | I | |
| | 2 | B | <i>Uromastyx spp.</i> | live | 1 | | ES | MA | XX | I | |
| | 2 | B | <i>Uromastyx acanthinurus</i> | bodies | 3 | | DE | MR | | S | W |
| | 2 | B | <i>Uromastyx acanthinurus</i> | bodies | 4 | | ES | DZ | XX | I | |
| | 2 | B | <i>Uromastyx acanthinurus</i> | bodies | 1 | | ES | MR | XX | I | |
| | 2 | B | <i>Uromastyx acanthinurus</i> | live | 3 | | DE | MA | | S | W |
| | 2 | B | <i>Uromastyx acanthinurus</i> | live | 7 | | DE | MR | | S | W |
| | 2 | B | <i>Uromastyx aegyptius</i> | bodies | 1 | | DE | SY | | S | W |
| | 2 | B | <i>Uromastyx aegyptius</i> | live | 150 | | BE | AE | | T | W |
| | 2 | B | <i>Uromastyx geyri</i> | live | 200 | | FR | ML | | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 100 | | DE | SD | | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 650 | | DE | SD | | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 50 | | ES | CA | SD | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 300 | | ES | SD | | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 150 | | FR | SD | | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 150 | | FR | SD | | T | W |
| | 2 | B | <i>Uromastyx ocellatus</i> | live | 725 | | NL | SD | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 308 | | BE | TZ | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 10 | | DE | TZ | | T | F |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 20 | | DE | TZ | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 305 | | DE | TZ | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 25 | | DK | TZ | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 153 | | ES | TZ | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 160 | | FR | TZ | | T | W |
| | 2 | B | <i>Bradypodion fischeri</i> | live | 101 | | GB | TZ | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Bradypodion fischeri</i> | live | 120 | | NL | TZ | | T | W |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 149 | | BE | TZ | | T | W |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 20 | | DE | TZ | | T | F |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 263 | | DE | TZ | | T | W |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 97 | | ES | TZ | | T | W |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 70 | | FR | TZ | | T | W |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 109 | | GB | TZ | | T | W |
| | 2 | B | <i>Bradypodion tavetanum</i> | live | 197 | | NL | TZ | | T | W |
| | 2 | B | <i>Bradypodion xenorhinus</i> | live | 42 | | NL | UG | | T | W |
| | 2 | B | <i>Chamaeleo</i> spp. | bodies | 96 | | ES | MA | XX | I | |
| | 2 | B | <i>Chamaeleo</i> spp. | specimens | 37 | | IT | MG | | S | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 76 | | BE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 131 | | DE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 58 | | ES | TZ | | T | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 44 | | FR | TZ | | T | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 6 | | GB | TZ | | B | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 66 | | GB | TZ | | T | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 111 | | NL | TZ | | T | W |
| | 2 | B | <i>Chamaeleo bitaeniatus</i> | live | 38 | | NL | UG | | T | W |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 93 | | DE | CZ | | T | C |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 100 | | DK | UA | | T | F |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 344 | | ES | CZ | | T | C |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 35 | | ES | US | YE | T | W |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 600 | | FR | CZ | | T | C |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 24 | | FR | US | YE | T | W |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 881 | | IT | CZ | | T | C |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 300 | | SE | CZ | | T | C |
| | 2 | B | <i>Chamaeleo calyptratus</i> | live | 200 | | SE | RU | UA | T | C |
| | 2 | A | <i>Chamaeleo chamaeleon</i> | bodies | 1 | | DE | SY | | S | W |
| | 2 | A | <i>Chamaeleo chamaeleon</i> | live | 3 | | DE | MA | | S | W |
| | 2 | A | <i>Chamaeleo chamaeleon</i> | live | 13 | | ES | MA | XX | I | |
| | 2 | B | <i>Chamaeleo cristatus</i> | bodies | 1 | | DE | CM | | S | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Chamaeleo cristatus</i> | live | 53 | DE | CM | | T | W | |
| | 2 | B | <i>Chamaeleo deremensis</i> | live | 18 | DE | TZ | | T | F | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 294 | BE | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 278 | DE | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 20 | DK | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 185 | ES | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 10 | ES | US | | TZ | T | W |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 182 | FR | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 117 | GB | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 200 | NL | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo dilepis</i> | live | 14 | NL | UG | | T | W | |
| | 2 | B | <i>Chamaeleo ellioti</i> | live | 30 | NL | UG | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 15 | BE | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 14 | DE | TZ | | T | F | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 100 | DE | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 15 | DK | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 85 | ES | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 10 | FR | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 50 | GB | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo fuelleborni</i> | live | 30 | NL | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo goetzei</i> | live | 3 | DE | TZ | | T | F | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 81 | AT | TG | | T | R | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 43 | BE | GH | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 115 | BE | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 168 | DE | BJ | | T | R | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 141 | DE | GH | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 71 | DE | GN | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 15 | DE | TG | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 30 | DE | TZ | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 15 | DK | GH | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 228 | ES | GH | | T | W | |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 25 | ES | GH | | BJ | T | R |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 22 | | ES | TZ | | T | W |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 85 | | GB | TZ | | T | W |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 25 | | IT | GH | | T | W |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 196 | | IT | TG | | T | R |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 46 | | NL | GH | | T | W |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 88 | | NL | TZ | | T | W |
| | 2 | B | <i>Chamaeleo gracilis</i> | live | 15 | | PT | GH | | Z | W |
| | 2 | B | <i>Chamaeleo hoehnelii</i> | live | 30 | | NL | UG | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii</i> | live | 14 | | BE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii</i> | live | 35 | | DE | TZ | | T | F |
| | 2 | B | <i>Chamaeleo jacksonii</i> | live | 76 | | DE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii</i> | live | 34 | | ES | TZ | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii</i> | live | 15 | | NL | TZ | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii merumontana</i> | live | 35 | | FR | TZ | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii merumontana</i> | live | 15 | | GB | TZ | | T | W |
| | 2 | B | <i>Chamaeleo jacksonii merumontana</i> | live | 24 | | NL | TZ | | T | W |
| | 2 | B | <i>Chamaeleo johnstoni</i> | live | 46 | | NL | UG | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 225 | | BE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 1 | | DE | TZ | | T | F |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 133 | | DE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 14 | | DK | TZ | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 81 | | ES | TZ | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 71 | | FR | TZ | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 100 | | GB | TZ | | T | W |
| | 2 | B | <i>Chamaeleo melleri</i> | live | 180 | | NL | TZ | | T | W |
| | 2 | B | <i>Chamaeleo montium</i> | bodies | 5 | | DE | CM | | S | W |
| | 2 | B | <i>Chamaeleo montium</i> | live | 3 | | DE | CM | | S | W |
| | 2 | B | <i>Chamaeleo montium</i> | live | 105 | | DE | CM | | T | W |
| | 2 | B | <i>Chamaeleo pfefferi</i> | live | 61 | | DE | CM | | T | W |
| | 2 | B | <i>Chamaeleo quadricornis</i> | live | 71 | | DE | CM | | T | W |
| | 2 | B | <i>Chamaeleo rufus</i> | live | 47 | | BE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo rufus</i> | live | 50 | | DE | TZ | | T | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Chamaeleo rufus</i> | live | 185 | | DE | TZ | | T | W |
| | 2 | B | <i>Chamaeleo rufus</i> | live | 56 | | ES | TZ | | T | W |
| | 2 | B | <i>Chamaeleo rufus</i> | live | 22 | | FR | TZ | | T | W |
| | 2 | B | <i>Chamaeleo rufus</i> | live | 66 | | GB | TZ | | T | W |
| | 2 | B | <i>Chamaeleo rufus</i> | live | 44 | | NL | TZ | | T | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | bodies | 1 | | DE | CM | S | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 100 | | AT | TG | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 1951 | | BE | TG | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 222 | | DE | BJ | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 3 | | DE | CM | S | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 69 | | DE | GH | T | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 5 | | DE | MR | S | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 6 | | DK | US | TG | T | R |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 200 | | ES | GH | T | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 25 | | ES | GH | BJ | T | R |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 673 | | ES | TG | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 100 | | ES | US | TG | T | R |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 100 | | FR | BJ | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 1768 | | FR | TG | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 41 | | GB | GH | T | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 25 | | IT | GH | T | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 300 | | IT | TG | T | R | |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 60 | | NL | GH | T | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 12 | | NL | TG | T | | W |
| | 2 | B | <i>Chamaeleo senegalensis</i> | live | 15 | | PT | GH | Z | | W |
| | 2 | B | <i>Chamaeleo tempeli</i> | live | 23 | | DE | TZ | T | F | |
| | 2 | B | <i>Chamaeleo werneri</i> | live | 18 | | DE | TZ | T | F | |
| | 2 | B | <i>Chamaeleo werneri</i> | live | 10 | | ES | TZ | T | i | |
| | 2 | B | <i>Chamaeleo wiedersheimi</i> | bodies | 1 | | DE | CM | S | | W |
| | 2 | B | <i>Chamaeleo wiedersheimi</i> | live | 4 | | DE | CM | S | | W |
| | 2 | B | <i>Chamaeleo wiedersheimi</i> | live | 65 | | DE | CM | T | | W |
| | 2 | B | <i>Furcifer cephalolepis</i> | live | 3 | | BE | KM | S | | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Furcifer cephalolepis</i> | live | 175 | | DE | KM | | T | W |
| | 2 | B | <i>Furcifer cephalolepis</i> | live | 15 | | DE | MG | KM | T | W |
| | 2 | B | <i>Furcifer cephalolepis</i> | live | 20 | | FR | KM | | T | W |
| | 2 | B | <i>Furcifer cephalolepis</i> | live | 30 | | NL | MG | KM | T | W |
| | 2 | B | <i>Furcifer lateralis</i> | live | 100 | | BE | MG | | T | W |
| | 2 | B | <i>Furcifer lateralis</i> | live | 340 | | DE | MG | | T | W |
| | 2 | B | <i>Furcifer lateralis</i> | live | 10 | | ES | MG | | T | W |
| | 2 | B | <i>Furcifer lateralis</i> | live | 70 | | FR | MG | | T | W |
| | 2 | B | <i>Furcifer lateralis</i> | live | 106 | | NL | MG | | T | W |
| | 2 | B | <i>Furcifer oustaleti</i> | live | 25 | | BE | MG | | T | W |
| | 2 | B | <i>Furcifer oustaleti</i> | live | 50 | | DE | MG | | T | W |
| | 2 | B | <i>Furcifer oustaleti</i> | live | 125 | | DE | MG | | T | W |
| | 2 | B | <i>Furcifer oustaleti</i> | live | 50 | | FR | MG | | T | W |
| | 2 | B | <i>Furcifer oustaleti</i> | live | 50 | | NL | MG | | T | W |
| | 2 | B | <i>Furcifer pardalis</i> | live | 100 | | BE | MG | | T | W |
| | 2 | B | <i>Furcifer pardalis</i> | live | 240 | | DE | MG | | T | W |
| | 2 | B | <i>Furcifer pardalis</i> | live | 30 | | ES | MG | | T | W |
| | 2 | B | <i>Furcifer pardalis</i> | live | 100 | | FR | MG | | T | W |
| | 2 | B | <i>Furcifer pardalis</i> | live | 78 | | NL | MG | | T | W |
| | 2 | B | <i>Furcifer verrucosus</i> | live | 4 | | BE | MG | | T | W |
| | 2 | B | <i>Furcifer verrucosus</i> | live | 119 | | DE | MG | | T | W |
| | 2 | B | <i>Furcifer verrucosus</i> | live | 10 | | FR | MG | | T | W |
| | 2 | B | <i>Iguana iguana</i> | live | 150 | | AT | NI | | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 625 | | BE | NI | | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 9500 | | BE | SV | | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 1000 | | BE | US | CO | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 14200 | | DE | SV | | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 1 | | DE | TH | SV | P | C |
| | 2 | B | <i>Iguana iguana</i> | live | 2 | | DE | US | | P | F |
| | 2 | B | <i>Iguana iguana</i> | live | 200 | | DE | US | CO | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 1750 | | DE | US | SV | T | C |
| | 2 | B | <i>Iguana iguana</i> | live | 1150 | | DK | SV | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Iguana iguana | live | 250 | DK | US | CO | T | C | |
| | 2 | B | Iguana iguana | live | 14931 | ES | GT | | T | C | |
| | 2 | B | Iguana iguana | live | 500 | ES | NI | | T | C | |
| | 2 | B | Iguana iguana | live | 44150 | ES | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 150 | ES | US | CO | T | C | |
| | 2 | B | Iguana iguana | live | 1900 | ES | US | SV | T | C | |
| | 2 | B | Iguana iguana | live | 1 | FI | US | | | | |
| | 2 | B | Iguana iguana | live | 1 | FI | US | | P | C | |
| | 2 | B | Iguana iguana | live | 5 | FR | CA | SV | T | C | |
| | 2 | B | Iguana iguana | live | 1 | FR | CH | CO | B | C | |
| | 2 | B | Iguana iguana | live | 4950 | FR | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 500 | FR | US | CO | T | C | |
| | 2 | B | Iguana iguana | live | 2700 | FR | US | SV | T | C | |
| | 2 | B | Iguana iguana | live | 2 | GB | HK | SV | P | C | |
| | 2 | B | Iguana iguana | live | 1000 | GB | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 375 | GB | US | SV | T | C | |
| | 2 | B | Iguana iguana | live | 300 | GR | SR | | T | W | |
| | 2 | B | Iguana iguana | live | 2300 | GR | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 1000 | IT | CO | | T | C | |
| | 2 | B | Iguana iguana | live | 1000 | IT | GT | | T | C | |
| | 2 | B | Iguana iguana | live | 1000 | IT | NI | | T | C | |
| | 2 | B | Iguana iguana | live | 11000 | IT | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 2586 | IT | US | CO | T | C | |
| | 2 | B | Iguana iguana | live | 5000 | IT | US | SV | T | C | |
| | 2 | B | Iguana iguana | live | 1 | NL | MX | CO | T | R | |
| | 2 | B | Iguana iguana | live | 2012 | NL | SR | | T | W | |
| | 2 | B | Iguana iguana | live | 500 | NL | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 1200 | NL | US | CO | T | C | |
| | 2 | B | Iguana iguana | live | 700 | NL | US | SV | T | C | |
| | 2 | B | Iguana iguana | live | 500 | PT | SV | | T | C | |
| | 2 | B | Iguana iguana | live | 500 | PT | US | | T | C | |
| | 2 | B | Iguana iguana | live | 250 | PT | US | CO | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Iguana iguana</i> | live | 1050 | | PT | US | SV | T | C |
| | 2 | B | <i>Iguana iguana</i> | skins | 1 | | DE | CH | XX | T | O |
| | 2 | B | <i>Cordylus tropidosternum</i> | live | 185 | | BE | TZ | | T | W |
| | 2 | B | <i>Cordylus tropidosternum</i> | live | 629 | | DE | TZ | | T | W |
| | 2 | B | <i>Cordylus tropidosternum</i> | live | 190 | | ES | TZ | | T | W |
| | 2 | B | <i>Cordylus tropidosternum</i> | live | 130 | | FR | TZ | | T | W |
| | 2 | B | <i>Cordylus tropidosternum</i> | live | 50 | | GB | TZ | | T | W |
| | 2 | B | <i>Cordylus tropidosternum</i> | live | 295 | | NL | TZ | | T | W |
| | 2 | B | <i>Cordylus warreni</i> | live | 3 | | DE | CH | | Z | C |
| | 2 | B | <i>Cordylus warreni</i> | live | 80 | | DE | US | MZ | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | skins | 25000 | | DE | AR | | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | skins | 46500 | | DE | PY | | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | skins | 30522 | | ES | AR | | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | skins | 50536 | | ES | PY | | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | skins | 12835 | | IT | AR | | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | skins | 2500 | | IT | PY | | T | W |
| | 2 | B | <i>Tupinambis spp.</i> | specimens | 22 | | DE | BR | | S | C |
| | 2 | B | <i>Tupinambis merianae</i> | live | 1 | | FR | US | PY | T | W |
| | 2 | B | <i>Tupinambis merianae</i> | skins | 12500 | | FR | AR | | T | W |
| | 2 | B | <i>Tupinambis nigropunctatus</i> | live | 50 | | BE | GY | | T | W |
| | 2 | B | <i>Tupinambis nigropunctatus</i> | live | 145 | | DE | GY | | T | W |
| | 2 | B | <i>Tupinambis nigropunctatus</i> | live | 45 | | DE | US | GY | T | W |
| | 2 | B | <i>Tupinambis nigropunctatus</i> | live | 5 | | DK | US | CO | T | C |
| | 2 | B | <i>Tupinambis nigropunctatus</i> | live | 14 | | ES | SR | | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | live | 15 | | DE | PY | | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | live | 10 | | DE | US | PY | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | live | 225 | | ES | PY | | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | live | 5 | | FR | US | PY | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | live | 5 | | IT | US | AR | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | small leather products | 2 | | BE | CH | | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | skins | 207 | | AT | CH | PY | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | skins | 9000 | | DE | AR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Tupinambis rufescens</i> | skins | 1500 | | ES | PA | AR | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | skins | 48057 | | IT | AR | | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | skins | 800 | | IT | CH | AR | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | skins | 1798 | | IT | US | AR | T | W |
| | 2 | B | <i>Tupinambis rufescens</i> | skin pieces | 1000 | | ES | US | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | live | 10 | | DE | PY | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | live | 75 | | ES | PY | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | live | 10 | | IT | US | PY | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | live | 30 | | NL | SR | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 2519 | | AT | CH | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 1000 | | AT | CH | PY | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 45000 | | DE | AR | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 490 | | DE | CH | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 2873 | | DE | US | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 3000 | | ES | AR | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 2898 | | FR | CH | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 939 | | FR | CH | BO | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 47440 | | IT | AR | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 1700 | | IT | CH | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 11 | | IT | JP | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 4925 | | IT | PY | | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skins | 4 | | IT | US | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 1660 | | AT | CH | AR | T | W |
| | 2 | B | <i>Tupinambis teguixin</i> | skin pieces | 415 | | AT | CH | PY | T | W |
| | 2 | B | <i>Corucia zebra</i> | live | 1 | | ES | CH | | Z | C |
| | 2 | B | <i>Shinisaurus crocodilurus</i> | bodies | 2 | | DE | CH | | S | F |
| | 2 | B | <i>Heloderma horridum</i> | live | 2 | | DE | US | | Z | F |
| | 2 | B | <i>Heloderma horridum</i> | live | 2 | | GB | CH | | Z | F |
| | 2 | B | <i>Heloderma horridum</i> | live | 6 | | SE | US | | T | C |
| | 2 | B | <i>Heloderma suspectum</i> | specimens | 0 g | | DE | MX | | M | W |
| | 2 | B | <i>Heloderma suspectum</i> | live | 2 | | DE | US | | T | F |
| | 2 | B | <i>Heloderma suspectum</i> | live | 2 | | DE | US | | Z | F |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source | |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|---|
| | 2 | B | <i>Heloderma suspectum</i> | live | 4 | | SE | US | | T | C | |
| | 2 | B | <i>Varanus</i> spp. | large leather products | 1 | | ES | XX | | I | | |
| | 2 | B | <i>Varanus</i> spp. | skulls | 1 | | SE | SN | | I | | |
| | 2 | B | <i>Varanus albigularis</i> | live | 32 | | BE | TZ | | T | W | |
| | 2 | B | <i>Varanus albigularis</i> | live | 33 | | DE | TZ | | T | W | |
| | 2 | B | <i>Varanus albigularis</i> | live | 2 | | DK | TZ | | T | W | |
| | 2 | B | <i>Varanus albigularis</i> | live | 34 | | ES | TZ | | T | W | |
| | 2 | B | <i>Varanus albigularis</i> | live | 35 | | FR | TZ | | T | W | |
| | 2 | B | <i>Varanus albigularis</i> | live | 10 | | GB | TZ | | T | W | |
| | 2 | B | <i>Varanus albigularis</i> | live | 42 | | NL | TZ | | T | W | |
| | 2 | B | <i>Varanus doreanus</i> | live | 40 | | DE | ID | | T | W | |
| | 2 | B | <i>Varanus doreanus</i> | live | 9 | | ES | ID | | T | W | |
| | 2 | B | <i>Varanus doreanus</i> | live | 11 | | FR | ID | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | bodies | 4 | | DE | MR | | S | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 40 | | AT | TG | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 224 | | BE | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 75 | | BE | TG | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 781 | | DE | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 1 | | DE | MR | | S | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 190 | | DE | TG | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 120 | | DK | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 173 | | ES | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 125 | | FR | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 202 | | FR | TG | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 720 | | GB | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 345 | | NL | GH | | T | W | |
| | 2 | B | <i>Varanus exanthematicus</i> | live | 10 | | PT | GH | | Z | W | |
| | 2 | B | <i>Varanus indicus</i> | live | 6 | | FR | US | | SB | T | W |
| | 2 | B | <i>Varanus jobiensis</i> | live | 4 | | ES | ID | | T | W | |
| | 2 | B | <i>Varanus niloticus</i> | bodies | 5 | | DE | MR | | S | W | |
| | 2 | B | <i>Varanus niloticus</i> | live | 40 | | AT | TG | | T | W | |
| | 2 | B | <i>Varanus niloticus</i> | live | 13 | | BE | TG | | T | R | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Varanus niloticus</i> | live | 30 | | BE | TZ | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 1 | | DE | CM | | S | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 97 | | DE | GN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 257 | | DE | TG | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 33 | | DE | TZ | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 42 | | ES | TZ | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 525 | | FR | MG | ML | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 120 | | FR | TG | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 25 | | FR | TZ | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | live | 10 | | GB | TZ | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | large leather products | 95 | | BE | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | large leather products | 705 | | FR | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | large leather products | 72 | | PT | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | small leather products | 429 | | BE | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | small leather products | 76 | | FR | CM | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | small leather products | 480 | | FR | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | small leather products | 100 | | PT | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 695 | | AT | CH | CM | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 182 | | AT | CH | ML | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 330 | | AT | CH | TD | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 256 | | DE | CH | CM | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 60 | | DE | CH | TD | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 35000 | | DE | SD | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 4 | | DE | ZA | SD | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 6000 | | ES | GN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 10218 | | ES | ML | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 15600 | | ES | PA | SD | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 3000 | | ES | SN | ML | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 2500 | | ES | TD | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 1980 | | ES | US | SD | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 749 | | FR | CH | CM | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 12801 | | FR | CH | ML | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Varanus niloticus</i> | skins | 145 | | FR | CH | TD | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 36530 | | FR | ML | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 5 | | FR | MU | ML | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 52494 | | FR | TD | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 95000 | | IT | SD | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skins | 217 | | PT | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skin pieces | 3800 | | AT | CH | CM | T | W |
| | 2 | B | <i>Varanus niloticus</i> | skin pieces | 83 | | PT | SN | | T | W |
| | 2 | B | <i>Varanus niloticus</i> | trophies | 1 | | DE | ZA | | H | W |
| | 2 | B | <i>Varanus prasinus</i> | live | 2 | | DE | CH | | P | C |
| | 2 | B | <i>Varanus rudicollis</i> | live | 7 | | AT | ID | | T | W |
| | 2 | B | <i>Varanus rudicollis</i> | live | 1 | | BE | ID | | T | W |
| | 2 | B | <i>Varanus rudicollis</i> | live | 28 | | DE | ID | | T | W |
| | 2 | B | <i>Varanus rudicollis</i> | live | 38 | | ES | ID | | T | W |
| | 2 | B | <i>Varanus rudicollis</i> | live | 5 | | FR | ID | | T | W |
| | 2 | B | <i>Varanus rudicollis</i> | live | 10 | | GB | ID | | T | W |
| | 2 | B | <i>Varanus rudicollis</i> | live | 16 | | NL | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 128 | | DE | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 63 | | DE | MY | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 2 | | DK | MY | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 40 | | ES | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 100 | | ES | MY | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 26 | | FR | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 5 | | FR | MY | | T | W |
| | 2 | B | <i>Varanus salvator</i> | live | 50 | | GB | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | small leather products | 322 | | PT | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 350 | | AT | CH | CM | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 10 | | DE | CH | ID | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 8000 | | DE | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 5000 | | DE | MY | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 8080 | | DE | SG | ID | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 23000 | | DE | SG | MY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Varanus salvator</i> | skins | 8130 | | ES | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 1500 | | ES | SG | ID | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 13000 | | ES | SG | MY | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 46 | | FR | PH | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 3000 | | FR | SG | MY | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 69500 | | IT | ID | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 7000 | | IT | MY | | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 84699 | | IT | SG | ID | T | W |
| | 2 | B | <i>Varanus salvator</i> | skins | 16000 | | IT | SG | MY | T | W |
| | 2 | B | <i>Varanus salvator</i> | skin pieces | 1 | | PT | CH | ID | T | W |
| | 2 | B | <i>Varanus varius</i> | live | 2 | | NL | AU | | Z | C |
| | 2 | B | <i>Antaresia stimsoni</i> | live | 1 | | GB | US | | T | F |
| | 2 | B | <i>Apodora papuana</i> | live | 1 | | ES | ID | | T | W |
| | 2 | B | <i>Apodora papuana</i> | live | 6 | | FR | ID | | T | W |
| | 2 | B | <i>Aspidites ramsayi</i> | live | 2 | | SE | NO | | T | C |
| | 2 | B | <i>Bothrochilus boa</i> | live | 2 | | GB | CA | | P | C |
| | 2 | B | <i>Bothrochilus boa</i> | live | 2 | | GB | CA | | T | C |
| | 2 | B | <i>Leiopython albertisii</i> | live | 10 | | AT | ID | | T | W |
| | 2 | B | <i>Leiopython albertisii</i> | live | 3 | | BE | ID | | T | W |
| | 2 | B | <i>Leiopython albertisii</i> | live | 35 | | DE | ID | | T | W |
| | 2 | B | <i>Leiopython albertisii</i> | live | 17 | | ES | ID | | T | W |
| | 2 | B | <i>Leiopython albertisii</i> | live | 49 | | FR | ID | | T | W |
| | 2 | B | <i>Leiopython albertisii</i> | live | 6 | | GB | ID | | T | W |
| | 2 | B | <i>Leiopython albertisii</i> | live | 16 | | NL | ID | | T | W |
| | 2 | B | <i>Liasis fuscus</i> | live | 7 | | DE | ID | | T | W |
| | 2 | B | <i>Liasis fuscus</i> | live | 2 | | ES | ID | | T | W |
| | 2 | B | <i>Liasis fuscus</i> | live | 4 | | FR | ID | | T | W |
| | 2 | B | <i>Liasis mackloti</i> | live | 31 | | DE | ID | | T | W |
| | 2 | B | <i>Liasis mackloti</i> | live | 22 | | FR | ID | | T | W |
| | 2 | B | <i>Liasis mackloti</i> | live | 6 | | GB | ID | | P | W |
| | 2 | B | <i>Liasis mackloti</i> | live | 16 | | GB | ID | | T | W |
| | 2 | B | <i>Liasis olivaceus</i> | live | 1 | | BE | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Liasis olivaceus</i> | live | 2 | NL | ID | | | T | W |
| | 2 | B | <i>Morelia amethystina</i> | live | 2 | AT | CH | | | B | F |
| | 2 | B | <i>Morelia amethystina</i> | live | 9 | DE | ID | | | T | W |
| | 2 | B | <i>Morelia amethystina</i> | live | 6 | ES | ID | | | T | W |
| | 2 | B | <i>Morelia amethystina</i> | live | 5 | FR | ID | | | T | F |
| | 2 | B | <i>Morelia amethystina</i> | live | 24 | FR | ID | | | T | W |
| | 2 | B | <i>Morelia amethystina</i> | live | 12 | GB | ID | | | T | W |
| | 2 | B | <i>Morelia boeleni</i> | live | 4 | FR | ID | | | T | F |
| | 2 | B | <i>Morelia spilota</i> | live | 3 | DE | CH | | | B | F |
| | 2 | B | <i>Morelia spilota</i> | live | 4 | DE | CH | | | T | F |
| | 2 | B | <i>Morelia spilota</i> | live | 26 | DE | ID | | | T | W |
| | 2 | B | <i>Morelia spilota</i> | live | 56 | DE | ID | | | T | F |
| | 2 | B | <i>Morelia spilota</i> | live | 16 | DE | US | | | T | C |
| | 2 | B | <i>Morelia spilota</i> | live | 16 | DE | US | | | T | F |
| | 2 | B | <i>Morelia spilota</i> | live | 18 | DE | US | | | T | C |
| | 2 | B | <i>Morelia spilota</i> | live | 1 | DE | US | | ID | T | W |
| | 2 | B | <i>Morelia spilota</i> | live | 5 | ES | CZ | | | T | C |
| | 2 | B | <i>Morelia spilota</i> | live | 22 | ES | ID | | | T | W |
| | 2 | B | <i>Morelia spilota</i> | live | 4 | FR | CZ | | | T | C |
| | 2 | B | <i>Morelia spilota</i> | live | 5 | FR | ID | | | T | F |
| | 2 | B | <i>Morelia spilota</i> | live | 11 | FR | ID | | | T | W |
| | 2 | B | <i>Morelia spilota</i> | live | 2 | GB | CA | | | P | C |
| | 2 | B | <i>Morelia spilota</i> | live | 6 | GB | ID | | | B | F |
| | 2 | B | <i>Morelia spilota</i> | live | 30 | GB | ID | | | P | F |
| | 2 | B | <i>Morelia spilota</i> | live | 24 | GB | US | | | T | F |
| | 2 | B | <i>Morelia viridis</i> | live | 21 | DE | ID | | | T | C |
| | 2 | B | <i>Morelia viridis</i> | live | 23 | ES | ID | | | T | C |
| | 2 | B | <i>Morelia viridis</i> | live | 1 | FR | ID | | | T | F |
| | 2 | B | <i>Morelia viridis</i> | live | 10 | FR | ID | | | T | C |
| | 2 | B | <i>Morelia viridis</i> | live | 25 | FR | ID | | | T | C |
| | 2 | B | <i>Morelia viridis</i> | live | 15 | IT | ID | | | T | C |
| | 2 | B | <i>Python spp.</i> | garments | 1 | LU | BJ | | | I | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Python anchietae</i> | live | 3 | DE | US | | B | F | |
| | 2 | B | <i>Python anchietae</i> | small leather products | 50 | PT | SN | | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 104 | DE | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 5 | DE | US | ID | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 2 | DK | US | ID | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 3 | ES | CZ | | Z | F | |
| | 2 | B | <i>Python curtus</i> | live | 48 | ES | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 10 | FR | ID | | T | F | |
| | 2 | B | <i>Python curtus</i> | live | 92 | FR | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 10 | GB | ID | | B | F | |
| | 2 | B | <i>Python curtus</i> | live | 30 | GB | ID | | T | F | |
| | 2 | B | <i>Python curtus</i> | live | 46 | GB | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | live | 10 | IT | ID | | T | F | |
| | 2 | B | <i>Python curtus</i> | live | 4 | NL | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 1950 | DE | SG | ID | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 2677 | DE | SG | MY | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 3810 | ES | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 5000 | ES | MY | | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 17502 | ES | SG | MY | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 5090 | IT | ID | | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 9110 | IT | MY | | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 11027 | IT | SG | ID | T | W | |
| | 2 | B | <i>Python curtus</i> | skins | 31054 | IT | SG | MY | T | W | |
| | 2 | B | <i>Python molurus</i> | live | 2 | FI | EE | FI | E | C | |
| | 2 | B | <i>Python molurus</i> | live | 6 | NL | US | VN | T | C | |
| | 2 | B | <i>Python molurus</i> | skins | 1 | DE | TW | XX | P | U | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 50 | BE | CZ | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 1000 | BE | VN | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 5 | DE | CZ | | P | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 578 | DE | CZ | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | DE | US | | P | F | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | DE | US | | Q | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Python molurus bivittatus</i> | live | 38 | DE | US | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 20 | DE | US | VN | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 232 | DE | VN | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 429 | ES | CZ | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 25 | ES | US | VN | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 310 | FR | CZ | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 99 | FR | US | | T | F | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 56 | FR | US | VN | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 425 | FR | VN | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 4 | GB | US | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 4 | GB | US | | T | F | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 2 | IT | AE | GB | Q | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 316 | IT | CZ | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 100 | NL | CZ | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | NL | TR | CZ | Q | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | live | 1 | NL | TR | NL | Q | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | skins | 15575 | DE | SG | TH | T | W | |
| | 2 | B | <i>Python molurus bivittatus</i> | skins | 2144 | DE | SG | VN | T | W | |
| | 2 | B | <i>Python molurus bivittatus</i> | skins | 33958 | DE | SG | VN | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | skins | 500 | IT | SG | VN | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | skins | 2715 | IT | VN | | T | C | |
| | 2 | B | <i>Python molurus bivittatus</i> | skins | 5000 m | IT | VN | | T | C | |
| | 2 | B | <i>Python regius</i> | live | 100 | AT | TG | | T | R | |
| | 2 | B | <i>Python regius</i> | live | 1 | BE | CH | | P | C | |
| | 2 | B | <i>Python regius</i> | live | 950 | BE | GH | | T | R | |
| | 2 | B | <i>Python regius</i> | live | 2824 | BE | TG | | T | R | |
| | 2 | B | <i>Python regius</i> | live | 4218 | DE | BJ | | T | R | |
| | 2 | B | <i>Python regius</i> | live | 1347 | DE | GH | | T | W | |
| | 2 | B | <i>Python regius</i> | live | 3388 | DE | GH | | T | R | |
| | 2 | B | <i>Python regius</i> | live | 25 | DE | TG | | T | W | |
| | 2 | B | <i>Python regius</i> | live | 450 | DE | TG | | T | R | |
| | 2 | B | <i>Python regius</i> | live | 43 | DE | US | | T | C | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Python regius | live | 1 | | DE | US | TG | T | W |
| | 2 | B | Python regius | live | 40 | | DE | US | TG | T | R |
| | 2 | B | Python regius | live | 2 | | DE | US | XX | P | U |
| | 2 | B | Python regius | live | 300 | | DK | GH | | T | R |
| | 2 | B | Python regius | live | 150 | | DK | US | BJ | T | R |
| | 2 | B | Python regius | live | 50 | | DK | US | TG | T | R |
| | 2 | B | Python regius | live | 900 | | ES | BJ | | T | W |
| | 2 | B | Python regius | live | 303 | | ES | GH | | T | W |
| | 2 | B | Python regius | live | 488 | | ES | GH | | T | R |
| | 2 | B | Python regius | live | 700 | | ES | TG | | T | R |
| | 2 | B | Python regius | live | 37 | | ES | US | GH | T | R |
| | 2 | B | Python regius | live | 2650 | | FR | BJ | | T | R |
| | 2 | B | Python regius | live | 100 | | FR | ML | | T | W |
| | 2 | B | Python regius | live | 100 | | FR | TG | | T | W |
| | 2 | B | Python regius | live | 2450 | | FR | TG | | T | R |
| | 2 | B | Python regius | live | 12 | | FR | US | GH | T | R |
| | 2 | B | Python regius | live | 12 | | FR | US | TG | T | R |
| | 2 | B | Python regius | live | 700 | | GB | GH | | T | W |
| | 2 | B | Python regius | live | 1600 | | GB | GH | | T | R |
| | 2 | B | Python regius | live | 2 | | GB | US | | T | C |
| | 2 | B | Python regius | live | 50 | | GR | GH | | T | W |
| | 2 | B | Python regius | live | 50 | | IT | GH | | T | W |
| | 2 | B | Python regius | live | 350 | | IT | GH | | T | R |
| | 2 | B | Python regius | live | 1550 | | IT | TG | | T | R |
| | 2 | B | Python regius | live | 500 | | IT | US | TG | T | R |
| | 2 | B | Python regius | live | 874 | | NL | GH | | T | R |
| | 2 | B | Python regius | live | 25 | | NL | TG | | T | W |
| | 2 | B | Python regius | live | 3 | | NL | US | | T | C |
| | 2 | B | Python regius | live | 4 | | PT | GH | | Z | W |
| | 2 | B | Python regius | live | 20 | | SE | CH | | T | F |
| | 2 | B | Python regius | live | 10 | | SE | US | | T | C |
| | 2 | B | Python reticulatus | garments | 1 | | FR | MY | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Python reticulatus | live | 225 | | BE | VN | | T | C |
| | 2 | B | Python reticulatus | live | 2 | | DE | CZ | | P | C |
| | 2 | B | Python reticulatus | live | 40 | | DE | CZ | | T | C |
| | 2 | B | Python reticulatus | live | 4 | | DE | ID | | S | W |
| | 2 | B | Python reticulatus | live | 20 | | DE | ID | | T | W |
| | 2 | B | Python reticulatus | live | 20 | | DE | MY | | T | W |
| | 2 | B | Python reticulatus | live | 2 | | DE | US | ID | T | W |
| | 2 | B | Python reticulatus | live | 50 | | DE | VN | | T | C |
| | 2 | B | Python reticulatus | live | 14 | | ES | CH | MY | T | W |
| | 2 | B | Python reticulatus | live | 27 | | ES | CZ | | T | C |
| | 2 | B | Python reticulatus | live | 75 | | ES | MY | | T | W |
| | 2 | B | Python reticulatus | live | 620 | | ES | SG | MY | T | W |
| | 2 | B | Python reticulatus | live | 30 | | FR | CZ | | T | C |
| | 2 | B | Python reticulatus | live | 32 | | FR | VN | | T | C |
| | 2 | B | Python reticulatus | live | 1 | | GB | CH | ID | T | W |
| | 2 | B | Python reticulatus | live | 8 | | GB | ID | | P | C |
| | 2 | B | Python reticulatus | live | 39 | | GB | ID | | T | W |
| | 2 | B | Python reticulatus | live | 3 | | GB | US | | P | C |
| | 2 | B | Python reticulatus | live | 10 | | GB | US | | T | C |
| | 2 | B | Python reticulatus | live | 1 | | GB | VN | | P | C |
| | 2 | B | Python reticulatus | large leather products | 1 | | FR | XS | | T | W |
| | 2 | B | Python reticulatus | skins | 6 | | DE | CH | ID | T | W |
| | 2 | B | Python reticulatus | skins | 4884 | | DE | ID | | T | W |
| | 2 | B | Python reticulatus | skins | 14110 | | DE | MY | | T | W |
| | 2 | B | Python reticulatus | skins | 15689 | | DE | SG | ID | T | W |
| | 2 | B | Python reticulatus | skins | 34519 | | DE | SG | MY | T | W |
| | 2 | B | Python reticulatus | skins | 10136 | | DE | SG | TH | T | W |
| | 2 | B | Python reticulatus | skins | 350 | | DE | SG | VN | T | W |
| | 2 | B | Python reticulatus | skins | 4422 | | DE | SG | VN | T | C |
| | 2 | B | Python reticulatus | skins | 48 m | | DE | SI | ID | T | W |
| | 2 | B | Python reticulatus | skins | 283 | | DE | SI | MY | T | W |
| | 2 | B | Python reticulatus | skins | 20 | | ES | CH | MY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|-------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Python reticulatus</i> | skins | 1000 | ES | ID | | | T | W |
| | 2 | B | <i>Python reticulatus</i> | skins | 5525 | ES | MY | | | T | W |
| | 2 | B | <i>Python reticulatus</i> | skins | 1254 | ES | SG | ID | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 36059 | ES | SG | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 1265 | ES | SG | VN | T | C | |
| | 2 | B | <i>Python reticulatus</i> | skins | 26 | FR | CH | ID | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 4000 | FR | MY | | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 65 | GB | SG | ID | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 40843 | IT | ID | | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 61 | IT | JP | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 68879 | IT | MY | | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 53674 | IT | SG | ID | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 50258 | IT | SG | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 6830 | IT | SG | VN | T | C | |
| | 2 | B | <i>Python reticulatus</i> | skins | 335 | IT | US | ID | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 13 | IT | US | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skins | 7260 | IT | VN | | T | C | |
| | 2 | B | <i>Python reticulatus</i> | skin pieces | 186 | DE | SI | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skin pieces | 25 | IT | JP | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | skin pieces | 6 | PT | CH | MY | T | W | |
| | 2 | B | <i>Python reticulatus</i> | specimens | 30 | DE | SG | | S | I | |
| | 2 | B | <i>Python sebae</i> | live | 20 | BE | GH | | T | R | |
| | 2 | B | <i>Python sebae</i> | live | 86 | BE | TG | | T | R | |
| | 2 | B | <i>Python sebae</i> | live | 15 | DE | GH | | T | W | |
| | 2 | B | <i>Python sebae</i> | live | 10 | DE | TG | | T | R | |
| | 2 | B | <i>Python sebae</i> | live | 6 | FR | TG | | T | R | |
| | 2 | B | <i>Python sebae</i> | live | 15 | FR | TG | | T | W | |
| | 2 | B | <i>Python sebae</i> | live | 2 | GB | US | | T | C | |
| | 2 | B | <i>Python sebae</i> | live | 3 | GR | GH | | T | W | |
| | 2 | B | <i>Python sebae</i> | live | 10 | NL | GH | | T | R | |
| | 2 | B | <i>Python sebae</i> | live | 15 | NL | GH | | T | W | |
| | 2 | B | <i>Python sebae</i> | live | 23 | NL | TZ | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Python sebae</i> | live | 4 | PT | GH | | Z | W | |
| | 2 | B | <i>Python sebae</i> | large leather products | 396 | BE | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | large leather products | 746 | FR | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | large leather products | 2761 | FR | TG | | T | W | |
| | 2 | B | <i>Python sebae</i> | large leather products | 100 | IT | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | large leather products | 28 | PT | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | small leather products | 523 | BE | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | small leather products | 688 | FR | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | small leather products | 1 | GB | KE | | P | R | |
| | 2 | B | <i>Python sebae</i> | small leather products | 200 | PT | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 7 | BE | GH | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 3770 | DE | SD | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 1 | ES | CM | | H | W | |
| | 2 | B | <i>Python sebae</i> | skins | 3 | ES | DZ | XX | I | | |
| | 2 | B | <i>Python sebae</i> | skins | 3000 | ES | GN | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 75 | ES | ML | | T | I | |
| | 2 | B | <i>Python sebae</i> | skins | 4500 | ES | TD | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 497 | ES | TG | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 4 | FR | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 1 | IT | BF | | P | W | |
| | 2 | B | <i>Python sebae</i> | skins | 9 | IT | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 3582 | IT | TG | | T | W | |
| | 2 | B | <i>Python sebae</i> | skins | 370 | PT | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | skin pieces | 1044 | PT | SN | | T | W | |
| | 2 | B | <i>Python sebae</i> | trophies | 1 | FR | CM | | H | W | |
| | 2 | B | <i>Python sebae</i> | trophies | 1 | IT | CM | | H | W | |
| | 2 | B | <i>Python timoriensis</i> | live | 10 | FR | ID | | T | C | |
| | 2 | B | <i>Boidae spp.</i> | skin pieces | 1 | SE | XM | | I | | |
| | 2 | B | <i>Boa constrictor</i> | live | 20 | AT | CH | NI | T | C | |
| | 2 | B | <i>Boa constrictor</i> | live | 30 | BE | GY | | T | W | |
| | 2 | B | <i>Boa constrictor</i> | live | 200 | BE | NI | | T | C | |
| | 2 | B | <i>Boa constrictor</i> | live | 55 | DE | CH | | T | F | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Boa constrictor | live | 8 | | DE | CR | | T | C |
| | 2 | B | Boa constrictor | live | 308 | | DE | CZ | | T | C |
| | 2 | B | Boa constrictor | live | 40 | | DE | GY | | T | W |
| | 2 | B | Boa constrictor | live | 50 | | DE | SV | | T | C |
| | 2 | B | Boa constrictor | live | 6 | | DE | US | | T | F |
| | 2 | B | Boa constrictor | live | 50 | | DE | US | | T | C |
| | 2 | B | Boa constrictor | live | 36 | | DE | US | CO | T | C |
| | 2 | B | Boa constrictor | live | 21 | | DE | US | GY | T | W |
| | 2 | B | Boa constrictor | live | 2 | | DK | US | CO | P | C |
| | 2 | B | Boa constrictor | live | 8 | | DK | US | GY | T | W |
| | 2 | B | Boa constrictor | live | 205 | | ES | CZ | | T | C |
| | 2 | B | Boa constrictor | live | 130 | | ES | NI | | T | C |
| | 2 | B | Boa constrictor | live | 5 | | ES | SR | | T | W |
| | 2 | B | Boa constrictor | live | 60 | | ES | US | CO | T | C |
| | 2 | B | Boa constrictor | live | 4 | | FR | CA | | T | C |
| | 2 | B | Boa constrictor | live | 570 | | FR | CZ | | T | C |
| | 2 | B | Boa constrictor | live | 30 | | FR | GY | | T | W |
| | 2 | B | Boa constrictor | live | 143 | | FR | US | CO | T | C |
| | 2 | B | Boa constrictor | live | 10 | | FR | US | CZ | T | C |
| | 2 | B | Boa constrictor | live | 5 | | FR | US | GY | T | W |
| | 2 | B | Boa constrictor | live | 60 | | GB | GY | | T | W |
| | 2 | B | Boa constrictor | live | 2 | | GB | US | | T | F |
| | 2 | B | Boa constrictor | live | 3 | | GB | US | | T | C |
| | 2 | B | Boa constrictor | live | 312 | | IT | CZ | | T | C |
| | 2 | B | Boa constrictor | live | 300 | | IT | NI | | T | C |
| | 2 | B | Boa constrictor | live | 10 | | IT | US | CO | T | C |
| | 2 | B | Boa constrictor | live | 100 | | NL | CZ | | T | C |
| | 2 | B | Boa constrictor | live | 16 | | NL | SR | | T | F |
| | 2 | B | Boa constrictor | live | 197 | | NL | SR | | T | W |
| | 2 | B | Boa constrictor | live | 12 | | NL | US | CO | T | C |
| | 2 | B | Boa constrictor | live | 1 | | PT | XX | | S | I |
| | 2 | B | Calabaria reinhardtii | bodies | 1 | | DE | CM | | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 424 | | BE | GH | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 60 | | BE | TG | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 27 | | DE | GH | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 7 | | DE | US | TG | T | R |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 3 | | ES | GH | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 29 | | FR | TG | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 30 | | GB | GH | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 10 | | GR | GH | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 6 | | IT | TG | | T | R |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 50 | | NL | GH | | T | W |
| | 2 | B | <i>Calabaria reinhardtii</i> | live | 6 | | NL | TG | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 9 | | AT | ID | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 15 | | BE | ID | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 23 | | DE | ID | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 12 | | ES | ID | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 26 | | FR | ID | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 30 | | GB | ID | | T | W |
| | 2 | B | <i>Candoia aspera</i> | live | 6 | | NL | ID | | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 2 | | BE | ID | | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 25 | | DE | ID | | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 1 | | DE | US | SB | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 16 | | ES | ID | | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 24 | | FR | ID | | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 40 | | GB | ID | | T | W |
| | 2 | B | <i>Candoia carinata</i> | live | 3 | | NL | ID | | T | W |
| | 2 | B | <i>Corallus annulatus</i> | live | 2 | | DE | CR | | T | C |
| | 2 | B | <i>Corallus caninus</i> | live | 31 | | BE | GY | | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 25 | | DE | GY | | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 5 | | DE | US | GY | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 2 | | DK | US | GY | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 4 | | ES | SR | | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 4 | | ES | US | GY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|-------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Corallus caninus</i> | live | 131 | | GB | GY | | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 1 | | NL | CZ | CA | Z | C |
| | 2 | B | <i>Corallus caninus</i> | live | 123 | | NL | SR | | T | W |
| | 2 | B | <i>Corallus caninus</i> | live | 2 | | SE | US | GY | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 50 | | BE | GY | | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 94 | | DE | GY | | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 10 | | DE | US | GY | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 2 | | DK | US | GY | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 18 | | ES | SR | | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 12 | | ES | US | GY | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 122 | | GB | GY | | T | W |
| | 2 | B | <i>Corallus hortulanus</i> | live | 231 | | NL | SR | | T | W |
| | 2 | B | <i>Epicrates angulifer</i> | live | 4 | | BE | CZ | | T | C |
| | 2 | B | <i>Epicrates angulifer</i> | live | 13 | | DE | CZ | | T | C |
| | 2 | B | <i>Epicrates angulifer</i> | live | 14 | | ES | CZ | | T | C |
| | 2 | B | <i>Epicrates angulifer</i> | live | 87 | | FR | CZ | | T | C |
| | 2 | B | <i>Epicrates cenchria</i> | live | 16 | | DE | CZ | | B | C |
| | 2 | B | <i>Epicrates cenchria</i> | live | 162 | | DE | CZ | | T | C |
| | 2 | B | <i>Epicrates cenchria</i> | live | 51 | | DE | GY | | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | live | 5 | | DE | US | GY | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | live | 28 | | ES | CZ | | T | C |
| | 2 | B | <i>Epicrates cenchria</i> | live | 2 | | ES | SR | | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | live | 6 | | ES | US | GY | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | live | 35 | | GB | GY | | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | live | 6 | | GB | US | | T | F |
| | 2 | B | <i>Epicrates cenchria</i> | live | 50 | | IT | CZ | | T | C |
| | 2 | B | <i>Epicrates cenchria</i> | live | 10 | | IT | US | GY | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | live | 33 | | NL | SR | | T | W |
| | 2 | B | <i>Epicrates cenchria</i> | skins | 3 | | DE | CH | XX | T | O |
| | 2 | B | <i>Eryx miliaris</i> | live | 50 | | DE | RU | | T | W |
| | 2 | B | <i>Eunectes murinus</i> | live | 10 | | BE | GY | | T | W |
| | 2 | B | <i>Eunectes murinus</i> | live | 2 | | DE | US | GY | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Eunectes murinus</i> | live | 6 | | ES | GY | | T | W |
| I | 2 | B | <i>Eunectes murinus</i> | live | 4 | | ES | SR | | T | W |
| I | 2 | B | <i>Eunectes murinus</i> | live | 5 | | FR | US | GY | T | W |
| I | 2 | B | <i>Eunectes murinus</i> | live | 25 | | GB | GY | | T | W |
| I | 2 | B | <i>Eunectes murinus</i> | live | 8 | | SE | US | GY | T | W |
| I | 2 | B | <i>Eunectes murinus</i> | skins | 1 | | ES | VE | XX | I | |
| I | 2 | B | <i>Eunectes notaeus</i> | live | 40 | | BE | CZ | | T | C |
| I | 2 | B | <i>Eunectes notaeus</i> | live | 19 | | DE | CZ | | T | C |
| I | 2 | B | <i>Eunectes notaeus</i> | live | 10 | | ES | CZ | | T | C |
| I | 2 | B | <i>Eunectes notaeus</i> | live | 13 | | FR | CZ | | T | C |
| I | 2 | B | <i>Eunectes notaeus</i> | skins | 2586 | | DE | AR | | T | W |
| I | 2 | B | <i>Eunectes notaeus</i> | skins | 990 | | DE | PY | | T | W |
| I | 2 | B | <i>Eunectes notaeus</i> | skins | 313 | | IT | US | AR | T | W |
| I | 2 | B | <i>Lichanura trivirgata</i> | live | 1 | | DE | US | | T | F |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 1929 | | DE | IN | ID | T | W |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 48475 | | DE | SG | | T | I |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 4811 | | DE | SG | ID | T | W |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 18000 | | DE | SG | MY | T | W |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 3000 | | ES | SG | MY | T | I |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 23371 | | ES | SG | MY | T | W |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 65000 | | GB | SG | ID | T | W |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 4926 | | IT | MY | | T | W |
| I | 2 | B | <i>Ptyas mucosus</i> | skins | 10200 | | IT | SG | ID | T | W |
| I | 2 | B | <i>Naja naja</i> | live | 2 | | GB | RU | | Z | C |
| I | 2 | B | <i>Naja naja</i> | large leather products | 145 | | DE | TH | | T | W |
| I | 2 | B | <i>Naja naja</i> | large leather products | 17 pairs | | DE | TH | | T | W |
| I | 2 | B | <i>Naja naja</i> | small leather products | 605 | | DE | TH | | T | W |
| I | 2 | B | <i>Naja naja</i> | skins | 25 | | GB | US | ID | T | W |
| I | 2 | B | <i>Naja naja</i> | skins | 160 | | IT | TH | | T | W |
| I | 2 | B | <i>Naja naja kaouthia</i> | live | 7 | | SE | CH | | T | F |
| I | 2 | B | <i>Naja naja kaouthia</i> | specimens | 1 | | AT | US | S | F | |
| I | 2 | B | <i>Naja naja sputatrix</i> | live | 20 | | FR | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Naja naja sputatrix</i> | large leather products | 145 | | ES | ID | | T | W |
| | 2 | B | <i>Naja naja sputatrix</i> | small leather products | 15 | | ES | ID | | T | W |
| | 2 | B | <i>Naja naja sputatrix</i> | skins | 500 | | IT | ID | | T | W |
| | 2 | B | <i>Naja naja sputatrix</i> | skins | 8000 | | IT | SG | ID | T | W |
| | 2 | B | <i>Ophiophagus hannah</i> | live | 2 | | DE | ID | | T | W |
| | 2 | B | <i>Ophiophagus hannah</i> | live | 5 | | FR | ID | | T | W |
| | 2 | B | <i>Ophiophagus hannah</i> | live | 3 | | SE | US | | T | F |
| | 2 | B | <i>Ambystoma mexicanum</i> | eggs (live) | 2000 | | SE | US | | S | C |
| | 2 | B | <i>Ambystoma mexicanum</i> | live | 1000 | | DE | US | | M | C |
| | 2 | B | <i>Ambystoma mexicanum</i> | live | 1320 | | DE | US | | S | C |
| | 2 | B | <i>Ambystoma mexicanum</i> | live | 150 | | ES | CZ | | T | C |
| | 2 | B | <i>Ambystoma mexicanum</i> | specimens | 1000 | | DE | US | | S | C |
| | 2 | B | <i>Dendrobates auratus</i> | live | 5 | | DE | CR | | P | W |
| | 2 | B | <i>Dendrobates auratus</i> | live | 36 | | DE | NI | | T | R |
| | 2 | B | <i>Dendrobates auratus</i> | live | 110 | | DE | US | NI | T | R |
| | 2 | B | <i>Dendrobates auratus</i> | live | 50 | | FR | CZ | | T | C |
| | 2 | B | <i>Dendrobates auratus</i> | live | 50 | | IT | CZ | | T | C |
| | 2 | B | <i>Dendrobates auratus</i> | live | 200 | | SE | CZ | | T | C |
| | 2 | B | <i>Dendrobates histrionicus</i> | live | 25 | | DE | EC | | T | W |
| | 2 | B | <i>Dendrobates leucomelas</i> | live | 25 | | DE | GY | | T | W |
| | 2 | B | <i>Dendrobates leucomelas</i> | live | 12 | | SE | CZ | | T | C |
| | 2 | B | <i>Dendrobates pumilio</i> | live | 100 | | DE | NI | | T | R |
| | 2 | B | <i>Dendrobates pumilio</i> | live | 262 | | DE | US | NI | T | R |
| | 2 | B | <i>Dendrobates tinctorius</i> | live | 37 | | DE | CA | SR | T | W |
| | 2 | B | <i>Dendrobates tinctorius</i> | live | 10 | | DE | SR | | T | W |
| | 2 | B | <i>Dendrobates tinctorius</i> | live | 78 | | DE | SR | | T | F |
| | 2 | B | <i>Dendrobates tinctorius</i> | live | 17 | | DE | US | SR | T | W |
| | 2 | B | <i>Dendrobates tinctorius</i> | live | 664 | | NL | SR | | T | W |
| | 2 | B | <i>Dendrobates tinctorius</i> | live | 8 | | NL | US | | T | F |
| | 2 | B | <i>Epipedobates boulengeri</i> | live | 120 | | SE | CZ | | T | C |
| | 2 | B | <i>Epipedobates tricolor</i> | live | 25 | | DE | EC | | T | W |
| | 2 | B | <i>Phobobates trivittatus</i> | live | 197 | | NL | SR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Phyllobates terribilis</i> | live | 6 | | DE | CH | | Z | F |
| | 2 | B | <i>Phyllobates terribilis</i> | live | 8 | | DK | CH | | Z | F |
| | 2 | B | <i>Phyllobates terribilis</i> | live | 16 | | GB | CH | | Z | C |
| | 2 | B | <i>Phyllobates vittatus</i> | live | 120 | | SE | CZ | | T | C |
| | 2 | B | <i>Hoplobatrachus tigerinus</i> | meat | 39907 | kg | BE | VN | | T | C |
| | 2 | B | <i>Neoceratodus forsteri</i> | live | 4 | | DE | AU | | S | W |
| | 2 | B | <i>Neoceratodus forsteri</i> | skulls | 6 | | IT | AU | | S | C |
| | 2 | B | <i>Neoceratodus forsteri</i> | specimens | 1 ml | | SE | AU | | S | W |
| | 2 | B | <i>Acipenseriformes</i> spp. | caviar | 1 kg | | DE | RU | | T | C |
| | 2 | B | <i>Acipenseriformes</i> spp. | caviar | 20 kg | | ES | RU | XX | I | |
| | 2 | B | <i>Acipenseriformes</i> spp. | caviar | 200 g | | LU | RU | | I | |
| | 2 | B | <i>Acipenseriformes</i> spp. | caviar | 18 kg | | LU | US | RU | I | |
| | 2 | B | <i>Acipenseriformes</i> spp. | meat | 3300 | kg | LU | IR | | T | W |
| | 2 | B | <i>Acipenseriformes</i> spp. | trophies | 1 | | SE | NO | | Z | W |
| | 2 | B | <i>Acipenseriformes</i> spp. | wax | 162 g | | DE | CH | IR | T | O |
| | 2 | B | <i>Acipenseriformes</i> spp. | wax | 597 g | | DE | CH | IR | T | W |
| | 2 | B | <i>Acipenser</i> spp. | caviar | 2 kg | | DE | RU | | T | F |
| | 2 | B | <i>Acipenser baerii</i> | caviar | 6 kg | | DE | RU | | T | F |
| | 2 | B | <i>Acipenser baerii</i> | caviar | 500 g | | DE | UY | | T | C |
| | 2 | B | <i>Acipenser baerii</i> | live | 68400 | | DE | PL | | T | C |
| | 2 | B | <i>Acipenser fulvescens</i> | caviar | 5 kg | | FR | CA | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 123 kg | | BE | RO | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 804 kg | | BE | RU | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 1240 kg | | DE | CH | RU | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 340 kg | | DE | IR | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 497 kg | | DE | RO | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 2 kg | | DE | RU | | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 2371 kg | | DE | RU | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 2177 kg | | DE | RU | AZ | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 853 kg | | DE | US | KZ | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 24 kg | | DE | US | RU | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 137 kg | | DK | IR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 2396 kg | | ES | IR | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 2960 kg | | FR | IR | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 50 kg | | FR | RO | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 40 kg | | GR | RO | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 57 kg | | NL | RO | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | caviar | 200 kg | | NL | RU | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 800 | | AT | HU | RU | T | C |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 5000 | | BE | HU | RU | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 12000 | | DE | HU | RU | T | C |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 20000 | | DE | HU | RU | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 38800 | | DE | PL | | T | C |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 2700 | | FR | HU | RU | T | C |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 5000 | | FR | HU | RU | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 3000 | | GB | HU | RU | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 4000 | | GB | HU | RU | T | C |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 290 kg | | GB | HU | RU | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 4750 | | NL | AM | RU | T | C |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | live | 12000 | | NL | HU | RU | T | F |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | meat | 180 kg | | DE | IR | | T | W |
| | 2 | B | <i>Acipenser gueldenstaedtii</i> | meat | 58 kg | | DE | RO | | T | W |
| | 2 | B | <i>Acipenser nudiventris</i> | caviar | 387 kg | | DE | CH | KZ | T | W |
| | 2 | B | <i>Acipenser nudiventris</i> | caviar | 22 kg | | DE | VN | KZ | T | W |
| | 2 | B | <i>Acipenser persicus</i> | bodies | 70 kg | | SE | IR | | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 500 kg | | BE | IR | | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 687 kg | | DE | CH | IR | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 4132 kg | | DE | IR | | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 55 kg | | DK | CH | IR | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 2479 kg | | DK | IR | | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 3338 kg | | ES | IR | | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 4642 kg | | FR | CH | IR | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 8582 kg | | FR | IR | | T | W |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 68 kg | | FR | US | IR | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Acipenser persicus</i> | caviar | 744 kg | GB | CH | IR | T | W | |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 515 kg | GB | IR | | T | W | |
| | 2 | B | <i>Acipenser persicus</i> | caviar | 3990 kg | LU | IR | | T | W | |
| | 2 | B | <i>Acipenser persicus</i> | meat | 25 kg | BE | IR | | T | W | |
| | 2 | B | <i>Acipenser persicus</i> | meat | 2372 kg | DE | IR | | T | W | |
| | 2 | B | <i>Acipenser persicus</i> | meat | 150 kg | ES | IR | | T | W | |
| | 2 | B | <i>Acipenser persicus</i> | meat | 43 kg | FR | IR | | T | W | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 4000 | DE | CZ | | T | F | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 10000 | DE | CZ | | T | C | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 10000 | DE | HU | | T | C | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 12500 | DE | HU | | T | F | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 2000 | FR | HU | | T | F | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 6000 | GB | HU | | T | F | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 45 kg | GB | HU | | T | F | |
| | 2 | B | <i>Acipenser ruthenus</i> | live | 5000 | NL | HU | | T | F | |
| | 2 | B | <i>Acipenser schrencki</i> | caviar | 1680 kg | DE | CN | | T | W | |
| | 2 | B | <i>Acipenser schrencki</i> | caviar | 1503 kg | GB | RU | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | bodies | 350 kg | IT | IR | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | bodies | 20 kg | IT | RO | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | bodies | 60 kg | SE | IR | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 520 kg | BE | IR | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 68 kg | BE | RO | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 426 kg | BE | RU | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 1014 kg | DE | CH | IR | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 1165 kg | DE | CH | KZ | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 340 kg | DE | CH | RU | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 22 kg | DE | CN | KZ | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 2604 kg | DE | IR | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 1201 kg | DE | RO | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 834 kg | DE | RU | | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 1575 kg | DE | RU | AZ | T | W | |
| | 2 | B | <i>Acipenserstellatus</i> | caviar | 1397 kg | DE | US | KZ | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 6 kg | DE | US | RU | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 21 kg | DE | VN | KZ | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 77 kg | DK | CH | IR | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 1234 kg | DK | IR | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 115 kg | DK | RO | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 1140 kg | ES | IR | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 4948 kg | FR | CH | IR | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 4470 kg | FR | IR | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 131 kg | FR | RO | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 555 kg | FR | US | RU | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 285 kg | GB | CH | IR | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 184 kg | GB | IR | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 2800 kg | LU | IR | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 48 kg | NL | RO | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | caviar | 43 kg | PT | US | KZ | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | meat | 500 kg | DE | IR | | T | W | |
| | 2 | B | <i>Acipenser stellatus</i> | meat | 5 kg | FR | IR | | T | W | |
| | 2 | B | <i>Huso dauricus</i> | caviar | 1520 kg | DE | CN | | T | W | |
| | 2 | B | <i>Huso dauricus</i> | caviar | 2167 kg | GB | RU | | T | W | |
| | 2 | B | <i>Huso huso</i> | bodies | 1 | GB | CH | IR | T | O | |
| | 2 | B | <i>Huso huso</i> | caviar | 20 kg | BE | IR | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 88 kg | BE | RO | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 5 kg | DE | CH | IR | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 213 kg | DE | IR | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 1287 kg | DE | RO | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 15 kg | DE | RU | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 280 kg | DE | US | KZ | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 139 kg | DK | IR | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 260 kg | ES | IR | | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 2 kg | ES | US | KZ | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 88 kg | FR | CH | IR | T | W | |
| | 2 | B | <i>Huso huso</i> | caviar | 556 kg | FR | IR | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Huso huso | caviar | 157 kg | FR | RO | | T | W | |
| | 2 | B | Huso huso | caviar | 123 kg | FR | US | RO | T | W | |
| | 2 | B | Huso huso | caviar | 100 kg | GB | IR | | T | W | |
| | 2 | B | Huso huso | caviar | 210 kg | LU | IR | | T | W | |
| | 2 | B | Huso huso | caviar | 52 kg | NL | RO | | T | W | |
| | 2 | B | Huso huso | gall bladders | 78 kg | DE | IR | | T | W | |
| | 2 | B | Huso huso | meat | 145 kg | BE | IR | | T | W | |
| | 2 | B | Huso huso | meat | 25920 kg | DE | IR | | T | W | |
| | 2 | B | Huso huso | meat | 138 kg | DE | RO | | T | W | |
| | 2 | B | Huso huso | meat | 100 kg | DK | IR | | T | W | |
| | 2 | B | Huso huso | meat | 150 kg | ES | IR | | T | W | |
| | 2 | B | Huso huso | meat | 111 kg | FR | IR | | T | W | |
| | 2 | B | Huso huso | meat | 1030 kg | IT | IR | | T | W | |
| | 2 | B | Huso huso | meat | 15000 kg | NL | IR | | T | W | |
| | 2 | B | Huso huso | meat | 150 kg | SE | IR | | T | W | |
| | 2 | B | Polyodon spathula | eggs | 25000 | DE | US | | T | F | |
| | 2 | B | Polyodon spathula | eggs | 43 kg | DE | US | | T | W | |
| | 2 | B | Papilionidae spp. | bodies | 3 | SE | XX | | I | | |
| | 2 | B | Ornithoptera spp. | bodies | 66 | FR | PG | | T | R | |
| | 2 | B | Ornithoptera caelestis | bodies | 1 | SE | CA | PG | P | C | |
| | 2 | B | Ornithoptera chimaera | bodies | 4 | BE | PG | | S | R | |
| | 2 | B | Ornithoptera chimaera | bodies | 78 | DE | PG | | T | R | |
| | 2 | B | Ornithoptera chimaera | bodies | 10 | ES | PG | | T | R | |
| | 2 | B | Ornithoptera chimaera | bodies | 2 | FR | CA | PG | S | W | |
| | 2 | B | Ornithoptera chimaera | bodies | 2 | FR | CA | PG | T | R | |
| | 2 | B | Ornithoptera chimaera | bodies | 2 | FR | PG | | P | R | |
| | 2 | B | Ornithoptera chimaera | bodies | 10 | FR | PG | | T | R | |
| | 2 | B | Ornithoptera chimaera | bodies | 12 | FR | PG | | T | W | |
| | 2 | B | Ornithoptera chimaera | bodies | 2 | IT | PG | | T | R | |
| | 2 | B | Ornithoptera croesus | bodies | 1 | DE | CZ | XX | P | U | |
| | 2 | B | Ornithoptera croesus | bodies | 14 | FR | CA | ID | T | R | |
| | 2 | B | Ornithoptera croesus | bodies | 100 | FR | ID | | T | F | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ornithoptera croesus lydius</i> | bodies | 1 | | SE | CA | ID | P | C |
| | 2 | B | <i>Ornithoptera goliath</i> | bodies | 4 | | BE | PG | | S | R |
| | 2 | B | <i>Ornithoptera goliath</i> | bodies | 97 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera goliath</i> | bodies | 10 | | ES | PG | | T | R |
| | 2 | B | <i>Ornithoptera goliath</i> | bodies | 16 | | FR | CA | ID | T | R |
| | 2 | B | <i>Ornithoptera goliath</i> | bodies | 25 | | FR | CA | ID | S | W |
| | 2 | B | <i>Ornithoptera goliath</i> | bodies | 1 | | FR | CA | PG | S | W |
| | 2 | B | <i>Ornithoptera goliath</i> | live | 39 | | DE | ID | | T | R |
| | 2 | B | <i>Ornithoptera goliath</i> | specimens | 6 | | IT | PG | | P | W |
| | 2 | B | <i>Ornithoptera goliath samson</i> | bodies | 24 | | FR | ID | | T | R |
| | 2 | B | <i>Ornithoptera goliath supremus</i> | bodies | 8 | | ES | PG | | T | R |
| | 2 | B | <i>Ornithoptera goliath supremus</i> | bodies | 8 | | FR | PG | | P | R |
| | 2 | B | <i>Ornithoptera goliath supremus</i> | bodies | 66 | | FR | PG | | T | R |
| | 2 | B | <i>Ornithoptera goliath supremus</i> | bodies | 10 | | IT | PG | | T | R |
| | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 65 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 8 | | ES | PG | | T | R |
| | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 2 | | FR | PG | | T | R |
| | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 14 | | GB | PG | | P | R |
| | 2 | B | <i>Ornithoptera meridionalis</i> | bodies | 2 | | IT | PG | | T | R |
| | 2 | B | <i>Ornithoptera paradisea</i> | bodies | 5 | | FR | CA | ID | S | W |
| | 2 | B | <i>Ornithoptera paradisea</i> | bodies | 8 | | FR | ID | | T | R |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 86 | | AT | PG | | T | R |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 10 | | BE | PG | | S | R |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 5 | | DE | AU | | P | C |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 30 | | DE | AU | | T | C |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 1 | | DE | CZ | XX | P | U |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 1 | | DE | PG | | P | C |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 297 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 20 | | ES | PG | | T | R |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 10 | | ES | SG | PG | T | C |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 28 | | FR | AU | | T | C |
| | 2 | B | <i>Ornithoptera priamus</i> | bodies | 18 | | FR | CA | ID | T | R |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|-----------|----------|------|----------|----------|--------|---------|--------|
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 7 | | FR | CA | PG | T | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 69 | | FR | CA | PG | S | W |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 12 | | FR | ID | | T | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 40 | | FR | ID | | T | F |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 48 | | FR | IS | | T | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 30 | | FR | PG | | P | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 296 | | FR | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 84 | | FR | SB | | T | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 19 | | GB | PG | | P | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | bodies | 80 | | GB | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus</i> | live | 10 | | DE | AU | | B | C |
| I | 2 | B | <i>Ornithoptera priamus</i> | live | 10 | | DE | AU | | P | C |
| I | 2 | B | <i>Ornithoptera priamus admiraltatus</i> | bodies | 4 | | DE | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus admiraltatus</i> | bodies | 6 | | ES | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus admiraltatus</i> | bodies | 10 | | IT | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus bornemannii</i> | bodies | 40 | | DE | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus demophanes</i> | bodies | 8 | | ES | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus demophanes</i> | specimens | 4 | | IT | PG | | P | W |
| I | 2 | B | <i>Ornithoptera priamus euphorion</i> | bodies | 3 | | DE | AU | | P | C |
| I | 2 | B | <i>Ornithoptera priamus poseidon</i> | bodies | 320 | | DE | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus poseidon</i> | bodies | 28 | | ES | PG | | T | R |
| I | 2 | B | <i>Ornithoptera priamus poseidon</i> | bodies | 100 | | IT | PG | | T | W |
| I | 2 | B | <i>Ornithoptera priamus poseidon</i> | bodies | 2 | | SE | CA | PG | P | C |
| I | 2 | B | <i>Ornithoptera priamus poseidon</i> | live | 112 | | DE | ID | | T | R |
| I | 2 | B | <i>Ornithoptera priamus poseidon</i> | specimens | 6 | | IT | PG | | P | W |
| I | 2 | B | <i>Ornithoptera richmondia</i> | bodies | 3 | | DE | AU | | P | C |
| I | 2 | B | <i>Ornithoptera rothschildi</i> | bodies | 3 | | FR | CA | ID | S | W |
| I | 2 | B | <i>Ornithoptera rothschildi</i> | bodies | 6 | | FR | CA | ID | T | R |
| I | 2 | B | <i>Ornithoptera rothschildi</i> | bodies | 38 | | FR | ID | | T | R |
| I | 2 | B | <i>Ornithoptera tithonus</i> | bodies | 15 | | FR | CA | ID | S | W |
| I | 2 | B | <i>Ornithoptera tithonus</i> | bodies | 18 | | FR | ID | | T | R |
| I | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 15 | | BE | PG | | S | R |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 1 | | DE | AU | | P | C |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 4 | | DE | AU | PG | P | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 16 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 31 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 20 | | ES | PG | | T | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 3 | | FR | IS | | T | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 264 | | FR | SB | | T | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 20 | | IT | PG | | T | R |
| | 2 | B | <i>Ornithoptera urvillianus</i> | bodies | 2 | | SE | CA | PG | P | C |
| | 2 | B | <i>Ornithoptera urvillianus</i> | specimens | 12 | | IT | PG | | P | W |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 29 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 10 | | ES | PG | | T | R |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 2 | | ES | SG | PG | T | C |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 9 | | FR | CA | PG | S | W |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 33 | | FR | IS | | T | R |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 4 | | FR | PG | | T | R |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 14 | | FR | SB | | T | W |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 146 | | FR | SB | | T | R |
| | 2 | B | <i>Ornithoptera victoriae</i> | bodies | 10 | | IT | PG | | T | R |
| | 2 | B | <i>Ornithoptera victoriae reginae</i> | bodies | 19 | | DE | PG | | T | R |
| | 2 | B | <i>Ornithoptera victoriae reginae</i> | bodies | 6 | | FR | PG | | T | R |
| | 2 | B | <i>Troides amphrysus</i> | bodies | 2 | | SE | CA | ID | P | C |
| | 2 | B | <i>Troides cuneifer</i> | bodies | 20 | | FR | ID | | T | F |
| | 2 | B | <i>Troides cuneifer</i> | bodies | 2 | | SE | CA | ID | P | C |
| | 2 | B | <i>Troides haliphron</i> | bodies | 40 | | FR | ID | | T | F |
| | 2 | B | <i>Troides haliphron</i> | bodies | 2 | | SE | CA | ID | P | C |
| | 2 | B | <i>Troides helena</i> | bodies | 2 | | SE | CA | ID | P | C |
| | 2 | B | <i>Troides helena</i> | live | 25 | | NL | MY | | T | C |
| | 2 | B | <i>Troides hypolitus</i> | bodies | 2 | | SE | CA | ID | P | C |
| | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 20 | | DE | AU | PG | P | R |
| | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 12 | | DE | PG | | T | R |
| | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 20 | | FR | ID | | T | R |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---|-----------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 16 | | FR | PG | | P | R |
| | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 200 | | FR | PG | | T | R |
| | 2 | B | <i>Troides oblongomaculatus</i> | bodies | 2 | | SE | CA | PG | P | C |
| | 2 | B | <i>Troides oblongomaculatus</i> | live | 30 | | DE | ID | | T | R |
| | 2 | B | <i>Troides oblongomaculatus</i> | specimens | 8 | | IT | PG | | P | W |
| | 2 | B | <i>Troides oblongomaculatus papuensis</i> | bodies | 30 | | ES | PG | | T | R |
| | 2 | B | <i>Troides oblongomaculatus papuensis</i> | bodies | 20 | | FR | PG | | T | R |
| | 2 | B | <i>Troides oblongomaculatus papuensis</i> | bodies | 21 | | GB | PG | | T | R |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 1 | | AT | CZ | | P | C |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 20 | | AT | NI | | T | W |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 200 | | BE | NI | | T | W |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 60 | | DE | CZ | | T | C |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 120 | | ES | NI | | T | W |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 200 | | ES | NI | | T | C |
| | 2 | B | <i>Brachypelma albopilosum</i> | live | 20 | | FR | US | NI | T | W |
| | 2 | B | <i>Brachypelma auratum</i> | live | 1 | | AT | CZ | | P | C |
| | 2 | B | <i>Brachypelma auratum</i> | live | 15 | | DE | CH | | T | C |
| | 2 | B | <i>Brachypelma auratum</i> | live | 25 | | DE | CZ | | T | C |
| | 2 | B | <i>Brachypelma auratum</i> | live | 30 | | SE | CZ | | T | C |
| | 2 | B | <i>Brachypelma boehmei</i> | live | 50 | | DE | CH | | T | C |
| | 2 | B | <i>Brachypelma boehmei</i> | live | 30 | | SE | CZ | | T | C |
| | 2 | B | <i>Brachypelma emilia</i> | live | 240 | | DE | CH | | T | C |
| | 2 | B | <i>Brachypelma smithi</i> | live | 310 | | DE | CH | | T | C |
| | 2 | B | <i>Brachypelma smithi</i> | live | 40 | | IT | CZ | | T | C |
| | 2 | B | <i>Brachypelma smithi</i> | live | 60 | | SE | CZ | | T | C |
| | 2 | B | <i>Brachypelma vagans</i> | live | 2 | | AT | CZ | | P | C |
| | 2 | B | <i>Brachypelma vagans</i> | live | 110 | | DE | CZ | | T | C |
| | 2 | B | <i>Brachypelma vagans</i> | live | 40 | | IT | CZ | | T | C |
| | 2 | B | <i>Brachypelma vagans</i> | live | 130 | | SE | CZ | | T | C |
| | 2 | B | <i>Pandinus imperator</i> | bodies | 1 | | DE | CZ | XX | P | U |
| | 2 | B | <i>Pandinus imperator</i> | live | 150 | | AT | TG | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 1000 | | BE | GH | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|---------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Pandinus imperator</i> | live | 2050 | | BE | TG | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 1420 | | DE | BJ | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 4880 | | DE | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 30 | | DE | TG | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 400 | | DK | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 25 | | DK | US | TG | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 50 | | ES | GH | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 665 | | ES | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 150 | | ES | TG | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 100 | | FR | BJ | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 250 | | FR | TG | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 850 | | FR | TG | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 2210 | | GB | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 50 | | GR | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 100 | | IT | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 1000 | | IT | TG | | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 342 | | IT | US | TG | T | R |
| | 2 | B | <i>Pandinus imperator</i> | live | 560 | | NL | GH | | T | W |
| | 2 | B | <i>Pandinus imperator</i> | live | 30 | | PT | GH | | Z | W |
| | 2 | B | <i>Hirudo medicinalis</i> | bodies | 5600 | | FR | TR | | T | W |
| | 2 | B | <i>Hirudo medicinalis</i> | extract | 659 g | | DE | CH | RO | T | W |
| | 2 | B | <i>Hirudo medicinalis</i> | extract | 847 g | | DE | CH | RU | T | W |
| | 2 | B | <i>Hirudo medicinalis</i> | extract | 2394 g | | DE | CH | TR | T | W |
| | 2 | B | <i>Hirudo medicinalis</i> | extract | 32 g | | IT | CH | RU | S | W |
| | 2 | B | <i>Hirudo medicinalis</i> | live | 1015 kg | | DE | TR | | T | W |
| | 2 | B | <i>Hirudo medicinalis</i> | live | 18000 | | FR | RU | UA | S | C |
| | 2 | B | <i>Hirudo medicinalis</i> | live | 125 | | FR | TR | | S | W |
| | 2 | B | <i>Hirudo medicinalis</i> | live | 15000 | | FR | UA | | T | R |
| | 2 | B | <i>Hirudo medicinalis</i> | live | 25 | | GB | TR | | T | W |
| | 2 | B | <i>Tridacnidae</i> spp. | live | 74 | | DE | TO | | T | C |
| | 2 | B | <i>Tridacnidae</i> spp. | live | 1500 | | FR | ID | | T | W |
| | 2 | B | <i>Tridacnidae</i> spp. | live | 450 | | FR | SB | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|--------|-----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Tridacnidae spp. | live | 110 | | FR | US | MH | T | C |
| | 2 | B | Tridacnidae spp. | live | 27535 | | FR | VN | | T | W |
| | 2 | B | Tridacnidae spp. | live | 9941 | | FR | VU | | T | W |
| | 2 | B | Tridacnidae spp. | shells | 4 | | DE | PL | XX | P | U |
| | 2 | B | Tridacnidae spp. | shells | 5 | | DE | TF | | P | W |
| | 2 | B | Hippopus spp. | shells | 1200 | | ES | PH | XX | T | I |
| | 2 | B | Hippopus hippopus | live | 10 | | DE | MH | | T | C |
| | 2 | B | Hippopus hippopus | live | 30 | | DE | VU | | T | W |
| | 2 | B | Hippopus hippopus | shells | 1 | | DE | PL | XX | P | W |
| | 2 | B | Hippopus hippopus | shells | 7 | | FR | NC | | P | W |
| | 2 | B | Tridacna spp. | shells | 3 | | FR | VU | | P | W |
| | 2 | B | Tridacna crocea | live | 2 | | DE | ID | | P | W |
| | 2 | B | Tridacna crocea | live | 107 | | DE | SB | | T | C |
| | 2 | B | Tridacna crocea | live | 3599 | | DE | VN | | T | W |
| | 2 | B | Tridacna crocea | live | 559 | | DE | VU | | T | W |
| | 2 | B | Tridacna crocea | live | 650 | | ES | VU | | T | W |
| | 2 | B | Tridacna crocea | live | 1983 | | FR | VU | | T | W |
| | 2 | B | Tridacna crocea | live | 110 | | GB | FJ | SB | T | C |
| | 2 | B | Tridacna crocea | live | 50 | | GB | SB | | T | C |
| | 2 | B | Tridacna crocea | live | 183 | | GB | US | VU | T | W |
| | 2 | B | Tridacna crocea | live | 200 | | NL | VN | | T | W |
| | 2 | B | Tridacna crocea | live | 800 | | NL | VU | | T | W |
| | 2 | B | Tridacna crocea | shells | 53 | | GB | SB | | T | C |
| | 2 | B | Tridacna crocea | shells | 50 | | GB | US | VU | T | W |
| | 2 | B | Tridacna crocea | shells | 10 | | GB | VU | | T | W |
| | 2 | B | Tridacna derasa | live | 3 | | DE | ID | | P | W |
| | 2 | B | Tridacna derasa | live | 123 | | DE | SB | | T | C |
| | 2 | B | Tridacna derasa | live | 1003 | | DE | TO | | T | C |
| | 2 | B | Tridacna derasa | live | 253 | | DK | TO | | T | C |
| | 2 | B | Tridacna derasa | live | 200 pairs | | DK | TO | | T | C |
| | 2 | B | Tridacna derasa | live | 25 | | ES | VU | | T | W |
| | 2 | B | Tridacna derasa | live | 150 | | GB | FJ | SB | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------|--------|-----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Tridacna derasa</i> | live | 50 | | GB | SB | | T | C |
| | 2 | B | <i>Tridacna derasa</i> | shells | 4 | | DE | TO | | P | U |
| | 2 | B | <i>Tridacna gigas</i> | live | 20 | | DE | ID | | T | C |
| | 2 | B | <i>Tridacna gigas</i> | live | 1 | | DE | MH | | T | C |
| | 2 | B | <i>Tridacna gigas</i> | shells | 4 | | DE | AU | | S | W |
| | 2 | B | <i>Tridacna gigas</i> | shells | 1 | | ES | ZA | XX | P | O |
| | 2 | B | <i>Tridacna maxima</i> | live | 100 | | DE | FJ | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 810 | | DE | MH | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 29 | | DE | SB | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 858 | | DE | TO | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 155 | | DE | US | MH | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 593 | | DE | VN | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 120 | | DK | TO | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 325 | | DK | TO | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 200 pairs | | DK | TO | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 150 | | ES | VU | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 350 | | FR | VU | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 289 | | GB | FJ | SB | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 30 | | GB | US | MH | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 250 | | GB | US | MH | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 55 | | GB | US | SB | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 300 | | NL | SC | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | live | 500 | | NL | VN | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 400 | | NL | VU | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | live | 31 | | SE | MH | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | shells | 6 | | DE | CK | | P | W |
| | 2 | B | <i>Tridacna maxima</i> | shells | 4 | | DE | TO | | P | U |
| | 2 | B | <i>Tridacna maxima</i> | shells | 2500 | | ES | MG | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | shells | 10000 kg | | ES | MZ | | T | W |
| | 2 | B | <i>Tridacna maxima</i> | shells | 21 | | GB | SB | | T | C |
| | 2 | B | <i>Tridacna maxima</i> | shells | 50 | | GB | US | MH | T | C |
| | 2 | B | <i>Tridacna maxima</i> | shells | 10 | | GB | VU | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|--------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Tridacna squamosa</i> | live | 110 | | DE | ID | | T | C |
| | 2 | B | <i>Tridacna squamosa</i> | live | 53 | | DE | MH | | T | C |
| | 2 | B | <i>Tridacna squamosa</i> | live | 732 | | DE | VN | | T | W |
| | 2 | B | <i>Tridacna squamosa</i> | live | 100 | | DK | TO | | T | C |
| | 2 | B | <i>Tridacna squamosa</i> | live | 75 | | ES | VU | | T | W |
| | 2 | B | <i>Tridacna squamosa</i> | live | 300 | | FR | VU | | T | W |
| | 2 | B | <i>Tridacna squamosa</i> | live | 10 | | NL | ID | | T | C |
| | 2 | B | <i>Tridacna squamosa</i> | live | 200 | | NL | ID | | T | F |
| | 2 | B | <i>Tridacna squamosa</i> | live | 500 | | NL | VN | | T | W |
| | 2 | B | <i>Tridacna squamosa</i> | shells | 1 | | DE | SC | | P | W |
| | 2 | B | <i>Tridacna squamosa</i> | shells | 2 | | FR | NC | | P | W |
| | 2 | B | <i>Tridacna squamosa</i> | shells | 15 | | GB | SB | | T | C |
| | 2 | B | <i>Strombus gigas</i> | live | 1 | | AT | US | XX | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 5 | | DE | BB | | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 3 | | DE | BS | | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 5 | | DE | BZ | | S | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 100 g | | DE | DO | | T | W |
| | 2 | B | <i>Strombus gigas</i> | shells | | | DE | EC | XX | P | U |
| | 2 | B | <i>Strombus gigas</i> | shells | 1 | | DE | HT | | T | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 2 | | DE | KY | | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 1 | | DE | LC | | P | U |
| | 2 | B | <i>Strombus gigas</i> | shells | 2 | | DE | LC | | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 1 | | DE | PL | XX | P | U |
| | 2 | B | <i>Strombus gigas</i> | shells | 2 | | DE | PL | XX | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 8 | | DE | US | | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 12 | | DE | US | | P | U |
| | 2 | B | <i>Strombus gigas</i> | shells | 15 | | ES | CU | XX | I | |
| | 2 | B | <i>Strombus gigas</i> | shells | 2 | | ES | DO | XX | I | |
| | 2 | B | <i>Strombus gigas</i> | shells | 49000 | | ES | HT | | T | W |
| | 2 | B | <i>Strombus gigas</i> | shells | | | ES | US | XX | I | |
| | 2 | B | <i>Strombus gigas</i> | shells | | | ES | VE | XX | I | |
| | 2 | B | <i>Strombus gigas</i> | shells | 5 | | ES | XX | | I | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------------|-----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Strombus gigas</i> | shells | 4 | | FR | AN | | P | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 11700 | | FR | HT | | T | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 9233 | | GB | HT | | T | W |
| | 2 | B | <i>Strombus gigas</i> | shells | 25000 | | NL | HT | | T | W |
| | 2 | B | <i>Antipatharia</i> spp. | carvings | 359 | | DE | US | | T | W |
| | 2 | B | <i>Antipathes</i> spp. | raw corals | 2 | | DE | CU | | P | W |
| | 2 | B | <i>Antipathes</i> spp. | raw corals | 1 | | ES | CU | XX | I | |
| | 2 | B | <i>Scleractinia</i> spp. | bodies | 137 | | DK | ID | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 20000 kg | | BE | VN | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 45 | | DE | BZ | | S | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 4 m | | DE | BZ | | S | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 500 kg | | DE | FJ | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 4149 | | DE | ID | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 11 | | DE | LC | | P | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 8 | | DE | PL | XX | P | U |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 14 | | DE | TF | | P | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 17 | | DE | US | | P | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 50 | | DE | US | | P | U |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 121304 kg | | DE | VN | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 166 | | DE | YE | | S | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 1 | | DE | ZA | | P | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 860 | | DK | ID | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 10 | | ES | CU | XX | I | |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 3644 g | | ES | DZ | XX | I | |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 1388 | | ES | ID | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 110 kg | | ES | ID | XX | T | I |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 6000 kg | | GB | FJ | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 1805 | | GB | ID | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 419 kg | | GB | ID | | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 2800 | | GB | US | FJ | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 5123 kg | | GB | US | FJ | T | W |
| | 2 | B | <i>Scleractinia</i> spp. | raw corals | 20 | | GB | VU | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Scleractinia spp. | raw corals | 300 | kg | GB | VU | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 130 | | GR | ID | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 4901 | | IT | ID | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 2487 | kg | IT | ID | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 22000 | kg | IT | VN | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 25034 | | NL | ID | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 250 | | NL | TO | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 200 | | NL | VU | | T | W |
| | 2 | B | Scleractinia spp. | raw corals | 1000 | kg | NL | VU | | T | W |
| | 2 | B | Scleractinia spp. | live | 20 | | DE | AU | | T | W |
| | 2 | B | Scleractinia spp. | live | 555 | | DE | FJ | | T | W |
| | 2 | B | Scleractinia spp. | live | 27 | | DE | MH | | T | W |
| | 2 | B | Scleractinia spp. | live | 94 | | DE | SB | | T | W |
| | 2 | B | Scleractinia spp. | live | 606 | | DE | TO | | T | W |
| | 2 | B | Scleractinia spp. | live | 5 | | ES | SG | XX | T | I |
| | 2 | B | Scleractinia spp. | live | 688 | | FR | ID | | T | W |
| | 2 | B | Scleractinia spp. | live | 664 | | GB | ID | | T | W |
| | 2 | B | Scleractinia spp. | live | 428 | | GB | US | FJ | T | W |
| | 2 | B | Scleractinia spp. | live | 2540 | kg | GB | US | FJ | T | W |
| | 2 | B | Scleractinia spp. | live | 202 | | NL | ID | | T | W |
| | 2 | B | Scleractinia spp. | shells | 1 | | DE | PL | XX | P | U |
| | 2 | B | Madracis spp. | raw corals | 12 | | NL | AN | | S | W |
| | 2 | B | Pocillopora spp. | raw corals | 10 | | DE | CK | | P | W |
| | 2 | B | Pocillopora spp. | raw corals | 2 | | DE | HR | XX | P | U |
| | 2 | B | Pocillopora spp. | raw corals | 205 | g | ES | JP | XX | I | |
| | 2 | B | Pocillopora spp. | raw corals | 250 | | ES | MX | XX | I | |
| | 2 | B | Pocillopora spp. | raw corals | 72 | | GB | FJ | | T | W |
| | 2 | B | Pocillopora spp. | live | 208 | | DE | FJ | | T | W |
| | 2 | B | Pocillopora spp. | live | 10 | | DE | MH | | T | W |
| | 2 | B | Pocillopora spp. | live | 60 | | DE | SB | | T | W |
| | 2 | B | Pocillopora spp. | live | 234 | | DE | TO | | T | W |
| | 2 | B | Pocillopora spp. | live | 10 | | DE | VU | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Pocillopora spp.</i> | live | 100 | | DK | TO | | T | W |
| | 2 | B | <i>Pocillopora spp.</i> | live | 178 | | GB | FJ | | T | W |
| | 2 | B | <i>Pocillopora spp.</i> | live | 31 | | GB | US | FJ | T | W |
| | 2 | B | <i>Pocillopora spp.</i> | live | 20 | | SE | MH | | T | C |
| | 2 | B | <i>Pocillopora damicornis</i> | raw corals | 1620 | | ES | FJ | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | raw corals | 30 | | ES | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | raw corals | 20000 | | ES | MZ | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 65 | | BE | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 54 | | DE | FJ | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 919 | | DE | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 68 | | DK | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 15 | | ES | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 15 | | IT | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 284 | | NL | ID | | T | W |
| | 2 | B | <i>Pocillopora damicornis</i> | live | 21 | | SE | ID | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | raw corals | 7944 | | ES | FJ | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | raw corals | 30 | | ES | ID | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | live | 475 | | DE | ID | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | live | 32 | | DE | TO | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | live | 3 | | IT | ID | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | live | 108 | | NL | ID | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | live | 75 | | NL | TO | | T | W |
| | 2 | B | <i>Pocillopora verrucosa</i> | live | 17 | | SE | ID | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | raw corals | 672 g | | ES | VE | XX | I | |
| | 2 | B | <i>Seriatopora spp.</i> | raw corals | 84 | | GB | FJ | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | live | 138 | | DE | FJ | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | live | 50 | | DE | SB | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | live | 325 | | DE | TO | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | live | 273 | | DK | TO | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | live | 189 | | GB | FJ | | T | W |
| | 2 | B | <i>Seriatopora spp.</i> | live | 15 | | GB | US | FJ | T | W |
| | 2 | B | <i>Seriatopora hystric</i> | live | 46 | | DE | FJ | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Seriatopora hystrix</i> | live | 5 | | DE | ID | | T | W |
| | 2 | B | <i>Seriatopora hystrix</i> | live | 6 | | DK | ID | | T | W |
| | 2 | B | <i>Seriatopora hystrix</i> | live | 7 | | IT | ID | | T | W |
| | 2 | B | <i>Seriatopora hystrix</i> | live | 75 | | NL | TO | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | raw corals | 36 | | GB | FJ | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 99 | | DE | FJ | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 35 | | DE | SB | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 559 | | DE | TO | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 10 | | DK | ID | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 251 | | DK | TO | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 146 | | GB | FJ | | T | W |
| | 2 | B | <i>Stylophora spp.</i> | live | 43 | | GB | US | FJ | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 14 | | BE | ID | | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 1 | | DE | FJ | | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 194 | | DE | ID | | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 100 | | DE | TO | | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 7 | | IT | ID | | T | W |
| | 2 | B | <i>Stylophora pistillata</i> | live | 59 | | NL | ID | | T | W |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 1 | | DE | US | P | U | |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 1 | | ES | CU | XX | I | |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 600 g | | ES | ID | XX | I | |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 434 g | | ES | JP | XX | I | |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 300 g | | ES | MX | XX | I | |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 19 g | | ES | VE | XX | I | |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 2 | | FR | VU | | P | W |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 304 | | GB | FJ | | T | W |
| | 2 | B | <i>Acropora spp.</i> | raw corals | 56 | | GB | ID | | T | W |
| | 2 | B | <i>Acropora spp.</i> | live | 1580 | | DE | FJ | | T | W |
| | 2 | B | <i>Acropora spp.</i> | live | 962 | | DE | ID | | T | W |
| | 2 | B | <i>Acropora spp.</i> | live | 30 | | DE | MH | | T | W |
| | 2 | B | <i>Acropora spp.</i> | live | 100 | | DE | SB | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Acropora spp. | live | 3013 | | DE | TO | | T | W |
| | 2 | B | Acropora spp. | live | 76 | | DE | VU | | T | W |
| | 2 | B | Acropora spp. | live | 826 | | DK | TO | | T | W |
| | 2 | B | Acropora spp. | live | 10 | | ES | ID | | T | W |
| | 2 | B | Acropora spp. | live | 934 | | GB | FJ | | T | W |
| | 2 | B | Acropora spp. | live | 10 | | GB | ID | | T | W |
| | 2 | B | Acropora spp. | live | 545 | | GB | US | FJ | T | W |
| | 2 | B | Acropora spp. | live | 26 | | IT | ID | | T | W |
| | 2 | B | Acropora spp. | live | 80 | | NL | ID | | T | W |
| | 2 | B | Acropora spp. | live | 20 | | SE | MH | | T | C |
| | 2 | B | Acropora formosa | carvings | 10 | | GB | ID | | T | W |
| | 2 | B | Acropora formosa | raw corals | 15 | | GB | ID | | T | W |
| | 2 | B | Acropora formosa | live | 787 | | DE | ID | | T | W |
| | 2 | B | Acropora formosa | live | 44 | | DK | ID | | T | W |
| | 2 | B | Acropora formosa | live | 69 | | ES | ID | | T | W |
| | 2 | B | Acropora formosa | live | 3 | | FI | ID | | T | W |
| | 2 | B | Acropora formosa | live | 65 | | GB | ID | | T | W |
| | 2 | B | Acropora formosa | live | 108 | | IT | ID | | T | W |
| | 2 | B | Acropora formosa | live | 623 | | NL | ID | | T | W |
| | 2 | B | Acropora formosa | live | 48 | | SE | ID | | T | W |
| | 2 | B | Acropora granulosa | raw corals | 772 | | ES | FJ | | T | W |
| | 2 | B | Acropora humilis | raw corals | 32 | | GB | ID | | T | W |
| | 2 | B | Acropora humilis | raw corals | 10 | | GB | VU | | T | W |
| | 2 | B | Acropora humilis | raw corals | 15 | | GR | ID | | T | W |
| | 2 | B | Acropora humilis | live | 104 | | BE | ID | | T | W |
| | 2 | B | Acropora humilis | live | 1208 | | DE | ID | | T | W |
| | 2 | B | Acropora humilis | live | 5 | | DK | ID | | T | W |
| | 2 | B | Acropora humilis | live | 10 | | ES | ID | | T | W |
| | 2 | B | Acropora humilis | live | 110 | | GB | ID | | T | W |
| | 2 | B | Acropora humilis | live | 107 | | IT | ID | | T | W |
| | 2 | B | Acropora humilis | live | 648 | | NL | ID | | T | W |
| | 2 | B | Acropora humilis | live | 75 | | NL | TO | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source | |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|---|
| | 2 | B | <i>Acropora humilis</i> | live | 150 | | NL | VU | | T | W | |
| | 2 | B | <i>Acropora humilis</i> | live | 13 | | SE | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | raw corals | 858 | | ES | FJ | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | raw corals | 69 | | ES | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | raw corals | 21 | | GB | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 1 | | AT | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 277 | | BE | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 2302 | | DE | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 134 | | ES | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 107 | | GB | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 104 | | IT | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 465 | | NL | ID | | T | W | |
| | 2 | B | <i>Acropora hyacinthus</i> | live | 107 | | SE | ID | | T | W | |
| | 2 | B | <i>Acropora latistella</i> | raw corals | 837 | | ES | FJ | | T | W | |
| | 2 | B | <i>Acropora microclados</i> | raw corals | 954 | | ES | FJ | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | raw corals | 36 | | GB | FJ | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | raw corals | 48 | | GB | SB | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | live | 138 | | DE | FJ | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | live | 24 | | DE | TO | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | live | 248 | | DK | TO | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | live | 169 | | GB | FJ | | T | W | |
| | 2 | B | <i>Montipora spp.</i> | live | 1 | | GB | US | | FJ | T | W |
| | 2 | B | <i>Montipora caliculata</i> | live | 75 | | NL | TO | | T | W | |
| | 2 | B | <i>Montipora digitata</i> | live | 40 | | DE | SB | | T | W | |
| | 2 | B | <i>Montipora efflorescens</i> | live | 50 | | DE | FJ | | T | W | |
| | 2 | B | <i>Montipora efflorescens</i> | live | 78 | | DE | TO | | T | W | |
| | 2 | B | <i>Montipora foliosa</i> | live | 116 | | DE | ID | | T | W | |
| | 2 | B | <i>Montipora foliosa</i> | live | 34 | | DK | ID | | T | W | |
| | 2 | B | <i>Montipora foliosa</i> | live | 25 | | NL | ID | | T | W | |
| | 2 | B | <i>Montipora foliosa</i> | live | 10 | | SE | ID | | T | W | |
| | 2 | B | <i>Montipora verrucosa</i> | raw corals | 5 | | GB | ID | | T | W | |
| | 2 | B | <i>Montipora verrucosa</i> | live | 132 | | DE | ID | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Montipora verrucosa</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Montipora verrucosa</i> | live | 10 | | NL | ID | | T | W |
| | 2 | B | <i>Montipora verrucosa</i> | live | 10 | | SE | ID | | T | W |
| | 2 | B | <i>Agaricia</i> spp. | raw corals | 300 | g | ES | CU | XX | I | |
| | 2 | B | <i>Leptoseris</i> spp. | live | 13 | | DE | SB | | T | W |
| | 2 | B | <i>Pachyseris</i> spp. | raw corals | 4 | | GB | SB | | T | W |
| | 2 | B | <i>Pachyseris</i> spp. | live | 5 | | DE | SB | | T | W |
| | 2 | B | <i>Pachyseris</i> spp. | live | 69 | | DE | TO | | T | W |
| | 2 | B | <i>Pachyseris</i> spp. | live | 111 | | DK | TO | | T | W |
| | 2 | B | <i>Pachyseris rugosa</i> | live | 7 | | DE | TO | | T | W |
| | 2 | B | <i>Pavona</i> spp. | raw corals | 82 | | GB | FJ | | T | W |
| | 2 | B | <i>Pavona</i> spp. | live | 29 | | DE | FJ | | T | W |
| | 2 | B | <i>Pavona</i> spp. | live | 56 | | DE | TO | | T | W |
| | 2 | B | <i>Pavona</i> spp. | live | 50 | | DK | TO | | T | W |
| | 2 | B | <i>Pavona</i> spp. | live | 55 | | GB | FJ | | T | W |
| | 2 | B | <i>Pavona</i> spp. | live | 1324 | | GB | US | FJ | T | W |
| | 2 | B | <i>Pavona cactus</i> | live | 11 | | BE | ID | | T | W |
| | 2 | B | <i>Pavona cactus</i> | live | 105 | | DE | ID | | T | W |
| | 2 | B | <i>Pavona decussata</i> | live | 10 | | DE | FJ | | T | W |
| | 2 | B | <i>Pavona varians</i> | live | 4 | | DE | TO | | T | W |
| | 2 | B | <i>Fungia</i> spp. | raw corals | 99 | | GB | FJ | | T | W |
| | 2 | B | <i>Fungia</i> spp. | raw corals | 10 | | GB | SB | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 420 | | DE | FJ | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 10 | | DE | MH | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 10 | | DE | SB | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 42 | | DE | TO | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 50 | | DK | TO | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 286 | | GB | FJ | | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 12 | | GB | US | FJ | T | W |
| | 2 | B | <i>Fungia</i> spp. | live | 20 | | SE | MH | | T | C |
| | 2 | B | <i>Fungia fungites</i> | raw corals | 3 | | FR | NC | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Fungia fungites</i> | live | 14 | | AT | ID | | T | W |
| | 2 | B | <i>Fungia fungites</i> | live | 22 | | DE | FJ | | T | W |
| | 2 | B | <i>Fungia fungites</i> | live | 316 | | DE | ID | | T | W |
| | 2 | B | <i>Fungia fungites</i> | live | 9 | | DE | TO | | T | W |
| | 2 | B | <i>Fungia fungites</i> | live | 80 | | ES | ID | | T | W |
| | 2 | B | <i>Fungia fungites</i> | live | 55 | | IT | ID | | T | W |
| | 2 | B | <i>Fungia fungites</i> | live | 148 | | NL | ID | | T | W |
| | 2 | B | <i>Fungia moluccensis</i> | live | 226 | | DE | ID | | T | W |
| | 2 | B | <i>Fungia moluccensis</i> | live | 3 | | FI | ID | | T | W |
| | 2 | B | <i>Fungia moluccensis</i> | live | 128 | | NL | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | raw corals | 15 | | GB | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 30 | | AT | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 310 | | DE | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 54 | | ES | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 50 | | IT | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 137 | | NL | ID | | T | W |
| | 2 | B | <i>Fungia paumotensis</i> | live | 5 | | SE | ID | | T | W |
| | 2 | B | <i>Heliofungia</i> spp. | raw corals | 9 | | GB | SB | | T | W |
| | 2 | B | <i>Heliofungia</i> spp. | live | 6 | | DE | SB | | T | W |
| | 2 | B | <i>Heliofungia</i> spp. | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | carvings | 7 | | GB | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | raw corals | 30 | | ES | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | raw corals | 225 | | GB | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | raw corals | 25 | | GR | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 55 | | AT | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 167 | | BE | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 3571 | | DE | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 163 | | DK | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 238 | | ES | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 486 | | GB | ID | | T | W |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 327 | | IT | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 1214 | NL | ID | | T | W | |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 38 | SE | ID | | T | C | |
| | 2 | B | <i>Heliofungia actiniformis</i> | live | 360 | SE | ID | | T | W | |
| | 2 | B | <i>Herpolitha limax</i> | live | 15 | AT | ID | | T | W | |
| | 2 | B | <i>Herpolitha limax</i> | live | 139 | DE | ID | | T | W | |
| | 2 | B | <i>Herpolitha limax</i> | live | 10 | DK | ID | | T | W | |
| | 2 | B | <i>Herpolitha limax</i> | live | 10 | ES | ID | | T | W | |
| | 2 | B | <i>Herpolitha limax</i> | live | 30 | IT | ID | | T | W | |
| | 2 | B | <i>Herpolitha limax</i> | live | 19 | NL | ID | | T | W | |
| | 2 | B | <i>Polyphyllia spp.</i> | live | 4 | BE | ID | | T | W | |
| | 2 | B | <i>Polyphyllia spp.</i> | live | 463 | DE | ID | | T | W | |
| | 2 | B | <i>Polyphyllia spp.</i> | live | 115 | DK | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | raw corals | 18 | GB | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 9 | BE | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 834 | DE | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 40 | DK | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 21 | GB | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 44 | IT | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 45 | NL | ID | | T | W | |
| | 2 | B | <i>Polyphyllia talpina</i> | live | 8 | SE | ID | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | raw corals | 48 | GB | SB | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 10 | DE | AU | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 5 | DE | FJ | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 12 | DE | SB | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 34 | DE | TO | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 39 | DE | VU | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 20 | DK | ID | | T | W | |
| | 2 | B | <i>Goniopora spp.</i> | live | 50 | DK | TO | | T | W | |
| | 2 | B | <i>Goniopora lobata</i> | raw corals | 80 | ES | ID | | T | W | |
| | 2 | B | <i>Goniopora lobata</i> | raw corals | 45 | GB | ID | | T | W | |
| | 2 | B | <i>Goniopora lobata</i> | live | 20 | BE | ID | | T | W | |
| | 2 | B | <i>Goniopora lobata</i> | live | 3620 | DE | ID | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | Goniopora lobata | live | 6 | | DE | TO | | T | W |
| | 2 | B | Goniopora lobata | live | 53 | | DK | ID | | T | W |
| | 2 | B | Goniopora lobata | live | 66 | | ES | ID | | T | W |
| | 2 | B | Goniopora lobata | live | 549 | | GB | ID | | T | W |
| | 2 | B | Goniopora lobata | live | 80 | | IT | ID | | T | W |
| | 2 | B | Goniopora lobata | live | 1300 | | NL | ID | | T | W |
| | 2 | B | Goniopora lobata | live | 80 | | SE | ID | | T | C |
| | 2 | B | Goniopora lobata | live | 99 | | SE | ID | | T | W |
| | 2 | B | Goniopora minor | carvings | 44 | | GB | ID | | T | W |
| | 2 | B | Goniopora minor | raw corals | 175 | | GB | ID | | T | W |
| | 2 | B | Goniopora minor | raw corals | 70 | | GR | ID | | T | W |
| | 2 | B | Goniopora minor | live | 257 | | BE | ID | | T | W |
| | 2 | B | Goniopora minor | live | 1960 | | DE | ID | | T | W |
| | 2 | B | Goniopora minor | live | 61 | | DK | ID | | T | W |
| | 2 | B | Goniopora minor | live | 110 | | ES | ID | | T | W |
| | 2 | B | Goniopora minor | live | 3 | | FI | ID | | T | W |
| | 2 | B | Goniopora minor | live | 97 | | GB | ID | | T | W |
| | 2 | B | Goniopora minor | live | 233 | | IT | ID | | T | W |
| | 2 | B | Goniopora minor | live | 1408 | | NL | ID | | T | W |
| | 2 | B | Goniopora minor | live | 50 | | SE | ID | | T | C |
| | 2 | B | Goniopora minor | live | 221 | | SE | ID | | T | W |
| | 2 | B | Goniopora stokesi | raw corals | 350 | | GB | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 40 | | AT | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 63 | | BE | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 3310 | | DE | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 240 | | DK | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 175 | | ES | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 954 | | GB | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 367 | | IT | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 1110 | | NL | ID | | T | W |
| | 2 | B | Goniopora stokesi | live | 118 | | SE | ID | | T | W |
| | 2 | B | Porites spp. | raw corals | 216 g | | ES | JP | XX | I | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Porites</i> spp. | raw corals | 331 | g | ES | VE | XX | I | |
| | 2 | B | <i>Porites</i> spp. | raw corals | 99 | | GB | FJ | | T | W |
| | 2 | B | <i>Porites</i> spp. | raw corals | 13 | | GB | SB | | T | W |
| | 2 | B | <i>Porites</i> spp. | live | 16 | | DE | FJ | | T | W |
| | 2 | B | <i>Porites</i> spp. | live | 5 | | DE | JO | | S | W |
| | 2 | B | <i>Porites</i> spp. | live | 352 | | GB | FJ | | T | W |
| | 2 | B | <i>Porites</i> spp. | live | 2 | | GB | US | FJ | T | W |
| | 2 | B | <i>Porites</i> spp. | live | 30 | | IT | US | ID | T | W |
| | 2 | B | <i>Porites cylindrica</i> | raw corals | 70 | | ES | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | raw corals | 15 | | GR | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 20 | | AT | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 35 | | DE | FJ | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 1071 | | DE | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 40 | | DK | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 50 | | ES | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 15 | | GB | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 85 | | IT | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 244 | | NL | ID | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 75 | | NL | TO | | T | W |
| | 2 | B | <i>Porites cylindrica</i> | live | 14 | | SE | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | raw corals | 114 | | GB | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 15 | | AT | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 24 | | BE | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 565 | | DE | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 48 | | DK | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 20 | | ES | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 63 | | GB | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 2 | | IT | ID | | T | W |
| | 2 | B | <i>Porites lichen</i> | live | 333 | | NL | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | raw corals | 31 | | GB | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | live | 10 | | BE | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | live | 164 | | DE | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Porites lobata</i> | live | 5 | | DK | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | live | 16 | | ES | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | live | 232 | | GB | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | live | 42 | | IT | ID | | T | W |
| | 2 | B | <i>Porites lobata</i> | live | 25 | | NL | ID | | T | W |
| | 2 | B | <i>Porites lutea</i> | raw corals | 1 | | IT | ID | | T | W |
| | 2 | B | <i>Porites lutea</i> | live | 156 | | DE | ID | | T | W |
| | 2 | B | <i>Porites lutea</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Porites lutea</i> | live | 37 | | NL | ID | | T | W |
| | 2 | B | <i>Porites lutea</i> | live | 16 | | SE | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | raw corals | 20 | | GB | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 45 | | BE | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 901 | | DE | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 53 | | DK | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 60 | | ES | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 100 | | GB | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 40 | | IT | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 366 | | NL | ID | | T | W |
| | 2 | B | <i>Porites nigrescens</i> | live | 123 | | SE | ID | | T | W |
| | 2 | B | <i>Faviidae spp.</i> | raw corals | 296 g | | ES | CU | XX | I | |
| | 2 | B | <i>Faviidae spp.</i> | raw corals | 1032 g | | ES | JP | XX | I | |
| | 2 | B | <i>Australogyra spp.</i> | live | 2 | | DE | SB | | T | W |
| | 2 | B | <i>Caulastrea spp.</i> | raw corals | 96 | | GB | FJ | | T | W |
| | 2 | B | <i>Caulastrea spp.</i> | raw corals | 5 | | GB | SB | | T | W |
| | 2 | B | <i>Caulastrea spp.</i> | live | 92 | | DE | FJ | | T | W |
| | 2 | B | <i>Caulastrea spp.</i> | live | 54 | | DK | ID | | T | W |
| | 2 | B | <i>Caulastrea spp.</i> | live | 216 | | GB | FJ | | T | W |
| | 2 | B | <i>Caulastrea spp.</i> | live | 23 | | GB | US | FJ | T | W |
| | 2 | B | <i>Caulastrea curvata</i> | live | 8 | | GB | FJ | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | raw corals | 56 | | GB | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 15 | | AT | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 20 | | BE | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Caulastrea echinulata</i> | live | 684 | | DE | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 132 | | DK | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 60 | | ES | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 2 | | FI | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 52 | | GB | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 133 | | IT | ID | | T | W |
| | 2 | B | <i>Caulastrea echinulata</i> | live | 327 | | NL | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | carvings | 8 | | GB | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | raw corals | 10 | | ES | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | raw corals | 80 | | GB | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 9 | | AT | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 65 | | BE | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 1351 | | DE | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 125 | | ES | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 160 | | GB | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 69 | | IT | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 296 | | NL | ID | | T | W |
| | 2 | B | <i>Caulastrea tumida</i> | live | 9 | | SE | ID | | T | C |
| | 2 | B | <i>Caulastrea tumida</i> | live | 54 | | SE | ID | | T | W |
| | 2 | B | <i>Cyphastrea spp.</i> | raw corals | 10 | | ES | ID | | T | W |
| | 2 | B | <i>Cyphastrea serailia</i> | live | 17 | | DE | ID | | T | W |
| | 2 | B | <i>Cyphastrea serailia</i> | live | 17 | | GB | ID | | T | W |
| | 2 | B | <i>Cyphastrea serailia</i> | live | 27 | | NL | ID | | T | W |
| | 2 | B | <i>Diploastrea spp.</i> | raw corals | 1 | | GB | SB | | T | W |
| | 2 | B | <i>Diploastrea heliopora</i> | live | 4 | | DE | ID | | T | W |
| | 2 | B | <i>Diploastrea heliopora</i> | live | 58 | | NL | ID | | T | W |
| | 2 | B | <i>Favia spp.</i> | raw corals | 10 | | DE | CK | | P | W |
| | 2 | B | <i>Favia spp.</i> | raw corals | 1285 g | | ES | CU | XX | I | |
| | 2 | B | <i>Favia spp.</i> | raw corals | 1325 g | | ES | VE | XX | I | |
| | 2 | B | <i>Favia spp.</i> | raw corals | 3 | | GB | SB | | T | W |
| | 2 | B | <i>Favia spp.</i> | live | 5 | | DE | AU | | T | W |
| | 2 | B | <i>Favia spp.</i> | live | 43 | | DE | FJ | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Favia spp.</i> | live | 5 | | DE | JO | | S | W |
| | 2 | B | <i>Favia spp.</i> | live | 2 | | DE | SB | | T | W |
| | 2 | B | <i>Favia spp.</i> | live | 38 | | GB | FJ | | T | W |
| | 2 | B | <i>Favia favus</i> | live | 9 | | DE | FJ | | T | W |
| | 2 | B | <i>Favia gravida</i> | live | 15 | | ES | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | raw corals | 14 | | GB | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 188 | | DE | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 10 | | DK | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 10 | | ES | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 120 | | GB | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 30 | | IT | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 27 | | NL | ID | | T | W |
| | 2 | B | <i>Favia pallida</i> | live | 9 | | SE | ID | | T | W |
| | 2 | B | <i>Favites spp.</i> | raw corals | 1 | | GB | SB | | T | W |
| | 2 | B | <i>Favites spp.</i> | live | 163 | | DE | FJ | | T | W |
| | 2 | B | <i>Favites spp.</i> | live | 12 | | DE | SB | | T | W |
| | 2 | B | <i>Favites spp.</i> | live | 59 | | GB | FJ | | T | W |
| | 2 | B | <i>Favites spp.</i> | live | 39 | | GB | US | FJ | T | W |
| | 2 | B | <i>Favites abdita</i> | live | 22 | | BE | ID | | T | W |
| | 2 | B | <i>Favites abdita</i> | live | 200 | | DE | ID | | T | W |
| | 2 | B | <i>Favites abdita</i> | live | 51 | | ES | ID | | T | W |
| | 2 | B | <i>Favites abdita</i> | live | 40 | | GB | ID | | T | W |
| | 2 | B | <i>Favites abdita</i> | live | 20 | | IT | ID | | T | W |
| | 2 | B | <i>Favites abdita</i> | live | 247 | | NL | ID | | T | W |
| | 2 | B | <i>Favites halicora</i> | live | 29 | | DE | FJ | | T | W |
| | 2 | B | <i>Goniastrea pectinata</i> | live | 85 | | DE | ID | | T | W |
| | 2 | B | <i>Goniastrea pectinata</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Goniastrea pectinata</i> | live | 30 | | NL | ID | | T | W |
| | 2 | B | <i>Goniastrea retiformis</i> | live | 142 | | DE | ID | | T | W |
| | 2 | B | <i>Goniastrea retiformis</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Goniastrea retiformis</i> | live | 120 | | NL | ID | | T | W |
| | 2 | B | <i>Leptoria spp.</i> | raw corals | 134 g | | ES | JP | XX | I | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Montastraea</i> spp. | raw corals | 3 | | ES | ID | | T | W |
| | 2 | B | <i>Montastraea</i> spp. | live | 1 | | ES | ID | | T | W |
| | 2 | B | <i>Montastraea annuligera</i> | raw corals | 10 | | GB | ID | | T | W |
| | 2 | B | <i>Montastraea annuligera</i> | live | 441 | | DE | ID | | T | W |
| | 2 | B | <i>Montastraea annuligera</i> | live | 20 | | GB | ID | | T | W |
| | 2 | B | <i>Montastraea valenciennesii</i> | live | 476 | | DE | ID | | T | W |
| | 2 | B | <i>Montastraea valenciennesii</i> | live | 14 | | DK | ID | | T | W |
| | 2 | B | <i>Montastraea valenciennesii</i> | live | 20 | | IT | ID | | T | W |
| | 2 | B | <i>Oulophyllia</i> spp. | raw corals | 379 g | | ES | CU | XX | I | |
| | 2 | B | <i>Platygyra</i> spp. | raw corals | 1455 g | | ES | VE | XX | I | |
| | 2 | B | <i>Platygyra</i> spp. | raw corals | 134 | | GB | FJ | | T | W |
| | 2 | B | <i>Platygyra</i> spp. | raw corals | 11 | | GB | SB | | T | W |
| | 2 | B | <i>Platygyra</i> spp. | live | 386 | | GB | FJ | | T | W |
| | 2 | B | <i>Platygyra</i> spp. | live | 2 | | GB | US | FJ | T | W |
| | 2 | B | <i>Platygyra daedalea</i> | live | 75 | | NL | TO | | T | W |
| | 2 | B | <i>Platygyra pini</i> | live | 35 | | DE | FJ | | T | W |
| | 2 | B | <i>Trachyphyllia</i> spp. | raw corals | 176 | | GB | FJ | | T | W |
| | 2 | B | <i>Trachyphyllia</i> spp. | live | 13 | | DE | FJ | | T | W |
| | 2 | B | <i>Trachyphyllia geoffroyi</i> | live | 10 | | AT | ID | | T | W |
| | 2 | B | <i>Trachyphyllia geoffroyi</i> | live | 20 | | DK | ID | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | raw corals | 50 | | GB | FJ | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | raw corals | 33 | | GB | SB | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | live | 206 | | DE | FJ | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | live | 25 | | DE | SB | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | live | 49 | | DE | TO | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | live | 15 | | DK | ID | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | live | 50 | | DK | TO | | T | W |
| | 2 | B | <i>Galaxea</i> spp. | live | 227 | | GB | FJ | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | carvings | 10 | | GB | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | raw corals | 30 | | GB | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 25 | | AT | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 4 | | BE | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Galaxea astreata</i> | live | 519 | | DE | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 25 | | DK | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 50 | | ES | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 6 | | GB | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 55 | | IT | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 268 | | NL | ID | | T | W |
| | 2 | B | <i>Galaxea astreata</i> | live | 66 | | SE | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | raw corals | 30 | | GB | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | raw corals | 15 | | GR | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 48 | | BE | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 22 | | DE | FJ | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 1627 | | DE | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 15 | | DE | JO | S | W | |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 5 | | DE | TO | T | W | |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 10 | | DK | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 162 | | ES | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 4 | | FI | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 82 | | GB | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 95 | | IT | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 411 | | NL | ID | | T | W |
| | 2 | B | <i>Galaxea fascicularis</i> | live | 148 | | SE | ID | | T | W |
| | 2 | B | <i>Madrepora spp.</i> | shells | 1 | | DE | PL | XX | P | W |
| | 2 | B | <i>Oculina spp.</i> | raw corals | 61 g | | ES | JP | XX | I | |
| | 2 | B | <i>Hydnophora spp.</i> | raw corals | 80 | | GB | FJ | | T | W |
| | 2 | B | <i>Hydnophora spp.</i> | live | 280 | | DE | FJ | | T | W |
| | 2 | B | <i>Hydnophora spp.</i> | live | 25 | | DK | ID | | T | W |
| | 2 | B | <i>Hydnophora spp.</i> | live | 193 | | GB | FJ | | T | W |
| | 2 | B | <i>Hydnophora spp.</i> | live | 10 | | GB | US | FJ | T | W |
| | 2 | B | <i>Hydnophora exesa</i> | live | 7 | | AT | ID | | T | W |
| | 2 | B | <i>Hydnophora exesa</i> | live | 3 | | BE | ID | | T | W |
| | 2 | B | <i>Hydnophora exesa</i> | live | 558 | | DE | ID | | T | W |
| | 2 | B | <i>Hydnophora exesa</i> | live | 20 | | DK | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Hydnophora exesa</i> | live | 10 | GB | ID | | T | W | |
| | 2 | B | <i>Hydnophora exesa</i> | live | 15 | IT | ID | | T | W | |
| | 2 | B | <i>Hydnophora exesa</i> | live | 183 | NL | ID | | T | W | |
| | 2 | B | <i>Hydnophora exesa</i> | live | 69 | SE | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | carvings | 8 | GB | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | raw corals | 10 | GB | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | live | 52 | BE | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | live | 95 | DE | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | live | 2 | DK | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | live | 12 | GB | ID | | T | W | |
| | 2 | B | <i>Hydnophora microconos</i> | live | 65 | NL | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | raw corals | 29 | GB | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 49 | BE | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 66 | DE | FJ | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 466 | DE | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 80 | DK | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 5 | ES | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 122 | GB | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 7 | IT | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 165 | NL | ID | | T | W | |
| | 2 | B | <i>Hydnophora rigida</i> | live | 8 | SE | ID | | T | W | |
| | 2 | B | <i>Merulina spp.</i> | raw corals | 11 | GB | SB | | T | W | |
| | 2 | B | <i>Merulina spp.</i> | live | 10 | DE | FJ | | T | W | |
| | 2 | B | <i>Merulina ampliata</i> | live | 32 | BE | ID | | T | W | |
| | 2 | B | <i>Merulina ampliata</i> | live | 700 | DE | ID | | T | W | |
| | 2 | B | <i>Merulina ampliata</i> | live | 14 | ES | ID | | T | W | |
| | 2 | B | <i>Merulina ampliata</i> | live | 83 | NL | ID | | T | W | |
| | 2 | B | <i>Merulina ampliata</i> | live | 8 | SE | ID | | T | W | |
| | 2 | B | <i>Blastomussa spp.</i> | live | 1 | DE | FJ | | T | W | |
| | 2 | B | <i>Blastomussa spp.</i> | live | 10 | DK | ID | | T | W | |
| | 2 | B | <i>Blastomussa wellsi</i> | live | 10 | DK | ID | | T | W | |
| | 2 | B | <i>Blastomussa wellsi</i> | live | 26 | IT | ID | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Cynarina</i> spp. | live | 7 | DE | AU | | T | W | |
| | 2 | B | <i>Cynarina</i> spp. | live | 10 | DK | ID | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | raw corals | 154 | GB | FJ | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | raw corals | 58 | GB | SB | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 15 | DE | AU | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 201 | DE | FJ | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 12 | DE | SB | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 158 | DE | TO | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 9 | DE | VU | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 10 | DK | ID | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 75 | DK | TO | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 384 | GB | FJ | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 10 | GB | SB | | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 70 | GB | US | FJ | T | W | |
| | 2 | B | <i>Lobophyllia</i> spp. | live | 20 | SE | MH | | T | C | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | raw corals | 48 | GB | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 10 | BE | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 1147 | DE | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 105 | ES | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 203 | GB | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 51 | IT | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 67 | NL | ID | | T | W | |
| | 2 | B | <i>Lobophyllia corymbosa</i> | live | 91 | SE | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | raw corals | 5 | ES | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | raw corals | 50 | GB | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | raw corals | 15 | GR | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 25 | AT | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 100 | BE | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 1057 | DE | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 5 | DK | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 60 | ES | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 5 | FI | ID | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 69 | GB | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 89 | IT | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 534 | NL | ID | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 200 | NL | VU | | T | W | |
| | 2 | B | <i>Lobophyllia hemprichii</i> | live | 24 | SE | ID | | T | W | |
| | 2 | B | <i>Scolymia spp.</i> | raw corals | 16 | GB | FJ | | T | W | |
| | 2 | B | <i>Scolymia spp.</i> | raw corals | 1 | GB | SB | | T | W | |
| | 2 | B | <i>Scolymia spp.</i> | live | 3 | DE | AU | | T | W | |
| | 2 | B | <i>Scolymia spp.</i> | live | 22 | DE | FJ | | T | W | |
| | 2 | B | <i>Scolymia spp.</i> | live | 98 | GB | FJ | | T | W | |
| | 2 | B | <i>Scolymia vitiensis</i> | live | 106 | DE | ID | | T | W | |
| | 2 | B | <i>Scolymia vitiensis</i> | live | 9 | DK | ID | | T | W | |
| | 2 | B | <i>Scolymia vitiensis</i> | live | 28 | ES | ID | | T | W | |
| | 2 | B | <i>Scolymia vitiensis</i> | live | 92 | GB | ID | | T | W | |
| | 2 | B | <i>Scolymia vitiensis</i> | live | 28 | NL | ID | | T | W | |
| | 2 | B | <i>Sympyllia spp.</i> | raw corals | 11 | GB | SB | | T | W | |
| | 2 | B | <i>Sympyllia spp.</i> | live | 10 | DE | MH | | T | W | |
| | 2 | B | <i>Sympyllia spp.</i> | live | 6 | DE | SB | | T | W | |
| | 2 | B | <i>Sympyllia agaricia</i> | live | 164 | DE | ID | | T | W | |
| | 2 | B | <i>Sympyllia agaricia</i> | live | 55 | NL | ID | | T | W | |
| | 2 | B | <i>Mycodium spp.</i> | live | 4 | DE | FJ | | T | W | |
| | 2 | B | <i>Mycodium spp.</i> | live | 2 | DE | SB | | T | W | |
| | 2 | B | <i>Oxypora spp.</i> | live | 38 | DE | TO | | T | W | |
| | 2 | B | <i>Oxypora spp.</i> | live | 30 | DK | TO | | T | W | |
| | 2 | B | <i>Oxypora lacera</i> | live | 9 | DE | TO | | T | W | |
| | 2 | B | <i>Pectinia spp.</i> | raw corals | 7 | GB | SB | | T | W | |
| | 2 | B | <i>Pectinia spp.</i> | live | 11 | DE | FJ | | T | W | |
| | 2 | B | <i>Pectinia spp.</i> | live | 2 | DE | SB | | T | W | |
| | 2 | B | <i>Pectinia lactuca</i> | live | 138 | DE | ID | | T | W | |
| | 2 | B | <i>Pectinia lactuca</i> | live | 4 | ES | ID | | T | W | |
| | 2 | B | <i>Pectinia lactuca</i> | live | 105 | NL | ID | | T | W | |
| | 2 | B | <i>Pectinia lactuca</i> | live | 5 | SE | ID | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Catalaphyllia</i> spp. | live | 5 | | DE | AU | | T | W |
| | 2 | B | <i>Catalaphyllia plicata</i> | raw corals | 30 | | GB | FJ | | T | W |
| | 2 | B | <i>Catalaphyllia plicata</i> | live | 15 | | GB | FJ | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | raw corals | 3 | | ES | CU | XX | I | |
| | 2 | B | <i>Euphyllia</i> spp. | raw corals | 250 g | | ES | CU | XX | I | |
| | 2 | B | <i>Euphyllia</i> spp. | raw corals | 167 | | GB | FJ | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | raw corals | 52 | | GB | SB | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 5 | | DE | AU | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 16 | | DE | FJ | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 63 | | DE | SB | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 124 | | DE | TO | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 100 | | DK | TO | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 439 | | GB | FJ | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 20 | | GB | SB | | T | W |
| | 2 | B | <i>Euphyllia</i> spp. | live | 21 | | GB | US | FJ | T | W |
| | 2 | B | <i>Euphyllia ancora</i> | live | 100 | | DE | ID | | T | W |
| | 2 | B | <i>Euphyllia ancora</i> | live | 15 | | DE | SB | | T | W |
| | 2 | B | <i>Euphyllia ancora</i> | live | 404 | | GB | ID | | T | W |
| | 2 | B | <i>Euphyllia ancora</i> | live | 25 | | IT | ID | | T | W |
| | 2 | B | <i>Euphyllia cristata</i> | live | 90 | | BE | ID | | T | W |
| | 2 | B | <i>Euphyllia cristata</i> | live | 323 | | DE | ID | | T | W |
| | 2 | B | <i>Euphyllia cristata</i> | live | 75 | | IT | ID | | T | W |
| | 2 | B | <i>Euphyllia divisa</i> | live | 46 | | DE | ID | | T | W |
| | 2 | B | <i>Euphyllia divisa</i> | live | 214 | | DK | ID | | T | W |
| | 2 | B | <i>Euphyllia divisa</i> | live | 150 | | ES | ID | | T | W |
| | 2 | B | <i>Euphyllia glabrescens</i> | live | 30 | | AT | ID | | T | W |
| | 2 | B | <i>Euphyllia glabrescens</i> | live | 24 | | DE | SB | | T | W |
| | 2 | B | <i>Euphyllia paradivisa</i> | live | 13 | | DE | SB | | T | W |
| | 2 | B | <i>Physogyra</i> spp. | raw corals | 6 | | GB | SB | | T | W |
| | 2 | B | <i>Physogyra</i> spp. | live | 15 | | DK | ID | | T | W |
| | 2 | B | <i>Physogyra lichtensteini</i> | raw corals | 85 | | GB | ID | | T | W |
| | 2 | B | <i>Physogyra lichtensteini</i> | live | 23 | | BE | ID | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Physogyra lichtensteini</i> | live | 484 | | DE | ID | | T | W |
| | 2 | B | <i>Physogyra lichtensteini</i> | live | 120 | | ES | ID | | T | W |
| | 2 | B | <i>Physogyra lichtensteini</i> | live | 419 | | GB | ID | | T | W |
| | 2 | B | <i>Physogyra lichensteinii</i> | live | 153 | | NL | ID | | T | W |
| | 2 | B | <i>Plerogyra spp.</i> | raw corals | 267 | | GB | FJ | | T | W |
| | 2 | B | <i>Plerogyra spp.</i> | live | 5 | | DE | AU | | T | W |
| | 2 | B | <i>Plerogyra spp.</i> | live | 61 | | DE | FJ | | T | W |
| | 2 | B | <i>Plerogyra spp.</i> | live | 252 | | GB | FJ | | T | W |
| | 2 | B | <i>Plerogyra spp.</i> | live | 20 | | GB | ID | | T | W |
| | 2 | B | <i>Plerogyra sinuosa</i> | live | 74 | | DE | ID | | T | W |
| | 2 | B | <i>Plerogyra sinuosa</i> | live | 10 | | DE | SB | | T | W |
| | 2 | B | <i>Plerogyra turbida</i> | live | 10 | | DK | ID | | T | W |
| | 2 | B | <i>Plerogyra turbida</i> | live | 56 | | GB | ID | | T | W |
| | 2 | B | <i>Polycyathus verrilli</i> | live | 20 | | DE | FJ | | T | W |
| | 2 | B | <i>Dendrophyllia ramea</i> | raw corals | 1 | | ES | MA | XX | I | |
| | 2 | B | <i>Duncanopsammia spp.</i> | live | 5 | | DE | AU | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | raw corals | 20 | | ES | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | raw corals | 50 | | GB | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | raw corals | 203 | | GB | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | raw corals | 10 | | GR | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 3 | | BE | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 1071 | | DE | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 42 | | DK | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 120 | | ES | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 183 | | GB | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 490 | | GB | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 110 | | IT | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 673 | | NL | ID | | T | W |
| | 2 | B | <i>Eguchipsammia fistula</i> | live | 10 | | SE | ID | | T | W |
| | 2 | B | <i>Tubastraea spp.</i> | raw corals | 200 g | | ES | CU | XX | I | |
| | 2 | B | <i>Tubastraea spp.</i> | raw corals | 29 | | GB | SB | | T | W |
| | 2 | B | <i>Tubastraea spp.</i> | live | 25 | | DE | SB | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Tubastraea</i> spp. | live | 51 | DE | TO | | T | W | |
| | 2 | B | <i>Tubastraea</i> spp. | live | 100 | DK | TO | | T | W | |
| | 2 | B | <i>Tubastraea falkneri</i> | live | 3 | DE | TO | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | raw corals | 148 | GB | FJ | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | raw corals | 13 | GB | SB | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | live | 425 | DE | FJ | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | live | 34 | DE | SB | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | live | 107 | DE | TO | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | live | 71 | DK | TO | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | live | 399 | GB | FJ | | T | W | |
| | 2 | B | <i>Turbinaria</i> spp. | live | 3 | GB | US | FJ | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | carvings | 33 | GB | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | raw corals | 110 | GB | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 61 | BE | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 1271 | DE | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 92 | DK | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 66 | ES | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 144 | GB | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 220 | IT | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 564 | NL | ID | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 75 | NL | TO | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 200 | NL | VU | | T | W | |
| | 2 | B | <i>Turbinaria mesenterina</i> | live | 26 | SE | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | raw corals | 92 | GB | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 10 | BE | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 1138 | DE | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 60 | DK | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 110 | ES | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 3 | FI | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 274 | GB | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 123 | IT | ID | | T | W | |
| | 2 | B | <i>Turbinaria peltata</i> | live | 544 | NL | ID | | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Turbinaria peltata</i> | live | 142 | | SE | ID | | T | W |
| | 2 | B | <i>Millepora spp.</i> | live | 55 | | DK | TO | | T | W |
| | 2 | B | <i>Millepora tenera</i> | live | 5 | | DE | TO | | T | W |
| | 2 | B | <i>Millepora tenera</i> | live | 75 | | NL | TO | | T | W |
| | 2 | B | <i>Distichopora spp.</i> | raw corals | 4 g | | ES | JP | XX | I | |
| | 2 | B | <i>Distichopora spp.</i> | raw corals | 64 | | GB | FJ | | T | W |
| | 2 | B | <i>Distichopora spp.</i> | live | 2 | | DE | FJ | | T | W |
| | 2 | B | <i>Distichopora spp.</i> | live | 133 | | GB | FJ | | T | W |
| | 2 | B | <i>Stylaster spp.</i> | raw corals | 90 | | GB | FJ | | T | W |
| | 2 | B | <i>Stylaster spp.</i> | live | 1 | | DE | FJ | | T | W |
| | 2 | B | <i>Stylaster spp.</i> | live | 179 | | GB | FJ | | T | W |
| | 2 | B | <i>Heliopora spp.</i> | raw corals | 6 | | GB | SB | | T | W |
| | 2 | B | <i>Heliopora spp.</i> | live | 21 | | DE | SB | | T | W |
| | 2 | B | <i>Heliopora coerulea</i> | live | 100 | | DE | ID | | T | W |
| | 2 | B | <i>Heliopora coerulea</i> | live | 19 | | SE | ID | | T | C |
| | 2 | B | <i>Heliopora coerulea</i> | live | 19 | | SE | ID | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | raw corals | 115 | | GB | FJ | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | live | 236 | | DE | FJ | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | live | 3 | | DE | SB | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | live | 30 | | DE | TO | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | live | 50 | | DK | TO | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | live | 470 | | GB | FJ | | T | W |
| | 2 | B | <i>Tubipora spp.</i> | live | 37 | | GB | US | FJ | T | W |
| | 2 | B | <i>Tubipora musica</i> | raw corals | 50 | | GB | ID | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 30 | | BE | ID | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 33 | | DE | FJ | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 459 | | DE | ID | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 65 | | ES | ID | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 188 | | GB | ID | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 50 | | IT | ID | | T | W |
| | 2 | B | <i>Tubipora musica</i> | live | 258 | | NL | ID | | T | W |
| | 2 | B | <i>Galanthus elwesii</i> | live | 3905000 | | NL | TR | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|---------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Galanthus woronowii</i> | live | 5000000 | | NL | GE | | T | W |
| | 2 | B | <i>Galanthus woronowii</i> | live | 1341200 | | NL | TR | | T | W |
| | 2 | B | <i>Galanthus woronowii</i> | live | 5000000 | | NL | TR | GE | T | W |
| | 2 | B | <i>Pachypodium bispinosum</i> | live | 160 | | DE | ZA | | T | W |
| | 2 | B | <i>Pachypodium succulentum</i> | live | 100 | | DE | ZA | | T | W |
| | 2 | B | <i>Rauvolfia serpentina</i> | roots | 7002 kg | | DE | TH | | T | W |
| | 2 | B | <i>Panax quinquefolius</i> | roots | 10 g | | DE | US | | S | W |
| | 2 | B | <i>Tillandsia</i> spp. | dried plants | 5 | | DK | EC | | S | W |
| | 2 | B | <i>Tillandsia</i> spp. | dried plants | 30 | | GB | BZ | | S | W |
| | 2 | B | <i>Cactaceae</i> spp. | dried plants | 1 | | BE | AR | | P | W |
| | 2 | B | <i>Cactaceae</i> spp. | live | 3 | | AT | US | | P | W |
| | 2 | B | <i>Cactaceae</i> spp. | live | 50 | | IE | BZ | | G | W |
| | 2 | B | <i>Cactaceae</i> spp. | stems | 1500 | | FR | PE | | T | W |
| | 2 | B | <i>Cactaceae</i> spp. | stems | 4354 | | IT | CL | | T | W |
| | 2 | B | <i>Cactaceae</i> spp. | timber pieces | 2 | | DE | US | | P | U |
| | 2 | B | <i>Cactaceae</i> spp. | timber pieces | 1 | | DE | US | CL | P | W |
| | 2 | B | <i>Cactaceae</i> spp. | timber pieces | 2 | | DE | US | CL | P | U |
| | 2 | B | <i>Cactaceae</i> spp. | timber pieces | 10 | | DE | US | XX | P | U |
| | 2 | B | <i>Ariocarpus retusus</i> ssp. <i>trigonus</i> | seeds | 1000 | | GB | CZ | | T | D |
| | 2 | B | <i>Armatocereus brevispinus</i> | dried plants | 2 | | DK | EC | | S | W |
| | 2 | B | <i>Armatocereus cartwrightianus</i> | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Armatocereus matucanensis</i> | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Browningia</i> spp. | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Carnegiea gigantea</i> | timber pieces | 10 | | DE | US | | T | W |
| | 2 | B | <i>Cereus</i> spp. | live | 2 | | BE | MZ | | P | W |
| | 2 | B | <i>Echinopsis</i> spp. | dried plants | 100 g | | DE | CH | US | S | I |
| | 2 | B | <i>Echinopsis</i> spp. | stems | 400 | | FR | PE | | T | W |
| | 2 | B | <i>Echinopsis</i> spp. | stems | 700 | | IT | PE | | T | W |
| | 2 | B | <i>Echinopsis</i> spp. | stems | 700 | | NL | PE | | T | W |
| | 2 | B | <i>Echinopsis</i> spp. | timber | 5 | | DE | PE | | T | W |
| | 2 | B | <i>Echinopsis</i> spp. | stems | 600 | | SE | PE | | P | W |
| | 2 | B | <i>Echinopsis chiloensis</i> | stems | 371 | | AT | CL | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|--------------|----------|-----------------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Echinopsis chiloensis</i> | stems | 2238 | | BE | CL | | T | W |
| | 2 | B | <i>Echinopsis chiloensis</i> | stems | 7113 | | DE | CL | | T | W |
| | 2 | B | <i>Echinopsis chiloensis</i> | stems | 800 | | GB | CL | | T | W |
| | 2 | B | <i>Echinopsis peruviana</i> ssp. <i>puquiensis</i> | stems | 300 | | AT | PE | | T | W |
| | 2 | B | <i>Echinopsis peruviana</i> ssp. <i>puquiensis</i> | stems | 500 | | ES | PE | | T | W |
| | 2 | B | <i>Echinopsis peruviana</i> ssp. <i>puquiensis</i> | stems | 250 | | NL | PE | | T | W |
| | 2 | B | <i>Espostoa lanata</i> | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 93 | | AT | CL | | T | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 166 | | BE | CL | | T | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 38579 | | DE | CL | | T | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 2 | | DE | TR | CL | P | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 1259 | | ES | CL | | T | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 21311 | | FR | CL | | T | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 3100 | | GB | CL | | T | W |
| | 2 | B | <i>Eulychnia acida</i> | stems | 1425 | | IT | CL | | T | W |
| | 2 | B | <i>Opuntia</i> spp. | stems | 2400 | | BE | US | MX | T | W |
| | 2 | B | <i>Opuntia cholla</i> | stems | 957 | | BE | US | MX | T | W |
| | 2 | B | <i>Opuntia quitenensis</i> | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Praecereus euchlorus</i> ssp. <i>diffusus</i> | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Cyatheaceae</i> spp. | carvings | 4 | | FR | VU | | P | W |
| | 2 | B | <i>Cyatheaceae</i> spp. | dried plants | 21 | | FR | NC | VU | P | W |
| | 2 | B | <i>Cyathea</i> spp. | dried plants | 81 | | DE | ID | | T | W |
| | 2 | B | <i>Cyathea</i> spp. | dried plants | 800 | | FR | MG | | T | W |
| | 2 | B | <i>Cyathea</i> spp. | dried plants | 61 | | GB | BZ | | S | W |
| | 2 | B | <i>Cyathea arborea</i> | fibres | 9000 | cm ³ | ES | GT | | T | W |
| | 2 | B | <i>Cyathea cunninghamii</i> | live | 15 | | GB | NZ | | T | W |
| | 2 | B | <i>Cyathea dealbata</i> | live | 594 | | GB | NZ | | T | W |
| | 2 | B | <i>Cyathea dealbata</i> | live | 319 | | NL | NZ | | T | W |
| | 2 | B | <i>Cyathea medullaris</i> | carvings | 12 | | GB | NZ | | T | W |
| | 2 | B | <i>Cyathea medullaris</i> | live | 630 | | GB | NZ | | T | W |
| | 2 | B | <i>Cyathea medullaris</i> | live | 155 | | NL | NZ | | T | W |
| | 2 | B | <i>Cyathea smithii</i> | live | 427 | | GB | NZ | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Cyathea smithii</i> | live | 116 | | NL | NZ | | T | W |
| | 2 | B | <i>Cycas spp.</i> | leaves | 3456 | | ES | PH | XX | T | I |
| | 2 | B | <i>Cycas circinalis</i> | live | 10 | | ES | BR | XX | T | O |
| | 2 | B | <i>Cycas media</i> | live | 500 | | NL | AU | | T | W |
| | 2 | B | <i>Cycas revoluta</i> | live | 40 | | ES | BR | XX | T | O |
| | 2 | B | <i>Cibotium regale</i> | dried plants | 6 | | GB | BZ | | S | W |
| | 2 | B | <i>Dicksonia antarctica</i> | live | 1486 | | FR | AU | | T | W |
| | 2 | B | <i>Dicksonia antarctica</i> | live | 15122 | | GB | AU | | T | W |
| | 2 | B | <i>Dicksonia antarctica</i> | live | 245 | | IT | AU | | T | W |
| | 2 | B | <i>Dicksonia antarctica</i> | live | 400 | | NL | AU | | T | W |
| | 2 | B | <i>Dicksonia antarctica</i> | stems | 500 | | IE | AU | | T | W |
| | 2 | B | <i>Dicksonia antarctica</i> | stems | 362 | | NL | AU | | T | W |
| | 2 | B | <i>Dicksonia fibrosa</i> | live | 1367 | | GB | NZ | | T | W |
| | 2 | B | <i>Dicksonia fibrosa</i> | live | 873 | | NL | NZ | | T | W |
| | 2 | B | <i>Dicksonia squarrosa</i> | live | 1308 | | GB | NZ | | T | W |
| | 2 | B | <i>Dicksonia squarrosa</i> | live | 62858 | | NL | NZ | | T | W |
| | 2 | B | <i>Euphorbia baga</i> | live | 150 | | DE | BJ | | T | W |
| | 2 | B | <i>Euphorbia caerulescens</i> | leaves | 10 | | DE | ZA | | G | W |
| | 2 | B | <i>Euphorbia horrida</i> | leaves | 8 | | DE | ZA | | G | W |
| | 2 | B | <i>Euphorbia mauritanica</i> | leaves | 10 | | DE | ZA | | G | W |
| | 2 | B | <i>Euphorbia milii</i> | stems | 100 | | BE | MG | | P | W |
| | 2 | B | <i>Euphorbia poissonii</i> | live | 230 | | DE | BJ | | T | W |
| | 2 | B | <i>Euphorbia unispina</i> | live | 140 | | DE | BJ | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | logs | 308 m3 | | BE | CG | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | logs | 29 m3 | | FR | CG | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | logs | 115 | | IT | CM | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 167 m3 | | BE | CG | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 1079 m3 | | BE | CM | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 58 m3 | | DE | CG | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 29 m3 | | FR | CM | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 869 m3 | | IT | CG | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 25 m3 | | IT | CI | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 2683 | m3 | IT | CM | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | sawn wood | 16 | m3 | IT | GH | | T | W |
| | 2 | B | <i>Pericopsis elata</i> | timber pieces | 104 | m3 | DE | CG | | T | W |
| | 2 | B | <i>Aloe spp.</i> | live | 15 | | AT | MG | | G | W |
| | 2 | B | <i>Aloe spp.</i> | live | 150 | | DE | BJ | | T | W |
| | 2 | B | <i>Aloe ferox</i> | dried plants | 4370 | | DE | ZA | | T | W |
| | 2 | B | <i>Aloe ferox</i> | dried plants | 2003 | | NL | ZA | | T | W |
| | 2 | B | <i>Aloe ferox</i> | extract | 2349 | kg | DE | PL | ZA | T | W |
| | 2 | B | <i>Aloe ferox</i> | extract | 199 | | DE | ZA | | T | W |
| | 2 | B | <i>Aloe ferox</i> | extract | 65418 | kg | DE | ZA | | T | W |
| | 2 | B | <i>Aloe ferox</i> | extract | 54150 | kg | IT | ZA | | T | W |
| | 2 | B | <i>Orchidaceae spp.</i> | dried plants | 18 | | DK | EC | | S | W |
| | 2 | B | <i>Orchidaceae spp.</i> | live | 570 | | AT | MG | | G | W |
| | 2 | B | <i>Orchidaceae spp.</i> | live | 4 | | ES | PY | XX | I | |
| | 2 | B | <i>Orchidaceae spp.</i> | live | 66 | | FR | MG | | T | W |
| | 2 | B | <i>Orchidaceae spp.</i> | live | 190 | | FR | VN | | T | W |
| | 2 | B | <i>Orchidaceae spp.</i> | live | 300 | | IE | BZ | | G | W |
| | 2 | B | <i>Aeranthes arachnites</i> | specimens | 10 | | GB | MU | | S | W |
| | 2 | B | <i>Angraecopsis parviflora</i> | specimens | 10 | | GB | MU | | S | W |
| | 2 | B | <i>Angraecum spp.</i> | specimens | 74 | | GB | MU | | S | W |
| | 2 | B | <i>Angraecum breve</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Angraecum didieri</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Angraecum drouhardii</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Angraecum protensum</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Arachnis annamensis</i> | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Arpophyllum giganteum</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Beclardia macrostachya</i> | specimens | 5 | | GB | MU | | S | W |
| | 2 | B | <i>Bulbophyllum spp.</i> | stems | 4 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Bulbophyllum lemniscatoides</i> | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Cattleya spp.</i> | live | 550 | | FR | TH | | T | W |
| | 2 | B | <i>Cephalantheropsis spp.</i> | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Chysis bractescens</i> | dried plants | 1 | | GB | BZ | | S | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------|--------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Cleisostoma</i> spp. | stems | 6 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Cryptopus elatus</i> | specimens | 10 | | GB | MU | | S | W |
| | 2 | B | <i>Cymbidiella falcigera</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Cymbidiella flabellata</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Cymbidiella pardalina</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Cymbidium</i> spp. | stems | 2 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Cynorkis</i> spp. | live | 5 | | GB | MG | | P | W |
| | 2 | B | <i>Cynorkis gibbosa</i> | live | 5 | | GB | MG | | P | W |
| | 2 | B | <i>Cynorkis uncinata</i> | live | 5 | | GB | MG | | P | W |
| | 2 | B | <i>Cypripedium japonicum</i> | dried plants | 1 | | NL | JP | | E | O |
| | 2 | B | <i>Cypripedium parviflorum</i> | live | 195 | | GB | US | | T | W |
| | 2 | B | <i>Cypripedium reginae</i> | live | 120 | | GB | US | | T | W |
| | 2 | B | <i>Dendrobium</i> spp. | stems | 6 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Encyclia baculus</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Eparmatostigma dives</i> | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Epidendrum</i> spp. | dried plants | 1 | | DK | EC | | S | W |
| | 2 | B | <i>Eria</i> spp. | stems | 10 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Flickingeria</i> spp. | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Gastrochilus</i> spp. | stems | 3 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Gongora truncata</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Gongora unicolor</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Gymnadenia conopsea</i> | dried plants | 1 | | NL | JP | | E | O |
| | 2 | B | <i>Jumellea</i> spp. | specimens | 15 | | GB | MU | | S | W |
| | 2 | B | <i>Jumellea ibityana</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Jumellea punctata</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Jumellea teretifolia</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Liparis</i> spp. | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Luisia</i> spp. | stems | 3 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Macropodanthus alatus</i> | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Maxillaria rufescens</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Maxillaria variabilis</i> | dried plants | 2 | | GB | BZ | | S | W |
| | 2 | B | <i>Oeoniella aphrodite</i> | specimens | 5 | | GB | MU | | S | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--|--------------|----------|------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Oncidium</i> spp. | dried plants | 3 | | GB | BZ | | S | W |
| | 2 | B | <i>Ornithocephalus gladiatus</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Phaius francoisii</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Phaius humblotii</i> | live | 4 | | GB | MG | | P | W |
| | 2 | B | <i>Phaius pulcher</i> var. <i>perrieri</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Phaius tuberculosus</i> | live | 2 | | GB | MG | | P | W |
| | 2 | B | <i>Platythelys querceticola</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Pleurothallis brighamii</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Pleurothallis erinacea</i> | dried plants | 1 | | GB | BZ | | S | W |
| | 2 | B | <i>Polystachya concreta</i> | specimens | 15 | | GB | MU | | S | W |
| | 2 | B | <i>Pomatocalpa grandis</i> | stems | 2 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Ponerorchis graminifolia</i> | dried plants | 1 | | NL | JP | E | O | |
| | 2 | B | <i>Schoenorchis</i> spp. | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Stelis</i> spp. | dried plants | 4 | | DK | EC | S | W | |
| | 2 | B | <i>Stenorhynchos lanceolatus</i> | dried plants | 1 | | GB | BZ | S | W | |
| | 2 | B | <i>Stenorhynchos petenensis</i> | dried plants | 2 | | GB | BZ | S | W | |
| | 2 | B | <i>Steveniella caucasica</i> | dried plants | 4 | | GB | TR | S | W | |
| | 2 | B | <i>Thrixspermum leucarachne</i> | stems | 1 | | DK | CZ | VN | S | W |
| | 2 | B | <i>Trigonidium egertonianum</i> | dried plants | 1 | | GB | BZ | S | W | |
| | 2 | B | <i>Podophyllum hexandrum</i> | dried plants | 16000 | kg | DE | CN | T | W | |
| | 2 | B | <i>Cyclamen cilicium</i> | live | 250000 | | NL | TR | T | W | |
| | 2 | B | <i>Cyclamen coum</i> | live | 230950 | | NL | TR | T | W | |
| | 2 | B | <i>Cyclamen hederifolium</i> | live | 1217375 | | NL | TR | T | W | |
| | 2 | B | <i>Hydrastis canadensis</i> | roots | 12 | kg | DE | CH | US | T | W |
| | 2 | B | <i>Hydrastis canadensis</i> | roots | 100 | kg | DE | US | T | O | |
| | 2 | B | <i>Hydrastis canadensis</i> | roots | 120 | kg | DE | US | T | W | |
| | 2 | B | <i>Prunus africana</i> | extract | 50 | g | DE | CH | CM | S | W |
| | 2 | B | <i>Prunus africana</i> | extract | 50 | kg | DE | IN | MG | T | W |
| | 2 | B | <i>Prunus africana</i> | extract | 20000 | kg | FR | BI | | T | W |
| | 2 | B | <i>Prunus africana</i> | extract | 71235 | kg | FR | CM | | T | W |
| | 2 | B | <i>Prunus africana</i> | extract | 50150 | kg | FR | KE | | T | W |
| | 2 | B | <i>Prunus africana</i> | extract | 195119 | kg | FR | MG | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|----------|----------|----------------|----------|----------|--------|---------|--------|
| | 2 | B | <i>Prunus africana</i> | extract | 200 | kg | FR | MG | CM | T | W |
| | 2 | B | <i>Prunus africana</i> | powder | 138001 | kg | ES | CM | | T | W |
| | 2 | B | <i>Prunus africana</i> | powder | 224659 | kg | ES | GQ | | T | W |
| | 2 | B | <i>Macrozamia moorei</i> | live | 88 | | DE | AU | | T | W |
| | 2 | B | <i>Macrozamia moorei</i> | live | 74 | | IT | AU | | T | W |
| | 3 | C | <i>Agouti paca</i> | live | 4 | | NL | SR | | | |
| | 3 | C | <i>Canis aureus</i> | bodies | 1 | | GB | JP | XX | Q | O |
| | 3 | C | <i>Canis aureus</i> | trophies | 1 | | ES | CM | | H | W |
| | 3 | C | <i>Nasua nasua</i> | live | 50 | | NL | PY | | | |
| | 3 | C | <i>Mellivora capensis</i> | skins | 1 | | DE | ZA | | H | W |
| | 3 | C | <i>Mellivora capensis</i> | skulls | 1 | | DE | ZA | | H | W |
| | 3 | C | <i>Mellivora capensis</i> | trophies | 2 | | DE | ZA | | H | W |
| | 3 | C | <i>Mellivora capensis</i> | trophies | 1 | | ES | ZA | | H | W |
| | 3 | C | <i>Mellivora capensis</i> | trophies | 2 | | ES | ZW | | H | W |
| | 3 | C | <i>Mellivora capensis</i> | trophies | 2 | | FR | ZA | | H | W |
| | 3 | C | <i>Mustela altaica</i> | plates | 300 | | DE | CN | | T | W |
| | 3 | C | <i>Mustela altaica</i> | plates | 20 | m ² | GB | CN | | | |
| | 3 | C | <i>Mustela altaica</i> | skins | 500 | | IT | CN | | | |
| | 3 | C | <i>Mustela sibirica</i> | bodies | 1 | | NL | JP | XX | E | O |
| | 3 | C | <i>Mustela sibirica</i> | garments | 47 | | DE | CN | | T | W |
| | 3 | C | <i>Mustela sibirica</i> | hair | 14245 | kg | DE | CN | | T | W |
| | 3 | C | <i>Mustela sibirica</i> | live | 500 | | IT | CN | | | |
| | 3 | C | <i>Mustela sibirica</i> | live | 3 | | NL | PL | | | |
| | 3 | C | <i>Mustela sibirica</i> | plates | 31028 | | DE | CN | | T | W |
| | 3 | C | <i>Mustela sibirica</i> | plates | 500 | | DE | NC | CN | T | W |
| | 3 | C | <i>Mustela sibirica</i> | plates | 50 | | GB | CN | | | |
| | 3 | C | <i>Mustela sibirica</i> | plates | 340 | m ² | GB | CN | | | |
| | 3 | C | <i>Mustela sibirica</i> | skins | 66 | | AT | CN | | | |
| | 3 | C | <i>Mustela sibirica</i> | skins | 10578 | | IT | CN | | | |
| | 3 | C | <i>Mustela sibirica</i> | skins | 132 | | IT | HK | CN | | |
| | 3 | C | <i>Mustela sibirica</i> | skins | 300 | | IT | JP | CN | | |
| | 3 | C | <i>Mustela sibirica</i> | tails | 6000 | | DE | CN | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Mustela sibirica</i> | tails | 117 | kg | DE | CN | | T | W |
| | 3 | C | <i>Arctictis binturong</i> | live | 1 | | IT | US | | | |
| | 3 | C | <i>Arctictis binturong</i> | live | 1 | | NL | SG | | | |
| | 3 | C | <i>Civettictis civetta</i> | live | 6 | | IT | TG | | | |
| | 3 | C | <i>Civettictis civetta</i> | skins | 1 | | DE | TZ | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | skins | 1 | | DE | ZA | | P | W |
| | 3 | C | <i>Civettictis civetta</i> | skins | 3 | | DE | ZW | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | skins | 3 | | DE | ZW | | P | W |
| | 3 | C | <i>Civettictis civetta</i> | skins | 1 | | ES | ZA | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | skins | 1 | | IT | TZ | | | |
| | 3 | C | <i>Civettictis civetta</i> | skulls | 1 | | DE | TZ | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | skulls | 3 | | DE | ZW | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | skulls | 3 | | DE | ZW | | P | W |
| | 3 | C | <i>Civettictis civetta</i> | skulls | 1 | | IT | TZ | | | |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 4 | | AT | TZ | | P | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | | AT | ZW | | P | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | | DE | ZW | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 4 | | ES | TZ | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | | ES | TZ | ZA | H | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | | ES | ZA | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | | ES | ZW | | H | W |
| | 3 | C | <i>Civettictis civetta</i> | trophies | 1 | | PT | ZW | | H | W |
| | 3 | C | <i>Paguma larvata</i> | live | 17 | | IT | ID | | | |
| | 3 | C | <i>Paradoxurus hermaphroditus</i> | live | 20 | | IT | ID | | | |
| | 3 | C | <i>Proteles cristatus</i> | live | 2 | | GB | US | | | |
| | 3 | C | <i>Proteles cristatus</i> | trophies | 1 | | DE | ZA | | H | W |
| | 3 | B | <i>Odobenus rosmarus</i> | bones | 1 | | DK | GL | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | bones | 9 | | DK | GL | | P | W |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 1 | | DK | GL | | E | W |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 19 | | DK | GL | | P | W |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 64 | | DK | GL | | Q | W |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 160 | | DK | GL | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|----------------|----------|------|----------|----------|--------|---------|--------|
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 1 | FR | CA | | | T | O |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 4 | FR | CA | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 12 | IT | CA | | | E | O |
| | 3 | B | <i>Odobenus rosmarus</i> | carvings | 22 | IT | CA | | | E | W |
| | 3 | B | <i>Odobenus rosmarus</i> | ivory carvings | 1 | DE | CA | | | E | O |
| | 3 | B | <i>Odobenus rosmarus</i> | ivory carvings | 1 | DE | RU | | | E | O |
| | 3 | B | <i>Odobenus rosmarus</i> | ivory products | 8 | ES | US | XX | | E | U |
| | 3 | B | <i>Odobenus rosmarus</i> | skins | 1 | DE | RU | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | skulls | 1 | DE | RU | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | skulls | 1 | DK | GL | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | skulls | 1 | IE | CA | | | P | O |
| | 3 | B | <i>Odobenus rosmarus</i> | teeth | 5 | DE | GL | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | teeth | 1 | DK | GL | | | P | W |
| | 3 | B | <i>Odobenus rosmarus</i> | teeth | 12 | DK | GL | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | trophies | 1 | ES | NO | US | | P | O |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 8 | DE | GL | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 2 | DE | RU | | | P | W |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 3 | DE | RU | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 1 | DK | GL | | | P | W |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 54 | DK | GL | | | T | W |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 72 | DK | GL | | | Q | O |
| | 3 | B | <i>Odobenus rosmarus</i> | tusks | 2 | ES | NO | US | | P | O |
| | 3 | C | <i>Antilope cervicapra</i> | horns | 2 | AT | US | | | P | F |
| | 3 | C | <i>Antilope cervicapra</i> | horns | 2 | DE | AR | | | H | W |
| | 3 | C | <i>Antilope cervicapra</i> | live | 4 | NL | CZ | | | | |
| | 3 | C | <i>Antilope cervicapra</i> | skins | 2 | DE | AR | | | T | W |
| | 3 | C | <i>Antilope cervicapra</i> | skins | 3 | DE | AR | | | H | W |
| | 3 | C | <i>Antilope cervicapra</i> | skins | 9 | DE | AR | | | P | W |
| | 3 | C | <i>Antilope cervicapra</i> | skulls | 2 | AT | AR | | | P | W |
| | 3 | C | <i>Antilope cervicapra</i> | skulls | 1 | DE | AR | | | H | W |
| | 3 | C | <i>Antilope cervicapra</i> | skulls | 2 | DE | AR | | | T | W |
| | 3 | C | <i>Antilope cervicapra</i> | skulls | 9 | DE | AR | | | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------|---------------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 1 | | AT | US | | P | F |
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 1 | | AT | US | | P | W |
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 3 | | AT | XX | US | P | W |
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 1 | | DE | US | | H | F |
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 1 | | DE | US | | P | C |
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 7 | | ES | AR | | H | W |
| | 3 | C | <i>Antilope cervicapra</i> | trophies | 1 | | ES | US | | H | F |
| | 3 | C | <i>Bubalus arnee</i> | carvings | 231 | | AT | IN | | T | W |
| | 3 | C | <i>Bubalus arnee</i> | horn carvings | 33217 | | DE | IN | | T | W |
| | 3 | C | <i>Bubalus arnee</i> | horn carvings | 3874 kg | | DE | IN | | T | W |
| | 3 | C | <i>Bubalus arnee</i> | skins | 3 | | DE | AR | | P | W |
| | 3 | C | <i>Bubalus arnee</i> | skulls | 1 | | AT | AR | | P | W |
| | 3 | C | <i>Bubalus arnee</i> | skulls | 3 | | DE | AR | | P | W |
| | 3 | C | <i>Bubalus arnee</i> | skulls | 3 | | DE | AR | | T | W |
| | 3 | C | <i>Bubalus bubalis</i> | horn carvings | 15500 | | DE | IN | | T | W |
| | 3 | C | <i>Bubalus bubalis</i> | horn carvings | 15747 kg | | DE | IN | | T | W |
| | 3 | C | <i>Bubalus bubalis</i> | horns | 6 | | DE | AU | | P | W |
| | 3 | C | <i>Bubalus bubalis</i> | horns | 4562 kg | | DE | IN | | T | W |
| | 3 | C | <i>Bubalus bubalis</i> | horns | 55 kg | | DE | PH | | T | W |
| | 3 | C | <i>Bubalus bubalis</i> | skins | 1 | | DE | AR | | H | W |
| | 3 | C | <i>Bubalus bubalis</i> | skulls | 1 | | DE | AR | | H | W |
| | 3 | C | <i>Bubalus bubalis</i> | skulls | 4 | | DE | AU | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | bones | 2 | | DE | ZW | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | horns | 2 | | DE | ZA | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 1 | | AT | ZA | BW | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 5 | | DE | BW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 1 | | DE | NA | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 1 | | DE | ZA | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 1 | | DE | ZA | ZM | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 2 | | DE | ZW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skins | 4 | | DE | ZW | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 1 | | AT | ZA | BW | P | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 3 | | AT | ZW | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 7 | | DE | BW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 1 | | DE | ZA | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 1 | | DE | ZA | ZM | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 6 | | DE | ZW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 7 | | DE | ZW | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | skulls | 15 kg | | GB | ZW | | | |
| | 3 | C | <i>Damaliscus lunatus</i> | tails | 2 | | DE | ZW | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | AT | ZA | BW | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | AT | ZW | | P | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 3 | | DE | BW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 3 | | DE | CH | TZ | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | DE | ZA | | H | F |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | DE | ZW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | DK | ZA | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 2 | | DK | ZW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 12 | | ES | BW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 18 | | ES | TZ | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 9 | | ES | ZA | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | ES | ZA | BW | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 6 | | ES | ZM | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | ES | ZW | | H | C |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 16 | | ES | ZW | | H | W |
| | 3 | C | <i>Damaliscus lunatus</i> | trophies | 1 | | IT | ZW | | | |
| | 3 | B | <i>Gazella dorcas</i> | trophies | 6 | | FR | CH | TD | H | O |
| | 3 | C | <i>Tragelaphus eurycerus</i> | skins | 1 | | ES | CF | | H | W |
| | 3 | C | <i>Tragelaphus eurycerus</i> | skulls | 1 | | ES | CF | | H | W |
| | 3 | C | <i>Tragelaphus eurycerus</i> | trophies | 2 | | DK | CM | | H | W |
| | 3 | C | <i>Tragelaphus eurycerus</i> | trophies | 4 | | ES | CM | | H | W |
| | 3 | C | <i>Tragelaphus spekii</i> | feet | 2 | | AT | ZA | BW | P | W |
| | 3 | C | <i>Tragelaphus spekii</i> | feet | 4 | | DE | ZA | ZM | H | W |
| | 3 | C | <i>Tragelaphus spekii</i> | skins | 1 | | DE | ZA | ZM | H | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------------------|----------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Tragelaphus spekii</i> | skulls | 4 | | DE | ZA | ZM | H | W |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 1 | | AT | ZA | BW | P | W |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 1 | | AT | ZM | | P | W |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 1 | | DE | ZA | ZM | H | W |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 1 | | ES | CM | | H | W |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 3 | | ES | TZ | | H | W |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 1 | | ES | US | | H | C |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 1 | | ES | ZM | | H | C |
| | 3 | C | <i>Tragelaphus spekii</i> | trophies | 7 | | ES | ZM | | H | W |
| | 3 | A | <i>Bubulcus ibis</i> | live | 4 | | FR | CZ | | Z | F |
| | 3 | C | <i>Ephippiorhynchus senegalensis</i> | live | 1 | | IT | TZ | | | |
| | 3 | C | <i>Ephippiorhynchus senegalensis</i> | live | 20 | | NL | TZ | | | |
| | 3 | C | <i>Leptoptilos crumeniferus</i> | live | 96 | | NL | TZ | | | |
| | 3 | C | <i>Bostrychia hagedash</i> | live | 12 | | DE | TZ | | T | W |
| | 3 | C | <i>Threskiornis aethiopicus</i> | bodies | 1 | | GB | JP | XX | Q | O |
| | 3 | C | <i>Alopochen aegyptiacus</i> | trophies | 3 | | ES | ZA | | H | W |
| | 3 | C | <i>Alopochen aegyptiacus</i> | trophies | 1 | | ES | ZW | | H | W |
| | 3 | C | <i>Alopochen aegyptiacus</i> | trophies | 1 | | IT | ZA | | | |
| | 3 | C | <i>Nettapus auritus</i> | live | 40 | | IT | ML | | | |
| | 3 | C | <i>Nettapus auritus</i> | trophies | 1 | | ES | ZW | | H | W |
| | 3 | C | <i>Tragopan satyra</i> | live | 2 | | BE | US | | B | F |
| | 3 | C | <i>Columba guinea</i> | live | 20 | | ES | SN | | T | C |
| | 3 | C | <i>Columba guinea</i> | live | 81 | | ES | SN | | T | W |
| | 3 | C | <i>Columba guinea</i> | live | 90 | | ES | SN | GN | T | W |
| | 3 | C | <i>Columba guinea</i> | live | 2 | | GR | ZA | | Z | C |
| | 3 | C | <i>Columba guinea</i> | live | 15 | | IT | ML | | | |
| | 3 | C | <i>Columba guinea</i> | live | 222 | | IT | SN | | | |
| | 3 | A | <i>Columba livia</i> | live | 6 | | ES | AR | | T | C |
| | 3 | A | <i>Columba livia</i> | live | 162 | | ES | CU | | T | C |
| | 3 | C | <i>Oena capensis</i> | live | 608 | | BE | ML | | T | W |
| | 3 | C | <i>Oena capensis</i> | live | 50 | | BE | SN | | T | W |
| | 3 | C | <i>Oena capensis</i> | live | 200 | | ES | ML | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|----------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Oena capensis</i> | live | 2329 | | ES | SN | | T | W |
| | 3 | C | <i>Oena capensis</i> | live | 25 | | ES | SN | GN | T | W |
| | 3 | C | <i>Oena capensis</i> | live | 200 | | IT | ML | | | |
| | 3 | C | <i>Oena capensis</i> | live | 1370 | | IT | SN | | | |
| | 3 | C | <i>Oena capensis</i> | live | 26 | | NL | GN | | | |
| | 3 | C | <i>Oena capensis</i> | sawn wood | 0 | m3 | IT | ML | | | |
| | 3 | C | <i>Streptopelia senegalensis</i> | live | 40 | | BE | SN | | T | W |
| | 3 | C | <i>Streptopelia senegalensis</i> | live | 810 | | ES | SN | | T | W |
| | 3 | C | <i>Streptopelia senegalensis</i> | live | 100 | | IT | ML | | | |
| | 3 | C | <i>Streptopelia senegalensis</i> | live | 852 | | IT | SN | | | |
| | 3 | A | <i>Streptopelia turtur</i> | bodies | 326 | | IT | BG | | P | W |
| | 3 | C | <i>Treron calva</i> | live | 20 | | IT | GH | | | |
| | 3 | C | <i>Treron calva</i> | live | 127 | | NL | GH | | | |
| | 3 | C | <i>Treron waalia</i> | live | 27 | | ES | GN | | T | W |
| | 3 | C | <i>Treron waalia</i> | live | 47 | | ES | SN | | T | W |
| | 3 | C | <i>Turtur afer</i> | live | 30 | | ES | GN | | T | W |
| | 3 | C | <i>Turtur afer</i> | live | 246 | | ES | SN | | T | W |
| | 3 | C | <i>Turtur afer</i> | live | 50 | | IT | GH | | | |
| | 3 | C | <i>Turtur afer</i> | live | 40 | | IT | ML | | | |
| | 3 | C | <i>Turtur afer</i> | live | 110 | | IT | SN | | | |
| | 3 | C | <i>Turtur afer</i> | live | 111 | | NL | GN | | | |
| | 3 | C | <i>Turtur brehmeri</i> | live | 12 | | BE | GN | | T | W |
| | 3 | C | <i>Turtur brehmeri</i> | live | 1 | | NL | GN | | | |
| | 3 | C | <i>Turtur tympanistria</i> | live | 354 | | BE | GN | | T | W |
| | 3 | C | <i>Turtur tympanistria</i> | live | 130 | | ES | GN | | T | W |
| | 3 | C | <i>Turtur tympanistria</i> | live | 100 | | IT | GH | | | |
| | 3 | C | <i>Turtur tympanistria</i> | live | 50 | | IT | GN | | | |
| | 3 | C | <i>Turtur tympanistria</i> | live | 74 | | NL | GH | | | |
| | 3 | C | <i>Turtur tympanistria</i> | live | 157 | | NL | GN | | | |
| | 3 | C | <i>Psittacula krameri</i> | bodies | 1 | | ES | SN | XX | I | |
| | 3 | C | <i>Psittacula krameri</i> | live | 2 | | DE | IR | | P | C |
| | 3 | C | <i>Psittacula krameri</i> | live | 300 | | DE | SN | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|----------------------|-------|----------|----------|------|----------|----------|--------|---------|--------|
| 3 | C | Psittacula krameri | | live | 28 | | ES | CZ | | T | C |
| 3 | C | Psittacula krameri | | live | 100 | | ES | GN | | T | W |
| 3 | C | Psittacula krameri | | live | 36 | | ES | ML | | T | W |
| 3 | C | Psittacula krameri | | live | 300 | | ES | PK | | T | C |
| 3 | C | Psittacula krameri | | live | 13375 | | ES | PK | | T | W |
| 3 | C | Psittacula krameri | | live | 2139 | | ES | SN | | T | W |
| 3 | C | Psittacula krameri | | live | 50 | | ES | SN | GN | T | W |
| 3 | C | Psittacula krameri | | live | 3 | | ES | SN | XX | | I |
| 3 | C | Psittacula krameri | | live | 1 | | GB | AE | | | |
| 3 | C | Psittacula krameri | | live | 1 | | GB | ZA | | | |
| 3 | C | Psittacula krameri | | live | 80 | | GB | ZA | | T | C |
| 3 | C | Psittacula krameri | | live | 500 | | GR | PK | | T | W |
| 3 | C | Psittacula krameri | | live | 1475 | | GR | PK | | T | C |
| 3 | C | Psittacula krameri | | live | 27 | | GR | ZA | | T | C |
| 3 | C | Psittacula krameri | | live | 700 | | IT | ML | | | |
| 3 | C | Psittacula krameri | | live | 3500 | | IT | PK | | | |
| 3 | C | Psittacula krameri | | live | 302 | | IT | SN | | | |
| 3 | C | Psittacula krameri | | live | 300 | | NL | PK | | | |
| 3 | C | Psittacula krameri | | live | 1 | | NL | ZA | | T | C |
| 3 | C | Psittacula krameri | | live | 16 | | NL | ZA | | | |
| 3 | C | Psittacula krameri | | live | 4 | | PT | GW | | | I |
| 3 | C | Psittacula krameri | | trophies | 100 | | ES | ML | | T | W |
| 3 | B | Corythaeola cristata | | live | 13 | | NL | GN | | T | W |
| 3 | B | Corythaeola cristata | | live | 4 | | PT | GN | | T | W |
| 3 | B | Crinifer piscator | | live | 20 | | BE | GN | | T | W |
| 3 | B | Crinifer piscator | | live | 10 | | ES | GN | | T | W |
| 3 | B | Musophaga violacea | | live | 70 | | BE | GN | | T | W |
| 3 | B | Musophaga violacea | | live | 10 | | ES | GH | | T | W |
| 3 | B | Musophaga violacea | | live | 35 | | ES | GN | | T | W |
| 3 | B | Musophaga violacea | | live | 25 | | FR | GN | | T | W |
| 3 | B | Musophaga violacea | | live | 101 | | FR | ML | | T | W |
| 3 | B | Musophaga violacea | | live | 22 | | IT | GN | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | B | <i>Musophaga violacea</i> | live | 76 | NL | GN | | | T | W |
| | 3 | C | <i>Cephalopterus ornatus</i> | live | 3 | NL | EC | | | | |
| | 3 | C | <i>Serinus leucopygius</i> | live | 600 | BE | GN | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 12926 | BE | ML | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 40 | BE | SN | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 500 | DE | ML | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 470 | DE | NG | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 550 | DE | SN | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 150 | ES | GN | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 300 | ES | ML | | | T | C |
| | 3 | C | <i>Serinus leucopygius</i> | live | 300 | ES | ML | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 100 | ES | SN | | | T | C |
| | 3 | C | <i>Serinus leucopygius</i> | live | 2597 | ES | SN | | | T | W |
| | 3 | C | <i>Serinus leucopygius</i> | live | 800 | IT | GN | | | | |
| | 3 | C | <i>Serinus leucopygius</i> | live | 2010 | IT | ML | | | | |
| | 3 | C | <i>Serinus leucopygius</i> | live | 1968 | IT | SN | | | | |
| | 3 | C | <i>Serinus leucopygius</i> | live | 100 | NL | GN | | | | |
| | 3 | C | <i>Serinus leucopygius</i> | live | 10527 | NL | ML | | | | |
| | 3 | C | <i>Serinus leucopygius</i> | live | 1615 | NL | SN | | | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 13413 | BE | GN | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 40015 | BE | ML | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 160 | BE | SN | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 325 | BE | TZ | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 5250 | DE | GN | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 1500 | DE | ML | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 1703 | DE | NG | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 1075 | DE | SN | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 1000 | DE | TZ | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 2634 | ES | GN | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 850 | ES | ML | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 12528 | ES | SN | | | T | W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 368 | ES | SN | GN | T | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|---------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Serinus mozambicus</i> | live | 150 | | ES | | TZ | | T W |
| | 3 | C | <i>Serinus mozambicus</i> | live | 126 | | IT | | GH | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 5100 | | IT | | GN | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 16050 | | IT | | ML | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 500 | | IT | | SG | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 12500 | | IT | | SN | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 140 | | IT | | TZ | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 44 | | NL | | CM | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 21600 | | NL | | GN | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 28025 | | NL | | ML | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 6375 | | NL | | SN | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 4327 | | NL | | TZ | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 10 | | NL | | UG | | |
| | 3 | C | <i>Serinus mozambicus</i> | live | 800 | | NL | | ZA | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 600 | | BE | | GN | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 25150 | | BE | | ML | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 160 | | BE | | SN | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 4 | | BE | | TZ | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 750 | | DE | | ML | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 1532 | | DE | | NG | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 1375 | | DE | | SN | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 400 | | DE | | TZ | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 800 | | ES | | ML | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 900 | | ES | | ML | | T C |
| | 3 | C | <i>Amadina fasciata</i> | live | 100 | | ES | | SN | | T C |
| | 3 | C | <i>Amadina fasciata</i> | live | 8864 | | ES | | SN | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 300 | | ES | | TZ | | T W |
| | 3 | C | <i>Amadina fasciata</i> | live | 1400 | | IT | | GN | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 12400 | | IT | | ML | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 6100 | | IT | | SN | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 250 | | IT | | TZ | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 1000 | | NL | | GN | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|--------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Amadina fasciata</i> | live | 9750 | | NL | ML | | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 1320 | | NL | SN | | | |
| | 3 | C | <i>Amadina fasciata</i> | live | 1040 | | NL | TZ | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 7325 | | BE | GN | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 7420 | | BE | ML | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 233 | | BE | TZ | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 2530 | | DE | GN | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 450 | | DE | ML | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 725 | | DE | SN | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 770 | | DE | TZ | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 895 | | ES | GN | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 100 | | ES | ML | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 300 | | ES | ML | T | C | |
| | 3 | C | <i>Amandava subflava</i> | live | 900 | | ES | SN | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 600 | | ES | TZ | T | W | |
| | 3 | C | <i>Amandava subflava</i> | live | 1000 | | IT | GN | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 1300 | | IT | ML | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 540 | | IT | SG | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 1100 | | IT | SN | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 100 | | IT | TZ | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 8050 | | NL | GN | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 2300 | | NL | ML | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 40 | | NL | MZ | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 390 | | NL | SN | | | |
| | 3 | C | <i>Amandava subflava</i> | live | 1810 | | NL | TZ | | | |
| | 3 | C | <i>Estrilda astrild</i> | live | 4125 | | BE | GN | T | W | |
| | 3 | C | <i>Estrilda astrild</i> | live | 100 | | BE | TZ | T | W | |
| | 3 | C | <i>Estrilda astrild</i> | live | 500 | | DE | GN | T | W | |
| | 3 | C | <i>Estrilda astrild</i> | live | 500 | | DE | TZ | T | W | |
| | 3 | C | <i>Estrilda astrild</i> | live | 848 | | ES | GN | T | W | |
| | 3 | C | <i>Estrilda astrild</i> | live | 150 | | ES | TZ | T | W | |
| | 3 | C | <i>Estrilda astrild</i> | live | 400 | | IT | GN | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Estrilda astrild</i> | live | 150 | | IT | TZ | | | |
| | 3 | C | <i>Estrilda astrild</i> | live | 8 | | NL | CM | | | |
| | 3 | C | <i>Estrilda astrild</i> | live | 2900 | | NL | GN | | | |
| | 3 | C | <i>Estrilda astrild</i> | live | 180 | | NL | MZ | | | |
| | 3 | C | <i>Estrilda astrild</i> | live | 500 | | NL | TZ | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 4880 | | BE | GN | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 5630 | | BE | ML | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 160 | | BE | TZ | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 1130 | | DE | GN | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 300 | | DE | ML | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 150 | | DE | NG | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 275 | | DE | SN | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 1434 | | ES | GN | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 750 | | ES | ML | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 3135 | | ES | SN | T | W | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 100 | | IT | GN | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 2760 | | IT | ML | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 1520 | | IT | SN | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 5504 | | NL | GN | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 2525 | | NL | ML | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 650 | | NL | SN | | | |
| | 3 | C | <i>Estrilda caerulescens</i> | live | 150 | | NL | TZ | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 9470 | | BE | GN | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 16310 | | BE | ML | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 160 | | BE | SN | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 2650 | | DE | GN | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 750 | | DE | ML | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 328 | | DE | NG | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 650 | | DE | SN | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 1443 | | ES | GN | T | W | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 450 | | ES | ML | T | C | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 1000 | | ES | ML | T | W | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Estrilda melpoda</i> | live | 150 | | ES | SN | | T | C |
| | 3 | C | <i>Estrilda melpoda</i> | live | 3782 | | ES | SN | | T | W |
| | 3 | C | <i>Estrilda melpoda</i> | live | 800 | | IT | GN | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 5875 | | IT | ML | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 400 | | IT | SG | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 4227 | | IT | SN | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 40 | | NL | CM | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 7950 | | NL | GN | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 7325 | | NL | ML | | | |
| | 3 | C | <i>Estrilda melpoda</i> | live | 1050 | | NL | SN | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 3550 | | BE | GN | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 31975 | | BE | ML | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 160 | | BE | SN | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 450 | | DE | GN | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 300 | | DE | ML | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 50 | | DE | SN | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 394 | | ES | GN | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 450 | | ES | ML | | T | C |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 2100 | | ES | ML | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 150 | | ES | SN | | T | C |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 6507 | | ES | SN | | T | W |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 1000 | | IT | GN | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 13120 | | IT | ML | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 3540 | | IT | SN | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 2550 | | NL | GN | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 7525 | | NL | ML | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 1300 | | NL | SN | | | |
| | 3 | C | <i>Estrilda troglodytes</i> | live | 65 | | PT | SN | | | I |
| | 3 | C | <i>Lagonosticta rara</i> | live | 150 | | NL | GN | | | |
| | 3 | C | <i>Lagonosticta rara</i> | live | 68 | | NL | UG | | | |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 4075 | | BE | GN | | T | W |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 290 | | BE | TZ | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 1750 | | DE | GN | | T | W |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 300 | | DE | NG | | T | W |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 360 | | DE | TZ | | T | W |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 1193 | | ES | GN | | T | W |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 150 | | IT | GN | | | |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 100 | | IT | TZ | | | |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 4955 | | NL | GN | | | |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 60 | | NL | MZ | | | |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 2280 | | NL | TZ | | | |
| | 3 | C | <i>Lagonosticta rubricata</i> | live | 35 | | NL | ZA | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 50 | | BE | GN | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 12300 | | BE | ML | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 100 | | BE | SN | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 995 | | BE | TZ | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 800 | | DE | ML | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 557 | | DE | NG | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 350 | | DE | SN | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 1400 | | DE | TZ | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 850 | | ES | ML | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 300 | | ES | SN | | T | C |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 4129 | | ES | SN | | T | W |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 300 | | IT | GN | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 3225 | | IT | ML | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 270 | | IT | SG | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 2390 | | IT | SN | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 300 | | IT | TZ | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 12 | | NL | CM | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 150 | | NL | GN | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 4075 | | NL | ML | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 675 | | NL | SN | | | |
| | 3 | C | <i>Lagonosticta senegala</i> | live | 370 | | NL | TZ | | | |
| | 3 | C | <i>Lagonosticta vinacea</i> | live | 392 | | BE | ML | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-----------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Lagonosticta vinacea</i> | live | 223 | | DE | GN | | T | W |
| | 3 | C | <i>Lagonosticta vinacea</i> | live | 46 | | DE | NG | | T | W |
| | 3 | C | <i>Lagonosticta vinacea</i> | live | 676 | | NL | GN | | | |
| | 3 | C | <i>Lagonosticta vinacea</i> | live | 25 | | NL | ML | | | |
| | 3 | C | <i>Lagonosticta vinacea</i> | live | 50 | | NL | TZ | | | |
| | 3 | C | <i>Lonchura bicolor</i> | live | 3982 | | BE | GN | | T | W |
| | 3 | C | <i>Lonchura bicolor</i> | live | 300 | | BE | ML | | T | W |
| | 3 | C | <i>Lonchura bicolor</i> | live | 848 | | DE | GN | | T | W |
| | 3 | C | <i>Lonchura bicolor</i> | live | 1132 | | ES | GN | | T | W |
| | 3 | C | <i>Lonchura bicolor</i> | live | 50 | | IT | GN | | | |
| | 3 | C | <i>Lonchura bicolor</i> | live | 46 | | NL | CM | | | |
| | 3 | C | <i>Lonchura bicolor</i> | live | 2820 | | NL | GN | | | |
| | 3 | C | <i>Lonchura bicolor</i> | live | 150 | | NL | TZ | | | |
| | 3 | C | <i>Lonchura bicolor</i> | live | 45 | | NL | ZA | | | |
| | 3 | C | <i>Lonchura cantans</i> | live | 160 | | BE | SN | | T | W |
| | 3 | C | <i>Lonchura cantans</i> | live | 8 | | DE | CZ | SK | T | C |
| | 3 | C | <i>Lonchura cantans</i> | live | 580 | | DE | ML | | T | W |
| | 3 | C | <i>Lonchura cantans</i> | live | 500 | | DE | SN | | T | W |
| | 3 | C | <i>Lonchura cantans</i> | live | 100 | | ES | ML | | T | W |
| | 3 | C | <i>Lonchura cantans</i> | live | 2264 | | ES | SN | | T | W |
| | 3 | C | <i>Lonchura cantans</i> | live | 700 | | IT | ML | | | |
| | 3 | C | <i>Lonchura cantans</i> | live | 650 | | IT | SN | | | |
| | 3 | C | <i>Lonchura cantans</i> | live | 1650 | | NL | ML | | | |
| | 3 | C | <i>Lonchura cantans</i> | live | 1000 | | NL | SN | | | |
| | 3 | C | <i>Lonchura cantans</i> | live | 400 | | NL | TZ | | | |
| | 3 | C | <i>Lonchura cucullata</i> | live | 50 | | BE | GN | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 3520 | | BE | ML | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 160 | | BE | SN | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 150 | | DE | ML | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 150 | | DE | SN | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 100 | | ES | ML | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 200 | | ES | SN | | T | C |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Lonchura cucullata</i> | live | 2081 | | ES | SN | | T | W |
| | 3 | C | <i>Lonchura cucullata</i> | live | 1694 | | IT | ML | | | |
| | 3 | C | <i>Lonchura cucullata</i> | live | 2125 | | IT | SN | | | |
| | 3 | C | <i>Lonchura cucullata</i> | live | 32 | | NL | CM | | | |
| | 3 | C | <i>Lonchura cucullata</i> | live | 250 | | NL | GN | | | |
| | 3 | C | <i>Lonchura cucullata</i> | live | 1300 | | NL | ML | | | |
| | 3 | C | <i>Lonchura cucullata</i> | live | 605 | | NL | SN | | | |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 3000 | | BE | GN | | T | W |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 400 | | DE | GN | | T | W |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 89 | | ES | GN | | T | W |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 200 | | IT | GN | | | |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 5 | | NL | CM | | | |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 1250 | | NL | GN | | | |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 150 | | NL | TZ | | | |
| | 3 | C | <i>Lonchura fringilloides</i> | live | 31 | | NL | ZA | | | |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 2210 | | BE | GN | | T | W |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 1077 | | DE | GN | | T | W |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 200 | | DE | TZ | | T | W |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 500 | | ES | GN | | T | W |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 150 | | IT | GN | | | |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 3 | | NL | CM | | | |
| | 3 | C | <i>Mandingoa nitidula</i> | live | 2402 | | NL | GN | | | |
| | 3 | C | <i>Nesocharis capistrata</i> | live | 103 | | BE | GN | | T | W |
| | 3 | C | <i>Nesocharis capistrata</i> | live | 11 | | DE | GN | | T | W |
| | 3 | C | <i>Nesocharis capistrata</i> | live | 4 | | DE | NG | | T | W |
| | 3 | C | <i>Nesocharis capistrata</i> | live | 100 | | NL | GN | | | |
| | 3 | C | <i>Nigrita bicolor</i> | live | 273 | | BE | GN | | T | W |
| | 3 | C | <i>Nigrita bicolor</i> | live | 44 | | DE | GN | | T | W |
| | 3 | C | <i>Nigrita bicolor</i> | live | 94 | | NL | GN | | | |
| | 3 | C | <i>Nigrita bicolor</i> | live | 13 | | NL | TZ | | | |
| | 3 | C | <i>Nigrita canicapilla</i> | live | 9 | | BE | GN | | T | W |
| | 3 | C | <i>Nigrita canicapilla</i> | live | 3 | | DE | GN | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Nigrita canicapilla</i> | live | 29 | | NL | CM | | | |
| | 3 | C | <i>Nigrita canicapilla</i> | live | 5 | | NL | TZ | | | |
| | 3 | C | <i>Ortygospiza atricollis</i> | live | 1130 | | BE | GN | T | W | |
| | 3 | C | <i>Ortygospiza atricollis</i> | live | 140 | | BE | ML | T | W | |
| | 3 | C | <i>Ortygospiza atricollis</i> | live | 300 | | DE | GN | T | W | |
| | 3 | C | <i>Ortygospiza atricollis</i> | live | 50 | | DE | NG | T | W | |
| | 3 | C | <i>Ortygospiza atricollis</i> | live | 599 | | ES | GN | T | W | |
| | 3 | C | <i>Ortygospiza atricollis</i> | live | 1200 | | NL | GN | | | |
| | 3 | C | <i>Pyrenestes ostrinus</i> | live | 650 | | BE | GN | T | W | |
| | 3 | C | <i>Pyrenestes ostrinus</i> | live | 200 | | DE | GN | T | W | |
| | 3 | C | <i>Pyrenestes ostrinus</i> | live | 61 | | ES | GN | T | W | |
| | 3 | C | <i>Pyrenestes ostrinus</i> | live | 200 | | IT | GN | | | |
| | 3 | C | <i>Pyrenestes ostrinus</i> | live | 1 | | NL | CM | | | |
| | 3 | C | <i>Pyrenestes ostrinus</i> | live | 630 | | NL | GN | | | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 2600 | | BE | GN | T | W | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 150 | | BE | ML | T | W | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 1200 | | DE | GN | T | W | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 50 | | DE | NG | T | W | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 595 | | ES | GN | T | W | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 225 | | IT | GN | | | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 3625 | | NL | GN | | | |
| | 3 | C | <i>Ptililia hypogrammica</i> | live | 300 | | NL | ML | | | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 2365 | | BE | GN | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 250 | | BE | ML | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 490 | | DE | GN | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 150 | | DE | NG | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 50 | | DE | SN | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 499 | | ES | GN | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 950 | | ES | SN | T | W | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 525 | | IT | GN | | | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 400 | | IT | ML | | | |
| | 3 | C | <i>Ptililia phoenicoptera</i> | live | 167 | | IT | SN | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Pytilia phoenicoptera</i> | live | 1341 | NL | GN | | | | |
| | 3 | C | <i>Pytilia phoenicoptera</i> | live | 250 | NL | SN | | | | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 50 | BE | GN | | T | W | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 429 | DE | GN | | T | W | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 69 | ES | GN | | T | W | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 70 | IT | GN | | | | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 11 | NL | CM | | | | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 480 | NL | GN | | | | |
| | 3 | C | <i>Spermophaga haematina</i> | live | 100 | NL | TZ | | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 9449 | BE | GN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 18360 | BE | ML | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 80 | BE | SN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 1580 | BE | TZ | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 750 | DE | GN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 1330 | DE | GN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 300 | DE | ML | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 900 | DE | ML | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 217 | DE | NG | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 350 | DE | SN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 750 | DE | SN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 4550 | DE | TZ | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 830 | ES | GN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 150 | ES | ML | | T | C | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 300 | ES | ML | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 150 | ES | SN | | T | C | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 8865 | ES | SN | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 150 | ES | TZ | | T | W | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 1700 | IT | GN | | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 11680 | IT | ML | | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 500 | IT | SG | | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 5980 | IT | SN | | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 850 | IT | TZ | | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 9435 | | NL | GN | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 6125 | | NL | ML | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 1975 | | NL | SN | | | |
| | 3 | C | <i>Uraeginthus bengalus</i> | live | 4354 | | NL | TZ | | | |
| | 3 | C | <i>Amblyospiza albifrons</i> | live | 60 | | BE | TZ | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 1200 | | BE | GN | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 904 | | BE | ML | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 160 | | BE | SN | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 352 | | BE | TZ | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 250 | | DE | GN | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 450 | | DE | SN | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 2905 | | ES | SN | | T | W |
| | 3 | C | <i>Euplectes afer</i> | live | 1600 | | IT | GN | | | |
| | 3 | C | <i>Euplectes afer</i> | live | 490 | | IT | ML | | | |
| | 3 | C | <i>Euplectes afer</i> | live | 3310 | | IT | SN | | | |
| | 3 | C | <i>Euplectes afer</i> | live | 750 | | NL | GN | | | |
| | 3 | C | <i>Euplectes afer</i> | live | 700 | | NL | ML | | | |
| | 3 | C | <i>Euplectes afer</i> | live | 250 | | NL | SN | | | |
| | 3 | C | <i>Euplectes afer</i> | live | 80 | | NL | TZ | | | |
| | 3 | C | <i>Euplectes ardens</i> | live | 484 | | BE | GN | | T | W |
| | 3 | C | <i>Euplectes ardens</i> | live | 100 | | DE | TZ | | T | W |
| | 3 | C | <i>Euplectes ardens</i> | live | 1034 | | ES | GN | | T | W |
| | 3 | C | <i>Euplectes ardens</i> | live | 150 | | IT | GN | | | |
| | 3 | C | <i>Euplectes ardens</i> | live | 3 | | NL | CM | | | |
| | 3 | C | <i>Euplectes ardens</i> | live | 650 | | NL | GN | | | |
| | 3 | C | <i>Euplectes ardens</i> | live | 100 | | NL | ML | | | |
| | 3 | C | <i>Euplectes ardens</i> | live | 220 | | NL | TZ | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 1640 | | BE | GN | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 4400 | | BE | ML | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 160 | | BE | SN | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 600 | | DE | GN | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 300 | | DE | ML | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Euplectes franciscanus</i> | live | 350 | DE | SN | | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 750 | DE | TZ | | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 1300 | DE | TZ | | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 350 | ES | GN | | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 3284 | ES | SN | | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 114 | ES | SN | | GN | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 350 | ES | TZ | | | T | W |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 238 | IT | GN | | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 2500 | IT | ML | | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 3850 | IT | SN | | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 2090 | NL | GN | | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 1700 | NL | ML | | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 350 | NL | SN | | | | |
| | 3 | C | <i>Euplectes franciscanus</i> | live | 5250 | NL | TZ | | | | |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 1650 | BE | GN | | | T | W |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 500 | BE | ML | | | T | W |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 650 | DE | GN | | | T | W |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 200 | DE | ML | | | T | W |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 2092 | ES | GN | | | T | W |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 212 | IT | GN | | | | |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 800 | IT | ML | | | | |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 3276 | NL | GN | | | | |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 100 | NL | ML | | | | |
| | 3 | C | <i>Euplectes hordeaceus</i> | live | 400 | NL | TZ | | | | |
| | 3 | C | <i>Euplectes macrourus</i> | live | 1300 | BE | GN | | | T | W |
| | 3 | C | <i>Euplectes macrourus</i> | live | 200 | BE | ML | | | T | W |
| | 3 | C | <i>Euplectes macrourus</i> | live | 100 | DE | GN | | | T | W |
| | 3 | C | <i>Euplectes macrourus</i> | live | 714 | ES | GN | | | T | W |
| | 3 | C | <i>Euplectes macrourus</i> | live | 3 | NL | CM | | | | |
| | 3 | C | <i>Euplectes macrourus</i> | live | 1034 | NL | GN | | | | |
| | 3 | C | <i>Malimbus nitens</i> | live | 7 | BE | GN | | | T | W |
| | 3 | C | <i>Malimbus nitens</i> | live | 13 | DE | GN | | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Malimbus nitens</i> | live | 3 | | NL | GN | | | |
| | 3 | C | <i>Malimbus nitens</i> | live | 10 | | NL | TZ | | | |
| | 3 | C | <i>Malimbus scutatus</i> | live | 13 | | NL | CM | | | |
| | 3 | C | <i>Passer griseus</i> | live | 50 | | IT | ML | | | |
| | 3 | C | <i>Passer griseus</i> | live | 420 | | IT | SN | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 500 | | BE | ML | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 100 | | BE | SN | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 200 | | BE | TZ | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 67 | | DE | NG | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 200 | | DE | SN | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 150 | | DE | TZ | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 100 | | ES | SN | | T | C |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 1814 | | ES | SN | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 300 | | ES | TZ | | T | W |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 800 | | IT | GN | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 450 | | IT | ML | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 2200 | | IT | SN | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 50 | | IT | TZ | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 60 | | NL | GN | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 100 | | NL | ML | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 100 | | NL | SN | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 550 | | NL | TZ | | | |
| | 3 | C | <i>Ploceus cucullatus</i> | live | 35 | | NL | UG | | | |
| | 3 | C | <i>Ploceus heuglini</i> | live | 500 | | BE | ML | | T | W |
| | 3 | C | <i>Ploceus heuglini</i> | live | 200 | | DE | ML | | T | W |
| | 3 | C | <i>Ploceus heuglini</i> | live | 100 | | NL | ML | | | |
| | 3 | C | <i>Ploceus luteolus</i> | live | 200 | | DE | SN | | T | W |
| | 3 | C | <i>Ploceus luteolus</i> | live | 568 | | ES | SN | | T | W |
| | 3 | C | <i>Ploceus luteolus</i> | live | 107 | | ES | SN | GN | T | W |
| | 3 | C | <i>Ploceus luteolus</i> | live | 888 | | IT | SN | | | |
| | 3 | C | <i>Ploceus melanocephalus</i> | live | 100 | | BE | SN | | T | W |
| | 3 | C | <i>Ploceus melanocephalus</i> | live | 100 | | ES | SN | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Ploceus melanocephalus</i> | live | 200 | ES | SN | | | T | C |
| | 3 | C | <i>Ploceus melanocephalus</i> | live | 800 | IT | GN | | | | |
| | 3 | C | <i>Ploceus melanocephalus</i> | live | 100 | IT | ML | | | | |
| | 3 | C | <i>Ploceus melanocephalus</i> | live | 1550 | IT | SN | | | | |
| | 3 | C | <i>Ploceus nigerrimus</i> | live | 26 | NL | UG | | | | |
| | 3 | C | <i>Ploceus vitellinus</i> | live | 35 | DE | NG | | | T | W |
| | 3 | C | <i>Ploceus vitellinus</i> | live | 150 | DE | SN | | | T | W |
| | 3 | C | <i>Ploceus vitellinus</i> | live | 732 | ES | SN | | | T | W |
| | 3 | C | <i>Ploceus vitellinus</i> | live | 50 | IT | ML | | | | |
| | 3 | C | <i>Ploceus vitellinus</i> | live | 100 | NL | SN | | | | |
| | 3 | C | <i>Quelea erythrops</i> | live | 160 | IT | ML | | | | |
| | 3 | C | <i>Sporopipes frontalis</i> | live | 4 | BE | TZ | | | T | W |
| | 3 | C | <i>Sporopipes frontalis</i> | live | 69 | DE | NG | | | T | W |
| | 3 | C | <i>Sporopipes frontalis</i> | live | 50 | DE | TZ | | | T | W |
| | 3 | C | <i>Sporopipes frontalis</i> | live | 25 | NL | TZ | | | | |
| | 3 | C | <i>Vidua chalybeata</i> | live | 850 | BE | GN | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 1800 | BE | ML | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 80 | BE | SN | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 10 | BE | TZ | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 510 | DE | GN | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 150 | DE | ML | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 52 | DE | NG | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 300 | DE | SN | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 848 | ES | GN | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 150 | ES | SN | | | T | C |
| | 3 | C | <i>Vidua chalybeata</i> | live | 1675 | ES | SN | | | T | W |
| | 3 | C | <i>Vidua chalybeata</i> | live | 250 | IT | GN | | | | |
| | 3 | C | <i>Vidua chalybeata</i> | live | 550 | IT | ML | | | | |
| | 3 | C | <i>Vidua chalybeata</i> | live | 2180 | IT | SN | | | | |
| | 3 | C | <i>Vidua chalybeata</i> | live | 2700 | NL | GN | | | | |
| | 3 | C | <i>Vidua chalybeata</i> | live | 1700 | NL | ML | | | | |
| | 3 | C | <i>Vidua chalybeata</i> | live | 150 | NL | SN | | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------|------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Vidua macroura</i> | live | 2750 | | BE | GN | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 2900 | | BE | ML | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 42 | | BE | SN | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 125 | | BE | TZ | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 650 | | DE | GN | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 126 | | DE | ML | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 150 | | DE | SN | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 800 | | ES | GN | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 100 | | ES | ML | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 100 | | ES | SN | | T | C |
| | 3 | C | <i>Vidua macroura</i> | live | 300 | | ES | SN | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 100 | | ES | SN | GN | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 40 | | ES | TZ | | T | W |
| | 3 | C | <i>Vidua macroura</i> | live | 1000 | | IT | GN | | | |
| | 3 | C | <i>Vidua macroura</i> | live | 1350 | | IT | ML | | | |
| | 3 | C | <i>Vidua macroura</i> | live | 524 | | IT | SN | | | |
| | 3 | C | <i>Vidua macroura</i> | live | 2 | | NL | CM | | | |
| | 3 | C | <i>Vidua macroura</i> | live | 3810 | | NL | GN | | | |
| | 3 | C | <i>Vidua macroura</i> | live | 800 | | NL | ML | | | |
| | 3 | C | <i>Vidua paradisaea</i> | live | 36 | | BE | GN | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 6552 | | BE | ML | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 58 | | BE | SN | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 150 | | DE | GN | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 300 | | DE | ML | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 100 | | DE | SN | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 114 | | DE | TZ | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 150 | | DE | TZ | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 100 | | ES | GN | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 1836 | | ES | SN | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 60 | | ES | SN | GN | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 40 | | ES | TZ | | T | W |
| | 3 | C | <i>Vidua paradisaea</i> | live | 400 | | IT | GN | | | |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|-------------------------------|------------------------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Vidua paradisaea</i> | live | 400 | | IT | ML | | | |
| | 3 | C | <i>Vidua paradisaea</i> | live | 1086 | | IT | SN | | | |
| | 3 | C | <i>Vidua paradisaea</i> | live | 2200 | | NL | ML | | | |
| | 3 | C | <i>Vidua paradisaea</i> | live | 200 | | NL | SN | | | |
| | 3 | C | <i>Vidua paradisaea</i> | live | 756 | | NL | TZ | | | |
| | 3 | C | <i>Pelomedusa subrufa</i> | carapace | 1 | | SE | SN | | I | |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 50 | | AT | TG | | T | R |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 30 | | BE | GH | | T | W |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 50 | | DE | GH | | T | W |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 175 | | ES | GH | | T | W |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 100 | | GB | GH | | | |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 650 | | IT | TG | | | |
| | 3 | C | <i>Pelomedusa subrufa</i> | live | 25 | | NL | TG | | T | W |
| | 3 | C | <i>Pelusios gabonensis</i> | live | 30 | | BE | GH | | T | W |
| | 3 | C | <i>Pelusios gabonensis</i> | live | 175 | | ES | GH | | T | W |
| | 3 | C | <i>Pelusios niger</i> | live | 50 | | AT | TG | | T | R |
| | 3 | C | <i>Pelusios niger</i> | live | 50 | | BE | TG | | T | W |
| | 3 | C | <i>Pelusios niger</i> | live | 38 | | DE | NG | | T | W |
| | 3 | C | <i>Pelusios niger</i> | live | 650 | | IT | TG | | | |
| | 3 | C | <i>Pelusios niger</i> | live | 25 | | NL | TG | | T | W |
| | 3 | C | <i>Cerberus rhynchops</i> | large leather products | 500 | | ES | ID | | T | W |
| | 3 | C | <i>Cerberus rhynchops</i> | skins | 160 | | IT | ID | | | |
| | 3 | C | <i>Xenochrophis piscator</i> | live | 35 | | DE | ID | | T | W |
| | 3 | C | <i>Atropoides nummifer</i> | live | 4 | | DE | CR | | T | W |
| | 3 | C | <i>Bothriechis schlegelii</i> | live | 2 | | GB | US | | | |
| | 3 | C | <i>Bothrops asper</i> | live | 9 | | DE | CR | | T | W |
| | 3 | C | <i>Crotalus durissus</i> | live | 4 | | GB | US | GY | S | W |
| | 3 | C | <i>Crotalus durissus</i> | skins | 1 | | DE | BR | | T | W |
| | 3 | C | <i>Crotalus durissus</i> | specimens | 50 g | | DE | BR | | T | W |
| | 3 | C | <i>Porthidium nasutum</i> | live | 6 | | DE | CR | | T | W |
| | 3 | C | <i>Porthidium ophryomegas</i> | live | 6 | | DE | CR | | T | W |
| | 3 | C | <i>Vipera russellii</i> | small leather products | 260 | | DE | TH | | T | W |

European Community annual report to CITES 2000

| Exp/Imp. | App. | Annex | Taxon | Term | Quantity | Unit | Importer | Exporter | Origin | Purpose | Source |
|----------|------|-------|------------------------------|-----------|----------|------|----------|----------|--------|---------|--------|
| | 3 | C | <i>Vipera russellii</i> | skins | 8875 | | DE | SG | ID | T | W |
| | 3 | C | <i>Vipera russellii</i> | skins | 39888 | | IT | TH | | | |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 127 | m3 | BE | BR | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 3425 | kg | BE | BR | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 31 | m3 | BE | XX | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 75 | m3 | DE | BR | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 0 | m3 | DE | CH | BR | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 179 | m3 | ES | BR | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 90 | m3 | ES | NI | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 69029 | kg | ES | NI | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 249 | m3 | ES | PE | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 2089 | m3 | GB | BR | | | |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 83 | m3 | IT | BR | | | |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 1118 | m3 | NL | BR | | | |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 15127 | kg | NL | BR | | | |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 20 | m3 | SE | BR | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | sawn wood | 51 | m3 | SE | PE | | T | W |
| | 3 | C | <i>Swietenia macrophylla</i> | veneer | 2544 | kg | ES | BR | | T | W |

INDEX OF I.S.O. COUNTRY CODES USED

| | | | |
|----|---------------------------|----|------------------------------|
| *S | INTRODUCTION FROM THE SEA | CM | CAMEROON |
| AD | ANDORRA | CN | CHINA |
| AE | UNITED ARAB EMIRATES | CO | COLOMBIA |
| AN | NETHERLANDS ANTILLES | CR | COSTA RICA |
| AO | ANGOLA | CS | CZECHOSLOVAKIA |
| AQ | ANTARCTICA | CU | CUBA |
| AR | ARGENTINA | CY | CYPRUS |
| AT | AUSTRIA | DD | GERMAN DEMOCRATIC REPUBLIC |
| AU | AUSTRALIA | DE | GERMANY, FEDERAL REPUBLIC OF |
| AW | ARUBA | DJ | DJIBOUTI |
| BB | BARBADOS | DK | DENMARK |
| BD | BANGLADESH | DM | DOMINICA |
| BE | BELGIUM | DO | DOMINICAN REPUBLIC |
| BF | BURKINA FASO | DZ | ALGERIA |
| BG | BULGARIA | EC | ECUADOR |
| BH | BAHRAIN | EG | EGYPT |
| BI | BURUNDI | ES | SPAIN |
| BJ | BENIN | ET | ETHIOPIA |
| BM | BERMUDA | FI | FINLAND |
| BN | BRUNEI DARUSSALAM | FJ | FIJI |
| BO | BOLIVIA | FO | FAROE ISLANDS |
| BR | BRAZIL | FR | FRANCE |
| BS | BAHAMAS | GA | GABON |
| BU | BURMA | GB | UNITED KINGDOM |
| BW | BOTSWANA | GD | GRENADA |
| BZ | BELIZE | GF | FRENCH GUIANA |
| CA | CANADA | GH | GHANA |
| CF | CENTRAL AFRICAN REPUBLIC | GI | GIBRALTAR |
| CG | CONGO | GL | GREENLAND |
| CH | SWITZERLAND | GN | GUINEA |
| CI | COTE D'IVOIRE | GP | GUADELOUPE |
| CL | CHILE | GR | GREECE |

| | | | |
|----|--|----|------------------|
| GT | GUATEMALA | ML | MALI |
| GU | GUAM | MN | MONGOLIA |
| GW | GUINEA-BISSAU | MO | MACAU |
| GY | GUYANA | MQ | MARTINIQUE |
| HK | HONG KONG | MT | MALTA |
| HN | HONDURAS | MU | MAURITIS |
| HT | HAITI | MW | MALAWI |
| HU | HUNGARY | MX | MEXICO |
| ID | INDONESIA | MY | MALAYSIA |
| IE | IRELAND | MZ | MOZAMBIQUE |
| IL | ISRAEL | NA | NAMIBIA |
| IN | INDIA | NC | NEW CALEDONIA |
| IQ | IRAQ | NE | NIGER |
| IR | IRAN (ISLAMIC REPUBLIC OF) | NG | NIGERIA |
| IS | ICELAND | NI | NICARAGUA |
| IT | ITALY | NL | NETHERLANDS |
| JM | JAMAICA | NO | NORWAY |
| JO | JORDAN | NP | NEPAL |
| JP | JAPAN | NR | NAURU |
| KE | KENYA | NZ | NEW ZEALAND |
| KI | KIRIBATI | OM | OMAN |
| KM | COMOROS | PA | PANAMA |
| KP | KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF | PE | PERU |
| KR | KOREA, REPUBLIC OF | PF | FRENCH POLYNESIA |
| KW | KUWAIT | PG | PAPUA NEW GUINEA |
| KY | CAYMAN ISLANDS | PH | PHILIPPINES |
| LA | LAO, PEOPLE'S DEMOCRATIC REPUBLIC | PK | PAKISTAN |
| LB | LEBANON | PL | POLAND |
| LK | SRI LANKA | PR | PUERTO RICO |
| LR | LIBERIA | PT | PORTUGAL |
| LS | LESOTHO | PY | PARAGUAY |
| LU | LUXEMBOURG | QA | QATAR |
| LY | LIBYAN ARAB JAMAHARIYA | RE | REUNION |
| MA | MOROCCO | RO | ROMANIA |
| MC | MONACO | RW | RWANDA |
| MG | MADAGASCAR | | |

| | | | |
|----|------------------------------------|----|--------------|
| SA | SAUDI ARABIA | ZA | SOUTH AFRICA |
| SB | SOLOMON ISLANDS | ZM | ZAMBIA |
| SC | SEYCHELLES | ZR | ZAIRE |
| SL | SUDAN | ZW | ZIMBABWE |
| SF | SWEDEN | | |
| SG | SINGAPORE | | |
| SI | SIERRA LEONE | | |
| SN | SENEGAL | | |
| SO | SOMALIA | | |
| SR | SURINAME | | |
| ST | SAO TOME AND PRINCIPE | | |
| SU | UNION OF SOVIET SOCIALIST REPUBLIC | | |
| SV | EL SALVADOR | | |
| SY | SYRIA | | |
| TD | TCHAD | | |
| TH | THAILAND | | |
| TN | TUNISIA | | |
| TR | TURKEY | | |
| TT | TRINIDAD AND TOBAGO | | |
| TW | TAIWAN, PROVINCE OF | | |
| TZ | TANZANIA, UNITED REPUBLIC OF | | |
| UG | UGANDA | | |
| US | UNITED STATES | | |
| UY | URUGUAY | | |
| VE | VENZUELA | | |
| VG | BRITISH VIRGIN ISLANDS | | |
| VI | VIRGIN ISLANDS, US | | |
| VN | VIETNAM | | |
| XC | CARIBBEAN | | |
| XE | EUROPE | | |
| XF | AFRICA | | |
| XM | SOUTH AMERICA | | |
| XS | ASIA | | |
| XX | COUNTRY UNKNOWN | | |
| YU | YUGOSLAVIA | | |

**Convention on international trade in endangered species of wild fauna and flora
— EC annual report 2000**

Document

Luxembourg: Office for Official Publications of the European Communities

2002 — 420 pp. — 29.7 x 21 cm

ISBN 92-894-3692-1

Venta • Salg • Verkauf • Πωλήσεις • Sales • Vente • Vendita • Verkoop • Venda • Myynti • Försäljning
<http://eur-op.eu.int/general/en/s-ad.htm>

BELGIQUE/BELGIE

Jean de Lanoy
Avenue du 20e Koninklaan 202
B-1190 Bruxelles/Brussel
Tel. (32 2) 538 49 28
Fax (32 2) 538 08 41
E-mail: jean.de.lanoy@infoboard.be
URL: <http://www.mdi.be/lanoy>

La librairie européenne/
De Europeeske Boekhandel
Rue de la Loi, L-2445 Luxembourg 244
D-1040 Bruxelles/Brussel
Tel. (32 2) 295 26 39
Fax (32 2) 735 08 20
E-mail: info@eurobook.be
URL: <http://www.eurobook.be>

Moniteur belge/Belgisch Staatsblad
Rue du Louvan 40-421, Avenueweg 40-42
B-1000 Bruxelles/Brussel
Tel. (32 2) 552 22 11
Fax (32 2) 511 01 84
E-mail: eusebas@stf.igov.be

Imprensa Nacional-Casa de Moeda, SA
Sector da Publicação Oficial
Rua das Necessidades 135
P-1250-100 Lisboa/Codex
Tel. (351) 214 94 57 00
Fax (351) 214 94 57 00
E-mail: imprensa@incm.pt
URL: <http://www.incm.pt>

DANMARK

J. H. Schultz Information A/S
Hørsholmbygden 12
DK-2800 Hørsholm
Tel. (45) 43 63 23 00
Fax (45) 43 19 69
E-mail: schultz@schultz.dk
URL: <http://www.schultz.dk>

DEUTSCHLAND

Bundesamt für Verlag und Medien
Vertriebsabteilung
Amperstrasse 192
D-50735 Köln
Tel. (49-221) 97 66 88
Fax (49-221) 97 66 78
E-mail: vertrieb@bundesanzeiger.de
URL: <http://www.bundesanzeiger.de>

ΕΛΛΑΣ/GREECE

G. C. Eleftheroudakis SA
International Bookseller
Panepistimiou 17
GR-10561 Athens
Tel. (30-1) 325 80 00/1/2/3/4/5
Fax (30-1) 325 84 99
E-mail: eleboks@metor.gr
URL: <http://www.eleboks.gr>

ESPAÑA

Boletín Oficial del Estado
Trabajos, 27
E-28071 Madrid
Tel. (34) 91 38 21 11 (libros)
913 84 17 15 (suscripción)
Fax (34) 913 84 21 21 (libros),
913 84 17 14 (suscripción)
E-mail: boletin.libros@boe.es
URL: <http://www.boe.es>

ISLAND

Bokabudur Larusar Blöndal
Síðabíðurskýrsla, 2
IS-101 Reykjavík
Tel. (354) 552 55 50
Fax (354) 552 55 60
E-mail: bokabudur@bokabudur.is
URL: <http://www.bokabudur.is>

FRANCE

Journal officiel
Service des publications des CE
26, rue Desaix
F-75272 Paris Cedex 15
Tel. (33) 140 58 77 77
Fax (33) 140 58 00 00
E-mail: europub@journal-officiel.gouv.fr
URL: <http://www.journal-officiel.gouv.fr>

IRELAND

Alan Hanna's Bookshop
270 Lower Rathmines Road
Dublin 6
Tel. (353) 1 495 75 98
Fax (353) 1 496 02 28
E-mail: hanna@iol.ie
URL: <http://www.europress.bg>

ITALIA

Icosia SpA
Via Duca di Calabria, 1/1
Castello postale 552
I-560125 Firenze
Tel. (39) 55 64 81 01
Fax (39) 55 64 12 57
E-mail: icosia@icosia.com
URL: <http://www.icosia.com>

LUXEMBOURG

Messageries du Livre SARL
5, rue Raiffeisen
L-2411 Luxembourg
Tel. (352) 46 06 61
Fax (352) 46 06 61
E-mail: mail@mdl.lu
URL: <http://www.mdl.lu>

EESTI

Eesti Kaubandus-Tööstuskoda
(Estonian Chamber of Commerce and Industry)
Toom-Kooli 1
EE-10130 Tallinn
Tel. (372) 646 77 44
Fax (372) 646 02 45
E-mail: ento@koda.ee
URL: <http://www.koda.ee>

NEDERLAND

SDU Servicecentrum Uitgevers
Christoffel Plantijnstraat 2
Postbus 20014
2300 RA Leiden
Tel. (31-70) 378 58 80
Fax (31-70) 378 57 83
E-mail: sdu@sdu.nl
URL: <http://www.sdu.nl>

PORUGAL

Distribuidora de Livros Bertrand Ltd.^{*}
Grupo Bertrand, SA
Rua das Terras dos Valões, 4-A
Apoio, 1605-016 Lisboa
P-2700 Amadora
Tel. (351) 214 95 87 87
Fax (351) 214 96 02 55
E-mail: cd@bertrand.pt
URL: <http://www.bertrand.pt>

Hrvatska

Mediatrade Ltd
Pavla Štráža 1
HR-10000 Zagreb
Tel. (385-1) 481 94 11
Fax (385-1) 481 94 11
E-mail: ibben@mediatrade.hr

MAGYARORSZÁG

Euro Info Service
Szt. István krt. 1/A
III emelet 1/A
HU-1095 Budapest
H-1137 Budapest
Tel. (36-1) 329 21 70
Fax (36-1) 349 21 53
E-mail: euroinfo@euroinfo.hu
URL: <http://www.euroinfo.hu>

EGYPT

The Middle East Observer
41 Short Street
Caro
Tel. (20-3) 592 69 19
Fax (20-3) 593 69 32
E-mail: inquiry@medserver.com
URL: <http://www.meobserver.com>

MALAYSIA

Swiss Blackwell AS
Hans Nielsen Hauge gt. 39
Boks 4901 Nydalen
NO-0181 Oslo
Keskustakuitti/Centralgatan 1
PL/PB 128
FIN-00101 Helsinki/Helsingfors
P. Hiltula, P. Hiltula
F-fax (358-9) 121 44 35
Sähköposti: spc@akateeminen.com
URL: <http://www.akateeminen.com>

SVERIGE

BTJ AB
Traktorvägen 11-13
S-221 82 Lund
Tel. (46-46) 18 00 00
Fax (46-46) 18 00 00
E-post: btj@publifit.se
URL: <http://www.btj.se>

UNITED KINGDOM

The Stationery Office Ltd
Customer Services
PO Box 29
Norwich NR3 1GN
Tel. (44) 870 60 00 02
Fax (44) 870 60 00 03
E-mail: book.orders@theso.co.uk
URL: <http://www.theso.co.uk>

ISLAND

Centrum VIT SR
Nám. SNP 19, 19
SK-811 01 Bratislava
Tel. (421-70) 54 41 83 64
Fax (421-70) 54 41 83 64
E-mail: europ@sr1901.silka.sk
URL: <http://www.sr1901.silka.sk>

SLOVAKIA

GY Zalozba
Dunajská cesta 5
SK-010 00 Bratislava
Tel. (386) 613 09 1604
Fax (386) 613 09 1605
E-mail: europ@gyzalozba.si
URL: <http://www.gyzalozba.si>

SLOVENIJA

SRI LANKA

EBIC Sri Lanka
Trans Asia Hotel
116 Sir Chettiar Palam
A. Gardner Mawatha
Colombo 3
Tel. (94-1) 44 87 71 59 78
Fax (94-1) 44 87 72 77
E-mail: ebicsl@ebicsl.org
URL: <http://www.ebicsl.org>

TAI-WAN

Tycoon Information Inc
PO Box 611-466
105 Taipei
Tel. (886-2) 87 12 58 86
Fax (886-2) 87 12 47 47
E-mail: outopus@ms2.net

UNITED STATES OF AMERICA

Berman Associates
4611-F Assembly Drive
Lanham, MD 20706-4310
Tel. (301) 474-5000 (toll free telephone)

Fax (301) 474-3540 (toll free fax)
E-mail: query@berman.com
URL: <http://www.berman.com>

AUSTRALIA

Hunter Publications
PO Box 21455
C/194/2000 Sydney
Tel. (61-3) 94 17 53 81
Fax (61-3) 94 17 53 86
E-mail: jpdavies@ozemail.com.au
URL: [http://www.wpbbooks.com.au](http://www.wpbooks.com.au)

BELGIË

Libraria Camões
Rua Brás de Carvalho da Silva, 12 C
CEP 2004-900 Rio de Janeiro
Tel. (55-21) 262 43 55
Fax (55-21) 262 47 76
E-mail: livraria.camoes@incom.com.br
URL: <http://www.incom.com.br>

CANADA

Les éditions La Liberté Inc.
3020, chemin Sainte-Foy
Québec G1X 3V6
Tel. (418) 658-37 63
Fax (418) 657 54 49
E-mail: libben@mediem.ca

LESÉDITIONS LA LIBERTÉ INC.

Renou Publishing Co. Ltd
5369 Chemin Candek Road, Unit 1
Ottawa, Ontario K1J 8J3
Tel. (1-819) 745-76 50
Fax (1-819) 745-76 52
E-mail: orderdept@renoubooks.com
URL: <http://www.renoubooks.com>

EGYPT

The Middle East Observer
41 Short Street
Caro
Tel. (20-3) 592 69 19
Fax (20-3) 593 69 32
E-mail: inquiry@medserver.com
URL: <http://www.meobserver.com>

MALAYSIA

EDIC Malaysia
Suite 45-02 Level 45
Plaza MBI (Letter Box 45)
8 Jalan Yap Kwan Seng
50450 Kuala Lumpur
Malaysia
Tel. (60-3) 905 98 98
Fax (60-3) 21 62 61 98
E-mail: obc@tm.net.my

MEXICO

Mundi Press México, SA de CV
Río Parana, 141
Colonia Cuauhtémoc
MX-06500 México, DF
Tel. (52-55) 826 12 01
Fax (52-55) 826 12 01
E-mail: books119@airpolonia.com.pl

SOUTH AFRICA

Eurochamber of Commerce in South Africa
PO Box 701738
2146 Sandton
Tel. (21-11) 884 39 52
Fax (21-11) 883 55 73
E-mail: info@eurochamber.co.za

SOUTH KOREA

The European Union Chamber of
Commerce in Korea
5th Fl, The Shilla Hotel
203, 13, Teheran-ro, Gangnam-gu
Seoul 100-032
Tel. (82-2) 22 53 5631/4
Fax (82-2) 22 53 5636/5637
E-mail: eucc@eucc.org
URL: <http://www.euucc.org>

TAIWAN

Tycoon Information Inc
PO Box 611-466
105 Taipei
Tel. (886-2) 87 12 58 86
Fax (886-2) 87 12 47 47
E-mail: outopus@ms2.net

UNITED STATES OF AMERICA

Berman Associates
4611-F Assembly Drive
Lanham, MD 20706-4310
Tel. (301) 474-5000 (toll free telephone)

Fax (301) 474-3540 (toll free fax)
E-mail: query@berman.com
URL: <http://www.berman.com>

**ANDERE LÄNDER
OTHER COUNTRIES
AUTRES PAYS**

Büro werden Sie sich an ein Büro Ihres
Wahl/Please contact the sales office of
your choice/Veuillez vous adresser au
bureau de vente de votre choix
Office for Official Publications of the European
Commission
2, rue Mercier
L-2985 Luxembourg
Tel. (352) 462 43 55
Fax (352) 462 47 55
E-mail: info-inopoco@ec.eu.int
URL: publications.eu.int



OFFICE FOR OFFICIAL PUBLICATIONS
OF THE EUROPEAN COMMUNITIES
L-2985 Luxembourg

ISBN 92-894-3692-1



9 789289 436922 >