

COMMISSION OF THE EUROPEAN COMMUNITIES

COM(80) 201 final

Brussels, 25th April 1980

DRAFT COUNCIL REGULATION (EEC)
TEMPORARILY SUSPENDING THE AUTONOMOUS COMMON CUSTOMS
TARIFF DUTIES ON CERTAIN INDUSTRIAL PRODUCTS

(presented by the Commission to the Council)

COM(80) 201 final



EXPLANATORY MEMORANDUM

1. The subject of the following draft regulation is the temporary suspension of duties in the Common Customs Tariff for a number of industrial items, as requested by the Member States.
It is partly a prolongation and partly a new measure.
2. It seems appropriate to the Commission that a duty suspension is justified for the goods listed in the annex to this regulation. The Commission proposes a total suspension for those products for which Community production does not exist or is minimal. A partial suspension is proposed in cases where the Community production covers only a part of the requirements. The rate of the partially suspended duty depends on the extent of the possible Community supply to the Community users. The Commission is also always looking for the right balance between the interests of the suppliers, users and the consumers in the Community.
It also takes into account the need to protect employment.
3. The proposed measures are confined to six^{or twelve} months because of the difficulties of estimating the evolution of the basic factors.
4. For a number of items for which the Member States also requested duty suspensions the Commission does not propose a tariff measure because the necessary conditions are not fulfilled. This concerns the following items :

CCT heading No	Description
ex 28.47 F	Calcium wolframate for the manufacture of ferro-alloys or hexa-ammonium heptawolframate
ex 29.02 A III	Dibromometane
ex 29.02 B	Hexachlorocyclopentadiene
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2,16.9.0 ^{2.13} .0 ^{5.10} 7] octadeca-7,15-diene, intended for use in the manufacture of polypropylene
ex 29.03 B II	1-Nitropropane
ex 29.03 B II	2-Nitropropane
ex 29.03 B II	Nitroethane
ex 29.23 D V	Iminodi(acetic acid)
ex 29.25 A II	Acrylamido-2-methylpropanesulphonic acid
ex 29.35 Q	7-Amino-3-(5-methyl-1,3,4-thiadiazol-2-ylthiomethyl)-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid
ex 29.35 Q	Alprazolam (INN)
ex 29.35 Q	Fluphenazine (INN)
ex 29.35 Q	Ketazolam (INN)
ex 29.35 Q	Perphenazine (INN)
ex 29.35 Q	Tolmetin sodium (INNM)
ex 29.35 Q	2,3,5,6-Tetrachloropyridine
ex 37.01	Polyester film, sensitive to ultra-violet light, coated on one side with an adhesive, of a thickness (excluding backing paper) of not less than 0.08mm and not more than 0.10mm
ex 37.01	Aluminium plates, sensitive to ultra-violet light, coated on one side with an adhesive, of a thickness (excluding backing paper) of not less than 0.18mm and not more than 0.23mm
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplaner spacing (d values) of 0.44, 0.40, 0.33 and 0.25 nm, the line corresponding to 0.40 nm being the most intense

CCT heading No	Description
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen, containing by weight less than 4.5% of copper
ex 38.19 G	Catalyst consisting of a mixture of oxides on a silicon dioxide support and containing by weight : (a) Not less than 25% and not more than 40% of antimony (b) Not less than 5% and not more than 10% of iron (c) Not less than 0.2% and not more than 1.5% of molybdenum (d) Not less than 0.8% and not more than 4.0% of tellurium
ex 38.19 U	Mixture of 4-octyldiphenylamine and 4,4'-dioctyldiphenylamine
ex 38.18 U	Mixtures of tertiary thiols
ex 38.19 U	Compound containing acrylonitrile-butadiene-styrene copolymer and graphite, for the manufacture of pencil cores
ex 38.19 U	Compound containing acrylonitrile-butadiene-styrene copolymer magnesium silicate and one or more pigments, for the manufacture of pencil cores
ex 39.02 C VI a)	Compound containing acrylonitrile-butadiene-styrene copolymer and wood flour, for the manufacture of pencil sheaths
ex 39.02 C XII	Copolymer of acrylic acid and 2-ethylhexyl acrylate containing not less than 10% and not more than 11% by weight of 2-ethylhexyl acrylate
ex 39.02 C XIV a)	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, compounded with silica
ex 39.02 C XIV a)	Copolymer of p-cresol and divinylbenzene, dissolved in N,N-dimethylacetamide, with a copolymer content of not less than 48 percent by weight
ex 39.03 B III a)	Cellulose triacetate flakes, not plasticized intended for the manufacture of regenerated fibres
ex 44.28 C	Match splints manufactured from aspen (<i>Populus tremuloides</i>)
ex 48.05 B	Tissue paper, creped, white, wood-free, two ply, weighing not less than 16 grammes per square metre per ply and not more than 19 grammes per square metre per ply, in reels not less than 18 centimetres in width

.../...

CCT heading No	Description
ex 51.01 B II	Yarn of viscose textile fibres, continuous, single, untwisted or with a twist of not more than 250 turns per metre
ex 76.04	Aluminium foil, with a purity of not less than 99.99%, etched and anodised, intended for the manufacture of electrolytic condensers
ex 77.01 A	Unwrought magnesium containing 99.95% by weight of pure magnesium (extra pure magnesium) with an iron content not exceeding 60 ppm, intended for the nuclear industry
ex 84.31 A	Suction roll shells of chromium steel, with a chromium content of not less than 12% and not more than 13.5% by weight, with a yield strength not less than 45 kp/mm ² , with a tensile strength of not less than 63 kg/mm ² , with an elongation of not less than 20%, with a notch toughness of not less than 8 Kp/cm ² , to be incorporated in suction rolls for paper-making machines
ex 85.21 D II	Electronic programmable read only memories (EPROMS), UV erasable, with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit contained in a housing bearing a capacity marking of "16", whose exterior dimensions do not exceed 15.3mm x 33.3mm, with a quartz window on the upper surface and 12 connecting pins along each of the longer sides

DRAFT
COUNCIL REGULATION (EEC)

temporarily suspending the autonomous Common Customs Tariff duties on
certain industrial products

**THE COUNCIL OF THE EUROPEAN
COMMUNITIES,**

Having regard to the Treaty establishing the European Economic Community and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily, with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid: December
— from 1 July 1980 to 31 / 1980 for the products listed in Table I of the Annex hereto.
— from 1 July 1980 to 30 June 1981 for the products listed in Table II of the said Annex.

Article 2

This Regulation shall enter into force on 1 July 1980.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council
The President

Table I

CCT heading No	Description	Rate of autonomous duty (%)
ex 28.21	Chromium dioxide	0
ex 28.40 B II	pentaCalcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy (a)	0
ex 29.13 A I	3,3-Dimethylbutanone	0
ex 29.15 C III	Tetrabromophthalic anhydride	0
ex 29.19 C	2,2-Bis(chloromethyl)trimethylene tetrakis (2-chloroethyl) bis(phosphate)	0
ex 29.19 C	Tetrakis(2-chloroethyl) ethylene bis(phosphate)	0
ex 29.23 A II	(+)4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.25 B III b)	Bendiocarb (ISO)	0
ex 29.26 A I	1,2-Benzisothiazol-3-one 1,1-dioxide (o-benzoic sulphimide, saccharin) and its sodium salt	8
ex 29.34 C	Trichloronat (ISO)	0
ex 29.34 C	2-Chloroethylphosphonic acid	10
ex 29.35 Q	2-Chlorodibenz[<u>b</u> , <u>f</u>][1,4]oxazepin-11(10H)-one	0
ex 29.39 E	Calcitonin (INN), porcine	0
ex 29.43 B	Ribose	0
ex 29.43 B	Sucralfate (INN)	0
38.07 A	Gum spirits of turpentine	3
ex 38.19 G	Catalysts in the form of spherical grains with a diameter of not less than 1.4 mm and not more than 1.8 mm consisting of boron trifluoride on an aluminium oxide support	0
ex 38.19 G	Catalysts in the form of rodlets having a length of not more than 5.0 mm and a diameter of not more than 3.6 mm, consisting of copper oxide and dichromium trioxide	0
ex 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	6
ex 38.19 U	Cholic acid and 3- <i>alpha</i> , 12- <i>alpha</i> -dihydroxy-5- <i>beta</i> -cholan-24-oic acid (deoxycholic acid), crude	0
ex 38.19 U	Crude bile acids	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 U	Flame-retardant reaction products of acetaldehyde, ethylene oxide and phosphorus trichloride	0
ex 38.19 U	Lyophilised extract of the blood cells of the crab <i>Limulus polyphemus</i> (lyophilised <i>Limulus</i> -amebocyte-lysate)	0
ex 39.01 C III b)	Polyester of a mixture of isophthalic acid and terephthalic acid with 4,4'-isopropylidenediphenol	0
ex 39.01 CV	Polyurethane polymers in one of the forms mentioned in Note 3 (a) to Chapter 39, based on a mixture of 2-methyl and 4-methyl- <i>m</i> -phenylene di-isocyanates and branched chain triols with an average molecular weight of not less than 6 000, and containing terminal epoxy groups	12
ex 39.01 C V	Polyurethane of 2,2'-(<i>tert</i> -butylamine)diethanol and 4,4'-methylene-di(cyclohexyl isocyanate), dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 48% by weight	
ex 39.02 C VI a)	Copolymer of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in Note 3 b) to Chapter 39	0
ex 39.02 C VI a)	An A-B-A block copolymer of polystyrene ethylene-butylene copolymer and polystyrene containing not more than 35 % by weight of styrene, in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometers, whether or not in rolls	0
ex 48.07 D	Kraft paper with latex addition to the stock, coated on one side with polybutadiene-styrene weighing not less than 104 g and not more than 130g/m ² for the manufacture of disposable nappy inserts (a)	6
ex 51.01 A	Yarn, multiple, of polyamide, coated, impregnated or covered with a phenolic resin	0
ex 51.01 A	Yarn of poly(<i>p</i> -phenyleneterephthalamide), intended for the manufacture of dryer screens for papermaking machines (a)	0
ex 51.01 A	Yarn of synthetic textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 56.01 A	Synthetic textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 59.03	Bonded-fibre fabrics, with a thickness of not more than 300 micrometers, of spunbonded polyethylene films, with a weight not exceeding 115 grammes per square meter, whether or not in rolls	0
ex 59.08	Knitted or woven fabric coated or covered on one side with artificial plastic material in which are embedded glass microspheres	
ex 59.12	Cotton fabric coated with adhesive in which are embedded glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 g/m ² and not more than 550 g/m ²	0
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	0
ex 70.20 B	Yarns of 34 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 5.2 and not more than 6.2 micrometers, other than those treated so as to improve their adhesion to elastomers	6.3
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 5.8 and not more than 6.4 micrometers, other than those treated so as to improve their adhesion to elastomers	6.3
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.03	Lithium iodine batteries, with a nominal value of not less than 40 EUA, for cardiac stimulators (a)	0
ex 85.21 AV	Digital displays consisting of a glass tube mounted on a board up to 220 mm long and 45 mm wide excluding leads. The tube contains a straight line of digits not less than four in number, each digit consisting of a number of segments containing an inert gas with a metallic base coated with phosphorus salts which give off light when bombarded with electrons	0
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 mm x 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semiconductor compounds mounted thereon. Each digit is composed of seven segments plus a decimal point and the line of digits has a protective cover of translucent plastic	0
ex 85.21 D II	Electronic programmable read only memories (EPROMS), UV erasable, with a storage capacity of 32 K bits or 64 K bits, in the form of a monolithic integrated circuit contained in a housing bearing a capacity marking of "32" or "64", whose exterior dimensions do not exceed 15.3mm x 33.3mm, with a quartz window on the upper surface and 12 connecting pins along each of the longer sides	0
ex 85.21 D II	Random access memories (RAMS), with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit contained in a housing bearing a capacity marking of "64", whose exterior dimensions do not exceed 7.7mm x 20.6mm, with 8 connecting pins along each of the longer sides	0

(e) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed tyrethrum	0
ex 27.13 B II	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1560	0
ex 28.04 B	Helium	0
ex 28.04 C III	Tellurium in powder or ingots	0
ex 28.13 I J	Tellurium dioxide	0
ex 28.24	Cobalt oxides and hydroxides	0
ex 28.31 C	Lithium hypochlorite	0
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0
ex 28.42 A VI	<p>Lithium carbonates not corresponding to the following specifications :</p> <ul style="list-style-type: none"> — In the form of white powder — Containing 98.5 % or more of Li_2CO_3 and : <ul style="list-style-type: none"> — Less than 2 ppm of arsenic — Less than 200 ppm of calcium — Less than 200 ppm of chlorides — Less than 20 ppm of iron — Less than 150 ppm of magnesium — Less than 20 ppm of heavy metals — Less than 300 ppm of potassium — Less than 300 ppm of sodium — Less than 200 ppm of sulphates 	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28.48 B III	Hydrotalcit (INN)	0
28.51 A	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (EURATOM)	0
ex 28.57 A	Silane (silicon hydride)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	<i>beta</i> -Pinene	0
ex 29.01 D VII	Vinyltoluenes	0
ex 29.02 A I	Carbon tetrafluoride (tetrafluoromethane)	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29.02 A III	Vinyl bromide	0
ex 29.02 A III	1,2-Dibromoethane	4
ex 29.02 A V	Bromochloromethane	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1 ² .0 ² .0 ⁴ .0 ⁴ .0 ⁶ .0 ⁶]octadeca-7, 15-diene, intended for use in the manufacture of polyamide/	0
ex 29.03 B II	Nitromethane	0
ex 29.03 C I	Methanesulphonyl chloride	0
ex 29.04 C I	Butane 1,3-diol	0
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol	0
ex 29.06 A IV	2- <i>tert</i> -Butyl-4-ethylphenol	0
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	4,4'-(2,3-Dimethyltetramethylene)dipyrrocatechol, not less than 98 % pure	0
ex 29.06 B V	6,6'-Tri- <i>tert</i> -butyl-4,4'-(1-methylpropan-1-yl-3-ylidene)tri- <i>m</i> -cresol, whether or not containing toluene of crystallization	0
ex 29.06 B V	2,5-Di(<i>tert</i> -phenyl)hydroquinone	0
ex 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	0
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0
ex 29.08 D	<i>tert</i> -Butyl hydroperoxide, aqueous solution	0
ex 29.09	1,2-Epoxybutane	7
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 B I b)	Refined natural bornan-2-one (camphor)	0
ex 29.13 D I b)	3- <i>beta</i> -Hydroxy-16- <i>alpha</i> -methylpregn-5-en-20-one	6
ex 29.13 D I b)	11- <i>alpha</i> ,17,21-Trihydroxy-16- <i>beta</i> -methylpregna-1,4-diene-3,20-dione	0
ex 29.13 E	4-Methoxy-4-methylpentan-2-one	0
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	1-Chloro-3,3-dimethylbutanone	0
ex 29.14 A II c) 4	16- <i>alpha</i> ,17- <i>alpha</i> -Epoxy-20-oxopregn-5-en-3- <i>beta</i> -yl acetate	6
ex 29.14 A II c) 4	11- <i>alpha</i> ,17- <i>alpha</i> ,21-Trihydroxy-16- <i>alpha</i> -methyl-5- <i>alpha</i> -pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3- <i>beta</i> -yl acetate	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
29.15 A IV a)	Azelaic acid and sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4, tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate	0
ex 29.16 A II	<u>L-Malic acid and its salts and esters</u>	0
29.16 A III a)	Crude calcium tartrate	3-5
ex 29.16 A VIII a)	2,2-Bis(hydroxymethyl)propionic acid	0
ex 29.16 B III	2-Ethylhexyl 4-hydroxybenzoate	0
ex 29.16 B VI	Octadecyl 3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl) propionate	0
ex 29.16 B VI	Pentaerythritol tetrakis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxy phenyl)propionate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 A III	<u>tert-Butylamine</u>	0
ex 29.22 B II	<i>N,N,N',N'</i> -Tetrabutylhexamethylenediamine	0
ex 29.22 D I	3,5-Dichloroaniline	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	<i>m</i> -Phenylenebis(methylamine)	0
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether	0
ex 29.23 A II	Dinoprost (INN), Trometamol salt (INN)	0
ex 29.23 C	Ketamine (INN) hydrochloride	0
ex 29.23 D V	Tranexamic acid (INN)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.23 D V	3,5-Diaminobenzoic acid	0
ex 29.23 D V	<i>beta</i> -Alanine	0
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.23 E	Diethyl 1,3-benzodioxol-5-ylaminomethylenemalonate	0
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride	0
ex 29.23 E	Levodopa (INN)	0
ex 29.23 E	Dobutamine (INN) and its salts	0
ex 29.25 A II	<i>N</i> -Acetyl- <i>DL</i> -valine	0
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride	0
29.25 B II a)	Phenobarbital (INN) and its salts	11
ex 29.25 B II c)	Barbituric acid	0
ex 29.25 B III b)	2-Benzoyl-4'-chloro- <i>N</i> -(2-hydroxypropyl)glycinanilide	0
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.27	(—)- <i>N</i> -(<i>alpha</i> -Cyano-4-hydroxy-3-methoxy- <i>alpha</i> -methylphenethyl)acetamide	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	Carbidopa (INN)	0
ex 29.29	Robenidine hydrochloride (INN)	0
ex 29.29	<i>N,N</i> -Diethylhydroxylamine	0
ex 29.30	<i>O,O</i> -Bis(4- <i>tert</i> -butylphenyl) <i>N</i> -cyclohexylphosphoramide dothioate	0
ex 29.30	Methyl isocyanate	9
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	4-(Methylthio)phenol	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	Tolnaftate (INN)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.31 B	2,2'-Thiodiethyl bis [3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl) propionate]	0
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder, intended for the production of goods falling within Chapter 70 (a)	0
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl) phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl- <i>p</i> -cresol	0
ex 29.35 Q	2,6-Di- <i>tert</i> -butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-yl-amino]phenol	0
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts	0
ex 29.35 Q	(-)-1- <i>tert</i> -Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yl)propan-2-ol	0
ex 29.35 Q	Clotiazepam (INN)	0
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane(triethylenediamine)	0
ex 29.35 Q	2,4-Di- <i>tert</i> -butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	Carpipramine dihydrochloride (INN)	0
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5-g]cinnoline-3-carbonitrile	0
ex 29.35 Q	Indometacin (INN)	0
ex 29.35 Q	Diphemanil metilsulphate (INN)	0
ex 29.35 Q	Minoxidil (INN)	0
ex 29.35 Q	Orazamide (INN)	0
ex 29.35 Q	(25 <i>R</i>)-Spirost-5-en-3- <i>beta</i> -ol(diosgenin) and its esters	0
ex 29.35 Q	Triazolam (INN)	0
ex 29.35 Q	<i>L</i> -Tryptophan	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-chloro-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	Azatadine dimaleate (INN)	0
ex 29.35 Q	Amprolium hydrochloride (INN)	0
ex 29.35 Q	2-(4-Pyridyl)ethanesulphonic acid	0
ex 29.35 Q	Prifinium bromide (INN)	0
ex 29.35 Q	Glucuro lactone (INN)	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfaguanidine (INN)	0
ex 29.36	Sulfathiazole (INN)	0
ex 29.36	4-Chloro-5-sulphamoylanthranil-o-toluidide	0
ex 29.38 B II	Panthenol (INN)	0
ex 29.38 B III	Folic acid (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	0
ex 29.39 D II	Betamethasone 21-acetate (INN)	0
ex 29.39 D II	Triamcinolone acetonide (INN)	8
ex 29.39 D II	Betamethasone 17,21-dipropionate (INN)	0
ex 29.39 D II	Triamcinolone 16- <u>alpha</u> ,21-diacetate (INN)	8
ex 29.39 D II	Fluorometholone (INN)	0
ex 29.39 D II	Halcinonide (INN)	0
ex 29.39 D II	Triamcinolone hexacetonide (INN)	8
ex 29.39 D II	Methylprednisolone (INN)	8
ex 29.39 D II	Triamcinolone (INN)	8
ex 29.39 D II	Diflurasone di(acetate) (INN)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.39 E	Calcitonin (INN), salmon-type and its salts	0
ex 29.39 E	Calusterone (INN)	0
ex 29.39 E	Prasterone (INN)	0
ex 29.42 C VII	Pilocarpine hydrochloride	0
ex 29.42 C VII a	(22 <i>R</i> , 25 <i>R</i>)-Tomat-5-enin-3- <i>beta</i> -ol (Solasodine)	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0
ex 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Cefoxitin sodium (INNM)	0
ex 29.44 C	Cefradine (INN)	0
ex 29.44 C	Minocycline <i>mono</i> -hydrochloride dihydrate (INNM)	0
ex 29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin dihydrochloride pentahydrate (INNM)	0
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Nystatin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin sulphate (INNM)	0
ex 29.44 C	Sisomicin sulphate (INNM)	0
ex 29.44 C	Spectinomycin sulphate (INNM)	0
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.44 C	Cefamandole (INN) and its salts and esters	0
ex 29.44 C	Cefazolin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters, intended for the manufacture of products falling within heading No 30.03 (a)	0
ex 29.44 C	Monensin (INN) and its salts	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.44 C	Cefaclór (INN) and its hydrates, salts and esters	0
ex 29.44 C	Fumagillin dicyclohexylammonium (INN)	0
ex 29.45	Potassium <i>tert</i> -butoxide	0
ex 30.01 A	Bovine livers for organotherapeutic purposes, dried	0
ex 30.01 B II	Extracts of liver of bovine animals	0
ex 30.01 B II	Extracts of suprarenal glands	0
ex 30.02 A	Tetanus immunoglobulin	0
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.02 A	German measles immunoplasma	0
ex 30.02 A	Mumps immunoplasma	0
ex 30.02 A	Whooping-cough immunoplasma	0
ex 30.03 A II b) B II b)	Human albumin, whether or not in solution	0
ex 30.03 A II b) B II b)	Human fibrinogen	0
ex 30.03 A II b) B II b)	Preserved serum prepared on a basis of human blood	0
ex 30.03 A II b) B II b)	Anti-haemophilic globulin and anti-Rh ₀ (D)-globulin derived from human blood	0
ex 30.03 A II b)	Cisplatin (INN)	0
ex 30.03 A II b)	Mixture of oestrogens of equine origin in powder form	0
ex 30.03 B II b)	<i>gamma</i> -Globulin, in solution, derived from human blood	0
ex 30.03 B II b)	Lyophilized <i>gamma</i> -globulin derived from human blood	0
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts of eucalyptus	4
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 32.07 B	Inorganic colouring matter preparations mentioned in Note 3 to Chapter 32, in hollow polyurethane spheres having a diameter of less than 200 micrometers	0
ex 32.08 D	Glass in the form of flakes of a length not less than 0.1 mm and not more than 3.5 mm and of a thickness not less than two and not more than five micrometers	0
ex 35.07	Bromelains (INN)	0
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 35.07	Peroxidase	0
ex 37.02 B	Colour negative film of a width not less than 75 mm and not more than 105 mm and of a length of 100 m or more, for use in the manufacture of instant picture film packs (a)	0
38.07 B	Spirits of sulphate turpentine ; crude dipentene	3
38.07 C	Spirits of wood turpentine ; terpenic solvents produced by the distillation or other treatment of coniferous woods ; sulphite turpentine ; pine oil (excluding 'pine oils' not rich in terpineol)	3
ex 38.08 C	Hydroabietyl alcohol	0
ex 38.08 C	Rosin, hydrogenated, polymerized, dimerized or oxidized	0
ex 38.19 G	Catalysts consisting of bis(2-dimethylaminoethyl) ether dissolved in 1,1'-oxydipropan-2-ol	0
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentoxide on an inert support	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 U	Calcined bauxite (refractory grade)	0
ex 38.19 U	Diosgenin crude	0
ex 38.19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide dissolved in toluene	0
ex 38.19 U	Mixture of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	0
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2-p-chlorophenylbenzoxazol-5-yl)propionitrile	0
ex 38.19 U	Residue of manufacture containing not less than 40 % by weight of 11-beta, 17,20,21-Tetrahydroxy-6-methylpregna-1,4-dien-3-one 21 acetate	0
ex 38.19 U	Intermediate products from the manufacture of monesin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	7.3
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less than 36 % and not more than 44 % zirconium dioxide	7.3
ex 38.19 U	N-(2-Methyl-2-nitropropyl)-4-nitrosoaniline containing not less than 65 % by weight of an inert filler	0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 39.01 A	Colestipol hydrochloride (INN)	0
ex 39.01 C III and ex 39.03 B II b) 2, III b) 4 aa) IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0
ex 39.01 C III	Reflecting polyester sheeting, whether or not in rolls	0
ex 39.01 C III	Waste and scrap of polyester sheets coated with tungsten compounds	0
ex 39.01 C III	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 CV	Polyurethane reflecting sheeting, whether or not in rolls	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0
ex 39.01 C VII	<i>alpha</i> -4-Hydroxybutyl- <i>omega</i> -hydroxypoly (oxytetramethylene)	0
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.01 C VII	Poly [oxy(2,6-dibromo-1,4-phenylene)] intended for use in the manufacture of polyamide (a)	0
ex 39.02 C I b)	Transparent polyethylene film which will split longitudinally when stretched at right angles to its length, and having a density of not less than 0.925 gm/cc and yielding not less than 11.5 g/m ² and not more than 11.3 g/m ² , intended for the manufacture of typewriter ribbon (a)	0
ex 39.02 C I b)	Polyethylene film of a width of not less than 4.5 cm and not more than 5.5 cm and having a molecular weight of not less than 4 000 000, in rolls intended for use as conveyor belts in machines for manufacturing cigars (a)	0
ex 39.02 C II	Microporous polytetrafluorethylene film, not less than 30 cm in width and weighing not more than 22.4 g/m ² , whether or not in rolls	0
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI a)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting wholly embossed on one side in a regular pyramidal pattern, whether or not in rolls	0
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 20.4 % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	0
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XII	Poly(2-diethylaminoethyl methacrylate) dissolved in <i>N,N</i> -dimethylacetamide, with a polymer content of not less than 55 % by weight	0
ex 39.02 C XII	Copolymer of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in <i>N,N</i> -dimethylacetamide, with a copolymer content of not less than 55 % by weight	0
ex 39.02 C XII	Polyacrylic acid for use as a thickener in textile pigment printing pastes (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provision.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.02 C XIV a)	Alternating copolymer of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than four and not more than 20 micrometres	0
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
ex 39.02 C XIV a)	Fluorinated ethylene propylene copolymers, intended for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
ex 39.02 C XIV a)	Poly(1-ethylethylene) (Polybutene-1) in one of the forms mentioned in Note 3(b) to Chapter 39	0
ex 39.02 C XIV a)	Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer intended for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV b)	Polyvinyl fluoride sheet, whether or not in rolls	0
ex 39.02 C XIV b)	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde, whether or not in rolls.	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
ex 39.03 B V a) 2	Hydroxypropylcellulose	0
ex 39.06 B	O-(2-hydroxyethyl)amylopectin hydrolysate	0
41.02 B	Bovine cattle leather (including buffalo leather) not further prepared than chrome tanned, in the wet blue state	0
ex 41.02	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4.5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
ex 44.22 B	Used casks and barrels of oak, whether assembled or not; their staves and heads	0
ex 44.28 D II	Shingles for roofs and walls of coniferous wood	0
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork	0
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 49.11 B	Microcopies on an opaque base intended for data banks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Yarn wholly or polyglycollic acid	0
ex 51.01 A	Yarn of polytetrafluoroethylene	0
ex 51.01 A	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50°C for use in the manufacture of weightless "felts" for papermaking machines (a)	0
ex 51.02 A I	Monofil of polytetrafluoroethylene	0
ex 51.02 A II	Polyimide strip, whether or not in rolls	0
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls, with an extension at break not exceeding 25 %	0
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCF heading No	Description	Rate of autonomous duty (%)
ex 56.01 A	Textile fibres of polytetrafluoroethylene	0
ex 58.01 B	Carpets, carpeting and rugs of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil (b)	20 with a maximum duty of 4 EUA per m ²
ex 58.07 A	Braid wholly or polyglycollic acid yarn	0
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres obtained by polycondensation of <i>m</i> -phenylene-diamine and isophthalic acid	0
ex 59.04	Coir yarn for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
62.03 B 1 a)	Sacks and bags of the kind used for the packing of goods used, of flax or of sisal	0
ex 68.02 B	Artificially coloured granules and chippings	0
ex 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm ² running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0
ex 70.19 A IV b)	Glass beads of a diameter of less than 0.1 mm and with a refractive index of 2.26	0
ex 70.20 A	Mats of non-textile glass fibres of a weight per square metre of not more than 100 g and a fibre diameter of not more than seven micrometers	0
ex 70.20 B	Glass-fibre yarns, with a filament diameter of not more than four micrometres, for the manufacture of carpets (a)	0
ex 70.02 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2.5 and not more than 5.1 micrometers, other than those treated so as to improve their adhesion to elastomers	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions

(b) The Additional Note to Chapter 58 shall apply here

CCT heading No	Description	Rate of autonomous duty (%)
ex 75.04 A	<p>Tubes of nickel, not alloyed, of a purity not less than 99 %, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either :</p> <ul style="list-style-type: none"> — Not less than 213.36 mm and not more than 214 mm, or — Not less than 209.95 mm and not more than 210.59 mm, or — Not less than 168.28 mm and not more than 168.78 mm 	0
76.01 B1b)	Waste of aluminium, other (including factory rejects)	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0.7 % by weight and not more than 1.5 % by weight of copper as the major alloying elements and having a width of not less than 75 and not more than 230 mm and a thickness of not less than 3 and not more than 6.5 mm	0
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than 0.25 mm and not more than 0.5 mm, intended for the manufacture of capacitors (a)	0
ex 81.04 D1b)	<p>Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0.10 % by weight of total oxygen, not more than 0.015 % by weight of total aluminium and not more than 0.001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, intended for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a) :</p> <ul style="list-style-type: none"> — Blades, fixed or movable, including their rings — Vanes — Nozzles 	0
ex 81.04 G1	Electrolytic manganese of a purity of at least 99.7 %, intended for the chemical industry (a)	0
ex 81.04 K1	Waste and scrap titanium	0
ex 81.04 K1	Titanium sponge	0
ex 84.51 A	Typewriters with Braille characters	0
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.55 C	Parts and accessories of electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes, for reactor pressure vessels	0
ex 84.63	Forged and roughly shaped generator and turbine shafts of a weight exceeding 180tonnes	0
ex 85.13 B	Sonic converters consisting of a box approximately 28 cm long, approximately 13 cm broad and approximately 10 cm high, the top being shaped in the form of a cradle to receive a telephone handset, incorporating a lamp to indicate the state of call. This modern (MODulator/DEMulator) converts teleprinter keyboard signals for transmission by telephone line or radio for reconversion to keyboard signals on a distant teleprinter	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 A III	Vascular prostheses	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning board with piezo-electric pencils, and its parts and accessories	0

FINANCIAL SHEET

Annex to doc. UD/292/80 EN

Date

Budget line concerned : Chap 12, art.120

2. Title of activity :

Draft Council Regulation (EEC) temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products.

3. Legal basis : Art. 28 Treaty of Rome

4. Objectives of the activity :

Suspension of CCT duties for goods mentioned under 2.

5.0 Costs of the activity
to the account of the EC budget
by non collection of duties

Impossible to evaluate seriously because
Community statistics do not exist.
The information given by the requesting
Member States shows a minimum loss for the
period
- from 1.7. until 31.12.1980 of 2 360 000EUA
- and in addition
- from 1.7. 1980 until 30.6.1981 of
64 550 000 EUA