COMMISSION OF THE EUROPEAN COMMUNITIES

COM(82) 896 final Brussels, 12 January 1983

Proposal for a COUNCIL REGULATION (EEC)


on the adjustment of Appendix B to the Arrangement with the United States of America relating to steel

Proposal for a COUNCIL REGULATION (EEC)

amending Council Regulation (EEC) No 2870/82 on the restriction of exports of certain steel products to the United States of America

(submitted to the Council by the Commission)

COM(82) 896 final



EXPLANATORY MEMORANDUM

Appendix B of the Arrangement concluded with the U.S.A. envisages that the list of Nimexe positions covered by the Arrangement would be subject to later verification and amendment as necessary as agreed by experts of both parties. Checks carried out have shown the necessity of specifying the products covered with more precision in terms of Nimexe codes. These changes in the Arrangement product coverage make changes in burden-sharing between the Member States necessary.

Proposal for a

. Council Regulation (EEC)

on the adjustment of Appendix B to the Arrangement with the United States of America relating to steel.

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas by Regulation (EEC) No 2869/82¹ the Council approved the conclusion of an Arrangement with the United States of America relating to steel;

Whereas Appendix B to the Arrangement stipulated that the list of Nimexe codes covered by the Arrangement would be subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas the said verification has revealed the need to determine with greater precision, in terms of Nimexe codes, the products covered by the Arrangement,

HAS ADOPTED THIS REGULATION:

Article 1.

- The adjusments to Appendix B to the Arrangement with the United States of America relating to trade in certain steel products to be concluded in the form of an exchange of letters are hereby approved on behalf of the European Economic Community to the extent that the Arrangement relates to products covered by the EEC Treaty.
- 2. The text of the exchange of letters is annexed to this Regulation.

Article 2.

The President of the Council is hereby authorized to designate the person empowered to carry out the exchange of letters in order to bind the European Economic Community.

Article 3.

This Regulation shall enter into force on the day of its publication in the Official Journal of the European Communities.

This Regulation shall be binding in its entirety and directly applicable in all Member States

Done at Brussels,

For the Council The President

1 0.J. Nº L 307, 1.11.1982, P.1

7

The Honorable Malcolm BALDRIGE Secretary
Department of Commerce

WASHINGTON DC 20230 - U.S.A.

Dear Mr Secretary,

As indicated in Appendix B of the Arrangement concerning trade in certain steel products between the European Coal and Steel Community and the United States, this Appendix has been verified by experts of both parties, who agreed on certain amendments to the NIMEXE codes referred to in the Appendix.

These changes are reflected in the enclosed new Appendix B, as amended.

I should be grateful if you would confirm the agreement of the US Government with the content of this letter.

Etienne DAVIGNON
Vice-President

(Enclosure)

Proposal for a

Council Regulation (EEC)

amending Council regulation (EEC) Nº 2870/82 on the restriction of exports of certain steel products to the United States of America.

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas by Regulation (EEC) No 2870/82 the Council established restrictions on exports of certain steel products to the United States of America,

Whereas Appendix B to the Arrangement concluded with the United States of America stipulated that the list of Nimexe codes covered by the Arrangement would be subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas the said verification has revealed the need to determine with greater precision, in terms of Nimexe codes, the products covered by the Arrangement; whereas Article 2(1) and Annexes I and III of Regulation (EEC) No 2870/82 should be amended accordingly,

HAS ADOPTED THIS REGULATION:

Regulation (EEC) No 2870/82 is hereby amended as follows:

1. Article 2(1) is replaced by the following:

"1. Community export limits per product category shall be calculated by the Commission for the initial period and for the years 1984 and 1985 by application to the United States apparent consumption within the meaning of Article 5 of the Arrangement of the following percentages:

•	Product category	Quota
1.	Hot-rolled sheet and strip	6.81%
2.	Cold-rolled sheet	5.11%
3.	Plate	5.36%
4.	Structural shapes	9.91%
6.	Hot-rolled bars	2,38%
7.	Coated sheet	3.27%
8.	Tinplate	2.20% "

2. Annexes I and III are replaced by Annexes A and B to this Regulation.

1 0.J. Nº L 307, 1.11.1982, p.3.

./.

Article 2.

This Regulation shall enter into force on the day of its publication in the Official Journal of the European Communities.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council
The President

Annex A

ANNEX I
LIST OF PRODUCTS

DESCRIPTION	NIMEXE CODE	TSUSA number
Category 1. Hot-rolled sheet and strip: Alloy steel	73,73-19(2)(18)	607.81-00 608.38-20 (1) 608.55-20 (1) 608.67-20 (1)
Category 2. Cold-rolled sheet: Carbon steel	73.10-30 (21) 73.12-25 (3)(4) 73.12-29 (4)(31) 73.12-40 (4) 73.12-88 (4) 73.13-41 73.64-50 (4) 73.65-53	607.83-20 607.83-44
Alloy steel	73.73-59(2)(39) 73.74-59(2)(4) 73.74-89 (41) 73.75-59(2)(4)(30)	607.93-20
Category 3. Plate : Carbon steel Alloy steel	73.64-75(4) 73.73-19(37) 73.74-74(4)(36)(40) 73.74-83(38)(40) 73.74-89(38)(40) 73.75-59(2)(36)	607.66-15(5) 607.94-00 608.07-10 608.11-00 607.78-00(5) 607.91-00 608.14-20
Category 4. Structural shapes: Carbon steel	73.11-20 (7) 73.11-31 (7) 73.11-39 (7) 73.63-10 (7)(8) 73.63-50 (7)(8) 73.73-55 (8)(10)	609.80-05 609.80-15 609.80-35 609.80-41 609.80-45
Alloy steel	73.73-14 (8) 73.73-19 (8) 73.73-49 73.73-54 (8) 73.73-55 (8)(32) 73.7359 (8)	609.82-00

DES	CRIPTION	NIMEXE CODE	TSUSA Number
Category 6.	Hot-rolled bar : Carbon steel	73.10-49(12)(25) 73.63-79(12)(25)	606.83-10 606.83-30 606.83-50
	Alloy steel	73,73-19(2)(25) 73,73-89(2)(12)(25)	606-97-00
Category 7.	Coated sheet: Carbon steel (galvanized and other steel)	73.12-61(4) 73.12-63(4)(30) 73.12-75(4) 73.12-81(4) 73.12-85(4) 73.12-87(4) 73.12-89(4) 73.64-79(4)	608.07-30 608.13-00
	Alloy steel coated sheet and terne plate and sheet	73,12-65(4) 73,74-74(4) 73,74-89(4)(40)	608 . 01-00 608 . 14-40
Category 8.	Tinplate (not including blackplate)	73_12-59(4)	607.96-00 607.97-00 607.99-00

·

```
COVERED IF HOT ROLLED
                 EXCLUDING "TOOL STEEL"! " HIGH SPEED TOOL STEEL ! " TOOK STEEL ! " TOOK STEEL ! " TOOK STEEL ! " " TOOK STEEL ! 
                'TOOL STEEL OF THE TYPE DESCRIBED IN HEADNOTE 2(H) (VII) !
                 SUBPART B, 2 (H),(V)(VI),(VII) AND (VIII) OF THE TARIFF
                 SCHEDULES OF THE UNITED STATES ANNOTATED.
                 EXCLUDING * SILICON ELECTRICAL STEEL AS DEFINED IN SCHEDULE 6,
                 PART 2, SUBPART B, 2 (H) (IX) OF THE TARIFF SCHEDULES OF THE
                 UNITED STATES ANNOTATED.
                  COVERED IF OVER 12 " IN WIDTH.
1/4/
                  EXCLUDING SEMIFINISHED PRODUCTS OVER 6 INCHES IN THICKNESS
                  PRODUCED BY ROLLING ON A PRIMARY (SLABBING) MILL
                   COVERED IF OVER 8 " IN WIDT
1/6/
                                                                      COVERED IF HAVING A MAXIMUM CROSS-SECTIONAL DIMENSION OF
E/7/
                  3 INCHES OR MORE
                   COVERED IF STRUCTURAL SHAPES
 1/8/
                   COVERED IF COILED AND IF 18.8 MM OR LESS IN DIAMETER
                                                                          * ; ;
                   COVERED IF CONTAINS 0.35 PERCENT OR LESS LEAD OR SULFUR
                   EXCLUDED IF COLD FORMED
 1/12/
                                                                                                 ERCENT LEAD OR SULFUR
 2/15/
                   COVERED IF CONTAINS OVER 0.35
                   COVERED IF IN COIL
 1/16/
                   COVERED IF NOT IN COIL
 1/17/
 1/18/
                   COVERED IF OF RECTANGULAR SECTION. IF 3/16 INCH OR OVER
                   IN THICKNESS, EXCLUDED IF 8 INCHES OR LESS IN WIDTH OR IF
 NOT IN COILS
```

COVERED IF OF CIRCULAR SECTION AND 0,2 INCH OR OVER IN

////

NNNN

9

../6

IF 3/16 INCH OR MORE IN THICKNESS, EXCLUDED IF CUT TO LENGTH, OR 8 INCHES OR LESS IN WIDTH COVERED IF OF RECTANGULAR SECTION, OVER 12 INCHES IN WIDTH AND NOT CONFORMING TO THE ENTIRETY OF THE NIMEXE DEFINITIONS OF STRIP AND SHEET COVERED IF 3/16 INCH OR MORE IN THICKNESS, IF NOT IN COILE AND IF OVER 8 INCHES IN WIDTH COVERED IF OF RECTANGULAR SECTION IF 3/16 IN THICKNESS OR MORE IF OVER 8 INCHES IN WIDTH AND IF NOT IN COILS COVERED IF OF CIRCULAR SECTION 18/24/ COVERED IF OF RECTANGULAR, CIRCULAR OR ANY OTHER SOLID SEC-TION. IF OF RECTANGULAR SECTION, COVERED IF 3/16 INCH OR. MORE IN THICKNESS AND 8 INCHES OR LESS IN WIDTH. IF OF CIRCULAR SECTION, COVERED IF OVER 18,8 MM IN DIAMETER, OR IF 18,8 MMOR LESS IN DIAMETER AND NOT IN COILS /27/ COVERED IF 3/16 INCH OR MORE IN THICKNESS AND 8 INCHES OR LESS IN WIDTH COVERED IF 8 INCHES OR LESS IN WIDTH COVERED IF OF RECTANGULAR OR ANY OTHER SOLID SECTION EXCEPT CIRCULAR. IF OF RECTANGULAR SECTION, COVERED IF 3/16 INCH. OR MORE IN THICKNESS AND 8 INCHES OR LESS IN WIDTH COVERED IF LESS THAN 3/16 INCH IN THICKNESS COVERED IF 0,0142 INCH OR OVER IN THICKNESS COVERED IF STRUCTURAL SHAPES AND CONTAINS OVER 0,35 0/0 IN LEAD OR SULFUR **E/32/** EXCLUDING ROUND BILLET, A SEMI FINISHED PRODUCT OF CIRCULAR 1/33/ CROSS SECTION HAVING A LENGTH SEVERAL TIMES GREATER THAN THE MAXIMUM CROSS SECTIONAL DIMENSION AND LESS THAN .36 SQUARE INCHES BUT NOT LESS THAN 3 SQUARE INCHES IN CROSS SECTIONAL AREA

COVERED IF 3/16 INCH OR MORE IN THICKNESS

MORE IN THICKNESS

COVERED IF OF RECTANGULAR SECTION AND IF 3/16 INCH OR

1/36/-

E/37/

1111

9

- 2/38/ COVERED IF 3/16 INCH OR MORÉ IN THICKNESS AND IF OVER-8 INCHES IN WIDTH
- #/39/ COVERED IF OF RECTANGULAR SECTION AND LESS THAN 3/16 INCH IN THICKNESS AND IF MORE THAN 12' IN WIDTH
- #/40/ COVERED IF COATED OR PLATED WITH METAL
- 1/41/ COVERED IF COATED OR PLATED WITH OTHER MATERIAL THAN METAL.

NNNN

	Description	Member State	Percentage	
1.	Hot-rolled sheet and strip	Germany	33,06	
		France	32.98	
		Italy Netherlands	8-81	
	ī	Belgium	19:96	
	· · · · · · · · · · · · · · · · · · ·	Luxembourg:	3:75 0:56	
		United Kingdom	0:88	
		Greece	l .	
		Denmark Ireland		
		- Triang		
•	Cold-rolled sheet	Germany France	43.29	
		Italy	15.98	
		Netherlands	16.21	
	•	Belgium	8.99	
		Luxembourg	0.27	
		United Kingdom Greece	2.37	
		Denmark	3.29	
	·	Ireland	1 · =	
•	Plate		23,35	
		Germany France	3,54	
		Italy	12,40	
		Netherlands	0,92	
	·	Belgium ;	48,24	
		Luxembourg	- •	
	•	United Kingdom Greece	9,77	
		Denmark		
	• ,	Ireland	1,78	
•	Structural shapes .	Germany ;	22,25	
	÷*	France	11.07	
		Italy .	0,54	
	•	Netherlands	_	
		Belgium	24,80 17,81	
		Luxembourg United Kingdom	23,53	
	`	Greece		
		Denmark .	-	
	·	Ireland	· . = .	
	Hot-rolled hars	Germany	7,54	
	*	France	26,45	
	·	Italy	3,88	
	į	Netherlands Belgium	2,70	
		Luxembourg	9,81	
		United Kingdom	50,78	
	•	Greece		
		Denmark		
		Ireland		
	Coated shee;	Germany	56.89	
		France	23.38	
		Italy Netherlands	8 · 71	
		Belgium	4·16 3·89	
		Luxembourg	0.43	
		United Kingdom	2.54	
		Greece Denmark		
•				

	Description	Member State	Percentage
8.	Tin place	Germany France Italy Netherlands Belgium Luxembourg United Kingdom Greece Denmark Ireland	54,41 34,02 6,88 3,83 0,86

(1) As the provisions of Article 4 cannot come into play for the first two months of the Arrangement, and to allow for the requisite administrative flexibility, a Community aggregate for manocuvre equivalent to 1 % for each of the categories of products shall be formed. This aggregate shall be an advance on the Community reserve.

(2) A quantity of 1404 tonnes has been allocated to Germany in the light of the provision for flexibility.

471 tonnes in category 1 (carbon steel) 493 tonnes in category 2 (carbon steel)

116 tonnes in category 3 (carbon steel)

138 tonnes in category 4 (carbon steel)

186 tonnes in category 7 (carbon steel)