Statistics

in focus

POPULATION AND SOCIAL CONDITIONS

THEME 3 - 26/2003

POPULATION AND LIVING CONDITIONS

Contents

Characteristics people		
Assistance to wo	ork	5
Restriction levels	s	6



Manuscript completed on: 25.11.2003 ISSN 1024-4352 Catalogue number: KS-NK-03-026-EN-C © European Communities, 2003

Employment of disabled people in Europe in 2002

Didier Dupré - Antti Karjalainen

The year 2003 is the European Year of People with Disabilities. The preliminary results of the ad hoc module on employment of disabled people of the Spring 2002 round of the Labour Force Survey provide the following estimates for persons aged 16-64 living in private households in 25 European countries:

- Of those persons aged between 16 and 64 years, 44.6 million i.e. one in six (15.7%) – stated that they had a long-standing health problem or disability (LSHPD).
- Labour force participation is indeed much lower for the disabled: 78% of the severely disabled aged 16-64 are outside of the labour force as compared to 27% for those without LSHPD. And even among those in the labour force, the unemployment rate is nearly twice as high among the severely disabled as compared to the non-disabled. Only 16% of those who face work restrictions are provided with some assistance to work.
- Overall there is little difference in the prevalence of disability among males and females, while the prevalence rates of LSHPD strongly increase with age. They are higher among those with lower education, among the widowed, divorced and the inactive.
- The percentage of the working-age population with LSHPD varies widely among countries, with the highest percentage (32.2%) found in Finland and the lowest in Romania (5.8%). This wide-ranging spectrum might also reflect differences in how respondents perceived the question. Although utmost attention was paid to translation of the questions, the replies could have been mediated by cultural traits.




Figure 1: Percentage of population aged 16-64 stating that they have a longstanding health problem or disability (LSHPD)

Table 1: Prevalence of long-standing health problem or disability (LSHPD), EU Member States

		В	DK	D	EL	Е	F	IRL		L	NL	A	P	FIN	S	UK
Total		18.4	19.9	11.2	10.3	8.7	24.6	11.0	6.6	11.7	25.4	12.8	20.1	32.2	19.9	27.2
Females		17.9	2 1 .1	10.3	10.6	8.0	24.8	10.5	6.3	9.6	26.4	11.6	21.6	33.6	21.7	27.8
Males		18.9	18.8	12.2	9. 9	9.4	24.3	11 .6	7.0	13.7	24.5	14.0	18.5	30.7	18.2	26.7
By marital	status and gender															
Females	Single	12.6	15.2	6.8	5.4	5.6	19.9	7.6	4.4	6.1	21.4	7.3	12.7	23.9	16.5	20.7
	Married	18.8	22.3	10.2	11.5	8.5	25.1	11.2	6. 5	9.2	25.8	12.0	23.8	37.0	24.3	28.7
	Widowed	30.1	36.4	22.0	25. 9	19.2	45.4	24.0	14.7	29.3	47.1	26.8	46.8	60.5	28.3	48.4
	Divorced	31.8	32.6	17.2	15.6	11.9	38.6	20.8	10.3	15.8	43.9	17.4	23.4	43.8	32.4	37.1
Males	Single	15.2	15.6	8.4	5.5	7.9	18.7	9.8	5.3	7.5	17.9	9.9	14.1	22.9	14.9	21.1
	Married	20.1	19.4	13.7	12.3	10.1	27.7	12.4	7.9	16.0	27.8	16.2	20.3	35.3	21.1	29.0
	Widowed	35.5	38.5	24.9	24.5	18.6	43.2	22.1	16.5	26.4	40.5	22.5	36.1	53.8	34.5	44.7
	Divorced	33.9	31.4	19.2	15.8	16.4	32.9	23.7	9.2	21.0	37.2	18.9	33.2	42.3	24.1	35.3
Total	Single	14.1	15.4	7.7	5.5	6.9	19.3	8.8	4.9	6.9	19.4	8.8	13.5	23.4	15.6	20.9
	Married	19.4	20.8	11.9	11.9	9.3	26.4	11.8	7.2	12.6	26.8	14.0	22.1	36.2	22.7	28.9
	Widowed	31.5	37.0	22.6	25.7	19.1	44.9	23.5	15.0	28.7	45.4	25.9	44.9	59.1	30.0	
	Divorced	32.6	32.1	18.1	15.7	13.5	36.2	21.9	9. 8	18.3	41.0	18.0	26.1	43.2	28.7	36.3
By age and	•															
Females	16-24	5.4	10.8	3.2	2.5	2.4	12.7	4.6	1.9	2.5	15.6	4.3	7.5	17.3	11.3	1 6 .0
	25-29	9.4	15.8	4.2	2.9	3.9	16.3	5.4	2.3	6.6	18.5	6.2	9.4	20.6	15.8	18.1
	30-34	11.8	11.5	5.2	4.2	4.4	18.3	7.9	3.1	4.2	20.0	6.7	12.0	22.8	18.9	1 9 .2
	35-39	17.4	17.9	6.8	5.8	5.8	21.7	8.9	3.9	5.6	20.9	7.1	15.9	27.8	21.9	21.0
	40-44	18.2	23.0	8.2	8.1	6.9	24.5	9.5	5.1	9.4	28.2	9.8	20.4	30.9	25.1	25.6
	45-49	23.1	25.1	10.9	10.4	8.6	28.4	13.1	6.8	12.8	28.7	13.6	24.8	34.5	24.9	29.7
	50-54	27.5	27.5	15.4	15.5	12.9	36.1	15.9	9.8	15.2	36.1	18.0	33.6	44.5	28.8	39.2
	55-59	31.6	31.7	20.9	22.1	17.2	39.9	22.0	12.8	18.3	42.5	24.7	44.9	52.5	31.2	46.4
	60-64	30.2	36.6	21.0	31.2	22.9	43.8	26.2	16.1	25.0	40.3	24.1	50.3	66.2	30.6	51.8
Males	16-24	7.0	12.3	3.8	2.7	3.4	11.1	5.3	2.4	4.1	11.8	6.2	8.5	14.3	9.7	15.6
	25-29	10.9	10.1	5.0	3.2	4.3	16.3	7.0	3.3	5.2	15.4	7.3	10.8	18.6	11.6	16.7
	30-34	15.0	11. 9	6.3	4.1	5.8	19.1	7.6	3.3	9.1	14. 9	10.0	12.0	21.7	14.5	1 9 .0
	35-39	16.1	12.8	7.9	5.7	6.6	19.9	8.4	5.1	8.3	21.8	9.9	14.3	21.8	18.8	20.8
	40-44	20.2	17.3	9.9	7.5	8.4	26.8	10.7	5. 8	1 2.1	26.0	11.3	16.5	25.9	19.7	24.1
	45-49	23.0	22.8	12.5	9.3	10.6	27.9	13.6	7.5	15.6	27.4	15.3	19.6	33.0	19.6	28.8
	50-54	26.1	24.6	17.0	14.6	15.0	34.8	17.6	11.0	24.1	34.3	23.3	27.0	41 .1	23.5	36.0
	55-59	32.7	30.2	24.8	20.3	20.4	42.3	23.8	13.7	31.6	40.7	28.4	37.5	52.2	28.6	45.6
	60-64	34.1	33.2	27.7	29.0	27.1	40.7	32.7	17.0	30.9	45.1	26.5	43.7	65.7	29.1	54.4
Total	16-24	6.2	11.6	3.5	2.6	2.9	11.9	5.0	2.1	3.3	13.7	5.2	8.0	15.8	10.4	15.8
	25-29	10.2	13.0	4.6	3.1	4.1	16.3	6.2	2.8	5. 9	17.0	6.8	10.1	19.6	13.7	17.4
	30-34	13.4	11.7	5.8	4.1	5.1	18.7	7.7	3.2	6.7	17.4	8.3	12.0	22.2	16.7	19.1
	35-39	16.7	15.2	7.3	5.8	6.2	20.8	8.7	4.5	7.0	21.3	8.5	15.1	24.7	20.3	20.9
	40-44	19.2	20.3	9.1	7.8	7.7	25.7	10.1	5.4	10.8	27.1	10.5	18.5	28.4	22.3	24.9
	45-49	23.0	23.9	11.7	9. 9		28.2		7.1		28.0	14.5		33.7		
	50-54	26.8	26.0				35.5							42.8		
	55-59	32.1					41.1			25.3		26.5		52.3		
	60-64	32.1	34.8	24.3	30.1	24.9	42.3	29.4	16.5	27.9	42.7	25.3	47.2	65.9	29.8	53.1
-	on and gender		. -						_							
Females	ISCED 0-2	26.4	29.8	12.1	16.4	11.3		16.3	8.7	13.5		14.3	25.7			
	ISCED 3	14.3	19.0		5.9	4.1	22.3	7.2	3.4	7.6		11.2	9.3	33.0		23.4
	ISCED 4-6	10.1	15.3	8.0	5.1	3.1	17.6	7.1	2.7	4.2	22.1	8.7	9.0		18.2	
Males	ISCED 0-2	27.2		12.5	14.4	13.2	30.2		9.3	19.3		17.2		37.0	19.9	
	ISCED 3	15.2	17.8	14.0	6.4	4.9	23.1	6.9	4.2	12.3			8.4		20.1	
	ISCED 4-6	10.8	15.2	9.4	5.7	3.6	16.5	7.4	3.5	7.6	18.2		9.0		13.7	
All	ISCED 0-2	26.8	26.9	12.2	15.4	12.3	30. 9	17.0	9.0	16.2		15.4		39.0		
	ISCED 3	14.8	18.4	12.3	6.2	4.5	22.7	7.1	3.8		23.0		8.9		21.7	
	ISCED 4-6	10.4	15.3	8.8	5.4	3.4	17.1	7.3	3.1	6.3	20.0	10.4	9.0	27.2	16.1	19.9
By activity	and gender															
Females	Employed	11.5	13.7	6.9	7.0	3.9	21.1	6.2	4.0	6.9	19.2	8.3		29.2		
	Unemployed	23.3	18.1	14.0	5.6	4.9	27.5	9.2	3.8	7.8	34.2	15.9	22.1	28.2	21.7	26.9
	Inactive	25.3	44.6	15.4	14.6	12.5	30.3	16.4	8.5	12.8	40.1	17.0	29.9	48.4	21.5	43.6
Males	Employed	13.8	13. 6	7.6	6.2	4.3	21.5	7.0	4.6	10.0	20.2	10.3	14.8	25.1	17.5	20.2
	Unemployed	21.6	21.5	17.2	8.0	7.6	25.8	10.7	6.2	11.2	30.6	17.9	20.3	24.2	19.9	
	Inactive	32.4	45.7	27.1	22.5	28.7	33.1	30.1	13. 9	27.7	48.6	28.0	33.3	55.5	20.4	58.1
All	Employed	12.8	13.6	7.3	6.5	4.2		6.7	4.4	8.7	19.8	9.4	15.8	27.1	19.5	
	Unemployed	22.4	19.9	15.8	6.5	6.0	26.6	10.1	4.9	9.3	32.4	17.1	21.2	26.0	20.7	28.0
	Inactive	28.0	45.0	19.7	17.0	17.4	31.3	20.7	10.2	17.7	42.8	20.9	31.1	516	21.0	48.7



		All	ACC	EU15	EUR12	RO	NO	SK	SI	MT	HU	LT	CY	EE	Z
Total		15.7	14.3	16.4	14.1	5.8	16.4		19.5	8.5	11.3	8.4	12.2	23.7	20.2
Females		15.6	14.5	16.3	13.9	6.5	17.4	8.2	19.1	7.3	11.3	8.5	11.1	24.2	21.1
Males		15.7	14.0	16.5	14.4	5.0	15.5	8.1	19.9	9.7	11.3	8.3	13.4	23.1	19.2
atus and gender	-														
Females	Single	11.7	7.4	12.4	10.5	3.5	11.6	4.5	9.8	7.2	3.5	6.8	4.9	15.8	11.4
	Married	15.6	15.4 28.5	16.2	13.8	6.1	18.2 32.7	8.8	23.7 37.3	7.1	12.6	7.3 18.8	11.6 36.7	26.5	22.0 42.6
	Widowed Divorced	28.0 27.0	20.5	29.7 28.3	26.9 24.4	15.5 12.3	27.5	10.3 19.8	29.6	19.0 4.3	24.4 15.7	12.0		46.7 28.2	27.5
Males	Single	12.0	9.4	12.7	10.9	2.7	12.5	5.7	13.5	6.5	6.0	7.2	9.1	16.3	13.7
	Married	17.1	15.6	18.0	15.9	5.8	15.4	9.2	24.9	11.2	13.1	7.5	14.9		20.7
	Widowed	28.7	26.0	30.7	27.8	16.1	30.1	12.5	44.4	17.6	30.0	24.3	24.4	46 .0	36.8
	Divorced	26.6	25.1	27.3	24.0	7.4	27.8	22.3	30.6	16.6	20.4	18.4	21.9		31.1
Total	Single	11.9	8.5	12.5	10.8	3.0	12.1	5.2	11.8	6.8	4.9	7.0	7.1	16.1	12.7
	Married Widowed	16.3 28.2	15.5 27.9	17.1 29.9	14.8 27.1	6.0 15.6	16.8 32.3	9.0 11.2	24.3 38.6	9.1 18.5	12.8 25.4	7.4 19.6	13.2 34.5	26.6 46.5	21 .3 4 1.6
	Divorced	26.8		29.9 27.9	24.3	10.7		20.2		10.5	25.4 17.5	19.0			28.9
age and gender		20.0	22.0	21.0	24.0	10.7	27.0	20,2	00.0	10.1	17.5	17.6	21.0	20.0	20.0
Females	16-24	6.9	3.6	7.6	8.4	1.5	8.1	1.4	4.4	1.7	1.2	1.9	2.1	9.1	7.2
	25-29	8.5	5.1	9.2	10.3	2.1	10.3	2.5	4.7	4.5	2.0	2.6	2.4	11.1	9.3
	30-34	9.6	6.7	10.5	8.6	1.8	9.3	4.5	9.5	5.4	3.4	2.1	3.9	15.8	11.4
	35-39	11.8	8.6	12.4	10.5	3.4	10.3	5.5	11.6	4.1	3.9	6.5	7.4	21.2	12.9
	40-44	14.5	12.7	15.1	12.8	7.0	15.4	8.9	20.7	6.8	10.0	6.2	11.9	13.5	19.2
	45-49	17.7	18.9	18.1	15.8	9.4	19.2	11.2	24.6	7.5	17.4	11.6	13.1	26.0	25.3
	50-54 55-59	24.0 28.7	27.9 31.9	24.1 29.1	21.1 25.4	14.0 14.2	25.4 33.8	19.9 18.5	37.0 39.6	9.1 14.5	26.3 28.6	14.4 24.6	16.0 28.4	37.6 46.7	35.1 40.0
	60-64	29.5	30.2	30.2	26.4	14.2	40.8	16.4	42.0	22.8	17.9	17.7	35.1	40.7 52.9	47.7
Males	16-24	6.9	4.8	7.6	5.9	1.2	9.5	2.1	7.0	3.7	1.5	2.2	4.4	9.8	9.4
	25-29	8.6	6.2	9.3	7.8	2.8	9 .9	2.5	8.7	4.3	2.6	6.9	6.4	11.9	IO .1
	30-34	9.9	6.6	10.8	9.1	1.6	10.3	3.6	10.5	4.8	3.7	4.4	5.3	15.5	10 .0
	35-39	11.9	9.1	12.5	10.7	2.9	11.8	7.6	12.6	6.7	5.7	5.0	7.3	17.8	12.6
	40-44	14.7	11.9	15.5	13.7	5.2	13.3	7.3	16.6	7.5	10.3	7.2	13.5	23.8	15.7
	45-49	17.5	17.1 25.1	18.2	16.2	6.6	16.5	11.0	27.7 35.5	10.6	15.3	10.1	18.9	25.1	20.4
	50-54 55-59	23.2 29.9	25.1 33.7	23.8 30.4	21.5 27.3	9.4 13.1	18.7 25.7	15.8 24.8	35.5 42.4	16.2 26.6	24.5 31.4	11.5 24.2	1 9.0 28.6	35.8 44.3	30.3 3 9 .2
	60-64	32.0	32.2	32.9	27.3	13.1	39.3	18.3	40.8	17.3	24.5	20.1		52.3	44.5
Tota	16-24	6.9	4.2	7.6	5.9	1.3	8.8	1.7	5.8	2.7	1.3	2.1	3.2	9.4	8.3
	25-29	8.5	5.6	9.3	7.6	2.5	10.1	2.5	6.7	4.4	2.3	4.8	4.3	11.5	9.7
	30-34	9.8	6.7	10.7	8.9	1.7	9.8	4.0	10.0	5.1	3.5	3.2	4.6	15.6	10.7
	35-39	11.9	8.8	12.5	10.6	3.2	11.0	6.5	12.1	5.3	4.8	5.8	7.3	19.6	12.8
	40-44	14.6	12.3	15.3	13.3	6.2	14.3	8.1	18.7			6.7		18.4	
	45-49	17.6	18.0 26.5	18.2	16.0	8.0		11.1		9.1			16.0		
	50-54 5 5 -59	23.6 29.3	26.5 32.8	24.0 29.8	21.3 26.3	11.7 13.7		21.4			25.5 29.9				32.8 39 6
	60-64	30.7	31.1		20.3	14.4					29.5				
tion and gende															
Females	ISCED 0-2	18.7	21.8	19.1	17.3	8.5	29.3	14.8	29.3	8.3	19.2	13.6	20.6	30.6	31.3
	ISCED 3	13.9	13.0	14.7	12.1	5.4	18.0	6.8	16.7	2.1	8.4	7.1	6.7	22.6	
	ISCED 4-6	11.8	8.6	12.3	10.2	5.2	10.5		9.8	4.1	4.6	7.2	4.5	23.2	
Males	ISCED 0-2	18.4	19.2	19.0	17.2	6.5				11.3	18.9	13.2		25.6	
	ISCED 3	15.3	13.4	16.5	14.0	4.4	15.9	7.6	18.4	2.8	9.1	6.8	10.7	22.1	
Tota	ISCED 4-6 ISCED 0-2	11.5 18.6	9.5 20.7	12.0 19.0	10.2 17.3	4.5 7.7	8.7 28.4	3.5 14.0	13.4 28.5		6.5 19.1	6.8 13.4	7.2	23.1 27.9	
1014	ISCED 3	14.6	13.2	15.6	13.1	4.9	16.9		17.6		8.8	6.9	8.7	27.3	
	ISCED 4-6	11.7	9.1	12.1	10.2	4.9	9.6	3.1	11.4		5.5	7.0	5.8	23.1	
ivity and gende	By act														
Females	Employed	12.1	8.3	13.0	10.8	2.7	10.8	2.8	14.0	3.3	2.5	2.8	6.7	19.0	15.0
	Unemployed	14.3	12.8	15.0	13.7	3.9	13.5		18.9	5.1	5.6	6.1	13.7	22.1	
	Inactive	21.1	23.6	21.4	17.9	11.9	42.4		28.0	9.6		19.2		33.3	30.1
Males	Employed	11.6	7.9	12.5	10.7	2.4	9.2	2.6	14.4	5.8	2.0	2.9	9.6	17.5	
	Unemployed	16.3	12.7	17.7	15.9	2.4	18.4	5.5		9.7	3.4 31.9	6.2		27.1	
	Inactive	29.9	31.6 8.1	31.0 12.7	27.0 10.7				32.8 14.2	26.7 5.0	31.9 2.3	24.3 2.9	29.6 8.3	37.5 18.3	36.4
Tota	Employed	11 81									<u> </u>	∠ .J	0.0	10.0	
Tota	Employed Unemployed	11.8 15.3	12.7	16.4	14.8	3.1	16.1			8.0	4.3	6.2		24.9	

Table 1: Prevalence of long-standing health problem or disability (LSHPD), acceding, candidate and
EFTA countries and geographical aggregates



Table 2: Distribution (%) of population with long-standing health problem or disability (LSHPD). Characteristics of LSHPD and assistance to work

				All	
	EU-15	ACC	F	M	All
Total all LSHPD		100.0	100.0	100.0	100.0
Type of LSHPD					
Arms or hands	6.6	3.8	7.1	5.8	6.4
Legs or feet	11.4	14.0	11.3	12.0	11.7
Back or neck	19.0	17.1	18.8	18.1	18.5
Difficulties in seeing	2.6	4.3	2.6	3.0	2.8
Difficulties in hearing	2.1	1.2	1.6	2.4	2.0
Speech impediment	0.3	0.4	0.3	0.4	0.4
Skin conditions	2.6	3.6	2.7	2.5	2.6
Chest or breathing	10.6	6.1	9.9	10.1	10.0
Heart, blood pressure or circulation	12.5	20.6	12.2	15.4	
Stomach, liver, kidney or digestive	5.1	7.1	5.3		5.4
Diabetes	4.0	4.6	3.6	4.5	4.1
Epilepsy	1.4	1.2	1.3	1.4	1.3
Mental, nervous or emotional	9.6		9.5	9.4	9.5
Other progressive illnesses	3.4	2.0	3.8	2.5	3.2
Other LSHPD	8.9	6.2	9.9	6.9	8.4
Cause of LSHPD					
Born with it or birth injury	17.9	10.8	16.5	17.3	16.9
Work-related diseases	13.3	12.8	10.8	15.6	13.2
Work-related accident or injury incl.					
traffic accidents at work	5.6	3.5	2.8	7.7	5.2
Traffic accident or injury (outside of					
work)	3.3	2.4	2.7	3.7	3.2
Household, leisure and sports					
accident or injury	3.5	3.6	3.1	3.9	3.5
Non-work-related diseases	50.2			44.8	50.3
Do not know	6.1	10.4		7.1	7.7
Duration since onset					
Less than 1 year	8.1	5.0	7.7	7.7	7.7
1 =< years < 2	7.8	5.8	7.7	7.4	7.5
2 =< years < 3	8.7	7.4	8.7	8.5	8.6
3 =< years < 5	13.7	13.6	13.9	13.7	13.8
5 =< years < 10	22.2	25.9	22.6	22.4	22.5
>= 10 years	39.4	42.2	39,4	40.3	39.8
% of working persons	1				
with LSHPD restriction					
receiving assistance to work	15.7	11.4	16.5	15.5	15.9
Type of assistance provided					
to work (All types = 100%)					
Kind of work	37.1	51.5	37.4	40.2	38.9
Amount of work	13.1	33.3	14.7	15.5	15.1
Mobility to get to and from work	6.4	1.6	5.5	6.2	5.9
Mobility at work	2.7	3.3	3.4	2.6	3.0
Support and understanding by					
superiors and colleagues	14.8	6.1	13.7	13.8	13.8
Other	26.0	4.2	25.2	21.7	23.3
% of non-working persons	1				
with LSHPD restriction					
needing assistance to work	47.7	25.5	40.5	47.2	43.7
Type of assistance needed					
to work (All types = 100%)					
Kind of work	29.8	57.2	32.1	34.1	33.1
Amount of work	13.5	11.5	15.1	12.9	14.0
	12.3			10.9	11.4
Mobility to get to and from work					
Mobility to get to and from work Mobility at work	10.0	5.9	8.6	9.9	9.3
		5.9	8.6	9.9	9.3
Mobility at work					

Characteristics of disabled people

 Within most countries, the prevalence of LSHPD among women tends to be similar to the rate for men, but is, on average, slightly higher in the Acceding Countries (table 1).




Figure 2: Percentage of population aged 16-64 with a LSHPD by gender

 The rates of LSHPD increase with age in all countries (table 1).





Figure 3: Percentage of population aged 16-64 with a LSHPD by age. All countries


 Since marital status is strongly related with age, it is not surprising that LSHPD rates are lowest for single persons and highest for the widowed, but the rates are also much larger for the divorced than for married persons (table 1).



Note: 'All' includes also Norway and Romania



 The rates of LSHPD are much higher for persons with a lower level of education, particularly in the Acceding Countries (table 1).



 The most common main types of disability are musculoskeletal problems, especially with the back or neck, legs or feet, followed by heart, blood pressure and circulation problems (table 2).




Figure 6: Distribution of population aged 16-64 with LSHPD by type. All countries

• For half of the persons with LSHPD, the cause is nonwork related diseases. Only 16.9% have had such a condition since birth; the cause is work-related for 18.4% (13.2% for work-related diseases) (table 2).




Figure 7: Distribution of population aged 16-64 with LSHPD by cause of LHSPD. All countries

Assistance to work

Questions about assistance to work were asked to disabled persons who stated that they faced some kind of work restriction (as regards the type of work, the amount of work, or mobility to and from work). Those who were working were asked whether some form of assistance was *provided* to work. Those who were not working were asked whether some form of assistance was *needed* to work. (See Explanatory notes).

 Only 15.9% of working persons with LSHDP and facing work restrictions are provided with some assistance to work. However, this percentage masks wide country variations. The assistance provided at work relates mainly to the type of work performed (table 2).




Figure 8: Working persons aged 16-64 facing work restrictions: percentage of those who are provided with some assistance to work.

 43.7% of non-working persons with LSHDP and facing work restrictions consider that they would need some form of assistance to work. However, this percentage also varies widely among countries. The major type of assistance needed to work also relates to the kind of work performed (table 2).




Figure 9: Non-working persons aged 16-64 facing work restrictions: percentage of those who would need some assistance to work.



Table 3: Distribution of the population by LSHPD severity and percentage of the population with specific characteristics in each LSHPD severity group (%)

					All	-
	EU15	EUR12	ACC	F	M	All
Total (%)	100.0	100.0	100.0	100.0		100.0
Very severe	5.2	5.4	6.3	5.8		5.7
Severe	4.3	4.4	3.7	4.2	4.0	4.1
Moderate	3.1	2.8	1.3	2.7	2.7	2.7
Mild	6.7	5.6	3.0	5.9	6.0	5.9
Without LSHPD	80.7	81.8	85.7	81.7	81.7	81.6
Employed (%)						
Very severe	18.8	22.5	14.3	18.7	20.3	19.5
Severe	45.7	42.4	35.9	39.7	48.6	44.1
Moderate	67.8	64.4	57.7	59.1	73.7	66.7
Mild	76.6	67.8	69.1	68.3	82.3	75.6
Not disabled	68.0	64.7	66.4	58.1	77.2	67.6
Unemployed (%)						
Very severe	2.8		3.9			3.0
Severe	5.6		9.3	5.5	6.6	
Moderate	6.2					
Mild	3.5		3.9		3.7	3.5
Without LSHPD	5.3	5.7	6.4	5.5	5.4	5.4
Inactive person (%)						
Very severe	78.4					
Severe	48.7	52.2	54.8			
Moderate	26.0					
Mild	20.0					
Without LSHPD	26.7	29.6	27.2	36.4	17.4	26.9
Unemployment rate (%)				40.0		40.0
Very severe	12.8		21.6		14.2	13.3
Severe	10.9					12.1
Moderate	8.4					
Mild	4.3		5.4			
Without LSHPD	7.2	8.1	8.8	8.6	6.5	7.4
ISCED 0-2 (%) Very severe	66.1	77.3	43.5	61.4	57.4	59.4
Severe	53.3				and the second se	50.2
Moderate	37.4					
Mild	31.7				28.7	
Without LSHPD	39.6				43.7	45.7
ISCED 4-6 (%)	00.0	40.0	21.0	41.1	40.7	40.1
Very severe	8.1	6.5	8.6	8.8	8.3	8.5
Severe	13.0					
Moderate	19.6					
Mild	23.8					
Without LSHPD	21.8			15.8		
Aged 16-29 (%)	1					
Very severe	9.1	8.8	7.2	8.1	10.2	9.1
Severe	10.9		9.6			10.7
Moderate	18.6					18.3
Mild	19.0	17.6	15.9	19.9		18.6
Without LSHPD	89.6	90.4	95.2	90.1	90.7	90.4
Aged 50-64 (%)						
Very severe	55.7	58.2	59.5	56.0	55.8	55.9
Severe	49.6					
Moderate	37.5					
Mild	38.4				and the second se	
Without LSHPD	65.6	67.5	67.9	67.1	71.5	66.5
Married (%)						
Very severe	56.1	60.1	61.3		56.6	
Severe	61.2					
Moderate	56.7					57.0
Mild	59.4					
Without LSHPD	55.6	56.9	57.1	58.2	54.3	56.2

Note: 'All' includes also Norway and Romania

Restriction levels

 The severity of LSHPD tends to be higher in the Acceding countries than in the EU15 (table 3).




Figure 10: Population aged 16-64 with LSHPD by severity (%).

 The more severe the degree of disability, the lower the participation in the labour force: only 20% of the severely disabled as compared to 68% for those without LSHPD (table 3).






Figure 11: Distribution of population aged 16-64 by severity of disability and activity status (%). All countries

 However, the unemployment rate among the disabled is not higher than that for the non-disabled, possibly because of the 'discouraged worker' effect (table 3). Probably, many disabled persons know or believe that they are very unlikely to get a job, so that they do not even attempt to find one and are therefore classified as inactive.







ESSENTIAL INFORMATION – METHODOLOGICAL NOTES

Explanatory notes

In order to provide data for the European Year of People with Disabilities 2003, the 2002 European Union Labour Force Survey (LFS) contained an ad hoc module concerning the employment of disabled people. As set out by Commission Regulation (EC) No 1566/2001 of 12 July 2001, the module consists of 11 variables dealing with the existence, type, cause and duration of longstanding health problem or disability, work limitations (regarding the kind of work or the amount of work, and mobility problems), and assistance needed or provided to work. Although harmonised, translated questions for the variables were proposed by Eurostat, some rewording was felt necessary at national level, which may have some effect on the comparability of data.

A detailed description of the sampling methods and definitions for the LFS can be found in 'The Labour Force Survey – Methods and Definitions, 2001'.

The preliminary data come from the 15 Member States, 9 Acceding and Candidate Countries (excluding Bulgaria, Latvia, Poland and Turkey) and Norway.

Basic concepts and definitions

All definitions apply to persons aged 16-64 years, living in private households.

Disabled persons were those who stated that they had a longstanding health problem or disability **(LSHPD)** for 6 months or more or expected to last 6 months or more.

Restriction levels: This criterion was constructed from the combination of the three variables on how disabled people are restricted regarding (1) the kind of work and (2) the amount of work that can be done, and (3) mobility to and from work. Possible replies were "Yes, considerably", "Yes, to some extent" and "No".

Very severe disability applies to those who replied "considerably" or "to some extent" to all three questions.

Severe disability applies to respondents who replied "considerably" or "to some extent" to two of the three questions.

Moderate disability applies to those who replied "considerably" or "to some extent" to one of the three questions.

Mild disability applies to those who replied "no" to the three questions, but had a LSHPD.

Assistance needed / assistance provided: Data on the type of assistance provided or needed applies to the sub-populations of disabled persons who answered "considerably" or "to some extent" to the question concerning problems of restriction in the kind of work, the amount of work or limitations in their mobility to and from work:

- For the assistance provided: persons who did some work for pay or profit lasting at least one hour during the reference week or were not working but had a job or business from which they were absent during the reference week.
- For the assistance needed: persons who were not working because they had been made redundant or who either did not have a job or business during the reference week.

Since the questions on LSHDP type, cause and on the type of assistance provided or needed were not compulsory in Germany and, concerning assistance needed, Hungary, EUR12, EU15 and All do not include these countries for the respective results.

The employment and activity related concepts and definitions used in the survey follow the guidelines of the International Labour Organisation:

Employed persons are those who during the reference week did some work for pay or profit lasting at least one hour, or were not working but had jobs from which they were temporarily absent. Family workers are included.

Unemployed persons comprise persons who were without work during the reference week, were currently available for work and were actively seeking work or who had found a job commencing at a later date.

Inactive persons are those who are neither classified as employed nor unemployed.

The unemployment rate represents unemployed persons as a percentage of the active population.

Education

ISCED 0-2: includes all persons with up to lower secondary education or second stage of basic education.

ISCED 3: includes persons with (upper) secondary education.

ISCED 4-6: includes persons with post-secondary non-tertiary education or tertiary education.

Country codes and codes for geographical aggregates applied in this publication: BE (Belgium), DK (Denmark), DE (Germany), EL (Greece), ES (Spain), FR (France), IE (Ireland), IT (Italy), LU (Luxembourg), NL (Netherlands), PT (Portugal), AT (Austria), FI (Finland), SE (Sweden), UK (United Kingdom), EU-15 (European Union), EUR12 (Eurozone); CZ (Czech Republic), EE (Estonia), CY (Cyprus), LT (Lithuania), HU (Hungary), MT (Malta), SI (Slovenia), SK (Slovak Republic), ACC (Acceding Countries). NO (Norway), RO (Romania), AII (EU-15, ACC, NO and RO).



Further information:

Databases

NewCronos, Theme 3, Domain: health

To obtain information or to order publications, databases and special sets of data, please contact the Data Shop network:

DANMARK	DEUTSCHLAND	ESPAÑA	FRANCE	ITALIA – Roma		
DANMARKS STATISTIK	Statistisches Bundesamt	INE	INSEE Info Service	ISTAT		
Bibliotek og Information. Eurostat Data Shop Sejrøgade 11 DK-2100 KØBENHAVN Ø Tif. (45) 39 17 30 30 Fax (45) 39 17 30 03 E-mail: bib@dst.dk URL:: http://www.dst.dk/bibliotek	Eurostat Data Shop Berlin Otto-Braun-Straße 70-72 (Eingang: Karl-Marx-Allee) D-10178 Berlin Tel. (49) 1888-644 94 27/28 (49) 611 75 94 27 Fax (49) 1888-644 94 30 E-Mail: datashop@destatis.de URL: http://www.eu-datashop.de/	Paseo de la Castellana, 183 195, rue de Bercy Despacho 011B Tour Gamma A Entrada por Estébanez Caldéron F-75582 PARIS CEDEX 12 E-28046 MADRID Tél. (33) 1 53 17 88 44 Tel. (34) 915 839 167/ 915 839 500 Fax (33) 1 53 17 88 22 Fax (34) 915 830 357 E-mail: datashop@insee.fr E-mail: datashop.eurostat@ine.es Momber of the MIOAS Net		Despacho 011B Entrada por Estébanez Caldéron E-28046 MADRID Tel. (34) 915 839 67/ 915 839 500 Fax (34) 915 830 357 E-mail: datashop.eurostat@ine.es URL:http://www.ine.es/prod/ser/datashop/ index.html		Centro di informazione statistica Sede di Roma Eurostat Data Shop Via Cesare Balbo, 11a I-00184 Roma Tel. (39) 06 46 73 30 28 Fax (39) 06 46 73 31 01/07 E-mail: datashop@istat.it URL: http://www.istat.it/Prodoti-e/Allegat Eurostatdatashop.html Member of the MIDAS Net
ITALIA - Milano	NEDERLAND	PORTUGAL	SUOMI/FINLAND	SVERIGE		
ISTAT	Centraal Bureau voor de Statistiek	Eurostat Data Shop Lisboa	Statitics Finland	Statistics Sweden		
Ufficio Regionale per la Lombardia	Eurostat Data Shop - Voorburg	INE/Serviço de Difusão	Eurostat Data Shop Helsinki	Information service		
Eurostat Data Shop	Postbus 4000	Av. António José de Almeida, 2	Tilastokirjasto	Eurostat Data Shop		
Via Fieno 3	NL-2270 JM VOORBURG	P-1000-043 LISBOA	PL 2B FIN-00022 Tilastokeskus	Karlavägen 100 - Box 24 300		
I-20123 MILANO	Nederland	Tel. (351) 21 842 61 00	Työpajakatu 13 B, 2 Kerros, Helsinki	S-104 51 STOCKHOLM		
Tel. (39) 02 80 61 32 460	Tel. (31) 70 337 49 00	Fax (351) 21 842 63 64	P. (358) 9 17 34 22 21	Tfn (46) 8 50 69 48 01		
Fax (39) 02 80 61 32 304	Fax (31) 70 337 59 84	E-mail: data.shop@ine.pt	F. (358) 9 17 34 22 79	Fax (46) 8 50 69 48 99		
E-mail: mileuro@tin.it URL: http://www.istat.it/Prodoti-e/ Allegati/ Eurostatdatashop.html Member of the MIDAS Net	E-mail: <u>datashop@cbs.nl</u> URL: www.cbs.nl/eurodatashop		Sähköposti: datashop@stat.fi URL: http://www.tilastokeskus.fi/tk/kk/datashop/	E-post: infoservice@scb.se URL: http://www.scb.se/templates/ Standard22884.asp		
UNITED KINGDOM	NORGE	SCHWEIZ/SUISSE/SVIZZERA	UNITED STATES OF AMERICA	-		
Eurostat Data Shop	Statistics Norway	Statistisches Amt des Kantons	Harver Analytics			
Office for National Statistics	Library and Information Centre	Zürich	Eurostat Data Shop			
Room 1.015	Eurostat Data Shop	Eurostat Data Shop	60 East 42nd Street			
Cardiff Road	Kongens gate 6	Bleicherweg 5	Suite 3310			
Newport South Wales NP10 8XG	Boks 8131 Dep.	CH-8090 Zürich	NEW YORK, NY 10165			
United Kingdom	N-0033 OSLO	Tel. (41) 1 225 12 12	USA			
Tel. (44) 1633 81 33 69	Tel. (47) 21 09 46 42 / 43	Fax (41) 1 225 12 99	Tel. (1) 212 986 93 00			
Fax (44) 1633 81 33 33	Fax (47) 21 09 45 04	E-mail: datashop@statistik.zh.ch	Fax (1) 212 986 69 81			
E-mail: eurostat.datashop@ons.gov.uk	E-mail: Datashop@ssb.no URL: http://www.ssb.no/biblioteket/datashop/	URL: http://www.statistik.zh.ch	E-mail: eurodata@haver.com URL: http://www.haver.com/			

Media Support Eurostat (for professional journalists only):

Bech Building Office A4/017 • L-2920 Luxembourg • Tel. (352) 4301 33408 • Fax (352) 4301 35349 • e-mail: eurostat-mediasupport@cec.eu.int

For information on methodology:

Didier Dupré, Eurostat/D6, L-2920 Luxembourg, Tel. (352) 4301 35034, Fax (352) 4301 35399, E-mail: Didier.Dupre@cec.eu.int Antti Karjalainen, Eurostat/D6, L-2920 Luxembourg, Tel. (352) 4301 32693, Fax (352) 4301 35399,

E-mail: Antti.Karjalainen@cec.eu.int

Aurélie Jacquin and Renaud Decoster carried out the data processing and statistical analysis **ORIGINAL: English**

Please visit our web site at www.europa.eu.int/comm/eurostat/ for further information!

A list of worldwide sales outlets is available at the Office for Official Publications of the European Communities.

2 rue Mercier - L-2985 Luxembourg Tel. (352) 2929 42118 Fax (352) 2929 42709 URL: http://publications.eu.int E-mail: info-info-opoce@cec.eu.int

BELGIQUE/BELGIË – DANMARK – DEUTSCHLAND – GREECE/ELLADA – ESPAÑA – FRANCE – IRELAND – ITALIA – LUXEMBOURG – NEDERLAND – ÖSTERREICH PORTUGAL – SUOMI/FINLAND – SVERIGE – UNITED KINGDOM – ISLAND – NORGE – SCHWEIZ/SUISSE/SVIZZERA – BALGARIJA – CESKÁ REPUBLIKA – CYPRUS EESTI – HRVATSKA – MAGYARORSZÁG – MALTA – POLSKA – ROMÁNIA – RUSSIA – SLOVAKIA – SLOVENIA – TÜRKIYE – AUSTRALIA – CANADA – EGYPT – INDIA ISRAËL - JAPAN - MALAYSIA - PHILIPPINES - SOUTH KOREA - THAILAND - UNITED STATES OF AMERICA

Order form

I would like to subscribe to Statistics in focus (from 1.1.2003 to 31.12.2003): (for the Data Shop and sales office addresses see above) All 9 themes (approximately 200 issues)

D Paper: EUR 240 Language required: DE DE EN DFR

Statistics in focus can be downloaded (pdf file) free of charge from the Eurostat web site. You only need to register. For other solutions, contact your Data Shop.

- Please send me a free copy of 'Eurostat mini-guide' (catalogue containing a selection of Eurostat products and services) Language required: DE DE FR
- I would like a free subscription to 'Statistical References', the information letter on Eurostat products and services Language required: DE DE FR

ame:
tment:
bly by:
Expires on:/
VAT number: atically applied. Subsequent